

//_

* Break statement :

→ To exit a loop or switch statement immediately.

* Continue statement :


→ Used to skip the current iteration of a loop and move to the next iteration ;

* Object - oriented programming :

→ methods are functions, logic or behaviours.

↳ OOPS is used for structuring of code.

↳ entities → variables & functions.



• D/B → Encapsulation & Abstraction.

Encapsulation → protected, public and private data

• Java is bottom-up approach.

* Advantages of OOPS :

• reusability, Data Hiding, Modularity, extensibility, Maintainability, Real-world modelling

* OOPS design :

↳ Class, objects, attributes, methods.

* OOPS concept:

1. Class → blueprint
2. Objects → instances of class
3. Inheritance → inheriting parent class's properties and behaviour.
4. Encapsulation → data hiding.
5. Polymorphism → one functions but many functionalities / properties.
6. Abstraction → Abstracting only necessary things and hiding unnecessary things.

Polymorphism

↓
Overriding

- rewriting over & over again.

• eg: A local bank customizing a global interest rate.

↓
Overloading

- load giving beyond limits.

• eg: a printer that can process a doc. without any named unique action for each.

* Encapsulation

- Hides the internal state or data.
- Focuses on how an obj. protects its data.
- operates on implementation level.

Abstraction

- Hides the implementation.
- Focuses on what an obj. does.
- Operates on design level.