

WELL NO.: 2/4-8A OPERATOR: PHILLIPS




TOTAL DEPTH 4075 m

ELEV KB 37 m

WATER DEPTH 66 m





		Core
~~~		Unconformity
Plio	_	Pliocene
Mio	-	Miocene
Olig	-	Oligocene
Eoc	-	Eocene
Pal	-	Paleocene
Dan	-	Danian
L Cret	-	Late Cretaceous
E Cret	-	Early Cretaceous
JR	-	Jurassic
TR	-	Triassic

- Permian

Basem - Basement

Perm

WELL NO	2/4-8Ax
COORDINATE	s 56° 38'17.07"N 3 [°] 19'0.848"E
LICENSEE	Phillips Petroleum Company
LICENSE NO	18
PERMIT NO	63
CONTRACTOR	Zapata North Sea Inc.
RIG	Maersk Explorer
SPUD DATE	25. November 1971
COMPLETION	DATE 29 March 1972

SPUD CLASSIF	Appraisal
FMTN AT TD	Permian, Zechstein Halite
PROD EMTN	Tertiary, Danian
	L. Cret. Maastrichtian
BHT 128 °C	

CASINGS				
TYPE	DIAM inches	DEPTH BELOW KB m	HOLE DIAM inches	DEPTH BELOW KB m
COND	30	135	36	133
SFC	20	479	26	488
INT	13 3/8	1611	17 1/2	1623
INT	9 5/8	2980	12 1/4	2984
INT	7	3702	8 1/2	3810
PROD			6	4076
PROD			6	4076

HOLE DEVIA	TION
D-EPTH m	DEGREES
133	1.00
488	0.50
1366	1.00
2570	1.00
2819	1 <b>.7</b> 5
	A Market Market and Contract an

CONVENTIONAL CORES +					
INTERVAL		RECOVERY			
NO	NO m		QUALITY	%	
1	2986-2993	3.4	Bits & pieces	44	
2	2993-3003	21.0	TI .	81	
3	3003-3009	6.0	Mostly Good condition	100	
4	3009-3021.5	5.5	н	45	
5	3021.5-3024	2.5	п	100	
6	3024-3035.2	9.8	Good	86	
7	3035.5-3042	5.8	п .	90	
8	3042-3050	8.0	11	100	
9	3050-3058	7.3	П	92	
10	3058-3076.6	18.1	11	98	
11	3076.6-3095.2	18.6	Mostly good	100	
12	3095.2-3108	10.7	п	83	
13	3108-3126.6	1.8	Bits & pieces	10	
14	3126.6-3130.3	3.4	Mostly good	35	
15	3130.3-3149	18.6	Good	100	

	TESTS +				
TYPE	NO	INTERVAL m	RECOVERY	FSIP psi	FFP psi
DST	1	3194-3204	2 bbls water	540 <b>2</b>	7892
11	2	3185-3194	Nill, retested	0	0
11	3	3181-3191	2.8mBOD,4.4mMCFGD	5996	1331
11	4	3194-3204	1.1MBOD,2.1MMCFGD	5983	1318
11	5	3091-3158	4.1MBOD,8.3MMCFGD	6974	6800
11	6	3014-3042	2.3MBOD,3.3MMCFGD	6226	4089

REMARKS :

+	Continued	on	next	page

AV	AVAILABLE LOGS +				
TYPE	I NTERVAL m	1/200	1/500		
GRBHC	479-1619	x	×		
внс-с	1611-2981	×	x		
!1	2980-3374	×	x		
11	3285-3721	x	x		
11	3700-4076	l x	x		
GRN	244- 607	x	×		
ŧ1	2956-3703	x	x		
FDC	2980-3377	x	x		
11	3307-3726	x	x		
SNP	2980-3377	X	x		
11	3353-3734	×	х		
11	3700-4076	x	x		
IES	479-1625	×	x		
11	1611-2984	x	х		
11	2980-3374	×	x		
Ħ	2980-3719	l x	×		
11	3700-4076	x	х		
DL	2980-3374	x	х		
II	3285-3731	x	х		
MLMLL	2982-3379	x	x		
t1	3322-3677	x	х		
TS	1372-3619	x	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
CBL	1829-3537	x			
11	2743-3700	×	y		
11	2956-3048	x			
11	2783-3619	х			
SRS	479-3721		¥		

WELL NO	SPUD CLASSIF
COORDINATES	COMPL CLASSIF
LICENSEE	FMTN AT TD
LICENSE NO	PROD FMTN
PERMIT NO	BHTOC
RIG	
SPUD DATE	

CASINGS				
TYPE	DIAM inches	DEPTH BELOW KB m	HOLE DIAM inches	DEPTH BELOW KE
COND				
SFC				
INT				
INT	100 mm			
INT				
PROD				
and an all and a second second				

COMPLETION DATE ____

HOLE DEV	/IATION
DEPTH	DEGREES

CONVENTIONAL CORES +									
NO	INTERVAL	RECOVERY							
	m	m	m QUALITY						
16	3149-3167.6	18.6	Mostly good condition	100					
17	3167.6-3186	18.5	Good	100					
18	3186-3204.6	18.6	11	100					
19	3204.6-3232.2	18.6	11	100					
20	3232.2-3241.8	18.6	11	100					
				annon a managaria					
				ongossperiorististerentizioni@o					
				······································					
<b>34311</b>									
	\$10000000 \$1000000 \$1000000000000000000								
<b></b>		······································							
				Annous					

RECOVERY	FSIP	FFP
	psi	psi
0.5MBOD,0.8MMCFGD	5800	685
		description of the second
	\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$	orimmanamentalia (sistem)
	planta de la composición del composición de la c	
	MORRALI-G-2379000000 EXTENDED CONTROLOGO	PARTICULAR SOLVE SERVICE S
	0.5MBOD,0.8MMCFGD	

REMARKS	:	_	Continued
		7	Continued

AV	AILABLE	LOGS +		
TYPE	INTERVAL m	1/200	1/500	
Mud	488-4075	was de la constant de	x .	
			•	
	***************************************	CERTIFICATION OF THE PROPERTY	Question	
	Make Transport and Market Control of the Control of			
DITTO TO SERVICE STATE OF THE				
		***************************************	Secretaria de la constitución de	
			and the second of the second o	
***************************************	kamanasa nya iku na ita nya maha maha kahala dalaha pinananya soloh da e e enden anda da eta da dana			
<u>ge</u> d			Construction of the constr	
***************************************				
			Same a company of the same and	
		***************************************		