

LAGARDSVN 80 - BOKS 600 - 4001 STAVANGER - TLF 33 160

WELL ID: 2/4-4 COORDINATES: 56°30'48" N 3°12'39" E LICENSEE: Phillips group LICENSE NO: 018 KBE: 27 M W D: 71 M PERMIT NO 37 PERMIT DATE 2.6.70 T D 3425 M RIG: Ocean Viking

CONTRACTOR: Odeco Inc OPERATOR: Phillips

SPUD DATE 21.6.70 COMPLETION DATE 1.8.70 STATUS P + A BHT 121.1°C

FMTN AT T D Cretaceous

PROD FMTN Danian

PROD FMTN

FIELD: Ekofisk CLASSIFICATION: Appraisal

CASING RECORD

	,	DIA.	INCH	DEPTH BELOW KB - METRES	HOLE SIZE DIA-INCH	DEPTH BELOW KB - METRES
SFC	CGS	30		135	36	135
INT	CGS	20		598	26	622
INT	CGS	13	3/8	1639	17 1/2	1646
INT	CGS	9	5/8	3094	12 1/4	3111
INT	CGS			Sentical conference and the process of the conference of the confe		
PROD	CGS	7		3424	8 1/2	3426
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		00000000000000000000000000000000000000			
			2008/			

CORES

NOS OF CORES	TOTAL METRES	REC METRES
3 Conventional	91.4 between	8.9
Maggio en en grago montro de servicio en como de extractivo de productivo en contro de	3207.3 and 3298.7	

DST AND WIRELINE TESTS

TYPE	INTERVAL METRES	REC	STATIC BHP	FFP	TEMP ^O C
DST	3274-3284	250 bpd w	7066		
DST	3247-3256	100 feet gcm	4702	4854	
DST	3234-3237	30 bpd w	7060	4437	
DST	3220-3226	1040 bpd o			ļ
		962 mcfd g	7083	2259	
DST	3177-3201	2719 bpd o			
		2.7 mmcfd g	7095	6638	
DST	3163-3168	2 b gcm	6844	Torren and the second s	Nagyan kanan wandan sanan na manan na
DST	3128-3152	686 bpd o			
	,	969 mcfd g	6772	1398	
DST	3128-3201	3779 bpd o			
Maren		4.0 mmcfd g	7074	4366	

DST-7 2-3/4" chokes DST-8 2-3/4" chokes MISC:

LOGS RUN

TYPE	INTERVAL METR
IES	599-3426
LL-7	3094-3428
MLL_C	3094-3428
SGR-C	1640-3425
SGR	598-1640
GR	9 1– 598
FDC	2744-3428
SNP	3094-3428
CAL	599-1648
CBL	3003-3410
Dir	599 -3 427
AA	3094-3425
CDM	3094-3427
MUD	99-3425

DEVIATION

#4500 NOTIFICATION OF THE PROPERTY OF THE PROP	***************************************
DEPTH METRES	DEG
610	0.25
1890	1.0
2195	1.25
2235	1.5
3110	1.5
3427	2.0
Sept of the Manual Control of the Co	
Appendigues processor and a second processor	