Ai 14.1

M. VIKAS

2303A52190

BATCH 44

Task: portfolio

Prompt: Develop a portfolio using the frontend Code:

labexam2.py | 2 tasklabexam.py | index.html

rontend > index.html > html > head > style > *

```html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>My Portfolio</title>

  <!-- Google Font -->
  <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;500;700&display=swap" rel="stylesheet">

  <style>
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
      font-family: 'Poppins', sans-serif;
    }

    body {
      line-height: 1.6;
      background: #f4f6f8;
      color: #333;
    }

    /* Navbar */
    nav {
      position: fixed;
      width: 100%;
      background: #1e3a8a;
      padding: 15px 0;
```

```css
nav ul {
  display: flex;
  justify-content: center;
  list-style: none;
}

nav ul li {
  margin: 0 20px;
}

nav ul li a {
  color: white;
  text-decoration: none;
  font-weight: 500;
}

nav ul li a:hover {
  color: #facc15;
}
```

```css
/* Sections */
section {
  padding: 80px 20px;
  min-height: 100vh;
}

.container {
  max-width: 1000px;
  margin: auto;
}

h1, h2 {
  margin-bottom: 20px;
  text-align: center;
}

/* About */
#about {
  display: flex;
  align-items: center;
  justify-content: center;
  text-align: center;
}

```

```css
/* Projects */
.projects-grid {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));
  gap: 20px;
}

.project-card {
  background: white;
  padding: 20px;
  border-radius: 10px;
  box-shadow: 0 4px 8px rgba(0,0,0,0.1);
  transition: transform 0.3s;
}

.project-card:hover {
  transform: translateY(-5px);
}

/* Contact */
form {
  display: flex;
  flex-direction: column;
  gap: 15px;
  max-width: 500px;
  margin: auto;
```

```css
form {
  display: flex;
  flex-direction: column;
  gap: 15px;
  max-width: 500px;
  margin: auto;
}

input, textarea {
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 5px;
}

button {
  padding: 10px;
  border: none;
  background: #1e3a8a;
  color: white;
  cursor: pointer;
  border-radius: 5px;
}
```

```html
<body>

  <!-- Navbar -->
  <nav>
    <ul>
      <li><a href="#about">About</a></li>
      <li><a href="#projects">Projects</a></li>
      <li><a href="#contact">Contact</a></li>
    </ul>
  </nav>

  <!-- About Section -->
  <section id="about">
    <div class="container">
      <h1>About Me</h1>
      <p>Hello! I'm a passionate developer skilled in building web applications. I love coding and solving real-world problems.</p>
    </div>
  </section>

  <!-- Projects Section -->
  <section id="projects">
    <div class="container">
      <h2>Projects</h2>
      <div class="projects-grid">
        <div class="project-card">
          <h3>Project 1</h3>
          <p>Description of your project.</p>
```

```html
<!-- Contact Section -->
<section id="contact">
  <div class="container">
    <h2>Contact</h2>
    <form>
      <input type="text" placeholder="Your Name" required>
      <input type="email" placeholder="Your Email" required>
      <textarea rows="5" placeholder="Your Message"></textarea>
      <button type="submit">Send</button>
    </form>
  </div>
</section>

<!-- Smooth Scroll Script -->
<script>
  document.querySelectorAll('a[href^="#"]').forEach(anchor => {
    anchor.addEventListener('click', function(e) {
      e.preventDefault();

      document.querySelector(this.getAttribute('href')).scrollIntoView({
        behavior: 'smooth'
      });
    });
  });
</script>
```

Output:







Summary: A personal portfolio website showcasing About, Projects, and Contact sections with a clean, responsive layout.
Implements modern UI design using Flexbox/Grid and smooth scrolling navigation.

Task 2: Online Store Product Page

Prompt: Design a product display page for an online store.

labexam2.py | 2 tasklabexam.py | index.html | script.js

Frontend > Task 2 online store > index.html > html

```html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Online Store</title>

<style>
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: Arial, sans-serif;
}

body {
  background: #f5f5f5;
}

/* Header */
.header {
  background: #1e88e5;
  color: white;
  padding: 15px;
  text-align: center;
}
```

```
/* Cart */
.cart {
  flex: 1;
  background: white;
  padding: 15px;
  border-radius: 10px;
  height: fit-content;
  box-shadow: 0 3px 10px rgba(0,0,0,0.1);
}

.cart__title {
  margin-bottom: 10px;
}

.cart__item {
  font-size: 14px;
  margin-bottom: 5px;
}

.cart__total {
  margin-top: 10px;
  font-weight: bold;
}
```

Frontend > Task 2 online store > index.html > html

```html
<html lang="en">
<body>
<div class="container">
  <!-- Products -->
  <div class="products" id="productList"></div>

  <!-- Cart -->
  <div class="cart">
    <h2 class="cart__title">Cart</h2>
    <div id="cartItems"></div>
    <p class="cart__total">Total: ₹<span id="total">0</span></p>
  </div>

</div>

<script>
const products = [
  {name: "Headphones", price: 2000, img: "https://picsum.photos/200?1"},
  {name: "Smart Watch", price: 3500, img: "https://picsum.photos/200?2"},
  {name: "Shoes", price: 2500, img: "https://picsum.photos/200?3"},
  {name: "Backpack", price: 1500, img: "https://picsum.photos/200?4"},
  {name: "Laptop", price: 55000, img: "https://picsum.photos/200?5"},
  {name: "Mobile", price: 20000, img: "https://picsum.photos/200?6"},
  {name: "Camera", price: 30000, img: "https://picsum.photos/200?7"},
  {name: "Keyboard", price: 1200, img: "https://picsum.photos/200?8"},
  {name: "Mouse", price: 800, img: "https://picsum.photos/200?9"},
  {name: "Speaker", price: 2200, img: "https://picsum.photos/200?10"},
  {name: "Tablet", price: 18000, img: "https://picsum.photos/200?11"},
  {name: "Power Bank", price: 1000, img: "https://picsum.photos/200?12"}
];

```

```javascript
// Display products
const productList = document.getElementById("productList");

products.forEach((p, index) => {
  productList.innerHTML += `
    <div class="product">
      <img src="${p.img}" class="product__img">
      <h3 class="product__title">${p.name}</h3>
      <p class="product__price">₹${p.price}</p>
      <button class="product__btn" onclick="addToCart(${index})">Add to Cart</button>
    </div>
  `;
});

// Add to cart
function addToCart(index) {
  cart.push(products[index]);
  updateCart();
}

// Update cart UI
function updateCart() {
  const cartItems = document.getElementById("cartItems");
  const total = document.getElementById("total");
```

```
// Update cart UI
function updateCart() {
  const cartItems = document.getElementById("cartItems");
  const total = document.getElementById("total");

  cartItems.innerHTML = "";
  let sum = 0;

  cart.forEach(item => {
    cartItems.innerHTML += `<p class="cart__item">${item.name} - ₹${item.price}</p>`;
    sum += item.price;
  });

  total.textContent = sum;
}
</script>

</body>
</html>
```

Output:



<u>Summary:</u>

An e-commerce product display with multiple items, images, and a functional shopping cart system. Uses BEM methodology, responsive design, and interactive add-to-cart features.

<u>Task 3:</u> Event Registration

Prompt: develop a form using the html to register for the event Code:

Frontend > event.html > html

```html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Event Registration</title>

<style>
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: "Segoe UI", sans-serif;
}
```

```html
<html lang="en">
<body>

<form class="form" id="registrationForm" aria-labelledby="formTitle">
  <h2 id="formTitle" class="form__title">Event Registration</h2>

  <!-- Name -->
  <div class="form__group">
    <label for="name" class="form__label">Full Name</label>
    <input type="text" id="name" class="form__input" aria-required="true">
    <div class="form__error" id="nameError"></div>
  </div>

  <!-- Email -->
  <div class="form__group">
    <label for="email" class="form__label">Email</label>
    <input type="email" id="email" class="form__input" aria-required="true">
    <div class="form__error" id="emailError"></div>
  </div>

  <!-- Phone -->
  <div class="form__group">
    <label for="phone" class="form__label">Phone Number</label>
    <input type="tel" id="phone" class="form__input" aria-required="true">
    <div class="form__error" id="phoneError"></div>
  </div>

  <!-- Session -->
  <div class="form__group">
    <label for="session" class="form__label">Select Session</label>
    <select id="session" class="form__select" aria-required="true">
```

```
form.addEventListener("submit", function(e) {
  const email = document.getElementById("email");
  const phone = document.getElementById("phone");
  const session = document.getElementById("session");

  // Errors
  const nameError = document.getElementById("nameError");
  const emailError = document.getElementById("emailError");
  const phoneError = document.getElementById("phoneError");
  const sessionError = document.getElementById("sessionError");

  // Reset errors
  nameError.textContent = "";
  emailError.textContent = "";
  phoneError.textContent = "";
  sessionError.textContent = "";

  // Name validation
  if (name.value.trim() === "") {
    nameError.textContent = "Name is required";
    valid = false;
  }

  // Email validation
  const emailPattern = /^[^ ]+@[^ ]+\.[a-z]{2,3}$/;
  if (!email.value.match(emailPattern)) {
    emailError.textContent = "Enter valid email";
```

Output:





Summary: A professional form to collect user details like name, email, phone, and session selection. Includes JavaScript validation, accessibility (ARIA), and clean UI styling.

Task 4: Resume Website

Frontend > resume.html > html

```html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>My Resume</title>

<!-- Google Fonts -->
<link href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;600&family=Merriweather:wght@700&display=swap" rel="stylesh

<style>
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

/* Typography */
body {
  font-family: 'Inter', sans-serif;
  background: #f5f7fa;
  color: #333;
  scroll-behavior: smooth;
}

h1, h2 {
  font-family: 'Merriweather', serif;
}
```

```html
<!-- Navigation -->
<div class="nav">
  <a href="#profile">Profile</a>
  <a href="#skills">Skills</a>
  <a href="#education">Education</a>
  <a href="#experience">Experience</a>
</div>

<div class="container">

  <!-- Profile -->
  <section id="profile" class="section">
    <h1>Profile Summary</h1>
    <p>
      Passionate software developer with strong skills in web development,
      problem solving, and building scalable applications.
    </p>
  </section>

  <!-- Skills -->
  <section id="skills" class="section">
    <h2>Skills</h2>
    <div class="skills">
      <div class="skill">HTML</div>
      <div class="skill">CSS</div>
      <div class="skill">JavaScript</div>
      <div class="skill">Python</div>
      <div class="skill">Node.js</div>
```

```html
  </section>

  <!-- Education -->
  <section id="education" class="section">
    <h2>Education</h2>
    <p><strong>B.Tech in Computer Science</strong></p>
    <p>XYZ University, 2022 - 2026</p>
  </section>

  <!-- Experience -->
  <section id="experience" class="section">
    <h2>Experience</h2>

    <div class="experience__item">
      <h3>Intern - Web Developer</h3>
      <p>ABC Company (2025)</p>
      <p>Worked on building responsive web applications.</p>
    </div>

    <div class="experience__item">
      <h3>Project Developer</h3>
      <p>Personal Projects</p>
      <p>Developed portfolio and e-commerce applications.</p>
    </div>

  </section>
```

Output:



Summary: A one-page digital resume highlighting profile, skills, education, and experience sections. Designed with CSS Grid, professional typography, and smooth navigation.

Task 5: Restaurant Menu Page Prompt: Develop a restaurant menu page using html

Frontend > resuurent.html > html

```html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Restaurant Menu</title>

<style>
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: "Segoe UI", sans-serif;
}

body {
  background: #FFF8F0;
  color: #333;
}

/* Header */
.header {
  text-align: center;
  padding: 20px;
  background: #8B0000;
  color: white;
```

```html
<div class="menu">

  <div class="menu__item">
    <h3 class="menu__title">Margherita Pizza</h3>
    <p class="menu__desc">Classic pizza with fresh tomatoes and mozzarella.</p>
    <p class="menu__price">₹299</p>
  </div>

  <div class="menu__item">
    <h3 class="menu__title">Veg Burger</h3>
    <p class="menu__desc">Crispy patty with fresh veggies and sauces.</p>
    <p class="menu__price">₹149</p>
  </div>

  <div class="menu__item">
    <h3 class="menu__title">Pasta Alfredo</h3>
    <p class="menu__desc">Creamy white sauce pasta with herbs.</p>
    <p class="menu__price">₹249</p>
  </div>

  <div class="menu__item">
    <h3 class="menu__title">Grilled Sandwich</h3>
    <p class="menu__desc">Toasted sandwich with cheese and veggies.</p>
    <p class="menu__price">₹129</p>
```

```html
<body>
<div class="menu">
  <div class="menu__item">
    <p class="menu__desc">Toasted sandwich with cheese and veggies.</p>
    <p class="menu__price">₹129</p>
  </div>

  <div class="menu__item">
    <h3 class="menu__title">French Fries</h3>
    <p class="menu__desc">Crispy golden fries with seasoning.</p>
    <p class="menu__price">₹99</p>
  </div>

  <div class="menu__item">
    <h3 class="menu__title">Chocolate Shake</h3>
    <p class="menu__desc">Rich chocolate milkshake topped with cream.</p>
    <p class="menu__price">₹179</p>
  </div>

  <div class="menu__item">
    <h3 class="menu__title">Paneer Tikka</h3>
    <p class="menu__desc">Spiced grilled paneer cubes.</p>
    <p class="menu__price">₹269</p>
  </div>

  <div class="menu__item">
    <h3 class="menu__title">Cold Coffee</h3>
    <p class="menu__desc">Chilled coffee with ice cream.</p>
    <p class="menu__price">₹159</p>
```

Output:



Summary: A visually appealing digital menu displaying food items with descriptions and prices. Uses a responsive card layout, food-friendly colours, and hover effects for interactivity.