

Top 30 Node.js interview questions and answers

◆ 1. What is npm?

Answer:

npm stands for Node Package Manager. npm provides following two main functionalities:

- Online repositories for node.js packages/modules which are searchable on search.npmjs.org
- Command line utility to install packages, do version management and dependency management of Node.js packages.

◆ 2. What is Node.js?

Answer:

Node.js is a web application framework built on Google Chrome's JavaScript Engine (V8 Engine).

Node.js comes with runtime environment on which a Javascript based script can be interpreted and executed (It is analogous to JVM to JAVA byte code). This runtime allows to execute a JavaScript code on any machine outside a browser. Because of this runtime of Node.js, JavaScript is now can be executed on server as well.

Node.js = Runtime Environment + JavaScript Library

◆ 3. What are the two types of API functions in Node.js?

Answer:

The two types of API functions in Node.js are: a) Asynchronous, non-blocking functions b) Synchronous, blocking functions

◆ 4. What is an error-first callback?

Answer:

Error-first callbacks are used to pass errors and data. The first argument is always an error object that the programmer has to check if something went wrong. Additional arguments are used to pass data.

```
fs.readFile(filePath, function(err, data) {  
  if (err) {  
    //handle the error  
  }  
  // use the data object  
});
```

◆ 5. What is Callback Hell?

Answer:

The asynchronous function requires callbacks as a return parameter. When multiple asynchronous functions are chained together then callback hell situation comes up.

◆ 6. What is control flow function?

Answer:

It is a generic piece of code which runs in between several asynchronous function calls is known as control flow function.

◆ 7. What are Event Listeners?

Answer:

Event Listeners are similar to call back functions but are associated with some event. For example when a server listens to http request on a given port a event will be generated and to specify http server has received and will invoke corresponding event listener. Basically, Event listener's are also call backs for a corresponding event.

Node.js has built in event's and built in event listeners. Node.js also provides functionality to create Custom events and Custom Event listeners.

◆ 8. If Node.js is single threaded then how it handles concurrency?

Answer:

Node provides a single thread to programmers so that code can be written easily and without bottleneck. Node internally uses multiple POSIX threads for various I/O operations such as File, DNS, Network calls etc.

When Node gets I/O request it creates or uses a thread to perform that I/O operation and once the operation is done, it pushes the result to the event queue. On each such event, event loop runs and checks the queue and if the execution stack of Node is empty then it adds the queue result to execution stack.

This is how Node manages concurrency.

◆ 9. Could we run an external process with Node.js?

Answer:

Yes. *Child process module* enables us to access operating system functionalities or other apps. Scalability is baked into Node and child processes are the key factors to scale our application. You can use child process to run system commands, read large files without blocking event loop, decompose the application into various "nodes" (That's why it's called Node).

Child process module has following three major ways to create child processes –

- spawn - `child_process.spawn` launches a new process with a given command.
- exec - `child_process.exec` method runs a command in a shell/console and buffers the output.
- fork - The `child_process.fork` method is a special case of the `spawn()` to create child processes.

◆ 10. What are the key features of Node.js?

Answer:

Let's look at some of the key features of Node.js.

- **Asynchronous event driven IO helps concurrent request handling** – All APIs of Node.js are asynchronous. This feature means that if a Node receives a request for some Input/Output operation, it will execute that operation in the background and continue with the processing of other requests. Thus it will not wait for the response from the previous requests.
- **Fast in Code execution** – Node.js uses the V8 JavaScript Runtime engine, the one which is used by Google Chrome. Node has a wrapper over the JavaScript engine which makes the runtime engine much faster and hence processing of requests within Node.js also become faster.
- **Single Threaded but Highly Scalable** – Node.js uses a single thread model for event looping. The response from these events may or may not reach the server immediately. However, this does not block other operations. Thus making Node.js highly scalable. Traditional servers create limited threads to handle requests while Node.js creates a single thread that provides service to much larger numbers of such requests.
- **Node.js library uses JavaScript** – This is another important aspect of Node.js from the developer's point of view. The majority of developers are already

well-versed in JavaScript. Hence, development in Node.js becomes easier for a developer who knows JavaScript.

- **There is an Active and vibrant community for the Node.js framework**
– The active community always keeps the framework updated with the latest trends in the web development.
- **No Buffering** – Node.js applications never buffer any data. They simply output the data in chunks.

◆ 11. What is the difference between Nodejs, AJAX, and jQuery?

Answer:

The one common trait between Node.js, AJAX, and jQuery is that all of them are the advanced implementation of JavaScript. However, they serve completely different purposes.

- **Node.js** –It is a server-side platform for developing client-server applications. For example, if we've to build an online employee management system, then we won't do it using client-side JS. But the Node.js can certainly do it as it runs on a server similar to Apache, Django not in a browser.
- **AJAX** (aka Asynchronous Javascript and XML) –It is a client-side scripting technique, primarily designed for rendering the contents of a page without refreshing it. There are a no. of large companies utilizing AJAX such as Facebook and Stack Overflow to display dynamic content.
- **jQuery** –It is a famous JavaScript module which complements AJAX, DOM traversal, looping and so on. This library provides many useful functions to help in JavaScript development. However, it's not mandatory to use it but as it also manages cross-browser compatibility, so can help you produce highly maintainable web applications.

◆ 12. What are the core modules of Node.js?

Answer:

- EventEmitter
- Stream
- FS
- Net
- Global Objects

◆ 13. What is global installation of dependencies?**Answer:**

Globally installed packages/dependencies are stored in /npm directory. Such dependencies can be used in CLI (Command Line Interface) function of any node.js but can not be imported using require() in Node application directly. To install a Node project globally use -g flag.

◆ 14. What do you mean by Asynchronous API?**Answer:**

All APIs of Node.js library are asynchronous that is non-blocking. It essentially means a Node.js based server never waits for a API to return data. Server moves to next API after calling it and a notification mechanism of Events of Node.js helps server to get response from the previous API call.

◆ 15. What are the benefits of using Node.js?**Answer:**

Following are main benefits of using Node.js

- **Asynchronous and Event Driven** - All APIs of Node.js library are asynchronous that is non-blocking. It essentially means a Node.js based server never waits for a API to return data. Server moves to next API after calling it and a notification mechanism of Events of Node.js helps server to get response from the previous API call.
- **Very Fast** - Being built on Google Chrome's V8 JavaScript Engine, Node.js library is very fast in code execution.
- **Single Threaded but highly Scalable** - Node.js uses a single threaded model with event looping. Event mechanism helps server to respond in a non-blocking ways and makes server highly scalable as opposed to traditional servers which create limited threads to handle requests. Node.js uses a single threaded program and same program can services much larger number of requests than traditional server like Apache HTTP Server.
- **No Buffering** - Node.js applications never buffer any data. These applications simply output the data in chunks.

◆ 16. What is libuv?

Answer:

libuv is a C library that is used to abstract non-blocking I/O operations to a consistent interface across all supported platforms. It provides mechanisms to handle file system, DNS, network, child processes, pipes, signal handling, polling and streaming. It also includes a thread pool for offloading work for some things that can't be done asynchronously at the operating system level.

◆ 17. What is V8?

Answer:

The V8 library provides Node.js with a JavaScript engine (a program that converts Javascript code into lower level or machine code that microprocessors can understand), which Node.js controls via the V8 C++ API. V8 is maintained by Google, for use in Chrome.

The Chrome V8 engine :

- The V8 engine is written in C++ and used in Chrome and Nodejs.
- It implements ECMAScript as specified in ECMA-262.
- The V8 engine can run standalone we can embed it with our own C++ program.

◆ 18. What is the difference between returning a callback and just calling a callback?

Answer:

```
return callback();
//some more lines of code; - won't be executed
callback();
//some more lines of code; - will be executed
```

Of course returning will help the context calling async function get the value returned by callback.

```
function do2(callback) {
  log.trace('Execute function: do2');
  return callback('do2 callback param');
}
```

```
var do2Result = do2((param) => {
```

```
  log.trace(</span><span class="token cString">print </span><span class="token
interpolation"><span class="token interpolation-punctuation
cBase">${</span>param<span class="token interpolation-punctuation
cBase">}</span></span><span class="token template-punctuation cString">);
  return </span><span class="token cString">return from callback(</span><span
class="token interpolation"><span class="token interpolation-punctuation
cBase">${</span>param<span class="token interpolation-punctuation
cBase">}</span></span><span class="token cString">)</span><span class="token
template-punctuation cString">; // we could use that return
});
```

```
log.trace(</span><span class="token cString">print </span><span class="token
interpolation"><span class="token interpolation-punctuation
cBase">${</span>do2Result<span class="token interpolation-punctuation
cBase">}</span></span><span class="token template-punctuation cString">);
```

Output:

```
C:\Work\Node>node --use-strict main.js
[0] Execute function: do2
[0] print do2 callback param
[0] print return from callback(do2 callback param)
```


◆ 19. List out the differences between AngularJS and NodeJS?

Answer:

AngularJS is a web application development framework. It's a JavaScript and it is different from other web app frameworks written in JavaScript like jQuery. NodeJS is a runtime environment used for building server-side applications while AngularJS is a JavaScript framework mainly useful in building/developing client-side part of applications which run inside a web browser.

◆ 20. Is Node a single threaded application?

Answer:

Yes! Node uses a single threaded model with event looping.

◆ 21. What's the difference between operational and programmer errors?

Answer:

Operation errors are not bugs, but problems with the system, like *request timeout* or *hardware failure*. On the other hand programmer errors are actual bugs.

◆ 22. How you can monitor a file for modifications in Node.js ?

Answer:

We can take advantage of File System `watch()` function which watches the changes of the file.

◆ 23. How to make Post request in Node.js?

Answer:

Following code snippet can be used to make a Post Request in Node.js.

```
var request = require('request');
request.post('http://www.example.com/action', {
  form: {
    key: 'value'
  }
}, function(error, response, body) {
  if (!error && response.statusCode == 200) {
    console.log(body)
  }
});
```

◆ 24. What is Callback?

Answer:

Callback is an asynchronous equivalent for a function. A callback function is called at the completion of a given task. Node makes heavy use of callbacks. All APIs of Node are written in such a way that they support callbacks.

For example, a function to read a file may start reading the file and return the control to the execution environment immediately so that the next instruction can be executed. Once file I/O is complete, it will call the callback function while passing the callback function, the content of the file as a parameter. So there is no blocking or wait for File I/O.

This makes Node.js highly scalable, as it can process a high number of requests without waiting for any function to return a result.

◆ 25. What is Chaining in Node?

Answer:

Chaining is a mechanism to connect output of one stream to another stream and create a chain of multiple stream operations. It is normally used with piping operations.

◆ 26. What are the global objects of Node.js?

Answer:

These objects are available in all modules:

- **process** - The process object is a global that provides information about, and control over, the current Node.js process.
- **console** - Used to print to stdout and stderr.
- **buffer** - Used to handle binary data.

◆ 27. How to use Buffer in Node.js?

Answer:

Buffer is used to process binary data, such as pictures, mp3, database files, etc. Buffer supports a variety of encoding and decoding, binary string conversion.

◆ 28. How can you avoid callback hells?

Answer:

To do so you have more options:

- **modularization:** break callbacks into independent functions
- use *Promises*
- use `yield` with *Generators* and/or *Promises*

◆ 29. What is N-API in Node.js?

Answer:

N-API (pronounced N as in the letter, followed by API) is an API for building native Addons. It is independent from the underlying JavaScript runtime (ex V8) and is maintained as part of Node.js itself. This API will be Application Binary Interface (ABI) stable across versions of Node.js. It is intended to insulate Addons from changes in the underlying JavaScript engine and allow modules compiled for one version to run on later versions of Node.js without recompilation.

◆ 30. Are you familiar with differences between Node.js nodules and ES6 nodules?

Answer:

The modules used in Node.js follow a module specification known as the **CommonJS** specification. The recent updates to the JavaScript programming language, in the form of ES6, specify changes to the language, adding things like new class syntax and a module system. This module system is different from Node.js modules. To import ES6 module, we'd use the ES6 `import` functionality. Now ES6 modules are incompatible with Node.js modules. This has to do with the way modules are loaded differently between the two formats. If you use a compiler like Babel, you can mix and match module formats.