

Start Course | Intellipaat

Start Course | Intellipaat

Launch an instance | EC2 Manage

+

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

Keyword ideas - 53...family movieFree Online Comma...All About German S...BollyFix | Official Si...Ted WoodworkingDownload 16,000...The Secret (2006) -...Movies Fix | Movie...Accenture interview...Dr. Joe Dispenza -...Other bookmarks

aws

Services

Search

[Alt+S]

EC2

N. Virginia

Vikash

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags

Name

Jenkins-Master

Add additional tags

Application and OS Images (Amazon Machine Image)

An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. Search or Browse for AMIs if you don't see what you are looking for below

Search our full catalog including 1000s of application and OS images

Recents

Quick Start

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

S

aws

Mac

ubuntu

Microsoft

Red Hat

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Ubuntu Server 20.04 LTS (HVM), SSD Volume Type

ami-09cd747c78a9add63 (64-bit (x86)) / ami-054cb116359624aa3 (64-bit (Arm))

Virtualization: hvm    ENA enabled: true    Root device type: ebs

Free tier eligible

Description

Canonical, Ubuntu, 20.04 LTS, amd64 focal image build on 2023-02-07

Summary

Number of instances

1

Software Image (AMI)

Canonical, Ubuntu, 20.04 LTS, ...read more

ami-09cd747c78a9add63

Virtual server type (instance type)

t2.micro

Firewall (security group)

default

Storage (volumes)

1 volume(s) - 8 GiB

Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the Regions in which t2.micro is unavailable) instance usage on free tier AMIs per month, 30 GiB of EBS storage, 2 million IOs, 1 GB of snapshots, and 100 GB of bandwidth to the internet.

Cancel

Launch instance

Feedback

Language

Type here to search

25°C

Haze

21:55

12-03-2023

© 2023, Amazon Web Services India Private Limited or its affiliates.

Privacy

Terms

Cookie preferences

3.235.181.218 (ubuntu)

TerminalSessionsViewX serverToolsGamesSettingsMacrosHelp

SessionServersToolsGamesSessionsViewSplitMultiExecTunnelingPackagesSettingsHelp

Quick connect...

2. 3.235.181.218 (ubuntu)

home/ubuntu/

Name

..

.cache

.ssh

.bash\_logout

.bashrc

.profile

.xauthority

ubuntu@ip-172-31-1-198:~\$ curl -fsSL https://pkg.jenkins.io/debian-stable/jenkins.io.key | sudo tee \

> /usr/share/keyrings/jenkins-keyring.asc > /dev/null

Installing Jenkins

Remote monitoring

Follow terminal folder

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net

Type here to search

25°C Haze

22:05

12-03-2023

3.235.181.218 (ubuntu)

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

2. 3.235.181.218 (ubuntu)

home/ubuntu/

Name

..  
.cache  
.ssh  
.bash\_logout  
.bashrc  
.profile  
.xauthority

Remote monitoring  
Follow terminal folder

```
ubuntu@ip-172-31-1-198:~$ service jenkins status
● jenkins.service - Jenkins Continuous Integration Server
   Loaded: loaded (/lib/systemd/system/jenkins.service; enabled; vendor preset: enabled)
   Active: active (running) since Sun 2023-03-12 16:38:02 UTC; 2min 11s ago
     Main PID: 5665 (java)
       Tasks: 36 (limit: 1143)
      Memory: 296.4M
     CGroup: /system.slice/jenkins.service
            └─5665 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war --webroot=/var/cache/jenkins/war --httpPort=8080

Mar 12 16:37:29 ip-172-31-1-198 jenkins[5665]: dee90f43920a4dd586d2e7cc2b8a226a
Mar 12 16:37:29 ip-172-31-1-198 jenkins[5665]: This may also be found at: /var/lib/jenkins/secrets/initialAdminPassword
Mar 12 16:37:29 ip-172-31-1-198 jenkins[5665]: *****
Mar 12 16:37:29 ip-172-31-1-198 jenkins[5665]: *****
Mar 12 16:37:29 ip-172-31-1-198 jenkins[5665]: *****
Mar 12 16:38:02 ip-172-31-1-198 jenkins[5665]: 2023-03-12 16:38:02.948+0000 [id=28] INFO jenkins.InitReactorRunner$1#onAttained: Completed initialization
Mar 12 16:38:02 ip-172-31-1-198 jenkins[5665]: 2023-03-12 16:38:02.975+0000 [id=22] INFO hudson.lifecycle.Lifecycle#onReady: Jenkins is fully up and running
Mar 12 16:38:02 ip-172-31-1-198 systemd[1]: Started Jenkins Continuous Integration Server.
Mar 12 16:38:03 ip-172-31-1-198 jenkins[5665]: 2023-03-12 16:38:03.137+0000 [id=44] INFO h.m.DownloadService$Downloadable#load: Obtained the updated data file for hudson.tasks.Maven.MavenInst
Mar 12 16:38:03 ip-172-31-1-198 jenkins[5665]: 2023-03-12 16:38:03.137+0000 [id=44] INFO hudson.util.Retrier#start: Performed the action check updates server successfully at the attempt #1

lines 1-19/19 (END)
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

Type here to search

25°C Haze 22:10 12-03-2023

## Getting Started

# Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log ([not sure where to find it?](#)) and this file on the server:

```
/var/lib/jenkins/secrets/initialAdminPassword
```





Please copy the password from either location and paste it below.

Administrator password



Continue

Dashboard >

- + New Item
-  People
-  Build History
-  Manage Jenkins
-  My Views

#### Build Queue

No builds in the queue.

#### Build Executor Status

1 Idle

2 Idle

 Add description

## Welcome to Jenkins!

This page is where your Jenkins jobs will be displayed. To get started, you can set up distributed builds or start building a software project.

### Start building your software project

Create a job



### Set up a distributed build

Set up an agent



Configure a cloud



Learn more about distributed builds



REST API Jenkins 2.387.1

Type here to search

 25°C Haze    ENG 22:15 12-03-2023  1

Start Course | Intellipaat

Start Course | Intellipaat

EC2 Management Console

Dashboard [Jenkins]

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Instances:

Keyword ideas - 53...family movieFree Online Comma...All About German S...BollyFix | Official Si...Ted WoodworkingDownload 16,000...The Secret (2006) -...Movies Fix | Movie...Accenture interview...Dr. Joe Dispenza -...Other bookmarks

Services

vpc

EC2

New EC2 Experience

EC2 Dashboard

EC2 Global View

Events

Tags

Limits

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Scheduled Instances

Capacity Reservations

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

Network & Security

Security Groups

Instances (1/2) Info

Find instance by attribute or tag (case-sensitive)

	Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4 DNS	Public IPv4 ...	Elasti
<input type="checkbox"/>	Jenkins-Master	i-0f686a4650644c4ca	Running	t2.micro	2/2 checks passed	No alarms	us-east-1f	ec2-3-235-181-218.co...	3.235.181.218	-
<input checked="" type="checkbox"/>	Slave 1	i-062f061ca8889a3f6	Pending	t2.micro	-	No alarms	us-east-1f	ec2-44-210-132-8.com...	44.210.132.8	-

Instance: i-062f061ca8889a3f6 (Slave 1)

Details

Security

Networking

Storage

Status checks

Monitoring

Tags

Instance summary Info

Instance ID

i-062f061ca8889a3f6 (Slave 1)

IPv6 address

-

Hostname type

IP name: ip-172-31-1-239.ec2.internal

Answer private resource DNS name

IPv4 (A)

Auto-assigned IP address

44.210.132.8 [Public IP]

IAM Role

Public IPv4 address

44.210.132.8 | open address

Instance state

Pending

Private IP DNS name (IPv4 only)

ip-172-31-1-239.ec2.internal

Instance type

t2.micro

VPC ID

vpc-0edaf386f342a5d9f

Subnet ID

subnet-993f61e4409775d1 (Subnet 1)

Private IPv4 addresses

172.31.1.239

Public IPv4 DNS

ec2-44-210-132-8.compute-1.amazonaws.com | open address

Elastic IP addresses

-

AWS Compute Optimizer finding

Opt-in to AWS Compute Optimizer for recommendations. | Learn more

Auto Scaling Group name

© 2023, Amazon Web Services India Private Limited or its affiliates.

Privacy

Terms

Cookie preferences

25°C Haze

22:17

12-03-2023



## New node

Node name

Slave1

Type

☒ Permanent Agent

Adds a plain, permanent agent to Jenkins. This is called "permanent" because Jenkins doesn't provide higher level of integration with these agents, such as dynamic provisioning. Select this type if no other agent types apply — for example such as when you are adding a physical computer, virtual machines managed outside Jenkins, etc.

Create

Dashboard > Manage Jenkins > Nodes >

Configure Clouds

Node Monitoring

Build Queue

No builds in the queue.

Build Executor Status

Built-In Node

1 Idle

2 Idle

Slave1

1 Idle

## Manage nodes and clouds

+ New Node



S	Name ↓	Architecture	Clock Difference	Free Disk Space	Free Swap Space	Free Temp Space	Response Time
	<a href="#">Built-In Node</a>	Linux (amd64)	In sync	4.60 GB	0 B	4.60 GB	0ms
	<a href="#">Slave1</a>	Linux (amd64)	In sync	5.24 GB	0 B	5.24 GB	25ms
	Data obtained	0.24 sec	0.24 sec	0.24 sec	0.24 sec	0.24 sec	0.23 sec



REST API Jenkins 2.387.1



Slave

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

2. Master 5. Slave

• MobaXterm Personal Edition v22.2 •  
(SSH client, X server and network tools)

- ▶ SSH session to **ubuntu@44.210.132.8**
  - Direct SSH : ✓
  - SSH compression : ✓
  - SSH-browser : ✓
  - X11-forwarding : ✓ (remote display is forwarded through SSH)
- ▶ For more [info](#), ctrl+click on [help](#) or visit our [website](#).

Welcome to Ubuntu 20.04.5 LTS (GNU/Linux 5.15.0-1028-aws x86\_64)

\* Documentation: <https://help.ubuntu.com>  
\* Management: <https://landscape.canonical.com>  
\* Support: <https://ubuntu.com/advantage>

System information as of Sun Mar 12 17:01:22 UTC 2023

System load:	0.03	Processes:	110
Usage of /:	30.7% of 7.57GB	Users logged in:	1
Memory usage:	29%	IPv4 address for eth0:	172.31.1.239
Swap usage:	0%		

Expanded Security Maintenance for Applications is not **enabled**.

46 updates can be applied immediately.  
35 of these updates are standard security updates.  
To see these additional updates run: `apt list --upgradable`

Enable ESM Apps to receive additional future security updates.  
See <https://ubuntu.com/esm> or run: `sudo pro status`

New release '22.04.2 LTS' available.  
Run 'do-release-upgrade' to upgrade to it.

Last login: Sun Mar 12 16:49:12 2023 from **183.83.40.200**  
ubuntu@ip-172-31-1-239:~\$ ls  
**jenkins**  
ubuntu@ip-172-31-1-239:~\$ cd jenkins  
ubuntu@ip-172-31-1-239:~/jenkins\$ ls  
**remoting remoting.jar**  
ubuntu@ip-172-31-1-239:~/jenkins\$

Remote monitoring  
☐ Follow terminal folder

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

Type here to search

25°C Haze 22:32 12-03-2023

Master

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

2. Master 5. Slave

\* Support: <https://ubuntu.com/advantage>

System information as of Sun Mar 12 17:01:24 UTC 2023

System load:	0.11	Processes:	112
Usage of /:	39.0% of 7.57GB	Users logged in:	1
Memory usage:	64%	IPv4 address for eth0:	172.31.1.198
Swap usage:	0%		

\* Introducing Expanded Security Maintenance for Applications.  
Receive updates to over 25,000 software packages with your Ubuntu Pro subscription. Free for personal use.  
<https://ubuntu.com/aws/pro>

Expanded Security Maintenance for Applications is not **enabled**.

46 updates can be applied immediately.  
35 of these updates are standard security updates.  
To see these additional updates run: `apt list --upgradable`

Enable ESM Apps to receive additional future security updates.  
See <https://ubuntu.com/esm> or run: `sudo pro status`

New release '22.04.2 LTS' available.  
Run 'do-release-upgrade' to upgrade to it.

Last login: Sun Mar 12 16:48:34 2023 from 183.83.40.200

```
ubuntu@ip-172-31-1-198:~$ ls
ubuntu@ip-172-31-1-198:~$ mkdir GIT
ubuntu@ip-172-31-1-198:~$ cd git
-bash: cd: git: No such file or directory
ubuntu@ip-172-31-1-198:~$ cd GIT
ubuntu@ip-172-31-1-198:~/GIT$ git init
Initialized empty Git repository in /home/ubuntu/GIT/.git/
ubuntu@ip-172-31-1-198:~/GIT$ touch masterfile
ubuntu@ip-172-31-1-198:~/GIT$ ls
masterfile
ubuntu@ip-172-31-1-198:~/GIT$ git add masterfile
ubuntu@ip-172-31-1-198:~/GIT$ git commit -m "masterfile"
[master (root-commit) 5622721] masterfile
Committer: Ubuntu <ubuntu@ip-172-31-1-198.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 masterfile
ubuntu@ip-172-31-1-198:~/GIT$
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

25°C Haze 22:35 12-03-2023

Master

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

2. Master 5. Slave

/home/ubuntu/

Name

- ..
- .cache
- .ssh
- .bash\_logout
- .bashrc
- .profile
- .xauthority

Last login: Sun Mar 12 16:48:34 2023 from 183.83.40.200

```
ubuntu@ip-172-31-1-198:~$ ls
ubuntu@ip-172-31-1-198:~$ mkdir GIT
ubuntu@ip-172-31-1-198:~$ cd git
-bash: cd: git: No such file or directory
ubuntu@ip-172-31-1-198:~$ cd GIT
ubuntu@ip-172-31-1-198:~/GIT$ git init
Initialized empty Git repository in /home/ubuntu/GIT/.git/
ubuntu@ip-172-31-1-198:~/GIT$ touch masterfile
ubuntu@ip-172-31-1-198:~/GIT$ ls
masterfile
ubuntu@ip-172-31-1-198:~/GIT$ git add masterfile
ubuntu@ip-172-31-1-198:~/GIT$ git commit -m "masterfile"
[master (root-commit) 5622721] masterfile
Committer: Ubuntu <ubuntu@ip-172-31-1-198.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 masterfile
ubuntu@ip-172-31-1-198:~/GIT$ git branch develop
ubuntu@ip-172-31-1-198:~/GIT$ git branch
  develop
* master
ubuntu@ip-172-31-1-198:~/GIT$ git checkout develop
Switched to branch 'develop'
ubuntu@ip-172-31-1-198:~/GIT$ ls
masterfile
ubuntu@ip-172-31-1-198:~/GIT$ touch developfile
ubuntu@ip-172-31-1-198:~/GIT$ git add
ubuntu@ip-172-31-1-198:~/GIT$ git commit -m "developfile"
[develop 6964669] developfile
Committer: Ubuntu <ubuntu@ip-172-31-1-198.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 developfile
ubuntu@ip-172-31-1-198:~/GIT$
```

Remote monitoring

Follow terminal folder

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

Type here to search

24°C Haze 22:38 12-03-2023

## Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Owner \*

Repository name \*

 VikashAdhikari / jenkinsAssign ✓

Great repository names are short and memorable. Need inspiration? How about [urban-carnival?](#)

Description (optional)

☒  **Public**

Anyone on the internet can see this repository. You choose who can commit.

☐  **Private**

You choose who can see and commit to this repository.

Initialize this repository with:

Skip this step if you're importing an existing repository.

☐ **Add a README file**

This is where you can write a long description for your project. [Learn more.](#)

**Add .gitignore**

Choose which files not to track from a list of templates. [Learn more.](#)

.gitignore template: None ▾

**Choose a license**

A license tells others what they can and can't do with your code. [Learn more.](#)

License: None ▾

 You are creating a public repository in your personal account.

**Create repository**





Master

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

2. Master 5. Slave

ubuntu@ip-172-31-1-198:~\$ ls  
ubuntu@ip-172-31-1-198:~\$ mkdir GIT  
ubuntu@ip-172-31-1-198:~\$ cd git  
-bash: cd: git: No such file or directory  
ubuntu@ip-172-31-1-198:~\$ cd GIT  
ubuntu@ip-172-31-1-198:~/GIT\$ git init  
Initialized empty Git repository in /home/ubuntu/GIT/.git/  
ubuntu@ip-172-31-1-198:~/GIT\$ touch masterfile  
ubuntu@ip-172-31-1-198:~/GIT\$ ls  
masterfile  
ubuntu@ip-172-31-1-198:~/GIT\$ git add masterfile  
ubuntu@ip-172-31-1-198:~/GIT\$ git commit -m "masterfile"  
[master (root-commit) 5622721] masterfile  
Committer: Ubuntu <ubuntu@ip-172-31-1-198.ec2.internal>  
Your name and email address were configured automatically based on your username and hostname. Please check that they are accurate. You can suppress this message by setting them explicitly. Run the following command and follow the instructions in your editor to edit your configuration file:  
  
git config --global --edit  
  
After doing this, you may fix the identity used for this commit with:  
  
git commit --amend --reset-author  
  
1 file changed, 0 insertions(+), 0 deletions(-)  
create mode 100644 masterfile  
ubuntu@ip-172-31-1-198:~/GIT\$ git branch develop  
ubuntu@ip-172-31-1-198:~/GIT\$ git branch  
develop  
\* master  
ubuntu@ip-172-31-1-198:~/GIT\$ git checkout develop  
Switched to branch 'develop'  
ubuntu@ip-172-31-1-198:~/GIT\$ ls  
masterfile  
ubuntu@ip-172-31-1-198:~/GIT\$ touch developfile  
ubuntu@ip-172-31-1-198:~/GIT\$ git add .  
ubuntu@ip-172-31-1-198:~/GIT\$ git commit -m "developfile"  
[develop 6964669] developfile  
Committer: Ubuntu <ubuntu@ip-172-31-1-198.ec2.internal>  
Your name and email address were configured automatically based on your username and hostname. Please check that they are accurate. You can suppress this message by setting them explicitly. Run the following command and follow the instructions in your editor to edit your configuration file:  
  
git config --global --edit  
  
After doing this, you may fix the identity used for this commit with:  
  
git commit --amend --reset-author  
  
1 file changed, 0 insertions(+), 0 deletions(-)  
create mode 100644 developfile  
ubuntu@ip-172-31-1-198:~/GIT\$ ls  
developfile masterfile  
ubuntu@ip-172-31-1-198:~/GIT\$ git remote add origin <https://github.com/VikashAdhikari/jenkinsAssign.git>  
ubuntu@ip-172-31-1-198:~/GIT\$

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

24°C Haze 22:41 12-03-2023

Master

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

2. Master 5. Slave

ubuntu@ip-172-31-1-198:~/GIT\$ git branch  
develop  
\* master

ubuntu@ip-172-31-1-198:~/GIT\$ git checkout develop  
Switched to branch 'develop'

ubuntu@ip-172-31-1-198:~/GIT\$ ls  
masterfile

ubuntu@ip-172-31-1-198:~/GIT\$ touch developfile

ubuntu@ip-172-31-1-198:~/GIT\$ git add .

ubuntu@ip-172-31-1-198:~/GIT\$ git commit -m " developfile"

[develop 6964669] developfile

Committer: Ubuntu <ubuntu@ip-172-31-1-198.ec2.internal>

Your name and email address were configured automatically based on your username and hostname. Please check that they are accurate. You can suppress this message by setting them explicitly. Run the following command and follow the instructions in your editor to edit your configuration file:

git config --global --edit

After doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author

1 file changed, 0 insertions(+), 0 deletions(-)  
create mode 100644 developfile

ubuntu@ip-172-31-1-198:~/GIT\$ ls  
developfile masterfile

ubuntu@ip-172-31-1-198:~/GIT\$ git remote add origin <https://github.com/VikashAdhikari/jenkinsAssign.git>

ubuntu@ip-172-31-1-198:~/GIT\$ git remote -v  
origin <https://github.com/VikashAdhikari/jenkinsAssign.git> (fetch)  
origin <https://github.com/VikashAdhikari/jenkinsAssign.git> (push)

ubuntu@ip-172-31-1-198:~/GIT\$ git push --all

Username for 'https://github.com': VikashAdhikari

Password for 'https://github.com':

remote: Support for password authentication was removed on August 13, 2021. remote: Please see <https://docs.github.com/en/get-started/getting-started-with-git/about-remote-repositories#cloning-with-https-urls> for information on currently recommended modes of authentication.

fatal: Authentication failed for 'https://github.com/VikashAdhikari/jenkinsAssign.git/'

ubuntu@ip-172-31-1-198:~/GIT\$ git push --all

Username for 'https://github.com': VikashAdhikari

Password for 'https://github.com':

remote: Support for password authentication was removed on August 13, 2021. remote: Please see <https://docs.github.com/en/get-started/getting-started-with-git/about-remote-repositories#cloning-with-https-urls> for information on currently recommended modes of authentication.

fatal: Authentication failed for 'https://github.com/VikashAdhikari/jenkinsAssign.git/'

ubuntu@ip-172-31-1-198:~/GIT\$ git push --all

Username for 'https://github.com': VikashAdhikari

Password for 'https://github.com':

Enumerating objects: 5, done.

Counting objects: 100% (5/5), done.

Compressing objects: 100% (3/3), done.

Writing objects: 100% (5/5), 441 bytes | 441.00 KiB/s, done.

Total 5 (delta 0), reused 0 (delta 0)

To <https://github.com/VikashAdhikari/jenkinsAssign.git>

\* [new branch] develop -> develop

\* [new branch] master -> master

ubuntu@ip-172-31-1-198:~/GIT\$

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

24°C Haze 22:49 12-03-2023



Start Course | Intellipaat

Start Course | Intellipaat

EC2 Management Console

Nodes [Jenkins]

VikashAdhikari/jenkinsAssign

Settings - Password Manager

github.com/VikashAdhikari/jenkinsAssign

Keyword ideas - 53...family movieFree Online Comma...All About German S...BollyFix | Official Si...Ted WoodworkingDownload 16,000...The Secret (2006) -...Movies Fix | Movie...Accenture interview...Dr. Joe Dispenza -...Other bookmarks

Search or jump to...

Pull requestsIssuesCodespacesMarketplaceExplore

VikashAdhikari / jenkinsAssignPublic

PinUnwatch1Fork0Star0

<> CodeIssuesPull requestsActionsProjectsWikiSecurityInsightsSettings

develop2 branches0 tagsGo to fileAdd fileCode

Your develop branch isn't protected

Protect this branch

Ubuntu developfile

696466913 minutes ago2 commits

developfile	developfile	13 minutes ago
masterfile	masterfile	15 minutes ago

Help people interested in this repository understand your project by adding a README.

Add a README

About

No description, website, or topics provided.

0 stars1 watching0 forks

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package








© 2023 GitHub, Inc.

TermsPrivacySecurityStatusDocsContact GitHubPricingAPITrainingBlogAbout

Type here to search

24°C Haze22:5112-03-2023

Dashboard >

- + New Item 
-  People
-  Build History
-  Project Relationship
-  Check File Fingerprint
-  Manage Jenkins
-  My Views

 Add description

## Welcome to Jenkins!

This page is where your Jenkins jobs will be displayed. To get started, you can set up distributed builds or start building a software project.

### Start building your software project

Create a job



#### Build Queue

No builds in the queue.

#### Build Executor Status

##### Built-In Node

1 Idle

2 Idle

##### Slave1

1 Idle

REST API Jenkins 2.387.1

Start Course | Intellipaat

Start Course | Intellipaat

EC2 Management Console

Job1 Config [Jenkins]

Add webhook

Settings - Password Manager

github.com/VikashAdhikari/jenkinsAssign/settings/hooks/new

Keyword ideas - 53...family movieFree Online Comma...All About German S...BollyFix | Official Si...Ted WoodworkingDownload 16,000...The Secret (2006) -...Movies Fix | Movie...Accenture interview...Dr. Joe Dispenza -...Other bookmarks

Search or jump to...

Pull requestsIssuesCodespacesMarketplaceExplore

VikashAdhikari / jenkinsAssignPublic

PinUnwatch1Fork0Star0

<> CodeIssuesPull requestsActionsProjectsWikiSecurityInsightsSettings

General

Access

Collaborators

Moderation options

Code and automation

Branches

Tags

Actions

Webhooks

Environments

Codespaces

Pages

Security

Code security and analysis

Deploy keys

Secrets and variables

Integrations

GitHub apps

Email notifications

Webhooks / Add webhook

We'll send a POST request to the URL below with details of any subscribed events. You can also specify which data format you'd like to receive (JSON, x-www-form-urlencoded, etc). More information can be found in our [developer documentation](#).

Payload URL \*  
http://3.235.181.218:8080/github-webhook

Content type  
application/x-www-form-urlencoded

Secret

Which events would you like to trigger this webhook?  
☒ Just the push event.  
☐ Send me everything.  
☐ Let me select individual events.

☒ Active  
We will deliver event details when this hook is triggered.

Add webhook

Type here to search

24°C Haze23:0012-03-2023

Start Course | Intellipaat

Start Course | Intellipaat

EC2 Management Console

Job1 Config [Jenkins]

Webhook - http://3.235.181.218:8080

Settings - Password Manager

github.com/VikashAdhikari/jenkinsAssign/settings/hooks/404695762?tab=deliveries

Keyword ideas - 53...family movieFree Online Comma...All About German S...BollyFlix | Official Si...Ted WoodworkingDownload 16,000...The Secret (2006) -...Movies Flix | Movie...Accenture interview...Dr. Joe Dispenza -...Other bookmarks

Search or jump to...

Pull requestsIssuesCodespacesMarketplaceExplore

VikashAdhikari / jenkinsAssignPublic

PinUnwatch1Fork0Star0

<> CodeIssuesPull requestsActionsProjectsWikiSecurityInsightsSettings

General

Access

Collaborators

Moderation options

Code and automation

Branches

Tags

Actions

Webhooks

Environments

Codespaces

Pages

Security

Code security and analysis

Deploy keys

Secrets and variables

Integrations

GitHub apps

Email notifications

Webhooks / Manage webhook

SettingsRecent Deliveries

✓

b6c91870-c0fb-11ed-8798-33eec04ef70d

ping

2023-03-12 23:01:27

...

Type here to search

24°C Haze

23:01

12-03-2023

Dashboard > Job1 >

- Status
- Changes
- Workspace
- Build Now
- Configure
- Delete Project
- GitHub Hook Log
- GitHub
- Rename

## Project Job1

Add description

Disable Project

## Permalinks

**Build History** trend

Filter builds...

#1  
12-Mar-2023 5:33 PM

Atom feed for all Atom feed for failures



REST API Jenkins 2.387.1

Slave

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

2. Master 6. Slave

ubuntu@ip-172-31-1-239:~\$ ls  
jenkins  
ubuntu@ip-172-31-1-239:~\$ cd jenkins  
ubuntu@ip-172-31-1-239:~/jenkins\$ ls  
remoting remoting.jar workspace  
ubuntu@ip-172-31-1-239:~/jenkins\$ cd workspace  
ubuntu@ip-172-31-1-239:~/jenkins/workspace\$ ls  
Job1  
ubuntu@ip-172-31-1-239:~/jenkins/workspace\$ cd Job1  
ubuntu@ip-172-31-1-239:~/jenkins/workspace/Job1\$ ls  
developfile masterfile  
ubuntu@ip-172-31-1-239:~/jenkins/workspace/Job1\$

home/ubuntu/

Name

..  
.cache  
.ssh  
.bash\_logout  
.bashrc  
.profile  
.xauthority

Remote monitoring

Follow terminal folder

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

Type here to search

24°C Haze 23:06 12-03-2023



Master

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

2. Master 5. Slave

ubuntu@ip-172-31-1-198:~\$ git branch  
fatal: not a git repository (or any of the parent directories): .git  
ubuntu@ip-172-31-1-198:~\$ cd GIT  
ubuntu@ip-172-31-1-198:~/GIT\$ git branch  
\* develop  
master  
ubuntu@ip-172-31-1-198:~/GIT\$ touch newfile  
ubuntu@ip-172-31-1-198:~/GIT\$ ls  
developfile masterfile newfile  
ubuntu@ip-172-31-1-198:~/GIT\$ git add newfile  
ubuntu@ip-172-31-1-198:~/GIT\$ git commit -m "newfile"  
[develop 4890238] newfile  
Committer: Ubuntu <ubuntu@ip-172-31-1-198.ec2.internal>  
Your name and email address were configured automatically based  
on your username and hostname. Please check that they are accurate.  
You can suppress this message by setting them explicitly. Run the  
following command and follow the instructions in your editor to edit  
your configuration file:  
  
git config --global --edit  
  
After doing this, you may fix the identity used for this commit with:  
  
git commit --amend --reset-author  
  
1 file changed, 0 insertions(+), 0 deletions(-)  
create mode 100644 newfile  
ubuntu@ip-172-31-1-198:~/GIT\$ git push origin develop  
Username for 'https://github.com': VikashAdhtkari  
Password for 'https://VikashAdhtkari@github.com':  
Enumerating objects: 3, done.  
Counting objects: 100% (3/3), done.  
Compressing objects: 100% (2/2), done.  
Writing objects: 100% (2/2), 239 bytes | 239.00 KiB/s, done.  
Total 2 (delta 1), reused 0 (delta 0)  
remote: Resolving deltas: 100% (1/1), completed with 1 local object.  
To https://github.com/VikashAdhtkari/jenkinsAssign.git  
6964669..4890238 develop -> develop  
ubuntu@ip-172-31-1-198:~/GIT\$

New File Commit

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

24°C Haze 23:12 12-03-2023

Dashboard > Job1 >

- Status
- Changes
- Workspace
- Build Now
- Configure
- Delete Project
- GitHub Hook Log
- GitHub
- Rename

## Project Job1

Add description

Disable Project

### Permalinks

#### Build History trend

Filter builds...

#2 (pending—In the quiet period. Expires in 0.36 sec)

#1 12-Mar-2023 5:33 PM

Atom feed for all Atom feed for failures

Auto Started



REST API Jenkins 2.387.1

- Status
- Changes
- Console Output**
- View as plain text
- Edit Build Information
- Delete build '#2'
- Polling Log
- Git Build Data
- Previous Build

## Console Output

```
Started by GitHub push by VikashAdhikari
Running as SYSTEM
Building remotely on Slave1 in workspace /home/ubuntu/jenkins/workspace/Job1
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /home/ubuntu/jenkins/workspace/Job1/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/VikashAdhikari/jenkinsAssign.git # timeout=10
Fetching upstream changes from https://github.com/VikashAdhikari/jenkinsAssign.git
> git --version # timeout=10
> git --version # 'git version 2.25.1'
> git fetch --tags --force --progress -- https://github.com/VikashAdhikari/jenkinsAssign.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/develop^{commit} # timeout=10
Checking out Revision 4890238c40039832abba45eec4d2d63f99b4b9e6 (refs/remotes/origin/develop)
> git config core.sparsecheckout # timeout=10
> git checkout -f 4890238c40039832abba45eec4d2d63f99b4b9e6 # timeout=10
Commit message: "newfile"
> git rev-list --no-walk 696466979588d9a1d6f26e9cc29dbb3c2b4c153a # timeout=10
Finished: SUCCESS
```

Start Course | Intellipaat

Start Course | Intellipaat

EC2 Management Console

Job1 #2 Console [Jenkins]

Edit Personal Access Token (Clas

VikashAdhikari/jenkinsAssign

+

github.com/VikashAdhikari/jenkinsAssign

Keyword ideas - 53...family movieFree Online Comma...All About German S...BollyFix | Official Si...Ted WoodworkingDownload 16,000...The Secret (2006) ~...Movies Fix | Movie...Accenture interview...Dr. Joe Dispenza ~...Other bookmarks

Search or jump to...

Pull requestsIssuesCodespacesMarketplaceExplore

🔔+👤

VikashAdhikari / jenkinsAssignPublic

PinUnwatch1Fork0Star0

<> CodeIssuesPull requestsActionsProjectsWikiSecurityInsightsSettings

develop2 branches0 tagsGo to fileAdd fileCode

Your develop branch isn't protected

Protect this branch

Ubuntu newfile48902384 minutes ago3 commits

developfile	developfile	36 minutes ago
masterfile	masterfile	38 minutes ago
newfile	newfile	4 minutes ago

Help people interested in this repository understand your project by adding a README.

Add a README

About

No description, website, or topics provided.

0 stars1 watching0 forks

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package

© 2023 GitHub, Inc.

TermsPrivacySecurityStatusDocsContact GitHubPricingAPITrainingBlogAbout

Type here to search

24°C Haze23:1412-03-2023

Slave

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

2. Master 5. Slave

SSH session to **ubuntu@44.210.132.8**

- Direct SSH : ✓
- SSH compression : ✓
- SSH-browser : ✓
- X11-forwarding : ✓ (remote display is forwarded through SSH)

For more [info](#), ctrl+click on [help](#) or visit our [website](#).

Welcome to Ubuntu 20.04.5 LTS (GNU/Linux 5.15.0-1028-aws x86\_64)

\* Documentation: <https://help.ubuntu.com>  
\* Management: <https://landscape.canonical.com>  
\* Support: <https://ubuntu.com/advantage>

System information as of Sun Mar 12 17:45:11 UTC 2023

System load:	0.0	Processes:	120
Usage of /:	30.8% of 7.57GB	Users logged in:	1
Memory usage:	34%	IPv4 address for eth0:	172.31.1.239
Swap usage:	0%		

\* Ubuntu Pro delivers the most comprehensive open source security and compliance features.

<https://ubuntu.com/aws/pro>

\* Introducing Expanded Security Maintenance for Applications.  
Receive updates to over 25,000 software packages with your Ubuntu Pro subscription. Free for personal use.

<https://ubuntu.com/aws/pro>

Expanded Security Maintenance for Applications is not **enabled**.

46 updates can be applied immediately.  
35 of these updates are standard security updates.  
To see these additional updates run: `apt list --upgradable`

Enable ESM Apps to receive additional future security updates.  
See <https://ubuntu.com/esm> or run: `sudo pro status`

New release '22.04.2 LTS' available.  
Run 'do-release-upgrade' to upgrade to it.

Last login: Sun Mar 12 17:34:53 2023 from 183.83.40.200  
ubuntu@ip-172-31-1-239:~\$ ls  
jenkins  
ubuntu@ip-172-31-1-239:~\$ cd jenkins  
ubuntu@ip-172-31-1-239:~/jenkins\$ ls  
remoting remoting.jar workspace  
ubuntu@ip-172-31-1-239:~/jenkins\$ cd workspace  
ubuntu@ip-172-31-1-239:~/jenkins/workspace\$ ls  
Job1  
ubuntu@ip-172-31-1-239:~/jenkins/workspace\$ cd Job1  
ubuntu@ip-172-31-1-239:~/jenkins/workspace/Job1\$ ls  
developfile masterfile newfile  
ubuntu@ip-172-31-1-239:~/jenkins/workspace/Job1\$

Remote monitoring  
☐ Follow terminal folder

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

24°C Haze 23:15 12-03-2023

*Newfile in slave 11*