

**IDP PROJECT REPORT ON**  
**LIBRARY MANAGEMENT SYSTEM**

**Submitted**

In the partial fulfilment of the requirements for the award of the degree of  
**BACHELOR OF INFORMATION TECHNOLOGY**

**In**

**DEPARTMENT OF INFORMATION TECHNOLOGY**

**By**

Vikash Kumar (201FA07078)

Vedprakash Soni (201FA07050)

Ranjeet Kumar Das (201FA07014)

**(BATCH NO :03)**

**Submitted to:**

Mr. D. Madhusudhan Rao

Mrs. P.R.M.S Lakashmi



**VIGNAN'S**

Foundation for Science, Technology & Research

(Deemed to be University)

-Estd. u/s 3 of UGC Act 1956

**DEPARTMENT OF INFORMATION TECHNOLOGY**  
**VIGNAN'S FOUNDATION FOR SCIENCE, TECHNOLOGY**  
**AND RESEARCH UNIVERSITY**

**(Accredited by NAAC "A+" grade)**

**Vadlamudi, Guntur**



**VIGNAN'S**

Foundation for Science, Technology & Research

(Deemed to be **UNIVERSITY**)

-Estd. u/s 3 of UGC Act 1956



## **CERTIFICATE**

This is to certify that this Minor project Report “**LIBRARYMANAGEMENT SYSTEM**” that is being submitted by **VIKASH KUMAR (201FA07078)**, **VEDPRAKASH SONI (201FA07050) & RANJEET KUMAR DAS (201FA07082)** in partial fulfilment for the award of BACHELOR OF INFORMATION TECHNOLOGY degree in INFORMATION TECHNOLOGY to the Vignan's Foundation for Science, Technology and Research, Deemed to be University, is a record of bona fide work carried out by them in the IT Department.

**Under The Guidance Of :**

Mr. D. Madhusudhan Rao

Mrs. P.R.M.S Lakashmi

**Dr. K. V. Krishna Kishore**

Head, Department of IT

**External Examiner**

## **ACKNOWLEDGEMENTS**

I am very grateful to our beloved Chairman Dr. Lavu Rathaiah, and Vice Chairman, Mr. Lavu Krishna Devarayalu, for their love and care.

It is my pleasure to extend our sincere thanks to Vice-Chancellor Dr. P. Nagabhushan for providing an opportunity to do my academics in Vignan's Foundation for Science, Technology and Research Deemed to be University.

I express my sincere thanks to Prof. Dr. K. V. Krishna Kishore, Head of the Department, Department of Information Technology, Vignan's Foundation for Science, Technology and Research Deemed to be University, for his help and suggestion in carrying out this work.

It is a great pleasure for me to express my sincere thanks to Dr. K. Sujatha, Associate Professor, and Mr. P. Ramadoss, Asst. Professor, Department of Information Technology, VFSTR, for her caring, advices and encouragement that helped me tread my path in this journey and achieve this completed form.

I extend my whole-hearted gratitude to all my faculty members of Department of Information Technology who helped us in our academics throughout course.

Finally, I wish to express thanks to my family members for the love and affection overseas and forbearance and cheerful depositions, which are vital for sustaining effort, required for completing this work.

**With Sincere regards,  
By**

Vedprakash Soni (201FA07050)

Vikash Kumar (201FA07078)

Ranjeet Kumar Das (201FA07014)

## TABLE OF CONTENTS

<b>S. No.</b>	<b>Description</b>	<b>Page. No.</b>
1.	ABSTRACT	05
2.	INTRODUCTION	06
3.	SYSTEM ENVIRONMENT	07
4.	ANALYSIS	08
5.	MODULES	09
6.	DESIGN	14
7.	BACKEND TABLES	16
8.	IMPLEMENTATION	119
9.	RESULTS	120
10.	TESTING	124
11.	CONCLUSION	127

## 1. ABSTRACT

Library is place where all kind of books are available. Intranet Library Management system is a web based application. This system contains list of all the books and can be accessed by remote users concurrently from any where in the campus. But for that users must be registered user. This system is three tier architecture. Client sends requests, on receiving the request the server processes it and extracts the data from database and sends the result back to the client. This system provides separate interface and login for librarian, students and faculties. Librarian can modify database. Users can search for books and renewal books online. They can recommend for new books by just sending messages to the librarian from any where in the college. They can view the issue and return dates of any book and due they have to pay. This system generates reports that can be used in analyzing the library performance. Thus the management can take appropriate steps to improve the facilities.

## 2. INTRODUCTION

Library Management System consists of list of records about the management of the details of the students and the issues going on and also about some books and all. This is a web-based application. The project has three modules namely- User, Registration, Librarian. According to the Modules the Distributor and Sub Distributors can manage and do their activities in easy manner.

As the modern organizations are automated and computers are working as per the instructions, it becomes essential for the coordination of human beings, commodity and computers in a modern organization. This information helps the distributors to purchase or sale the products very efficiently.

The administrators and all the others can communicate with the system through this project, thus facilitating effective implementation and monitoring of various activities of the distributor of a supermarket.

### **3. SYSTEM ENVIRONMENT**

#### **SOFTWARE REQUIREMENTS :**

Language:- JAVA,HTML,CSS,JS,SERVLET  
Operating System:- Windows 7,8,10,11  
Software:- VSCODE,NETBEANS,ECLIPSE  
Database:- Oracle 10g Express Edition

#### **HARDWARE REQUIREMENTS :**

Processor :- Intel i5,i7  
RAM :- 4GB  
Hard Disk :- 4GB

## **4. ANALYSIS**

### **EXISTING SYSTEM :**

Various problems of physical system are described below :-

- If one is not very careful then there is a possibility of issuing more than one book to a user.
- There is a possibility of issuing a book to a user, whose membership is not there.
- When a user requests for the a book, one has to physically check for the presence of a book in the library
- Answering management query is a time consuming process.
- Daily keeping a manual record of changes taking place in the library such as book being issued, book being returned etc can become cumbersome if the Library size is bigger.

### **PROPOSED SYSTEM :**

The LIBRARY MANAGEMENT SYSTEM is a software application which avoids more manual hours in taking the book, that need to spend in record keeping and generating reports. Maintaining of user details is complex in manual system in terms of agreements, royalty and activities. This all have to be maintained in ledgers or books. Co-coordinators needs to verify each record for small information also.

- Easy search of book in the online library.
- Avoid the manual work.

User need not go to the library for Issue any kind of book, he can renewal the book online



## 5. MODULES

For Library Management System we have divided in to following Modules :

1. **Admin Module**
2. **Student Module**
3. **Book Module**
4. **Book Transaction Module**
5. **Maintain stock Module**
6. **Magazine Module**
7. **Report Module**

### MODULES DESCRIPSTION:-

**User :** Using login id and password user can the use Library online where userscan search for books and renewal books online. They can recommend for new books by just sending messages to the librarian from any where in the college. They can view the issue and return dates of any book and due they have to pay.

**Registration :** In the Registration module, user has to register himself by supplying his personal information which gets store in data base which are using as backend. By registering himself user will get his login id and Password so that he can access Library online. Separate Register form should be designed for separate user


(Student, Facul, Librarian) and separate login has to provided for each user. For example if the users are students then student id should be SH001.

**Librarian :** Librarian is a person who manages the Library. Librarian has the permission that he can access the database. There are some tasks which are performed by the Librarian like:


- ✦ Addition of a new book.
- ✦ Modification of the book.
- ✦ Deletion of the book.
- ✦ Searching of the book.
- ✦ Managing Used

## 1.Admin Module:-


For Library Management System is divided into following modules:-




## 2. Student Module:-




### 3.Book module




### 4. Book Transaction Module:-




### 5.Maintain Stock:-



### 8.Magazine



## 7.Report:-




## 6. DESIGN

### UML Diagrams:


Actor:

A coherent set of roles that users of use cases play when interacting with the use cases.



Use case:

A description of sequence of actions, including variants, that a system performs that yields an observable result of value of an actor.




UML stands for Unified Modeling Language. UML is a language for specifying, visualizing and documenting the system. This is the step while developing any product after analysis. The goal from this is to produce a model of the entities involved in the project which later need to be built. The representation of the entities that are to be used in the product being developed need to be designed. There are various kinds of methods in software design:


They are as follows:

- Use case Diagram
- Sequence Diagram
- Collaboration Diagram

## State Chart Diagram



## DATA FLOW DIAGRAM :







SUBSRPTION TABLE

SUBSCRIPTIONS

Create

TableDataIndexesModelConstraintsGrantsStatisticsUI DefaultsTriggersDependenciesSQL

Add ColumnModify ColumnRename ColumnDrop ColumnRenameCopyDropTruncateCreate Lookup Table

Column Name	Data Type	Nullable	Default	Primary Key
TITLE	VARCHAR2(40)	Yes	-	-
PUBLISHER	VARCHAR2(40)	Yes	-	-
PLACE	VARCHAR2(30)	Yes	-	-
AMOUNT	NUMBER	Yes	-	-
DEPARTMENT	VARCHAR2(30)	Yes	-	-
SUBSCRIPTION_NO	VARCHAR2(20)	Yes	-	-
SUBS_TYPE	VARCHAR2(20)	Yes	-	-
FROMDATE	DATE	Yes	-	-
TODATE	DATE	Yes	-	-
DDOATE	DATE	Yes	-	-
PERIODICITY	VARCHAR2(25)	Yes	-	-
DO_NO	VARCHAR2(20)	Yes	-	-

1 - 12

VISITORS TABLE

VISITORS

Create ▾

TableDataIndexesModelConstraintsGrantsStatisticsUI DefaultsTriggersDependenciesSQL

Add ColumnModify ColumnRename ColumnDrop ColumnRenameCopyDropTruncateCreate Lookup Table

Column Name	Data Type	Nullable	Default	Primary Key
VID	VARCHAR2(25)	Yes	-	-
VNAME	VARCHAR2(40)	Yes	-	-
VCOURSE	VARCHAR2(25)	Yes	-	-
VBRANCH	VARCHAR2(20)	Yes	-	-
VISITING_DATE	DATE	Yes	-	-
LOGIN_TIME	VARCHAR2(15)	Yes	-	-
LOGOUT_TIME	VARCHAR2(15)	Yes	-	-

1 - 7

VISITED TABLE

CREATE

Table

Data

Indexes

Model

Constraints

Grants

Statistics

UI Defaults

Triggers

Dependencies

SQL

Add Column

Modify Column

Rename Column

Drop Column

Rename

Copy

Drop

Truncate

Create Lookup Table

Column Name	Data Type	Nullable	Default	Primary Key
VID	VARCHAR2(15)	Yes	-	-
STATUS	VARCHAR2(15)	Yes	-	-

1 - 2

MAINSTOCKITEM TABLE

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
MAINSTOCKITEM	ACCESSIONNO	Number	-	-	-	1	-	-	-
	DEPARTMENT	Varchar2	30	-	-	-	✓	-	-
	CALLNO	Number	-	-	-	-	✓	-	-
	BOOK_TYPE	Varchar2	30	-	-	-	✓	-	-
	TITLE	Varchar2	60	-	-	-	✓	-	-
	ENTERED_DATE	Date	7	-	-	-	✓	-	-
	AUTHOR	Varchar2	60	-	-	-	✓	-	-
	BILL_DATE	Date	7	-	-	-	✓	-	-
	PUBLISHER	Varchar2	30	-	-	-	✓	-	-
	NO_OF_COPIES	Varchar2	20	-	-	-	✓	-	-
	DATES	Date	7	-	-	-	✓	-	-
	ISBN	Varchar2	30	-	-	-	✓	-	-
	EDITION	Number	-	30	0	-	✓	-	-
	FLOOR_RACK_SELF	Varchar2	30	-	-	-	✓	-	-
	NO_OF_PAGE	Number	-	-	-	-	✓	-	-
	KEYWORD	Varchar2	30	-	-	-	✓	-	-
	SIZES	Number	-	-	-	-	✓	-	-
	BILL_NUMBER	Number	-	-	-	-	✓	-	-
	PRICE	Number	-	-	-	-	✓	-	-
	VENDOR	Varchar2	30	-	-	-	✓	-	-

1 - 20

## 7. IMPLEMENTATION

### Accountmaintaincemanually.java

```
import java.io.IOException;
import java.io.PrintWriter;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.SQLException;

import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
@WebServlet("/accountmaintenacemodify")
public class Accountmaintenacemodify extends HttpServlet{
    public void doGet(HttpServletRequest request,HttpServletResponse response) throws
    IOException {
        PrintWriter out=response.getWriter();
        String LIB_NO = request.getParameter("createaccountmanualbapformnamelib");
        String REG_NO = request.getParameter("createaccountmanualbapformnameregno");
        String NAME=request.getParameter("createaccountmanualbapformnamename");
        String PRIVILEGE = request.getParameter("createaccountmanualbapacademicdetailprivilege");
        String COURSE = request.getParameter("createaccountmanualbapacademicdetailCourse");
        String DEPARTMENT = request.getParameter("createaccountmanualbapacademicdetaildepartment");
        String YEARS = request.getParameter("createaccountmanualbapacademicdetailYears");
        String EMAIL = request.getParameter("createaccountmanualbapformemailinp");
        String ADDRESS = request.getParameter("createaccountmanualbapformaddressinp");
        String ID_NO = request.getParameter("createaccountmanualbapformidnoinp");
        String PHONE_NO = request.getParameter("createaccountmanualbapformphnoinp");
        String REMARKS = request.getParameter("createaccountmanualbapformremarks");

        try {
            Class.forName("oracle.jdbc.driver.OracleDriver");
            Connection
            connection=DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe","system","1234");
            PreparedStatement update=connection.prepareStatement("update
            Accounts set
            reg_no='"+REG_NO+"',name='"+NAME+"',privilege='"+PRIVILEGE+"',Course='"+COURSE+"',
            Department='"+DEPARTMENT+"',years='"+YEARS+"',email='"+EMAIL+"',address='"+ADDRESS+"',id_no='"+ID_NO+"',phone_no='"+PHONE_NO+"',remarks='"+REMARKS+"' where
            lib_no='"+LIB_NO+"'");
            System.out.println("update Accounts set
            reg_no='"+REG_NO+"',name='"+NAME+"',privilege='"+PRIVILEGE+"',Course='"+COURSE+"',
            Department='"+DEPARTMENT+"',years='"+YEARS+"',email='"+EMAIL+"',address='"+ADDRESS+"',id_no='"+ID_NO+"',phone_no='"+PHONE_NO+"',remarks='"+REMARKS+"'");
```

```

RESS+','id_no="'+ID_NO+'",phone_no="'+PHONE_NO+'",remarks="'+REMARKS+''' where
lib_no="'+LIB_NO+'");
        if(LIB_NO.equals("") && REG_NO.equals("") && NAME.equals("")
&& COURSE.equals("") && YEARS.equals("") && PHONE_NO.equals("")) {
            out.println("please insert important fields");
        }else {
            if((update.executeUpdate())>0) {out.println("updated"); }
        }
    } catch (Exception e) {
        System.out.println(e);}}

```

#### Accountmaintaincecreate.java

```

import java.io.IOException;
import java.io.PrintWriter;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.SQLException;

import javax.servlet.annotation.WebServlet;
import javax.servlet.http.*;

@WebServlet("/accountmaintenancecreate")
public class Accountmaintenancecreate extends HttpServlet{
    public void doGet(HttpServletRequest request,HttpServletResponse response) throws
    IOException {
        PrintWriter out=response.getWriter();
        String LIB_NO = request.getParameter("createaccountmanualbapformnamelib");
        String REG_NO = request.getParameter("createaccountmanualbapformnameregno");
        String NAME=request.getParameter("createaccountmanualbapformnamename");
        String PRIVILEGE = request.getParameter("createaccountmanualbapacademictailprivilege");
        String COURSE = request.getParameter("createaccountmanualbapacademictailCourse");
        String DEPARTMENT = request.getParameter("createaccountmanualbapacademictaildepartment");
        String YEARS = request.getParameter("createaccountmanualbapacademictailYears");
        String EMAIL = request.getParameter("createaccountmanualbapformemailinp");
        String ADDRESS = request.getParameter("createaccountmanualbapformaddressinp");
        String ID_NO = request.getParameter("createaccountmanualbapformidnoinp");
        String PHONE_NO = request.getParameter("createaccountmanualbapformphnoinp");
        String REMARKS = request.getParameter("createaccountmanualbapformremarks");

        try {
            Class.forName("oracle.jdbc.driver.OracleDriver");
            Connection
            connection=DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe","system","123
            4");
            PreparedStatement insert=connection.prepareStatement("insert into
            Accounts

```

```
values(""+LIB_NO+","+REG_NO+","+NAME+","+PRIVILEGE+","+COURSE+","+DEPA  
RTMENT+","+YEARS+","+EMAIL+","+ADDRESS+","+ID_NO+","+PHONE_NO+","+  
REMARKS+"");
```

```
        if(LIB_NO.equals("") && REG_NO.equals("") && NAME.equals("")  
&& COURSE.equals("") && YEARS.equals("") && PHONE_NO.equals("")) {  
            out.println("please insert important fields");  
        }else {  
            if((insert.executeUpdate())>0) {  
                out.println("inserted");  
            }  
        }  
    } catch (ClassNotFoundException e) {  
        System.out.println(e);  
    } catch (SQLException e) {  
        // TODO Auto-generated catch block  
        e.printStackTrace();  
    }  
}
```

#### Accountmaintenancedelete.java

```
import java.io.IOException;  
import java.io.PrintWriter;  
import java.sql.Connection;  
import java.sql.DriverManager;  
import java.sql.PreparedStatement;
```

```
import javax.servlet.annotation.WebServlet;  
import javax.servlet.http.HttpServlet;  
import javax.servlet.http.HttpServletRequest;  
import javax.servlet.http.HttpServletResponse;  
@WebServlet("/accountmaintenancedelete")
```

```
public class Accountmaintenancedelete extends HttpServlet{  
    public void doGet(HttpServletRequest request,HttpServletResponse response) throws  
    IOException {
```

```
        String LIB_NO = request.getParameter("createaccountmanualbapformnamelib");
```

```
        try {
```

```
            Class.forName("oracle.jdbc.driver.OracleDriver");
```

```
            Connection
```

```
connection=DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe","system","123  
4");
```

```
            PreparedStatement delete=connection.prepareStatement("DELETE  
FROM Accounts WHERE lib_no="+LIB_NO+"");
```

```
            if ((delete.executeUpdate())>0) {
```

```
                response.getWriter().print("record has been deleted");
```

```
            }
```

```
        } catch (Exception e) {
```

```
            System.out.println(e);
```

```
        }
```

```
    }
```

```
}
```

#### Adminregister.html

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <link rel="stylesheet" href="dashboard.css" />
  <link rel="stylesheet" href="circulationcontrol.css" />
  <link rel="stylesheet" href="dashboard2.css" />
  <script src="jquery-3.6.0.js"></script>
  <script src="moment-with-locales.min.js"></script>
  <script src="userlog.js"></script>
  <title>Document</title>
</style>
  @import
url("https://fonts.googleapis.com/css2?family=Fira+Sans&family=Inconsolata:wght@300&displa
y=swap");

  body {
    background-image: url("image/bg.jpg");
    background-repeat: no-repeat;
    background-size: cover;
  }

  .main {
    padding: 0;
    margin: 0;
    width: 100%;
    display: flex;
    justify-content: center;
    align-items: center;
    /* background-color:blue; */
  }

  .container {
    background-position: center;
    /* margin: 50px 40px; */
    background-color: rgba(184, 176, 176, 0);
    height: fit-content;
    border-radius: 20px;
    width: 60%;
    display: flex;
    justify-content: center;
    align-items: center;
  }

  .left {
    background-color: #fff;
    width: 60%;
    float: left;
    height: fit-content;
    text-align: center;
    display: flex;
    justify-content: center;
    align-items: center;

```

```
padding-bottom: 5%;
border-radius: 2em;
}

.heading {
margin-top: 70px;
font-weight: 1000;
color: rgb(82, 82, 82);
}

.email {
margin-top: 10px;
}

.left input {
width: 250px;
height: 35px;
background: transparent;
border-bottom: 1px solid rgb(226, 130, 12);
border-top: none;
border-left: none;
border-right: none;
color: rgb(5, 5, 5);
font-size: 15px;
letter-spacing: 1px;
margin-top: 20px;
font-family: sans-serif;
}

.left input:focus {
outline: none;
}

.btn {
background-color: rgb(183, 183, 183);
border-radius: 30px;
border: none;
width: 247px;
height: 40px;
font-size: 20px;
margin-top: 30px;
cursor: pointer;
color: rgb(255, 255, 255);
font-family: "Fira Sans", sans-serif;
font-weight: 800;
}

.btn:active {
background-color: rgb(107, 107, 107);
}

.signin a {
border-radius: 10px;
text-decoration: none;
}
```

```

/* .right {
  background-color: rgb(8, 19, 242);
  width: 40%;
  float: right;
  height: 83vh;
  border-radius: 90% 5% 5% 28%/73% 4% 4% 27%;
  background-size: cover;
} */
</style>
</head>
<body>
<div id="body">
  <div id="pehlabetalpha">
    <div id="navisecon">
      <div id="naviadminpicsecon" style="cursor: pointer">
        <div id="adminpicbap"><div id="adminpic"></div></div>
        <div id="admininfo" style="color: white"></div>
      </div>
      <div id="quickmenu">
        <div id="quickmenulist">
          <div id="quickop" style="cursor: pointer">
            
            <p>dashboard</p>
            
          </div>
          <div id="quickop1">
            
            <p style="cursor: pointer">Cataloguing</p>
            
          </div>
          <div id="quickopdrop1">
            <div class="quickopdropbuttons1a" id="quickopdropbuttons1a1">
              <img
                src="icons8-circle-96.png"
                alt=""
                width="15px"
                height="15px"

```



```

/>
<p style="cursor: pointer">Maintain Stocks</p>

</div>
<div class="quickopdropbuttons1a" id="quickopdropbuttons1a2">
  
  <p style="cursor: pointer">Subscribe</p>
  
</div>
<!-- <div class="quickopdropbuttons1a">
  
  <p style="cursor: pointer">Magazine Attendance</p>
  
</div>
<div class="quickopdropbuttons1a">
  
  <p style="cursor: pointer">BoundVolumeMaintenance</p>
</div>
<div class="quickopdropbuttons1a">
  

```

```

<p style="cursor: pointer">Change Status</p>

</div>-->
</div>
<div id="quickop2">
  
  <p style="cursor: pointer">Circulation Control</p>
  
</div>
<div id="quickopdrop2">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons2a1">
    
    <p style="cursor: pointer">Circulations</p>
    
  </div>
  <!-- <div class="quickopdropbuttons2a">
    
    <p style="cursor: pointer">Reservations</p>
    
  </div> -->
</div>
<div id="quickop3">
  
  <p style="cursor: pointer">Acquisitions</p>
  
</div>
<div id="quickopdrop3">
    <div class="quickopdropbuttons2a" id="quickopdropbuttons3a1">
        
        <p style="cursor: pointer">Ordering</p>
        
    </div>
    <div class="quickopdropbuttons2a">
        
        <p style="cursor: pointer">Vendor Maintenance</p>
        
    </div>
</div>

<div id="quickop4">
    
    <p style="cursor: pointer">Account Maintenance</p>
    
</div>
<div id="quickopdrop4">
    <div class="quickopdropbuttons2a" id="quickopdropbuttons4a1">
        
    <p style="cursor: pointer">Create Account Manually</p>
</div>
<div class="quickopdropbuttons2a" style="display: none">
    
    <p style="cursor: pointer">Create Account Automate</p>
</div>
</div>
<div id="quickop5">
    
    <p style="cursor: pointer">Reports</p>
    
</div>
<div id="quickopdrop5">
    <div class="quickopdropbuttons2a" id="quickopdropbuttons5a1">
        
        <p style="cursor: pointer">Daily Reports</p>
        
    </div>
    <div class="quickopdropbuttons2a" id="quickopdropbuttons5a2">
        
        <p style="cursor: pointer">Book Statistics</p>
        
    </div>
</div>

```

```

<!-- <div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">Department Expenditure</p>
</div>
<div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">Department Libraries</p>
  
</div>
<div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">Department Volume Lists</p>
</div>
<div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">View Account Holders</p>
  
</div>
<div class="quickopdropbuttons2a">
  

```

```

<p style="cursor: pointer">Magazines Subscribed</p>

</div> -->
</div>
<div id="quickop6">
  
  <p style="cursor: pointer">Administration</p>
  
</div>
<div id="quickopdrop6">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons6a1">
    
    <p style="cursor: pointer">New Admin</p>
    
  </div>
  <div class="quickopdropbuttons2a" id="quickopdropbuttons6a2">
    
    <p style="cursor: pointer">About us</p>
    
  </div>
</div>
<div id="quickop7">
  
  <p style="cursor: pointer">Utilities</p>
  
</div>
<div id="quickopdrop7"></div>
<div id="quickop8">
    
    <p style="cursor: pointer">OPAC</p>
    
</div>
<div id="quickopdrop8"></div>
</div>
</div>
<div id="dashboardlogoutbap">
    <div id="dashboardlogoutbapbtn">
        
        <p>Log Out</p>
    </div>
</div>
</div>
</div>
<div id="dusrabeta">
    <div id="dashboardbap">
        <div class="main">
            <div class="container">
                <!-- left_side_content -->
                <div class="left">
                    <form action="AdminRegister" method="post">
                        <div class="logo"></div>

                        <div class="heading">
                            <h1>Admin-Registraion</h1>
                        </div>

                        <div>
                            <input
                                type="text"
                                id="name"
                                name="name"
                                placeholder="Enter Name"
                                required
                            />
                        </div>

                        <div class="email">
                            <input
                                type="text"
                                name="aID"

```

```

        id="aID"
        placeholder="Enter Id"
        required
    /><br />
    <br />
</div>

<div class="password">
    <input
        type="Password"
        name="Password"
        id="Password"
        placeholder="Enter Password"
    />
</div>
<br />
<button
    class="btn"
    type="submit"
    id="sign_user"
    value="Login"
>
    Register
</button>

<!-- <div class="forget">
    <p>
        <a href="#">Forget your password?</a>
    </p>
</div> -->
</form>
</div>

<!-- righth_side_content -->
<!-- <div class="right">
    <h1>Hello Friends</h1>
</div> -->
</div>
</div>
</div>
</div>
</div>
<script src="userlogout.js"></script>
<script src="dashboard2.js"></script>
<script src="dashboard.js"></script>
<script>
    document
        .getElementById("quickopdropbuttons1a1")
        .addEventListener("click", function () {
            location.href = "maintainstock.html";
        });

    document.getElementById("quickop").addEventListener("click", function () {
        location.href = "dashboard.html";
    });

```



```

document
.getElementById("quickopdropbuttons1a2")
.addEventListener("click", function () {
    location.href = "subscribe.html";
});
document
.getElementById("quickopdropbuttons2a1")
.addEventListener("click", function () {
    location.href = "circulationcontrol.html";
});
document
.getElementById("quickopdropbuttons4a1")
.addEventListener("click", function () {
    location.href = "createaccountmanual.html";
});
document.getElementById("quickop").addEventListener("click", function () {
    location.href = "dashboard.html";
});
document
.getElementById("quickopdropbuttons5a1")
.addEventListener("click", function () {
    location.href = "dailyreports.html";
});
document
.getElementById("quickopdropbuttons5a2")
.addEventListener("click", function () {
    location.href = "Bs.html";
});
document
.getElementById("quickopdropbuttons6a1")
.addEventListener("click", function () {
    location.href = "Adminregister.html";
});
document
.getElementById("quickopdropbuttons6a2")
.addEventListener("click", function () {
    location.href = "contactus.html";
});
</script>
</body>
</html>

```

### Bs.html

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <link rel="stylesheet" href="dashboard.css" />
    <link rel="stylesheet" href="circulationcontrol.css" />
    <link rel="stylesheet" href="dashboard2.css" />
    <script src="jquery-3.6.0.js"></script>
    <script src="moment-with-locales.min.js"></script>

```

```
<script src="userlog.js"></script>
<title>Document</title>
<style>
.BOOK_STATISTICS_for_ALL_BRANCH {
  height: 100%;
  width: 100%;
  background-color: rgb(192, 199, 199);

  text-align: center;
  font-family: "Times New Roman", Times, serif;
  display: block;
}

.BOOK_STATISTICS_for_ALL_BRANCH_firstdiv {
  height: 50%;
  width: 100%;
  background-color: rgb(213, 223, 223);
  align-self: center;
}

#BOOK_STATISTICS_for_ALL_BRANCH_form {
  height: 50%;
  width: 50%;
  border: 2px solid;
  text-align: justify;
  font-size: large;
  padding: 2%;
  margin-bottom: 10%;
  margin-top: 10%;
  background-color: rgb(197, 197, 197);
  border-radius: 2em;
  border: none;
}

#BOOK_STATISTICS_for_ALL_BRANCH_firstdivform {
  display: flex;
  justify-content: center;
}

#BOOK_STATISTICS_for_ALL_BRANCH_ACCESSNUMBER {
  width: 60%;
}

#BOOK_STATISTICS_for_ALL_BRANCH_tittle {
  width: 70%;
}

#BOOK_STATISTICS_for_ALL_BRANCH_author {
  width: 70%;
}

#BOOK_STATISTICS_for_ALL_BRANCH_Publisher {
  width: 70%;
}
```

```

#BOOK_STATISTICS_for_ALL_BRANCH_Edition {
    width: 70%;
}

#BOOK_STATISTICS_for_ALL_BRANCH_Selct_Category {
    width: 40%;
    height: 10%;
}
#BOOK_STATISTICS_for_ALL_BRANCH_Department {
    width: 40%;
    height: 10%;
}
</style>
</head>
<body>
<div id="body">
    <div id="pehlabeta">
        <div id="navisecn">
            <div id="naviadminpicsecn" style="cursor: pointer">
                <div id="adminpicbap"><div id="adminpic"></div></div>
                <div id="admininfo" style="color: white"></div>
            </div>
            <div id="quickmenu">
                <div id="quickmenulist">
                    <div id="quickop" style="cursor: pointer">
                        
                        <p>dashboard</p>
                        
                    </div>
                    <div id="quickop1">
                        
                        <p style="cursor: pointer">Cataloguing</p>
                        
                    </div>
                    <div id="quickopdrop1">
                        <div class="quickopdropbuttons1a" id="quickopdropbuttons1a1">
                            
    <p style="cursor: pointer">Maintain Stocks</p>
    
</div>
<div class="quickopdropbuttons1a" id="quickopdropbuttons1a2">
    
    <p style="cursor: pointer">Subscribe</p>
    
</div>
<!-- <div class="quickopdropbuttons1a">
    
    <p style="cursor: pointer">Magazine Attendance</p>
    
</div>
<div class="quickopdropbuttons1a">
    
    <p style="cursor: pointer">BoundVolumeMaintenance</p>
</div>
<div class="quickopdropbuttons1a">
    
    <p style="cursor: pointer">Change Status</p>
    
</div>-->
</div>
<div id="quickop2">
    
    <p style="cursor: pointer">Circulation Control</p>
    
</div>
<div id="quickopdrop2">
    <div class="quickopdropbuttons2a" id="quickopdropbuttons2a1">
        
        <p style="cursor: pointer">Circulations</p>
        
    </div>
    <!-- <div class="quickopdropbuttons2a">
        
        <p style="cursor: pointer">Reservations</p>
        
    </div> -->
</div>
<div id="quickop3">

```

```


<p style="cursor: pointer">Acquisitions</p>

</div>
<div id="quickopdrop3">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons3a1">
    
    <p style="cursor: pointer">Ordering</p>
    
  </div>
  <div class="quickopdropbuttons2a">
    
    <p style="cursor: pointer">Vendor Maintenance</p>
    
  </div>
</div>

<div id="quickop4">
  
  <p style="cursor: pointer">Account Maintenance</p>
  
</div>
<div id="quickopdrop4">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons4a1">
    
    <p style="cursor: pointer">Create Account Manually</p>
</div>
<div class="quickopdropbuttons2a" style="display: none">
    
    <p style="cursor: pointer">Create Account Automate</p>
</div>
</div>
<div id="quickop5">
    
    <p style="cursor: pointer">Reports</p>
    
</div>
<div id="quickopdrop5">
    <div class="quickopdropbuttons2a" id="quickopdropbuttons5a1">
        
        <p style="cursor: pointer">Daily Reports</p>
        
    </div>
    <div class="quickopdropbuttons2a" id="quickopdropbuttons5a2">
        
        <p style="cursor: pointer">Book Statistics</p>
        
</div>
<!-- <div class="quickopdropbuttons2a">
    
    <p style="cursor: pointer">Department Expenditure</p>
</div>
<div class="quickopdropbuttons2a">
    
    <p style="cursor: pointer">Department Libraries</p>
    
</div>
<div class="quickopdropbuttons2a">
    
    <p style="cursor: pointer">Department Volume Lists</p>
</div>
<div class="quickopdropbuttons2a">
    
    <p style="cursor: pointer">View Account Holders</p>
    
</div>
<div class="quickopdropbuttons2a">
    <img
        src="icons8-circle-96.png"
        alt=""

```



```

        width="15px"
        height="15px"
    />
    <p style="cursor: pointer">Magazines Subscribed</p>
    
</div> -->
</div>
<div id="quickop6">
    
    <p style="cursor: pointer">Administeration</p>
    
</div>
<div id="quickopdrop6">
    <div class="quickopdropbuttons2a" id="quickopdropbuttons6a1">
        
        <p style="cursor: pointer">New Admin</p>
        
    </div>
    <div class="quickopdropbuttons2a" id="quickopdropbuttons6a2">
        
        <p style="cursor: pointer">About us</p>
        
    </div>
</div>
<div id="quickop7">

```

```


<p style="cursor: pointer">Utilities</p>

</div>
<div id="quickopdrop7"></div>
<div id="quickop8">
  
  <p style="cursor: pointer">OPAC</p>
  
</div>
<div id="quickopdrop8"></div>
</div>
</div>
<div id="dashboardlogoutbap">
  <div id="dashboardlogoutbapbtn">
    
    <p>Log Out</p>
  </div>
</div>
</div>
</div>
<div id="dusrabeta">
  <div id="dashboardbap">
    <div class="BOOK_STATISTICS_for_ALL_BRANCH">
      <h1><b>BOOK STATISTICS</b></h1>
      <br />
      <div class="BOOK_STATISTICS_for_ALL_BRANCH_firstdiv">
        <form
          action="BookStatistics"
          method="GET"
          id="BOOK_STATISTICS_for_ALL_BRANCH_firstdivform"
        >
          <div id="BOOK_STATISTICS_for_ALL_BRANCH_form">
            <br />

            <label>Select Category</label>

            <select
              id="BOOK_STATISTICS_for_ALL_BRANCH_Selct_Category"
              name="BOOK_STATISTICS_for_ALL_BRANCH_Selct_Category"
            >
              <option>[SELECT]</option>
              <option value="VIGNAN">VIGNAN</option>
            </select>
          </div>
        </form>
      </div>
    </div>
  </div>
</div>

```





```

<script>
document
  .getElementById("quickopdropbuttons1a1")
  .addEventListener("click", function () {
    location.href = "maintainstock.html";
  });

document.getElementById("quickop").addEventListener("click", function () {
  location.href = "dashboard.html";
});
document
  .getElementById("quickopdropbuttons1a2")
  .addEventListener("click", function () {
    location.href = "subscribe.html";
  });
document
  .getElementById("quickopdropbuttons2a1")
  .addEventListener("click", function () {
    location.href = "circulationcontrol.html";
  });
document
  .getElementById("quickopdropbuttons4a1")
  .addEventListener("click", function () {
    location.href = "createaccountmanual.html";
  });
document.getElementById("quickop").addEventListener("click", function () {
  location.href = "dashboard.html";
});
document
  .getElementById("quickopdropbuttons5a1")
  .addEventListener("click", function () {
    location.href = "dailyreports.html";
  });
document
  .getElementById("quickopdropbuttons5a2")
  .addEventListener("click", function () {
    location.href = "Bs.html";
  });
document
  .getElementById("quickopdropbuttons6a1")
  .addEventListener("click", function () {
    location.href = "Adminregister.html";
  });
document
  .getElementById("quickopdropbuttons6a2")
  .addEventListener("click", function () {
    location.href = "contactus.html";
  });
</script>
</body>
</html>

```

[Circulationcontrol.html](#)

<!DOCTYPE html>

```

<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <link rel="stylesheet" href="dashboard.css" />
  <link rel="stylesheet" href="circulationcontrol.css" />
  <link rel="stylesheet" href="dashboard2.css" />
  <script src="jquery-3.6.0.js"></script>
  <script src="moment-with-locales.min.js"></script>
  <script src="userlog.js"></script>
  <title>Document</title>
</head>
<body>
  <div id="body">
    <div id="pehlabeta">
      <div id="navisecn">
        <div id="naviadminpicsecn" style="cursor: pointer">
          <div id="adminpicbap"><div id="adminpic"></div></div>
          <div id="admininfo" style="color: white"></div>
        </div>
        <div id="quickmenu">
          <div id="quickmenulist">
            <div id="quickop" style="cursor: pointer">
              
              <p>dashboard</p>
              
            </div>
            <div id="quickop1">
              
              <p style="cursor: pointer">Cataloguing</p>
              
            </div>
            <div id="quickopdrop1">
              <div class="quickopdropbuttons1a" id="quickopdropbuttons1a1">
                
    <p style="cursor: pointer">Maintain Stocks</p>
    
</div>
<div class="quickopdropbuttons1a" id="quickopdropbuttons1a2">
    
    <p style="cursor: pointer">Subscribe</p>
    
</div>
<!-- <div class="quickopdropbuttons1a">
    
    <p style="cursor: pointer">Magazine Attendance</p>
    
</div>
<div class="quickopdropbuttons1a">
    
    <p style="cursor: pointer">BoundVolumeMaintenance</p>
</div>
<div class="quickopdropbuttons1a">
    
    <p style="cursor: pointer">Change Status</p>
    
  </div>-->
</div>
<div id="quickop2">
  
  <p style="cursor: pointer">Circulation Control</p>
  
</div>
<div id="quickopdrop2">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons2a1">
    
    <p style="cursor: pointer">Circulations</p>
    
  </div>
  <!-- <div class="quickopdropbuttons2a">
    
    <p style="cursor: pointer">Reservations</p>
    
  </div> -->
</div>
<div id="quickop3">
  

```



```

<p style="cursor: pointer">Acquisitions</p>

</div>
<div id="quickopdrop3">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons3a1">
    
    <p style="cursor: pointer">Ordering</p>
    
  </div>
  <div class="quickopdropbuttons2a">
    
    <p style="cursor: pointer">Vendor Maintenance</p>
    
  </div>
</div>

<div id="quickop4">
  
  <p style="cursor: pointer">Account Maintenance</p>
  
</div>
<div id="quickopdrop4">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons4a1">
    
    <p style="cursor: pointer">Create Account Manually</p>
</div>
<div class="quickopdropbuttons2a" style="display: none">
    
    <p style="cursor: pointer">Create Account Automate</p>
</div>
</div>
<div id="quickop5">
    
    <p style="cursor: pointer">Reports</p>
    
</div>
<div id="quickopdrop5">
    <div class="quickopdropbuttons2a" id="quickopdropbuttons5a1">
        
        <p style="cursor: pointer">Daily Reports</p>
        
    </div>
    <div class="quickopdropbuttons2a" id="quickopdropbuttons5a2">
        
        <p style="cursor: pointer">Book Statistics</p>
        
</div>
<!-- <div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">Department Expenditure</p>
</div>
<div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">Department Libraries</p>
  
</div>
<div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">Department Volume Lists</p>
</div>
<div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">View Account Holders</p>
  
</div>
<div class="quickopdropbuttons2a">
  
    <p style="cursor: pointer">Magazines Subscribed</p>
    
  </div> -->
</div>
<div id="quickop6">
  
  <p style="cursor: pointer">Administeration</p>
  
</div>
<div id="quickopdrop6">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons6a1">
    
    <p style="cursor: pointer">New Admin</p>
    
  </div>
  <div class="quickopdropbuttons2a" id="quickopdropbuttons6a2">
    
    <p style="cursor: pointer">About us</p>
    
  </div>
</div>
<div id="quickop7">
  

```

```

<p style="cursor: pointer">Utilities</p>

</div>
<div id="quickopdrop7"></div>
<div id="quickop8">
  
  <p style="cursor: pointer">OPAC</p>
  
</div>
<div id="quickopdrop8"></div>
</div>
</div>
<div id="dashboardlogoutbap">
  <div id="dashboardlogoutbapbtn">
    
    <p>Log Out</p>
  </div>
</div>
</div>
<div id="dusrabeta">
  <div id="dashboardbap">
    <div id="circulationformbap">
      <div id="circulationformbapmsg">Book Circulation</div>
      <form action="#" id="circulationform">
        <div id="uppercirculationform">
          <div id="leftimpcirculationform">
            <div>
              <label for="LibraryNumberforlicf">Library Number</label>
              <input
                type="text"
                id="LibraryNumberforlicf"
                name="LibraryNumberforlicf"
              />
            </div>
            <br />
            <div>
              <label for="Categoryforlicf">Category</label>
              <select
                name="Categoryforlicf"
                id="Categoryforlicf"
                name="Categoryforlicf"
              >
                <option value="none">
                  ----- Select The Category -----

```

```

</option>
<option value="BBSC">BBSC</option>
<option value="BBST">BBST</option>
<option value="BOUND VOLUMES">BOUND VOLUMES</option>
<option value="CDS">CDS</option>
<option value="DONATED BOOKS">DONATED BOOKS</option>
<option value="MAGAZINES">MAGAZINES</option>
<option value="MATERIAL">MATERIAL</option>
<option value="PROJECT REPORTS">PROJECT REPORTS</option>
<option value="QUESTION PAPERS">QUESTION PAPERS</option>
<option value="VIGNAN">VIGNAN</option>
<option value="VIL">VIL</option>
</select>
</div>
<br />
<div>
<label for="Accessionnoforlicf">Accession Number</label>
<input
  type="text"
  id="Accessionnoforlicf"
  name="Accessionnoforlicf"
/>
</div>
<br />
<div>
<label for="Callnoforlicf">Call no.</label>
<input
  type="text"
  id="Callnoforlicf"
  name="Callnoforlicf"
/>
</div>
</div>
<div id="rightimpcirculationform">
<div>
<label for="nameforricf">Name</label>
<input type="text" id="nameforricf" name="nameforricf" />
</div>
<br />
<div>
<label for="privilegeforricf">Privilege</label>
<input
  type="text"
  id="privilegeforricf"
  name="privilegeforricf"
/>
</div>
<br />
<div>
<label for="departmentforricf">Department</label>
<input
  type="text"
  id="departmentforricf"
  name="departmentforricf"
/>

```

```

</div>
<br />
<div>
  <label for="idcardnoforricf">ID Card no.</label>
  <input
    type="text"
    id="idcardnoforricf"
    name="idcardnoforricf"
  />
</div>
</div>
</div>
<div id="middlecirculationform">
  <div>
    <label for="titleformcf">Title</label>
    <input type="text" id="titleformcf" name="titleformcf" />
  </div>
</div>
<div id="downercirculationform">
  <div id="leftdownercirculationform">
    <div>
      <label for="Authorsforldcf">Authors</label>
      <input id="Authorsforldcf" name="Authorsforldcf" />
    </div>
    <br />
    <div>
      <label for="publisherforldcf">Publisher</label>
      <input
        type="text"
        id="publisherforldcf"
        name="publisherforldcf"
      />
    </div>
    <br />
    <div>
      <label for="priceforldcf">Price</label>
      <input type="text" id="priceforldcf" name="priceforldcf" />
    </div>
    <br />
    <div id="remarksforldcfdiv">
      <label for="remarksforldcf">Remarks</label>
      <select name="remarksforldcf" id="remarksforldcf">
        <option value="none">
          ----- Select The Remark -----
        </option>
        <option value="good">good</option>
        <option value="damaged">damaged</option>
        <option value="burned">burned</option>
      </select>
    </div>
  </div>
<div id="rightdownercirculationform">
  <div>
    <label for="doissueforrdcf">Date Of Issue</label>
    <input

```

```

        type="date"
        id="doissueforrdcf"
        name="doissueforrdcf"
    />
</div>
<br />
<div>
    <label for="duedateforrdcf">Due Date</label>
    <input
        type="date"
        name="duedateforrdcf"
        id="duedateforrdcf"
    />
</div>
<br />
<div>
    <label for="doreturnforrdcf">Date of Return</label>
    <input
        type="date"
        name="doreturnforrdcf"
        id="doreturnforrdcf"
    />
</div>
<br />
<div id="famountforrdcfdiv">
    <input
        type="checkbox"
        name="famountforrdcf"
        id="famountforrdcf"
        value="Fine Amount Rs"
    />
    <label for="famountforrdcf">Fine Amount Rs</label>
</div>
</div>
</div>
<div id="circulationcontrolfinalactionbuttons">
    <input
        type="button"
        id="circulationcontrolfinalactionbuttonsisssue"
        value="issue"
    />
    <input
        type="button"
        id="circulationcontrolfinalactionbuttonreturn"
        value="return"
    />
    <input
        type="button"
        id="circulationcontrolfinalactionbuttonrenewal"
        value="renewal"
    />
    <input
        type="reset"
        id="circulationcontrolfinalactionbuttonsclearall"
        value="clear all"
    />
</div>

```



```

        </div>    </form>    </div>    </div>    </div>    </div>
<script src="userlogout.js"></script>
<script src="dashboard2.js"></script>
<script src="dashboard.js"></script>
<script type="text/javascript" src="circulationcontrol.js"></script>
<script>
$(document).ready(() => {
    $("#circulationcontrolfinalactionbuttonsissue").mousedown(() => {
        $("#circulationcontrolfinalactionbuttonsissue").css(
            "background-color",
            "#aacbd1"
        );
    });
    $("#circulationcontrolfinalactionbuttonsissue").mouseup(() => {
        $("#circulationcontrolfinalactionbuttonsissue").css(
            "background-color",
            "#98cbd5"
        );
    });
    $("#circulationcontrolfinalactionbuttonreturn").mousedown(() => {
        $("#circulationcontrolfinalactionbuttonreturn").css(
            "background-color",
            "#aacbd1"
        );
    });
    $("#circulationcontrolfinalactionbuttonreturn").mouseup(() => {
        $("#circulationcontrolfinalactionbuttonreturn").css(
            "background-color",
            "#98cbd5"
        );
    });
    $("#circulationcontrolfinalactionbuttonrenewal").mousedown(() => {
        $("#circulationcontrolfinalactionbuttonrenewal").css(
            "background-color",
            "#aacbd1"
        );
    });
    $("#circulationcontrolfinalactionbuttonrenewal").mouseup(() => {
        $("#circulationcontrolfinalactionbuttonrenewal").css(
            "background-color",
            "#98cbd5"
        );
    });
    $("#circulationcontrolfinalactionbuttonsclearall").mousedown(() => {
        $("#circulationcontrolfinalactionbuttonsclearall").css(
            "background-color",
            "#aacbd1"
        );
    });
    $("#circulationcontrolfinalactionbuttonsclearall").mouseup(() => {
        $("#circulationcontrolfinalactionbuttonsclearall").css(
            "background-color",
            "#98cbd5"
        );
    });
});

```

```

    });
</script>
<script>
document
    .getElementById("quickopdropbuttons1a1")
    .addEventListener("click", function () {
        location.href = "maintainstock.html";
    });

document.getElementById("quickop").addEventListener("click", function () {
    location.href = "dashboard.html";
});
document
    .getElementById("quickopdropbuttons1a2")
    .addEventListener("click", function () {
        location.href = "subscribe.html";
    });
document
    .getElementById("quickopdropbuttons2a1")
    .addEventListener("click", function () {
        location.href = "circulationcontrol.html";
    });
document
    .getElementById("quickopdropbuttons4a1")
    .addEventListener("click", function () {
        location.href = "createaccountmanual.html";
    });
document.getElementById("quickop").addEventListener("click", function () {
    location.href = "dashboard.html";
});
document
    .getElementById("quickopdropbuttons5a1")
    .addEventListener("click", function () {
        location.href = "dailyreports.html";
    });
document
    .getElementById("quickopdropbuttons6a1")
    .addEventListener("click", function () {
        location.href = "Adminregister.html";
    });
document
    .getElementById("quickopdropbuttons5a2")
    .addEventListener("click", function () {
        location.href = "Bs.html";
    });
document
    .getElementById("quickopdropbuttons6a2")
    .addEventListener("click", function () {
        location.href = "contactus.html";
    }); </script> </body>
</html>

```

Contactus.html

<!DOCTYPE html>

```

<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>About Us</title>
<style>
  @import
url('https://fonts.googleapis.com/css2?family=Roboto+Slab:wght@900&display=swap');
  @import
url('https://fonts.googleapis.com/css2?family=Roboto+Slab:wght@300&display=swap');
  body{
    background-color: rgb(184, 180, 180);
    height: fit-content;
  }
  #cntucontainer {
    padding: 0%;
    margin: 0%;
    /* height: 1000px; */
    /* background-color: red; */
    display: flex;
    flex-direction: column;
    justify-content: space-evenly;
    align-items: center;
  }

  #cntcmainhead {
    /* background-color: blue; */
    height: 5%;
    width: 100%;
    display: flex;
    justify-content: center;
    align-items: center;
    font-family: 'Roboto Slab', serif;
  }

  #cntcsmhead {
    /* background-color: green; */
    height: 5%;
    width: 100%;
    display: flex;
    justify-content: center;
    align-items: center;
    font-family: 'Roboto Slab', serif;
    margin-top: -1%;
  }

  #cntchodsec {
    /* background-color: yellow; */
    height: 55%;
    width: 100%;
    display: flex;
    flex-direction: column;
    justify-content: space-evenly;
  }

```

```

    align-items: center;
    margin-top: 1%;
}

#cntchodpic {
    background-color: red;
    background-image: url("hodpic.jpg");
    width: 150px;
    height: 150px;
    border-radius: 50% 50%;
    background-repeat: no-repeat;
    background-size: cover;
}

#cntcfcltsec {
    /* background-color: blue; */
    height: 25%;
    width: 100%;
    display: flex;
    flex-direction: row;
    justify-content: space-evenly;
    align-items: center;
    margin-top: 4%;
}

#cntcfclty1 {
    height: 100%;
    width: 100%;
    display: flex;
    flex-direction: column;
    justify-content: space-evenly;
    align-items: center;
}

#cntcfclty1pic {
    background-image: url("lakshmima'am.jpg");
    width: 150px;
    height: 150px;
    border-radius: 50% 50%;
    background-repeat: no-repeat;
    background-size: cover;
}

#cntcfclty2 {
    height: 100%;
    width: 100%;
    display: flex;
    flex-direction: column;
    justify-content: space-evenly;
    align-items: center;
}

#cntcfclty2pic {
    background-image: url("madhusir.jpg");
    width: 150px;
    height: 150px;

```

```

border-radius: 50% 50%;
background-repeat: no-repeat;
background-size: cover;
}
#cntcdevhead {
/* background-color: rgb(255, 0, 0); */
height: 0%;
width: 100%;
display: flex;
justify-content: center;
align-items: center;
margin-top: 1%;
font-size: xx-large;
font-family: 'Roboto Slab', serif;
}

#cntcstdsec {
height: 25%;
width: 100%;
display: flex;
flex-direction: row;
justify-content: space-evenly;
align-items: center;
margin-top: 3%;
}

#cntcstdranjeet,
#cntcstdvikash,
#cntcstdved {
height: 100%;
width: 100%;
display: flex;
flex-direction: column;
justify-content: space-evenly;
align-items: center;
}

#cntcstdvedpic {
background-image: url("vedpic.JPG");
width: 150px;
height: 150px;
border-radius: 50% 50%;
background-repeat: no-repeat;
background-size: cover;
}

#cntcstdranjeetpic {
background-image: url("ran.jpg");
width: 150px;
height: 150px;
border-radius: 50% 50%;
background-repeat: no-repeat;
background-size: cover;
}
#cntcstdvikashpic{

```

```

background-image: url("vikashpic.jpg");
width: 150px;
height: 150px;
border-radius: 50% 50%;
background-repeat: no-repeat;
background-size: cover;
}
#cntchlpbtt {
/* background-color: yellow; */
height: 5%;
width: 100%;
display: flex;
justify-content: center;
align-items: center;
}

#cntchelpbt {
width: 10%;
margin-top: 5%;
border: 1px solid black;
border-radius: 40px;
}

#cntchelpbt:hover {
background-color: rgba(16, 23, 229, 0.521);
}

#cntcfotr {
/* background-color: blue; */
height: 5%;
width: 100%;
display: flex;
flex-direction: row;
justify-content: center;
align-items: center;
}

.cntccbtt {
margin-left: 30%;
width: 100px;
margin-top: 1%;
color: rgb(3, 3, 3);
background-color: rgb(255, 254, 254);
border: none;
border-radius: 20px;
}

.descspn {
font-size: larger;
}

.descspn1 button a {
text-decoration: none;
color: #000000;
}

```

```

        .descspn1 button{
            border: none;
            background-color: transparent;
        }
    </style>
</head>

<body>
    <div id="cntucontainer">
        <div id="cntcmainhead">
            <h1>About Us</h1>
        </div>
        <div id="cntcsmhead">
            <h3>To whom and concern that under the guidance of:-</h3>
        </div>
        <div id="cntchodsec">
            <div id="cntchodpic">
            </div>
            <div id="cntchoddsec">
                <span class="descspn"></span>Dr. Krishna Kishore <br>
                <span class="descspn"></span>HOD,Dept of IT <br>
                <span class="descspn1">Email:-<button onclick="document.location='default.asp'"><a
href="mailto:das.ranjeet012@gmail.com">das.ranjeet012@gmail.com</a></button></span>
<br>
                <span class="descspn"></span>mob.No:- <br>
                <input type="button" value="Contact" class="cntccbbtn">
            </div>
        </div>
        <div id="cntcfcltsec">
            <div id="cntcfclty1">
                <div id="cntcfclty1pic">
                </div>
                <div id="cntcfclty1desc">
                    <span class="descspn"></span>Mrs. P.R.M.S. Lakshmi <br>
                    <span class="descspn"></span>Faculty,Dept of IT <br>
                    <span
                                class="descspn1">Email:-<button
onclick="document.location='default.asp'"><a
href="mailto:patibandla.lakshmi@gmail.com">patibandla.lakshmi@gmail.com</a></button></s
pan> <br>
                    <span class="descspn"></span>mob.No:- 9849170637 <br>
                    <input type="button" value="Contact" class="cntccbbtn">
                </div>
            </div>
            <div id="cntcfclty2">
                <div id="cntcfclty2pic">
                </div>
                <div id="cntcfclty2desc">
                    <span class="descspn"></span>Mr. D.Madhusudhan Rao<br>
                    <span class="descspn"></span>Faculty,Dept of IT <br>
                    <span
                                class="descspn1">Email:-<button
onclick="document.location='default.asp'"><a
href="mailto:madhu.dontha@gmail.com">madhu.dontha@gmail.com</a></button></span>
<br>
                    <span class="descspn"></span>mob.No:- 8121719885<br>
                    <input type="button" value="Contact" class="cntccbbtn">
                </div>
            </div>
        </div>
    </div>

```





```
</p>
</div>
</div>
</body>
</html>
Creataccountmanuall.html

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<link rel="stylesheet" href="dashboard.css" />
<link rel="stylesheet" href="circulationcontrol.css" />
<link rel="stylesheet" href="dashboard2.css" />
<link rel="stylesheet" href="createaccountmanual.css" />
<script src="jquery-3.6.0.js"></script>
<!--<script src="https://cdnjs.cloudflare.com/ajax/libs/moment.js/2.17.1/moment-with-
locales.min.js"></script>
-->
<script src="moment-with-locales.min.js"></script>
<script src="userlog.js"></script>
<title>Document</title>
</head>
<body>
<div id="body">
<div id="pehlabeta">
<div id="navisecn">
<div id="naviadminpicsecn" style="cursor: pointer">
<div id="adminpicbap"><div id="adminpic"></div></div>
<div id="admininfo" style="color: white"></div>
</div>
<div id="quickmenu">
<div id="quickmenulist">
<div id="quickop" style="cursor: pointer">

<p>dashboard</p>

</div>
<div id="quickop1">
```

```


<p style="cursor: pointer">Cataloguing</p>

</div>
<div id="quickopdrop1">
  <div class="quickopdropbuttons1a" id="quickopdropbuttons1a1">
    
    <p style="cursor: pointer">Maintain Stocks</p>
    
  </div>
  <div class="quickopdropbuttons1a" id="quickopdropbuttons1a2">
    
    <p style="cursor: pointer">Subscribe</p>
    
  </div>
  <!-- <div class="quickopdropbuttons1a">
    
    <p style="cursor: pointer">Magazine Attendance</p>
    
  </div>

```

```

<div class="quickopdropbuttons1a">
  
  <p style="cursor: pointer">BoundVolumeMaintenance</p>
</div>
<div class="quickopdropbuttons1a">
  
  <p style="cursor: pointer">Change Status</p>
  
</div>-->
</div>
<div id="quickop2">
  
  <p style="cursor: pointer">Circulation Control</p>
  
</div>
<div id="quickopdrop2">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons2a1">
    
    <p style="cursor: pointer">Circulations</p>
    
  </div>
  <!-- <div class="quickopdropbuttons2a">
    
    <p style="cursor: pointer">Reservations</p>
    
</div> -->
</div>
<div id="quickop3">
    
    <p style="cursor: pointer">Acquisitions</p>
    
</div>
<div id="quickopdrop3">
    <div class="quickopdropbuttons2a" id="quickopdropbuttons3a1">
        
        <p style="cursor: pointer">Ordering</p>
        
    </div>
    <div class="quickopdropbuttons2a">
        
        <p style="cursor: pointer">Vendor Maintenance</p>
        
    </div>
</div>

```

```

<div id="quickop4">
  
  <p style="cursor: pointer">Account Maintenance</p>
  
</div>
<div id="quickopdrop4">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons4a1">
    
    <p style="cursor: pointer">Create Account Manually</p>
  </div>
  <div class="quickopdropbuttons2a" style="display: none">
    
    <p style="cursor: pointer">Create Account Automate</p>
  </div>
</div>
<div id="quickop5">
  
  <p style="cursor: pointer">Reports</p>
  
</div>
<div id="quickopdrop5">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons5a1">
    
    <p style="cursor: pointer">Daily Reports</p>
  </div>
  
</div>

```

```

</div>
<div class="quickopdropbuttons2a" id="quickopdropbuttons5a2">
  
  <p style="cursor: pointer">Book Statistics</p>
  
</div>
<!-- <div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">Department Expenditure</p>
</div>
<div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">Department Libraries</p>
  
</div>
<div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">Department Volume Lists</p>
</div>
<div class="quickopdropbuttons2a">
  

```

```

/>
<p style="cursor: pointer">View Account Holders</p>

</div>
<div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">Magazines Subscribed</p>
  
</div> -->
</div>
<div id="quickop6">
  
  <p style="cursor: pointer">Administration</p>
  
</div>
<div id="quickopdrop6">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons6a1">
    
    <p style="cursor: pointer">New Admin</p>
    
  </div>
  <div class="quickopdropbuttons2a" id="quickopdropbuttons6a2">
    
    <p style="cursor: pointer">About us</p>
    
</div>
</div>
<div id="quickop7">
    
    <p style="cursor: pointer">Utilities</p>
    
</div>
<div id="quickopdrop7"></div>
<div id="quickop8">
    
    <p style="cursor: pointer">OPAC</p>
    
</div>
<div id="quickopdrop8"></div>
</div>
<div id="dashboardlogoutbap">
    <div id="dashboardlogoutbapbtn">
        
        <p>Log Out</p>
    </div>
</div>
</div>
<div id="dusrabeta">
    <div id="dashboardbap">
        <div id="createaccountmanualbap">
            <h2 id="createaccountmanualbapmsg">Create Account Manually</h2>
            <form id="createaccountmanualbapform">
                <div id="createaccountmanualbapformnamebap">
                    <div id="createaccountmanualbapformlibnregno">
                        <div>
                            <label for="createaccountmanualbapformnamelib">
                                >Lib No.</label>
                            >

```



```

        <input
            type="text"
            name="createaccountmanualbapformnamelib"
            id="createaccountmanualbapformnamelib"
            required
        />
    </div>
    <div>
        <label for="createaccountmanualbapformnameregno"
            >Registration No.</label>
        >
        <input
            type="text"
            name="createaccountmanualbapformnameregno"
            id="createaccountmanualbapformnameregno"
            required
        />
    </div>
</div>
<div id="createaccountmanualbapformnamenabap">
    <label for="createaccountmanualbapformnamenabap">Name</label>
    ><input
        type="text"
        name="createaccountmanualbapformnamenabap"
        id="createaccountmanualbapformnamenabap"
        required
    />
</div>
</div>
<div id="createaccountmanualbapacademicdetailbap">
    <div id="createaccountmanualbapacademicdetailbap">
        <div>
            <label for="createaccountmanualbapacademicdetailprivilege"
                >Privilege</label>
            >
            <input
                type="text"
                name="createaccountmanualbapacademicdetailprivilege"
                id="createaccountmanualbapacademicdetailprivilege"
            />
        </div>
        <div>
            <label for="createaccountmanualbapacademicdetaildepartment"
                >Department</label>
            >
            <input
                type="text"
                name="createaccountmanualbapacademicdetaildepartment"
                id="createaccountmanualbapacademicdetaildepartment"
            />
        </div>
    </div>
    <div id="createaccountmanualbapacademicdetaildayan">
        <div>
            <label for="createaccountmanualbapacademicdetailCourse"

```

```

        >Course</label>
    >
    <input
        type="text"
        name="createaccountmanualbapacademicdetailCourse"
        id="createaccountmanualbapacademicdetailCourse"
        required
    />
</div>
<div>
    <label for="createaccountmanualbapacademicdetailYears"
        >Years</label>
    >
    <input
        type="text"
        name="createaccountmanualbapacademicdetailYears"
        id="createaccountmanualbapacademicdetailYears"
        required
    />
</div>
</div>
</div>
<div id="createaccountmanualbapformdowner">
    <div>
        <label for="createaccountmanualbapformemailingp">Email</label>
        <input
            type="text"
            name="createaccountmanualbapformemailingp"
            id="createaccountmanualbapformemailingp"
        />
    </div>
    <div>
        <label for="createaccountmanualbapformaddressinp"
            >Address</label>
        >
        <input
            type="text"
            name="createaccountmanualbapformaddressinp"
            id="createaccountmanualbapformaddressinp"
        />
    </div>
</div>
<div id="createaccountmanualbapformidnonphno">
    <div>
        <label for="createaccountmanualbapformidnoinp">Id No.</label>
        <input
            type="text"
            name="createaccountmanualbapformidnoinp"
            id="createaccountmanualbapformidnoinp"
        />
    </div>
    <div>
        <label for="createaccountmanualbapformphnoinp"
            >Phone No.</label>
        >
    >

```

```

        <input
            type="text"
            name="createaccountmanualbapformphnoinp"
            id="createaccountmanualbapformphnoinp"
            required
        />
    </div>
</div>
<div id="createaccountmanualbapformremarksbap">
    <label for="createaccountmanualbapformremarks">Remarks</label>
    ><textarea
        name="createaccountmanualbapformremarks"
        id="createaccountmanualbapformremarks"
    ></textarea>
</div>
<div id="createaccountmanualbapformfinalactionbuttons">
    <button
        id="createaccountmanualbapformfinalactionbuttonscreate"
        type="submit"
    >
        Create
    </button>
    <button
        id="createaccountmanualbapformfinalactionbuttonsmodify"
        type="submit"
    >
        Modify
    </button>
    <button
        id="createaccountmanualbapformfinalactionbuttonsdelete"
        type="submit"
    >
        Delete
    </button>
    <button
        id="createaccountmanualbapformfinalactionbuttonsclear"
        type="reset"
    >
        Clear All
    </button>
</div>
</form>
</div>
</div>
</div>
</div>
<script src="userlogout.js"></script>
<script src="dashboard2.js"></script>
<script src="dashboard.js"></script>
<script src="dashboard2.js"></script>
<script>
document
    .getElementById("quickopdropbuttons1a1")
    .addEventListener("click", function () {
        location.href = "maintainstock.html";
    });

```

```

    });

    document.getElementById("quickop").addEventListener("click", function () {
        location.href = "dashboard.html";
    });
    document
        .getElementById("quickopdropbuttons1a2")
        .addEventListener("click", function () {
            location.href = "subscribe.html";
        });
    document
        .getElementById("quickopdropbuttons2a1")
        .addEventListener("click", function () {
            location.href = "circulationcontrol.html";
        });
    document
        .getElementById("quickopdropbuttons4a1")
        .addEventListener("click", function () {
            location.href = "createaccountmanual.html";
        });
    document.getElementById("quickop").addEventListener("click", function () {
        location.href = "dashboard.html";
    });
    document
        .getElementById("quickopdropbuttons5a1")
        .addEventListener("click", function () {
            location.href = "dailyreports.html";
        });
    document
        .getElementById("quickopdropbuttons6a1")
        .addEventListener("click", function () {
            location.href = "Adminregister.html";
        });
    document
        .getElementById("quickopdropbuttons5a2")
        .addEventListener("click", function () {
            location.href = "Bs.html";
        });
    document
        .getElementById("quickopdropbuttons6a2")
        .addEventListener("click", function () {
            location.href = "contactus.html";
        });
    </script>
</body>
</html>

```

#### Dailyreport.html

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <link rel="stylesheet" href="dashboard.css" />

```

```

<link rel="stylesheet" href="dashboard2.css" />
<link rel="stylesheet" href="DailyReports.css" />
<script src="dailyreport.js"></script>
<script src="jquery-3.6.0.js"></script>
<script src="moment-with-locales.min.js"></script>
<script src="userlog.js"></script>
<title>Document</title>
</head>
<body>
  <div id="body">
    <div id="pehlabet">
      <div id="navisec">
        <div id="naviadminpicsec" style="cursor: pointer">
          <div id="adminpicbap"><div id="adminpic"></div></div>
          <div id="admininfo" style="color: white"></div>
        </div>
        <div id="quickmenu">
          <div id="quickmenulist">
            <div id="quickop" style="cursor: pointer">
              
              <p>dashboard</p>
              
            </div>
            <div id="quickop1">
              
              <p style="cursor: pointer">Cataloguing</p>
              
            </div>
            <div id="quickopdrop1">
              <div class="quickopdropbuttons1a" id="quickopdropbuttons1a1">
                
                <p style="cursor: pointer">Maintain Stocks</p>
                
</div>
<div class="quickopdropbuttons1a" id="quickopdropbuttons1a2">
    
    <p style="cursor: pointer">Subscribe</p>
    
</div>
<!-- <div class="quickopdropbuttons1a">
    
    <p style="cursor: pointer">Magazine Attendance</p>
    
</div>
<div class="quickopdropbuttons1a">
    
    <p style="cursor: pointer">BoundVolumeMaintenance</p>
</div>
<div class="quickopdropbuttons1a">
    
    <p style="cursor: pointer">Change Status</p>
    
</div>-->
</div>
<div id="quickop2">
    
    <p style="cursor: pointer">Circulation Control</p>
    
</div>
<div id="quickopdrop2">
    <div class="quickopdropbuttons2a" id="quickopdropbuttons2a1">
        
        <p style="cursor: pointer">Circulations</p>
        
    </div>
    <!-- <div class="quickopdropbuttons2a">
        
        <p style="cursor: pointer">Reservations</p>
        
    </div> -->
</div>
<div id="quickop3">
    
    <p style="cursor: pointer">Acquisitions</p>
    

```

```

        id="quickop3ex"
    />
</div>
<div id="quickopdrop3">
    <div class="quickopdropbuttons2a" id="quickopdropbuttons3a1">
        
        <p style="cursor: pointer">Ordering</p>
        
    </div>
    <div class="quickopdropbuttons2a">
        
        <p style="cursor: pointer">Vendor Maintenance</p>
        
    </div>
</div>

<div id="quickop4">
    
    <p style="cursor: pointer">Account Maintenance</p>
    
</div>
<div id="quickopdrop4">
    <div class="quickopdropbuttons2a" id="quickopdropbuttons4a1">
        
        <p style="cursor: pointer">Create Account Manually</p>

```



```

</div>
<div class="quickopdropbuttons2a" style="display: none">
  
  <p style="cursor: pointer">Create Account Automate</p>
</div>
</div>
<div id="quickop5">
  
  <p style="cursor: pointer">Reports</p>
  
</div>
<div id="quickopdrop5">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons5a1">
    
    <p style="cursor: pointer">Daily Reports</p>
    
  </div>
  <div class="quickopdropbuttons2a" id="quickopdropbuttons5a2">
    
    <p style="cursor: pointer">Book Statistics</p>
    
  </div>
  <!-- <div class="quickopdropbuttons2a">
    
    <p style="cursor: pointer">Department Expenditure</p>
</div>
<div class="quickopdropbuttons2a">
    
    <p style="cursor: pointer">Department Libraries</p>
    
</div>
<div class="quickopdropbuttons2a">
    
    <p style="cursor: pointer">Department Volume Lists</p>
</div>
<div class="quickopdropbuttons2a">
    
    <p style="cursor: pointer">View Account Holders</p>
    
</div>
<div class="quickopdropbuttons2a">
    
    <p style="cursor: pointer">Magazines Subscribed</p>
    
</div> -->
</div>
<div id="quickop6">
    
    <p style="cursor: pointer">Administration</p>
    
</div>
<div id="quickopdrop6">
    <div class="quickopdropbuttons2a" id="quickopdropbuttons6a1">
        
        <p style="cursor: pointer">New Admin</p>
        
    </div>
    <div class="quickopdropbuttons2a" id="quickopdropbuttons6a2">
        
        <p style="cursor: pointer">About us</p>
        
    </div>
</div>

<div id="quickop7">
    
    <p style="cursor: pointer">Utilities</p>
    
</div>
<div id="quickopdrop7"></div>
<div id="quickop8">
    
    <p style="cursor: pointer">OPAC</p>
    
</div>
<div id="quickopdrop8"></div>
</div>
</div>
<div id="dashboardlogoutbap">
    <div id="dashboardlogoutbapbtn">
        
        <p>Log Out</p>
    </div>
</div>
</div>
</div>
<div id="dusrabeta">
    <div id="dashboardbap">
        <div id="dailyreportkabap">
            <div id="dailyreportkabapmsg">DAILY REPORTS</div>
            <form id="dailyreportkabapform">
                <div id="dailyreportkabapformbasicinput">
                    <div id="dailyreportkabapfromdatebap">
                        <label for="placefordailyreportkabapfromdate">
                            >From Date
                        </label>
                        <div>
                            <input
                                type="text"
                                name="placefordailyreportkabapfromdate"
                                id="placefordailyreportkabapfromdate"
                            />
                            <input
                                type="date"
                                name="dailyreportkabapfromdate"
                                id="dailyreportkabapfromdate"
                                onchange="placefordailyreportkabapfromdatefun()"
                            />
                        </div>
                    </div>
                    <div id="dailyreportkabaptodatebap">
                        <label for="placefordailyreportkabaptodate">To Date </label>
                        <div>
                            <input
                                type="text"

```

```

        name="placefordailyreportkabaptodate"
        id="placefordailyreportkabaptodate"
    />
    <input
        type="date"
        id="dailyreportkabaptodate"
        name="dailyreportkabaptodate"
        onchange="placefordailyreportkabaptodatefun()"
    />
</div>
</div>
<div id="dailyreportkabapformbasicinputdepartment">
    <label for="dailyreportkabapformbasicinputdepartment">
        Department</label>
    >
    <select
        name="dailyreportkabapformbasicinputdepartmentinput"
        id="dailyreportkabapformbasicinputdepartmentinput"
    >
        <option value="">ALL</option>
        <option value="CSE">CSE</option>
        <option value="IT">IT</option>
        <option value="BIO TECH">BIO TECH</option>
        <option value="MECHANICAL">MECHANICAL</option>
        <option value="ECE">ECE</option>
        <option value="CIVIL">CIVIL</option>
    </select>
</div>
<div id="dailyreportkabapformbasicinputreporttype">
    <label for="dailyreportkabapformbasicinputreporttype">
        Type of Report</label>
    >
    <select
        name="dailyreportkabapformbasicinputreporttypeinput"
        id="dailyreportkabapformbasicinputreporttypeinput"
    >
        <option value="">[select]</option>
        <option value="TODAYS_DUES">TODAYS DUES</option>
        <option value="DUES">DUES</option>
        <option value="RETURNED">RETURNED</option>
        <option value="TODAYS_TRANSACTION">
            TODAYS TRANSACTION
        </option>
    </select>
</div>
<div id="dailyreportkabapformfinalbuttons">
    <button id="dailyreportkabapformfinalbuttonsgeneratereport">
        Generate Report
    </button>
    <button id="dailyreportkabapformfinalbuttonsgeneratereport">
        Generate Count
    </button>
</div>
</div>
</form>

```

```

        </div>
    </div>
</div>
</div>
<script src="userlogout.js"></script>
<script src="dashboard2.js"></script>
<script src="dashboard.js"></script>
<script>
    document
        .getElementById("quickopdropbuttons1a1")
        .addEventListener("click", function () {
            location.href = "maintainstock.html";
        });

    document.getElementById("quickop").addEventListener("click", function () {
        location.href = "dashboard.html";
    });
    document
        .getElementById("quickopdropbuttons1a2")
        .addEventListener("click", function () {
            location.href = "subscribe.html";
        });
    document
        .getElementById("quickopdropbuttons2a1")
        .addEventListener("click", function () {
            location.href = "circulationcontrol.html";
        });
    document
        .getElementById("quickopdropbuttons4a1")
        .addEventListener("click", function () {
            location.href = "createaccountmanual.html";
        });
    document.getElementById("quickop").addEventListener("click", function () {
        location.href = "dashboard.html";
    });
    document
        .getElementById("quickopdropbuttons5a1")
        .addEventListener("click", function () {
            location.href = "dailyreports.html";
        });
    document
        .getElementById("quickopdropbuttons6a1")
        .addEventListener("click", function () {
            location.href = "Adminregister.html";
        });
    document
        .getElementById("quickopdropbuttons5a2")
        .addEventListener("click", function () {
            location.href = "Bs.html";
        });
    document
        .getElementById("quickopdropbuttons6a2")
        .addEventListener("click", function () {
            location.href = "contactus.html";
        });

```

```

</script>
</body>
</html>

```

### Dashboard.html

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<link rel="stylesheet" href="dashboard.css" />
<link rel="stylesheet" href="circulationcontrol.css" />
<link rel="stylesheet" href="dashboard2.css" />
<script src="jquery-3.6.0.js"></script>
<script src="moment-with-locales.min.js"></script>
<script src="userlog.js"></script>
<title>Document</title>
</head>
<body>
<div id="body">
<div id="pehlabetalpha">
<div id="navisecon">
<div id="naviadminpicsecon" style="cursor: pointer">
<div id="adminpicbap"><div id="adminpic"></div></div>
<div id="admininfo" style="color: white"></div>
</div>
<div id="quickmenu">
<div id="quickmenulist">
<div id="quickop" style="cursor: pointer">

<p>dashboard</p>

</div>
<div id="quickop1">

<p style="cursor: pointer">Cataloguing</p>

</div>
<div id="quickopdrop1">
  <div class="quickopdropbuttons1a" id="quickopdropbuttons1a1">
    
    <p style="cursor: pointer">Maintain Stocks</p>
    
  </div>
  <div class="quickopdropbuttons1a" id="quickopdropbuttons1a2">
    
    <p style="cursor: pointer">Subscribe</p>
    
  </div>
  <!-- <div class="quickopdropbuttons1a">
    
    <p style="cursor: pointer">Magazine Attendance</p>
    
  </div>
  <div class="quickopdropbuttons1a">
    
  </div>

```



```

        <p style="cursor: pointer">BoundVolumeMaintenance</p>
    </div>
    <div class="quickopdropbuttons1a">
        
        <p style="cursor: pointer">Change Status</p>
        
    </div>-->
</div>
<div id="quickop2">
    
    <p style="cursor: pointer">Circulation Control</p>
    
</div>
<div id="quickopdrop2">
    <div class="quickopdropbuttons2a" id="quickopdropbuttons2a1">
        
        <p style="cursor: pointer">Circulations</p>
        
    </div>
    <!-- <div class="quickopdropbuttons2a">
        
        <p style="cursor: pointer">Reservations</p>
        
</div> -->
</div>
<div id="quickop3">
    
    <p style="cursor: pointer">Acquisitions</p>
    
</div>
<div id="quickopdrop3">
    <div class="quickopdropbuttons2a" id="quickopdropbuttons3a1">
        
        <p style="cursor: pointer">Ordering</p>
        
    </div>
    <div class="quickopdropbuttons2a">
        
        <p style="cursor: pointer">Vendor Maintenance</p>
        
    </div>
</div>
<div id="quickop4">
    
    <p style="cursor: pointer">Account Maintenance</p>
    

```

```

        id="quickop4ex"
    />
</div>
<div id="quickopdrop4">
    <div class="quickopdropbuttons2a" id="quickopdropbuttons4a1">
        
        <p style="cursor: pointer">Create Account Manually</p>
    </div>
    <div class="quickopdropbuttons2a" style="display: none">
        
        <p style="cursor: pointer">Create Account Automate</p>
    </div>
</div>
<div id="quickop5">
    
    <p style="cursor: pointer">Reports</p>
    
</div>
<div id="quickopdrop5">
    <div class="quickopdropbuttons2a" id="quickopdropbuttons5a1">
        
        <p style="cursor: pointer">Daily Reports</p>
        
    </div>
    <div class="quickopdropbuttons2a" id="quickopdropbuttons5a2">
        
<p style="cursor: pointer">Book Statistics</p>

</div>
<!-- <div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">Department Expenditure</p>
</div>
<div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">Department Libraries</p>
  
</div>
<div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">Department Volume Lists</p>
</div>
<div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">View Account Holders</p>
  
</div>
<div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">Magazines Subscribed</p>
  
</div> -->
</div>
<div id="quickop6">
  
  <p style="cursor: pointer">Administeration</p>
  
</div>
<div id="quickopdrop6">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons6a1">
    
    <p style="cursor: pointer">New Admin</p>
    
  </div>
  <div class="quickopdropbuttons2a" id="quickopdropbuttons6a2">
    
    <p style="cursor: pointer">About us</p>
    
</div>
</div>
<div id="quickop7">
    
    <p style="cursor: pointer">Utilities</p>
    
</div>
<div id="quickopdrop7"></div>
<div id="quickop8">
    
    <p style="cursor: pointer">OPAC</p>
    
</div>
<div id="quickopdrop8"></div>
</div>
</div>
<div id="dashboardlogoutbap">
    <div id="dashboardlogoutbapbtn">
        
        <p>Log Out</p>
    </div>
</div>
</div>
</div>
<div id="dusrabeta">
    <div id="dashboardbap">
        <div id="dashboard2bap">
            <button id="dashboard2refreshbutton">refresh</button>
            <div id="dashboard2duedatebap">
                <div id="dashboard2totalbooks">
                    <label for="dashboard2totalbooksnos">Total Books</label>
                    <div id="dashboard2totalbooksnos">5557</div>
                </div>
                <div id="dashboard2duedatebapdiv">
                    <label>DUE DATE </label>
                    <div id="dashboard2duedate">22-22-2222</div>
                </div>
            </div>
            <div id="dashboard2totalbooksbranchwisebap">
                <div id="dashboard2totalbooksbranchwise">
                    <div id="dashboard2totalbooksbranchwisemsg">
                        Total no. of book branch wise

```

```

</div>
</div>
<div id="dashboard2totalbooksbranchwisebelt">
  <div
    id="dashboard2totalbooksbranchwisecseit"
    class="dashboard2branchbooksclass"
  >
    <div id="dashboard2totalbooksbranchwisecseitmsg">CSE-IT</div>
    <div
      id="dashboard2totalbooksbranchwisecseitno"
      class="dashboard2totalbooksbranchwiseno"
    >
      500
    </div>
  </div>
  <div
    id="dashboard2totalbooksbranchwisemech"
    class="dashboard2branchbooksclass"
  >
    <div id="dashboard2totalbooksbranchwisemechmsg">
      MECHANICAL
    </div>
    <div
      id="dashboard2totalbooksbranchwisemechno"
      class="dashboard2totalbooksbranchwiseno"
    >
      500
    </div>
  </div>
  <div
    id="dashboard2totalbooksbranchwisebiotech"
    class="dashboard2branchbooksclass"
  >
    <div id="dashboard2totalbooksbranchwisebiotechmsg">
      BIO-TECH
    </div>
    <div
      id="dashboard2totalbooksbranchwisebiotechno"
      class="dashboard2totalbooksbranchwiseno"
    >
      500
    </div>
  </div>
  <div
    id="dashboard2totalbooksbranchwisebiomed"
    class="dashboard2branchbooksclass"
  >
    <div id="dashboard2totalbooksbranchwisebiomedmsg">
      BIO-MED
    </div>
    <div
      id="dashboard2totalbooksbranchwisebiomedno"
      class="dashboard2totalbooksbranchwiseno"
    >
      500

```

```

    </div>
</div>
<div
  id="dashboard2totalbooksbranchwiseeee"
  class="dashboard2branchbooksclass"
>
  <div id="dashboard2totalbooksbranchwiseecemsg">ECE</div>
  <div
    id="dashboard2totalbooksbranchwiseeceno"
    class="dashboard2totalbooksbranchwiseno"
  >
    500
  </div>
</div>
<div
  id="dashboard2totalbooksbranchwisechemical"
  class="dashboard2branchbooksclass"
>
  <div id="dashboard2totalbooksbranchwisechemicalmsg">
    CHEMICAL
  </div>
  <div
    id="dashboard2totalbooksbranchwisechemicalno"
    class="dashboard2totalbooksbranchwiseno"
  >
    500
  </div>
</div>
<div
  id="dashboard2totalbooksbranchwisecivil"
  class="dashboard2branchbooksclass"
>
  <div id="dashboard2totalbooksbranchwisecivilmsg">CIVIL</div>
  <div
    id="dashboard2totalbooksbranchwisecivilno"
    class="dashboard2totalbooksbranchwiseno"
  >
    500
  </div>
</div>
<div
  id="dashboard2totalbooksbranchwisefoodtech"
  class="dashboard2branchbooksclass"
>
  <div id="dashboard2totalbooksbranchwisefoodtechmsg">
    FOOD TECH
  </div>
  <div
}

#fgtpassbtn {
  width: 50%;
}

```



```

#fgtpassbtn {
    width: 20%;
    height: 11%;
}

#fgtpassbtn input {
    margin-top: 5%;
    height: 50%;
    background-color: rgb(183, 183, 183);
    color: white;
    border: none;
    height: 2em;
}

#fgtretrnbtn a {

    border-radius: 2em;
    text-decoration: none;
}

#fgtretrnbtn a:hover {
    color: rgb(255, 38, 0);
}

input {
    height: 42%;
}
</style>
</head>

<body>

<div id="mainforgtpsscontainer">

    <form id="forgetPasswordforAdminRegister">

        <div id="fgtphead">
            <h1>Change Password</h1>
        </div>

        <div id="fgtpidno">
            <label for="fgtresetpss">Enter your Id</label><br>
            <input type="text" name="fgtresetpss" id="" placeholder="Enter your Id here"
required><br>

        </div><br>
        <div id="fgtpnewpss">
            <label for="fgtnewpassl">Enter new password</label><br>
            <input type="password" name="fgtnewpassl" id="" placeholder="create new
Password" required><br>
        </div><br>

```

```
<div id="fgtpconfpssl">
  <label for="fgtconfpssl">Confirm password</label><br>
  <input type="password" name="fgtconfpssl" id="" required placeholder="Enter
confirm password" required>
</div><br>

<div id="fgtpassbtn">
  <input type="submit" value="Reset Password"
id="forgetpasswordfortheadminregisterjkhkjhkhkj"><br><br>

</div>
<div id="fgtretrnbtn">
  <a href="login.html">Return to login</a><br>
</div>
</form>
</div>
<script src="userlogout.js"></script>
<script src="dashboard2.js"></script>

<script type="text/javascript">
$(document).ready(function () {
  $("#forgetpasswordfortheadminregisterjkhkjhkhkj").click(function () {
    $.ajax({
      type: 'GET',
      url: 'ForgetPasswordqwertyuioppoiuytrewq',
      data: $("#forgetPasswordforAdminRegister").serialize(),
      success: function (response) {
        alert(response);
        document.getElementById("forgetPasswordforAdminRegister").reset();
      }
    })
  })
});
</script>
</body>

</html>
```

```
<u>Subscribe.html</u>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <link rel="stylesheet" href="dashboard.css" />
  <link rel="stylesheet" href="circulationcontrol.css" />
  <link rel="stylesheet" href="dashboard2.css" />
  <link rel="stylesheet" href="subscriptionmagazine.css" />
  <script src="jquery-3.6.0.js"></script>
  <script src="moment-with-locales.min.js"></script>
  <script src="userlog.js"></script>
  <title>Document</title>
</head>
```

```

<body>
<div id="body">
<div id="pehlabeta">
<div id="navisecn">
<div id="naviadminpicsecn" style="cursor: pointer">
<div id="adminpicbap"><div id="adminpic"></div></div>
<div id="admininfo" style="color: white"></div>
</div>
<div id="quickmenu">
<div id="quickmenulist">
<div id="quickop" style="cursor: pointer">

<p>dashboard</p>

</div>
<div id="quickop1">

<p style="cursor: pointer">Cataloguing</p>

</div>
<div id="quickopdrop1">
<div class="quickopdropbuttons1a" id="quickopdropbuttons1a1">

<p style="cursor: pointer">Maintain Stocks</p>

</div>
<div class="quickopdropbuttons1a" id="quickopdropbuttons1a2">

    <p style="cursor: pointer">Subscribe</p>
    
</div>
<!-- <div class="quickopdropbuttons1a">
    
    <p style="cursor: pointer">Magazine Attendance</p>
    
</div>
<div class="quickopdropbuttons1a">
    
    <p style="cursor: pointer">BoundVolumeMaintenance</p>
</div>
<div class="quickopdropbuttons1a">
    
    <p style="cursor: pointer">Change Status</p>
    
</div>-->
</div>
<div id="quickop2">
    

```

```

<p style="cursor: pointer">Circulation Control</p>

</div>
<div id="quickopdrop2">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons2a1">
    
    <p style="cursor: pointer">Circulations</p>
    
  </div>
  <!-- <div class="quickopdropbuttons2a">
    
    <p style="cursor: pointer">Reservations</p>
    
  </div> -->
</div>
<div id="quickop3">
  
  <p style="cursor: pointer">Acquisitions</p>
  
</div>
<div id="quickopdrop3">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons3a1">
    
    <p style="cursor: pointer">Ordering</p>
    
</div>
<div class="quickopdropbuttons2a">
    
    <p style="cursor: pointer">Vendor Maintenance</p>
    
</div>
</div>

<div id="quickop4">
    
    <p style="cursor: pointer">Account Maintenance</p>
    
</div>
<div id="quickopdrop4">
    <div class="quickopdropbuttons2a" id="quickopdropbuttons4a1">
        
        <p style="cursor: pointer">Create Account Manually</p>
    </div>
    <div class="quickopdropbuttons2a" style="display: none">
        
    </div>
</div>

```

```

    <p style="cursor: pointer">Create Account Automate</p>
  </div>
</div>
<div id="quickop5">
  
  <p style="cursor: pointer">Reports</p>
  
</div>
<div id="quickopdrop5">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons5a1">
    
    <p style="cursor: pointer">Daily Reports</p>
    
  </div>
  <div class="quickopdropbuttons2a" id="quickopdropbuttons5a2">
    
    <p style="cursor: pointer">Book Statistics</p>
    
  </div>
  <!-- <div class="quickopdropbuttons2a">
    
    <p style="cursor: pointer">Department Expenditure</p>
  </div>
  <div class="quickopdropbuttons2a">
    
<p style="cursor: pointer">Department Libraries</p>

</div>
<div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">Department Volume Lists</p>
</div>
<div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">View Account Holders</p>
  
</div>
<div class="quickopdropbuttons2a">
  
  <p style="cursor: pointer">Magazines Subscribed</p>
  
</div> -->
</div>
<div id="quickop6">
  

```



```

<p style="cursor: pointer">Administeration</p>

</div>
<div id="quickopdrop6">
  <div class="quickopdropbuttons2a" id="quickopdropbuttons6a1">
    
    <p style="cursor: pointer">New Admin</p>
    
  </div>
  <div class="quickopdropbuttons2a" id="quickopdropbuttons6a2">
    
    <p style="cursor: pointer">About us</p>
    
  </div>
</div>
<div id="quickop7">
  
  <p style="cursor: pointer">Utilities</p>
  
</div>
<div id="quickopdrop7"></div>
<div id="quickop8">
  
  <p style="cursor: pointer">OPAC</p>
  
</div>
<div id="quickopdrop8"></div>
</div>
</div>
<div id="dashboardlogoutbap">
    <div id="dashboardlogoutbapbtn">
        
        <p>Log Out</p>
    </div>
</div>
</div>
</div>
<div id="dusrabeta">
    <div id="dashboardbap">
        <div id="subscriptionmagazinebap">
            <div id="subscriptionmagazinetablebap">
                <div id="subscriptionmagazinetablebapmsg">
                    Existing Subscription
                </div>
                <div id="subscriptionmagazinetablebaptablebap">
                    <table id="subscriptionmagazinetablebaptable">
                        <tr>
                            <th>Title</th>
                            <th>Publisher</th>
                            <th>Department</th>
                            <th>Type</th>
                            <th>Periodicity</th>
                            <th>Place</th>
                            <th>FROM Date</th>
                            <th>To Date</th>
                        </tr>
                    </table>
                </div>
            </div>
            <div id="subscriptionmagazinefinalbuttons">
                <button id="subscriptionmagazinefinalbuttonsaddnew">
                    Add New
                </button>
                <button id="subscriptionmagazinefinalbuttonseditexisting">
                    Edit Existing
                </button>
                <button id="subscriptionmagazinefinalbuttonsrenewexisting">
                    Renew Existing
                </button>
                <button id="subscriptionmagazinefinalbuttonsfuturerenewal">
                    Future Renewal
                </button>
            </div>
        </div>
    </div>
    <div id="subscriptionmagazineaddnew">
        <h2 style="margin: 0">ADD NEW SUBSCRIPTION</h2>

```

```

<div id="subscriptionmagazineaddnewnavigation">
  <button id="subscriptionmagazineaddnewnavigationbutton">
    back
  </button>
</div>
<form id="subscriptionmagazineaddnewform">
  <div id="subscriptionmagazineaddnewformupper">
    <div id="subscriptionmagazineaddnewformleft">
      <div id="subscriptionmagazineaddnewformlefttitlepublisher">
        <div>
          <label for="subscriptionmagazineaddnewformlefttitle">
            >Title</label>
          >
          <input
            type="text"
            name="subscriptionmagazineaddnewformlefttitle"
            id="subscriptionmagazineaddnewformlefttitle"
          />
        </div>
        <div>
          <label for="subscriptionmagazineaddnewformleftpublisher">
            >Publisher</label>
          >
          <input
            type="text"
            name="subscriptionmagazineaddnewformleftpublisher"
            id="subscriptionmagazineaddnewformleftpublisher"
          />
        </div>
      </div>
      <div id="subscriptionmagazineaddnewformleftselectinput">
        <div>
          <label for="subscriptionmagazineaddnewformleftselect">
            >Department</label>
          >
          <select
            name="subscriptionmagazineaddnewformleftselect"
            id="subscriptionmagazineaddnewformleftselect"
          >
            <option value="A">---</option>
            <option value="A">---</option>
            <option value="A">---</option>
            <option value="A">---</option>
            <option value="A">---</option>
            <option value="A">---</option>
            <option value="A">---</option>
          </select>
        </div>
        <div>
          <label for="subscriptionmagazineaddnewformleftselect">
            >Type</label>
          >
          <select
            name="subscriptionmagazineaddnewformleftselect"
            id="subscriptionmagazineaddnewformleftselect"

```

```

>
  <option value="A">---</option>
  <option value="A">---</option>
  <option value="A">---</option>
  <option value="A">---</option>
  <option value="A">---</option>
  <option value="A">---</option>
  <option value="A">---</option>
</select>
</div>
<div>
  <label for="subscriptionmagazineaddnewformleftselect"
  >Periodicity</label>
  >
  <select
    name="subscriptionmagazineaddnewformleftselect"
    id="subscriptionmagazineaddnewformleftselect"
  >
    <option value="A">---</option>
    <option value="A">---</option>
    <option value="A">---</option>
    <option value="A">---</option>
    <option value="A">---</option>
    <option value="A">---</option>
    <option value="A">---</option>
  </select>
</div>
</div>
<div id="subscriptionmagazineaddnewformleftddnoinput">
  <label for="subscriptionmagazineaddnewformleftddno"
  >DD NO</label>
  >
  <input
    type="text"
    name="subscriptionmagazineaddnewformleftddno"
    id="subscriptionmagazineaddnewformleftddno"
  />
</div>
</div>
<div id="subscriptionmagazineaddnewformright">
  <div id="subscriptionmagazineaddnewformrighttextinput">
    <div>
      <label
        for="subscriptionmagazineaddnewformrighttextinputplace"
        >Place</label>
      >
      <input
        type="text"
        id="subscriptionmagazineaddnewformrighttextinputplace"
      />
    </div>
  </div>
  <div>
    <label
      for="subscriptionmagazineaddnewformrighttextinputAmount"
      >Amount</label>

```

```

>
<input
  type="text"
  id="subscriptionmagazineaddnewformrighttextinputAmount"
/>
</div>
<div>
<label
  for="subscriptionmagazineaddnewformrighttextinputSubscriptionNo"
>Subscription No.</label>
>
<input
  type="text"
  name="subscriptionmagazineaddnewformrighttextinputSubscriptionNo"
  id="subscriptionmagazineaddnewformrighttextinputSubscriptionNo"
/>
</div>
</div>
<div id="subscriptionmagazineaddnewformrightdateinput">
<div>
<label
  for="subscriptionmagazineaddnewformrightdateinputfromdateplacefordatevalue"
>From Date</label>
>
<input
  type="text"
  id="subscriptionmagazineaddnewformrightdateinputfromdateplacefordatevalue"
name="subscriptionmagazineaddnewformrightdateinputfromdateplacefordatevalue"
/>
<input
  type="date"
  id="subscriptionmagazineaddnewformrightdateinputfromdate"
  name="subscriptionmagazineaddnewformrightdateinputfromdate"
/>
</div>
<div>
<label
  for="subscriptionmagazineaddnewformrightdateinputTodateplacefordatevalue"
>To Date</label>
>
<input
  type="text"
  id="subscriptionmagazineaddnewformrightdateinputTodateplacefordatevalue"
name="subscriptionmagazineaddnewformrightdateinputTodateplacefordatevalue"
/>
<input
  type="date"
  id="subscriptionmagazineaddnewformrightdateinputTodate"
  name="subscriptionmagazineaddnewformrightdateinputTodate"
/>
</div>
</div>
<label

```

```

        for="subscriptionmagazineaddnewformrightdateinputDDdateplacefordatevalue"
        >DD Date</label>
    >
    <input
        type="text"
        id="subscriptionmagazineaddnewformrightdateinputDDdateplacefordatevalue"
name="subscriptionmagazineaddnewformrightdateinputDDdateplacefordatevalue"
    />
    <input
        type="date"
        id="subscriptionmagazineaddnewformrightdateinputDDdate"
        name="subscriptionmagazineaddnewformrightdateinputDDdate"
    />
</div>
</div>
</div>
</div>
<div id="subscriptionmagazineaddnewformfinalbutton">
    <button
        id="subscriptionmagazineaddnewformfinalbuttonaddmagazine"
        type="button"
    >
        Add Subscription
    </button>
</div>
</form>
</div>

<div id="subscriptionmagazineeditmagazinebap">
    <div id="subscriptionmagazineeditmagazinebapmsg">
        <h2>EDIT MAGAZINE DETAILS</h2>
    </div>
    <div id="subscriptionmagazineeditmagazine">
        <div id="subscriptionmagazineeditnavigation">
            <button id="subscriptionmagazineeditmagazinenavigationbutton">
                back
            </button>
        </div>
        <form id="subscriptionmagazineeditform">
            <div id="subscriptionmagazineeditformupper">
                <div id="subscriptionmagazineeditformleft">
                    <div id="subscriptionmagazineeditformlefttitlepublisher">
                        <div>
                            <label for="subscriptionmagazineeditformlefttitle"
                                >Title</label>
                            >
                            <input
                                type="text"
                                name="subscriptionmagazineeditformlefttitle"
                                id="subscriptionmagazineeditformlefttitle"
                            />
                        </div>
                    </div>
                    <div>
                        <label for="subscriptionmagazineeditformleftpublisher"

```

```

        >Publisher</label>
    >
    <input
        type="text"
        name="subscriptionmagazineeditformleftpublisher"
        id="subscriptionmagazineeditformleftpublisher"
    />
</div>
</div>
<div id="subscriptionmagazineeditformleftselectinput">
    <div>
        <label for="subscriptionmagazineeditformleftselect"
            >Department</label>
        >
        <select
            name="subscriptionmagazineeditformleftselect"
            id="subscriptionmagazineeditformleftselect"
        >
            <option value="A">---</option>
            <option value="A">---</option>
            <option value="A">---</option>
            <option value="A">---</option>
            <option value="A">---</option>
            <option value="A">---</option>
            <option value="A">---</option>
        </select>
    </div>
    <div>
        <label for="subscriptionmagazineeditformleftselect"
            >Type</label>
        >
        <select
            name="subscriptionmagazineeditformleftselect"
            id="subscriptionmagazineeditformleftselect"
        >
            <option value="A">---</option>
            <option value="A">---</option>
            <option value="A">---</option>
            <option value="A">---</option>
            <option value="A">---</option>
            <option value="A">---</option>
            <option value="A">---</option>
        </select>
    </div>
    <div>
        <label for="subscriptionmagazineeditformleftselect"
            >Periodicity</label>
        >
        <select
            name="subscriptionmagazineeditformleftselect"
            id="subscriptionmagazineeditformleftselect"
        >
            <option value="A">---</option>
            <option value="A">---</option>
            <option value="A">---</option>

```

```

        <option value="A">---</option>
        <option value="A">---</option>
        <option value="A">---</option>
        <option value="A">---</option>
    </select>
</div>
</div>
<div id="subscriptionmagazineditformleftddnoinput">
    <label for="subscriptionmagazineditformleftddno"
        >DD NO</label>
    >
    <input
        type="text"
        name="subscriptionmagazineditformleftddno"
        id="subscriptionmagazineditformleftddno"
    />
</div>
</div>
<div id="subscriptionmagazineditformright">
    <div id="subscriptionmagazineditformrighttextinput">
        <div>
            <label
                for="subscriptionmagazineditformrighttextinputplace"
                >Place</label>
            >
            <input
                type="text"
                id="subscriptionmagazineditformrighttextinputplace"
                name="subscriptionmagazineditformrighttextinputplace"
            />
        </div>
        <div>
            <label
                for="subscriptionmagazineditformrighttextinputAmount"
                >Amount</label>
            >
            <input
                type="text"
                id="subscriptionmagazineditformrighttextinputAmount"
                name="subscriptionmagazineditformrighttextinputAmount"
            />
        </div>
        <div>
            <label
                for="subscriptionmagazineditformrighttextinputSubscriptionNo"
                >Subscription No.</label>
            >
            <input
                type="text"
                name="subscriptionmagazineditformrighttextinputSubscriptionNo"
                id="subscriptionmagazineditformrighttextinputSubscriptionNo"
            />
        </div>
    </div>
</div>
<div id="subscriptionmagazineditformrightdateinput">

```



```

<div>
  <label
    for="subscriptionmagazineditformrightdateinputfromdateplacefordatevalue"
    >From Date</label
  >
  <input
    type="text"
    id="subscriptionmagazineditformrightdateinputfromdateplacefordatevalue"
    name="subscriptionmagazineditformrightdateinputfromdateplacefordatevalue"
  />
  <input
    type="date"
    id="subscriptionmagazineditformrightdateinputfromdate"
    name="subscriptionmagazineditformrightdateinputfromdate"
  />
</div>
<div>
  <label
    for="subscriptionmagazineditformrightdateinputTodateplacefordatevalue"
    >To Date</label
  >
  <input
    type="text"
    id="subscriptionmagazineditformrightdateinputTodateplacefordatevalue"
    name="subscriptionmagazineditformrightdateinputTodateplacefordatevalue"
  />
  <input
    type="date"
    id="subscriptionmagazineditformrightdateinputTodate"
    name="subscriptionmagazineditformrightdateinputTodate"
  />
</div>
<div>
  <label
    for="subscriptionmagazineditformrightdateinputDDdateplacefordatevalue"
    >DD Date</label
  >
  <input
    type="text"
    id="subscriptionmagazineditformrightdateinputDDdateplacefordatevalue"
    name="subscriptionmagazineditformrightdateinputDDdateplacefordatevalue"
  />
  <input
    type="date"
    id="subscriptionmagazineditformrightdateinputDDdate"
    name="subscriptionmagazineditformrightdateinputDDdate"
  />
</div>
</div>
</div>
<div id="subscriptionmagazineditmagazineformfinalbutton">
  <button
    id="subscriptionmagazineditmagazineformfinalbuttonaddmagazine"
    type="button"
  >

```

```

        >
        Edit subscription
    </button>
</div>
</form>
</div>
</div>

<div id="subscriptionmagazinerenewsubbap">
    <div id="subscriptionmagazinerenewsubbapnavigationback">
        <button
            id="subscriptionmagazinerenewsubbapnavigationbackbutton"
        >
            back
        </button>
    </div>
    <div id="subscriptionmagazinerenewsubbapmsg">
        SUBSCRIPTION TO BE RENEWED
    </div>
    <div id="subscriptionmagazinerenewsubbaptablebap">
        <table id="subscriptionmagazinerenewsubbaptable">
            <tr>
                <th>Title</th>
                <th>Publisher</th>
                <th>Department</th>
                <th>Type</th>
                <th>Periodicity</th>
                <th>Place</th>
                <th>FROM Date</th>
                <th>To Date</th>
            </tr>
        </table>
        <!-- <div id="subscriptionmagazinerenewsubbaptablebaprenewsbuttonbap">
            <button id="subscriptionmagazinerenewsubbaptablebaprenewsbutton">
                Renew Subscription
            </button>
        </div> -->
    </div>
    <div id="subscriptionmagazinerenewsubbapformbap">
        <div id="subscriptionmagazinerenewsubbapformbapnavigationback">
            <button
                id="subscriptionmagazinerenewsubbapformbapnavigationbackbutton"
            >
                back
            </button>
        </div>
        <form id="subscriptionmagazinerenewsubbapform">
            <div id="subscriptionmagazinerenewformupper">
                <div id="subscriptionmagazinerenewformleft">
                    <div id="subscriptionmagazinerenewformlefttitlepublisher">
                        <div>
                            <label for="subscriptionmagazinerenewformlefttitle"
                                >Title</label>
                            >
                            <input

```

```

        type="text"
        name="subscriptionmagazinerenewformlefttitle"
        id="subscriptionmagazinerenewformlefttitle"
    />
</div>
<div>
    <label
        for="subscriptionmagazinerenewformleftpublisher"
        >Publisher</label
    >
    <input
        type="text"
        name="subscriptionmagazinerenewformleftpublisher"
        id="subscriptionmagazinerenewformleftpublisher"
    />
</div>
</div>
<div id="subscriptionmagazinerenewformleftselectinput">
    <div>
        <label for="subscriptionmagazinerenewformleftselect"
            >Department</label
        >
        <select
            name="subscriptionmagazinerenewformleftselect"
            id="subscriptionmagazinerenewformleftselect"
        >
            <option value="">---</option>
            <option value="">---</option>
            <option value="">---</option>
            <option value="">---</option>
            <option value="">---</option>
            <option value="">---</option>
            <option value="">---</option>
        </select>
    </div>
    <div>
        <label for="subscriptionmagazinerenewformleftselect"
            >Type</label
        >
        <select
            name="subscriptionmagazinerenewformleftselect"
            id="subscriptionmagazinerenewformleftselect"
        >
            <option value="">---</option>
            <option value="">---</option>
            <option value="">---</option>
            <option value="">---</option>
            <option value="">---</option>
            <option value="">---</option>
            <option value="">---</option>
        </select>
    </div>
    <div>
        <label for="subscriptionmagazinerenewformleftselect"
            >Periodicity</label

```

```

>
<select
  name="subscriptionmagazinerenewformleftselect"
  id="subscriptionmagazinerenewformleftselect"
>
  <option value="">---</option>
  <option value="">---</option>
  <option value="">---</option>
  <option value="">---</option>
  <option value="">---</option>
  <option value="">---</option>
  <option value="">---</option>
</select>
</div>
</div>
<div id="subscriptionmagazinerenewformleftddnoinput">
  <label for="subscriptionmagazinerenewformleftddno"
    >DD NO</label>
  >
  <input
    type="text"
    name="subscriptionmagazinerenewformleftddno"
    id="subscriptionmagazinerenewformleftddno"
  />
</div>
</div>
<div id="subscriptionmagazinerenewformright">
  <div id="subscriptionmagazinerenewformrighttextinput">
    <div>
      <label
        for="subscriptionmagazinerenewformrighttextinputplace"
        >Place</label>
      >
      <input
        type="text"
        id="subscriptionmagazinerenewformrighttextinputplace"
      />
    </div>
    <div>
      <label
        for="subscriptionmagazinerenewformrighttextinputAmount"
        >Amount</label>
      >
      <input
        type="text"
        id="subscriptionmagazinerenewformrighttextinputAmount"
      />
    </div>
    <div>
      <label
        for="subscriptionmagazinerenewformrighttextinputSubscriptionNo"
        >Subscription No.</label>
      >
      <input
        type="text"

```

```

        name="subscriptionmagazinerenewformrighttextinputSubscriptionNo"
        id="subscriptionmagazinerenewformrighttextinputSubscriptionNo"
    />
</div>
</div>
<div id="subscriptionmagazinerenewformrightdateinput">
    <div>
        <label
            for="subscriptionmagazinerenewformrightdateinputfromdateplacefordatevalue"
            >From Date</label>
        >
        <input
            type="text"
            id="subscriptionmagazinerenewformrightdateinputfromdateplacefordatevalue"
            name="subscriptionmagazinerenewformrightdateinputfromdateplacefordatevalue"
        />
    </div>
    <div>
        <label
            for="subscriptionmagazinerenewformrightdateinputTodateplacefordatevalue"
            >To Date</label>
        >
        <input
            type="text"
            id="subscriptionmagazinerenewformrightdateinputTodateplacefordatevalue"
            name="subscriptionmagazinerenewformrightdateinputTodateplacefordatevalue"
        />
        <input
            type="date"
            id="subscriptionmagazinerenewformrightdateinputTodate"
            name="subscriptionmagazinerenewformrightdateinputTodate"
        />
    </div>
    <div>
        <label
            for="subscriptionmagazinerenewformrightdateinputDDdateplacefordatevalue"
            >DD Date</label>
        >
        <input
            type="text"
            id="subscriptionmagazinerenewformrightdateinputDDdateplacefordatevalue"
            name="subscriptionmagazinerenewformrightdateinputDDdateplacefordatevalue"
        />
    </div>
    <div>
        <label
            for="subscriptionmagazinerenewformrightdateinputDDdate"
            >DD Date</label>
        >
        <input
            type="date"
            id="subscriptionmagazinerenewformrightdateinputDDdate"
            name="subscriptionmagazinerenewformrightdateinputDDdate"
        />
    </div>

```

```

        </div> </div> </div> </div>
<div id="subscriptionmagazinerenewsubsformfinalbutton">
    <button
        type="button"
        id="subscriptionmagazinerenewsubsformfinalbuttonrenewsubs"
    >
        Renew Subscription
    </button>
</div>
</form>
</div> </div> </div> </div> </div> </div>
<script src="userlogout.js"></script>
<script src="dashboard2.js"></script>
<script src="dashboard.js"></script>
<script src="subscriptionmagazine.js"></script>
<script>
document
    .getElementById("quickopdropbuttons1a1")
    .addEventListener("click", function () {
        location.href = "maintainstock.html";
    });

document.getElementById("quickop").addEventListener("click", function () {
    location.href = "dashboard.html";
});
document
    .getElementById("quickopdropbuttons1a2")
    .addEventListener("click", function () {
        location.href = "subscribe.html";
    });
document
    .getElementById("quickopdropbuttons2a1")
    .addEventListener("click", function () {
        location.href = "circulationcontrol.html";
    });
document
    .getElementById("quickopdropbuttons4a1")
    .addEventListener("click", function () {
        location.href = "createaccountmanual.html";
    });
document.getElementById("quickop").addEventListener("click", function () {
    location.href = "dashboard.html";
});
document
    .getElementById("quickopdropbuttons5a1")
    .addEventListener("click", function () {
        location.href = "dailyreports.html";
    });
document
    .getElementById("quickopdropbuttons6a1")
    .addEventListener("click", function () {
        location.href = "Adminregister.html";
    });
document
    .getElementById("quickopdropbuttons5a2") </script> </body></html>

```

## 8. RESULTS

### Sign in to Library:

#### Sign in to Library


VED PRAKASH SONI

\*\*\*\*

Login

[Forgot your password?](#)


### Dashboard



### EXISTING SUBSCRIPTION

Existing Subscription								
Title	Publisher	Department	Type	Periodicity	Place	FROM Date	To Date	
tile0	publisher0	A	subs_type0	A	place0	2022-07-17 00:00:00	2022-07-15 00:00:00	
tile1	publisher1	department1	subs_type1	quarterly	place1	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile2	publisher2	department2	subs_type2	null	place2	null	null	
tile3	publisher3	department3	subs_type3	quarterly	place3	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile4	publisher4	department4	subs_type4	quarterly	place4	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile5	publisher5	null	subs_type5	null	place5	null	null	
tile6	publisher6	department6	subs_type6	quarterly	place6	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile7	publisher7	department7	subs_type7	quarterly	place7	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile8	publisher8	department8	subs_type8	quarterly	place8	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile9	publisher9	A	subs_type9	A	place9	2022-07-14 00:00:00	2022-07-27 00:00:00	
tile10	publisher10	department10	subs_type10	quarterly	place10	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile11	publisher11	department11	subs_type11	quarterly	place11	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile12	publisher12	department12	subs_type12	quarterly	place12	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile13	publisher13	department13	subs_type13	quarterly	place13	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile14	publisher14	null	subs_type14	null	place14	null	null	
tile15	publisher15	department15	subs_type15	quarterly	place15	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile16	publisher16	department16	subs_type16	quarterly	place16	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile17	publisher17	department17	subs_type17	quarterly	place17	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile18	publisher18	null	subs_type18	null	place18	null	null	
tile19	publisher19	department19	subs_type19	quarterly	place19	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile20	publisher20	department20	subs_type20	quarterly	place20	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile21	publisher21	department21	subs_type21	quarterly	place21	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile22	publisher22	department22	subs_type22	quarterly	place22	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile23	publisher23	department23	subs_type23	quarterly	place23	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile24	publisher24	department24	subs_type24	quarterly	place24	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile25	publisher25	department25	subs_type25	quarterly	place25	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile26	publisher26	department26	subs_type26	quarterly	place26	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile27	publisher27	department27	subs_type27	quarterly	place27	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile28	publisher28	department28	subs_type28	quarterly	place28	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile29	publisher29	department29	subs_type29	quarterly	place29	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile30	publisher30	department30	subs_type30	quarterly	place30	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile31	publisher31	department31	subs_type31	quarterly	place31	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile32	publisher32	department32	subs_type32	quarterly	place32	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile33	publisher33	department33	subs_type33	quarterly	place33	2022-01-09 00:00:00	2022-01-09 00:00:00	
tile34	publisher34	department34	subs_type34	quarterly	place34	2022-01-09 00:00:00	2022-01-09 00:00:00	

## SUBSCRIPTION TO BE RENEWED



[back](#)

### SUBSCRIPTION TO BE RENEWED

	Title	Publisher	Department	Type	Periodicity	Place	FROM Date	To Date	
	titel0	publisher0	A	subs_type0	A	place0	2022-07-17 00:00:00	2022-07-15 00:00:00	12340
	titel1	publisher1	department1	subs_type1	quarterly	place1	2022-01-09 00:00:00	2022-01-09 00:00:00	12341
	titel2	publisher2	department2	subs_type2	null	place2	null	null	12342
	titel3	publisher3	department3	subs_type3	quarterly	place3	2022-01-09 00:00:00	2022-01-09 00:00:00	12343
	titel4	publisher4	department4	subs_type4	quarterly	place4	2022-01-09 00:00:00	2022-01-09 00:00:00	12344
	titel5	publisher5	null	subs_type5	null	place5	null	null	12345
	titel6	publisher6	department6	subs_type6	quarterly	place6	2022-01-09 00:00:00	2022-01-09 00:00:00	12346
	titel7	publisher7	department7	subs_type7	quarterly	place7	2022-01-09 00:00:00	2022-01-09 00:00:00	12347
	titel8	publisher8	department8	subs_type8	quarterly	place8	2022-01-09 00:00:00	2022-01-09 00:00:00	12348
	titel9	publisher9	A	subs_type9	A	place9	2022-07-14 00:00:00	2022-07-27 00:00:00	12349
	titel10	publisher10	department10	subs_type10	quarterly	place10	2022-01-09 00:00:00	2022-01-09 00:00:00	123410
	titel11	publisher11	department11	subs_type11	quarterly	place11	2022-01-09 00:00:00	2022-01-09 00:00:00	123411
	titel12	publisher12	department12	subs_type12	quarterly	place12	2022-01-09 00:00:00	2022-01-09 00:00:00	123412
	titel13	publisher13	department13	subs_type13	quarterly	place13	2022-01-09 00:00:00	2022-01-09 00:00:00	123413
	titel14	publisher14	null	subs_type14	null	place14	null	null	123414
	titel15	publisher15	department15	subs_type15	quarterly	place15	2022-01-09 00:00:00	2022-01-09 00:00:00	123415
	titel16	publisher16	department16	subs_type16	quarterly	place16	2022-01-09 00:00:00	2022-01-09 00:00:00	123416
	titel17	publisher17	department17	subs_type17	quarterly	place17	2022-01-09 00:00:00	2022-01-09 00:00:00	123417
	titel18	publisher18	null	subs_type18	null	place18	null	null	123418
	titel19	publisher19	department19	subs_type19	quarterly	place19	2022-01-09 00:00:00	2022-01-09 00:00:00	123419
	titel20	publisher20	department20	subs_type20	quarterly	place20	2022-01-09 00:00:00	2022-01-09 00:00:00	123420
	titel21	publisher21	department21	subs_type21	quarterly	place21	2022-01-09 00:00:00	2022-01-09 00:00:00	123421
	titel22	publisher22	department22	subs_type22	quarterly	place22	2022-01-09 00:00:00	2022-01-09 00:00:00	123422
	titel23	publisher23	department23	subs_type23	quarterly	place23	2022-01-09 00:00:00	2022-01-09 00:00:00	123423
	titel24	publisher24	department24	subs_type24	quarterly	place24	2022-01-09 00:00:00	2022-01-09 00:00:00	123424
	titel25	publisher25	department25	subs_type25	quarterly	place25	2022-01-09 00:00:00	2022-01-09 00:00:00	123425
	titel26	publisher26	department26	subs_type26	quarterly	place26	2022-01-09 00:00:00	2022-01-09 00:00:00	123426
	titel27	publisher27	department27	subs_type27	quarterly	place27	2022-01-09 00:00:00	2022-01-09 00:00:00	123427
	titel28	publisher28	department28	subs_type28	quarterly	place28	2022-01-09 00:00:00	2022-01-09 00:00:00	123428

Log Out

## BOOK CIRCULATION

**Library Number**

**Name**

**Category**

----- Select The Category -----

**Privilege**

**Accession Number**

**Department**

**Call no.**

**ID Card no.**

**Title**

---

**Authors**

**Date Of Issue**

**Publisher**

**Due Date**

**Price**

**Date of Return**

**Remarks**

----- Select The Remark -----

☐ Fine Amount Rs

issue


return

renewal

clear all




## STUDENT ENTRY



enter your register no.

Register No.	201FA07050	Date	21-7-2022
Student Name	ved	Time	23:58:3
Branch	it	VIGNAN'S NTR LIBRARY	
Status	logged out		

## ADD NEW SUBSCRIPTION



dashboard

Cataloguing

Circulation Control

Account Maintenance

Reports

Administration

back

Title

Publisher

Department

Type

Periodicity

DD NO

Place

Amount

Subscription No.

From Date

To Date

DD Date

Add Subscription

## CHANGE PASSWORD

### Change Password

Enter your Id

Enter new password

Confirm password

## MAIN STOCK- ITEM

- dashboard
- Cataloguing
- Circulation Control
- Account Maintenance
- Reports
- Administration

### MAIN STOCK ITEM-VIGNAN

Accession No

Call No

Title

Author

Publisher

Date

Edition

No.of Pages

Size

Price

Department

Book Type

Entered Date

Bill Date

No.of Copies

ISBN

Floor/Rack/Self

Key Words(,Separator)

Bill Number

Vendor

Add Item

Modify

Clear All

Log Out

## STUDENT VISITED REPORT

bring report

Student Library Visited Report on							
Sl No.	Registration No.	Name	Course	Branch	Date	Login	Logout
1	201FA07082	Ranjeet	Btech	it	2022-06-23 11:53:41	11:53:41	17:35:32
2	201FA07082	Ranjeet	Btech	it	2022-07-17 11:24:59	11:24:59	
3	201FA07082	student51	btech	it	2022-06-23 12:02:25	now	now
4	201FA07082	student52	btech	it	2022-06-23 12:02:25	now	now
5	201FA07082	student53	btech	it	2022-06-23 12:02:25	now	now
6	201FA07082	student54	btech	it	2022-06-23 12:02:25	now	now
7	201FA07082	student55	btech	it	2022-06-23 12:02:25	now	now
8	201FA07082	student56	btech	it	2022-06-23 12:02:25	now	now
9	201FA07082	student57	btech	it	2022-06-23 12:02:25	now	now
10	201FA07082	student58	btech	it	2022-06-23 12:02:25	now	now
11	201FA07082	student59	btech	it	2022-06-23 12:02:25	now	now
12	201FA07082	student60	btech	it	2022-06-23 12:02:25	now	now
13	201FA07082	student61	btech	it	2022-06-23 12:02:25	now	now
14	201FA07082	student62	btech	it	2022-06-23 12:02:25	now	now
15	201FA07082	student63	btech	it	2022-06-23 12:02:25	now	now

next

## DAILY REPORT

- dashboard
- Cataloguing
- Circulation Control
- Account Maintenance
- Reports
- Administration

### DAILY REPORTS

From Date

To Date

Department

Type of Report

Generate Report

Generate Count

Log Out

## BOOK STATISTICS

The screenshot shows a web application titled "BOOK STATISTICS". On the left is a dark sidebar with a "Log Out" button at the bottom and a menu with icons and labels: "dashboard", "Cataloguing", "Circulation Control", "Account Maintenance", "Reports", and "Administration". The main content area has a light blue header with the title "BOOK STATISTICS". Below the header is a form with the following fields: "Select Category" (a dropdown menu showing "SELECT"), "Department" (a dropdown menu showing "ALL"), "Accession Number" (a text input field), "Title" (a text input field), "Author" (a text input field), "Publisher" (a text input field), and "Edition" (a text input field). At the bottom of the form are two buttons: "Generate Report" and "CLEAR".

## CONTACT US

The screenshot shows a web application titled "About Us". Below the title is the text "To whom and concern that under the guidance of:-". There are three circular profile pictures of people. Below each picture is their name, title, faculty department, email address, and mobile number, followed by a "Contact" button. The first person is Dr. Krishna Kishore, HOD, Dept of IT, Email:- das.ranjeet012@gmail.com, mob.No:-. The second person is Mrs. P.R.M.S. Lakshmi, Faculty, Dept of IT, Email:- pathanvula.lakshmi@gmail.com, mob.No:- 9849179637. The third person is Mr. D Madhusudana Rao, Faculty, Dept of IT, Email:- madhu.dorifra@gmail.com, mob.No:- 8121719885. At the bottom right of the page is the word "DEVELOPER".



Mrs. P.R.M.S. Lakshmi  
Faculty, Dept of IT  
Email:- parthivandilakshmi@gmail.com  
mob.No:- 9849170637

Contact



Mr. D.Madhusudhan Rao  
Faculty, Dept of IT  
Email:- madhu.donihai@gmail.com  
mob.No:- 8121719885

Contact

## DEVELOPER



Ranjeet Kumar Das  
Student, Dept of IT  
Email:- das.ranjeet012@gmail.com  
mob.No:- 7033349931

Contact



Vikash Kumar  
Student, Dept of IT  
Email:- vikashkumar8651378289@gmail.com  
mob.No:- 8651378289

Contact



Ved Prakash Souni  
Student, Dept of IT  
Email:- vedu@duck.com  
mob.No:- 6206382375

Contact

Help

Copyright © Vignana's Foundation for Science, Technology and Research (Deemed to be University) 2016. All rights reserved.

## 9. TESTING

The aim of the system testing process was to determine all defects in our project. The program was subjected to a set of test inputs and various observations were made and based on these observations it will be decided whether the program behaves as expected or not.

Our Project went through two levels of testing

1. Unit testing
2. integration testing

### 1. UNIT – TESTING

Unit testing is undertaken when a module has been created and successfully reviewed. In order to test a single module we need to provide a complete environment i.e. besides the module we would require

- The procedures belonging to other modules that the module under test calls
- Non local data structures that module accesses
- A procedure to call the functions of the module under test with appropriate parameters.

#### Test For the admin module

Testing admin login form-This form is used for log in of administrator of the system. In this we enter the username and password if both are correct administration page will open otherwise if any of data is wrong it will get redirected back to the login page and again ask for username and password.

- Student account addition- In this section the admin can verify student details from student academic info and then only add student details to main library database it contains add and delete buttons if user click add button data will be added to student database and if he clicks delete button the student data will be deleted.
- Book Addition- Admin can enter details of book and can add the details to the main book table also he can view the books requests.

#### Test for Student login module

- Test for Student login Form-This form is used for log in of Student. In this we enter the libraryid, username and password if all these are correct student login page will open otherwise if any of data is wrong it will get redirected back to the login page and again ask for libraryid, username and password.

➤ Test for account creation- This form is used for new account creation when student does not fill the form completely it asks again to fill the whole form when he fill the form fully it gets redirected to page which show waiting for conformation message as his data will be only added by administrator after verification.

#### **Test for teacher login module**

➤ Test for teacher login form- This form is used for log in of teacher .In this we enter the username and password if all these are correct teacher login page will open other wise if any of data is wrong it will get redirected back to the login page and again ask for username and password.

## **2. INTEGRATION TESTING**

In this type of testing we test various integration of the project module by providing the input .The primary objective is to test the module interfaces in order to ensure that no errors are occurring when one module invokes the other module.

## **10.CONCLUSION**

This website provides a computerized version of library management system which will benefit the students as well as the staff of the library. It makes entire process online where student can search books, staff can generate reports and do book transactions. It also has a facility for student login where student can login and can see status of books issued as well request for book or give some suggestions. It has a facility of teacher's login where teachers can add lectures notes and also give necessary suggestion to library and also add info about workshops or events happening in our college or nearby college in the online notice board.

## **11.FUTURE WORK**

There is a future scope of this facility that many more features such as online lectures video tutorials can be added by teachers as well as online assignments submission facility , a feature Of group chat where students can discuss various issues of engineering can be added to this project thus making it more interactive more user friendly and project which fulfills each users need in the best way possible.