| | |
|---|---|
| **Status** | Finished |
| **Started** | Friday, 16 October 2026, 11:15 AM |
| **Completed** | Friday, 16 October 2026, 11:22 AM |
| **Duration** | 7 mins 40 secs |
| **Grade** | **15.00** out of 15.00 (**100**%) |

Question **1**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

a. a list of single characters

b. str

c. a list of integers

d. a list of lines ✓

The correct answer is:
a list of lines

Question **2**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

a. infile = open(file = “a.txt”, “r”)

b. infile = open(file, “a.txt”, “r”)

c. infile = open(file = “a.txt”, “r”)

d. infile = open(“a.txt”, “r”) ✓

The correct answer is:
infile = open(“a.txt”, “r”)

Question **3**

Correct

Mark 1.00 out of 1.00

What does the mode attribute of a file object indicate?

- a. The access mode in which the file was opened ✓
- b. The size of the file
- c. The name of the file
- d. The current position of the file cursor

The correct answer is: The access mode in which the file was opened

Question **4**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

- a. Hello
- b. world
- c. Hello, world! ✓
- d. An error is raised

The correct answer is: Hello, world!

Question **5**

Correct

Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

- a. Using a for loop ✓
- b. Using the read() method
- c. Using the readlines() method
- d. Using the readline() method

The correct answer is: Using a for loop

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

a. w
b. rb
c. wb ✓
d. r+

The correct answer is: wb

Question **7**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

a. It clears the old data and starts fresh ✓
b. It does nothing
c. It appends data to the file
d. It raises an error

The correct answer is: It clears the old data and starts fresh

Question **8**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for binary read and write, w+ is for text read and write
b. r+ is for read and write without truncating, w+ is for read and write with truncating ✓
c. r+ is for read and append, w+ is for read and write
d. r+ is for read and write, w+ is for append only

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating

Question **9**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

a. 1

b. null

c. garbage

d. 0 ✓

e. 2

The correct answer is:
0

Question **10**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

a. writelines() ✓

b. write_list()

c. write()

d. write_all()

The correct answer is: writelines()

Question **11**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. • Move file pointer five characters ahead from the current position. ✓

b. • Move file pointer five characters behind ahead from the end of a file.

c. • Move file pointer five characters behind from the current position.

d. Move file pointer five characters ahead from the beginning

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **12**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use _____

a. outfile = open("c:\\scores.txt", "w") ✓

b. outfile = open("c:\scores.txt", "w")

c. outfile = open(file = "c:\\scores.txt", "w")

d. outfile = open(file = "c:\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "w")

Question **13**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The size of the file
b. The mode of the file
c. The encoding format of the file ✓
d. The buffer size

The correct answer is: The encoding format of the file

Question **14**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

a. reduce()
b. shrink()
c. resize()
d. truncate() ✓

The correct answer is: truncate()

Question **15**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. An error is raised ✓
b. A new file is created
c. An empty file object is returned
d. The operation is ignored

The correct answer is: An error is raised