Status	Finished
Started	Friday, 2 October 2026, 11:54 PM
Completed	Saturday, 3 October 2026, 12:11 AM
Duration	16 mins 35 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {1,3,2}

b. {4} ✓

c. {1,3,4}

d. {2}

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl.sort()

b. tupl[1]=2

c. tupl1=tupl+tupl ✓

d. tupl.append(2)

Question **3**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

```
t1=(55,12,78,64,25)
t1.pop(12)
print(tuple1)
```

a. (12)

b. (55,78,64,25)

c. 12

d. Error ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

a. We can change the tuple once created

b. A tuple maintains the order of items ✓

c. None of these

d. A tuple is unordered

Question **5**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

```
a=(15,16,17,18,19,25)
print((a[1:-1]))
```

a. (25,19,18,17)

b. (16,17,18,19) ✓

c. Error

d. (16,17,18)

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

b. (30, 40, 50) (10, 20, 30, 40)

c. (10, 20, 30, 40) (40, 50, 60, 70, 80)

d. (30, 40, 50)(40, 50, 60, 70, 80)

Question **7**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

a. <class 'int'>

b. <class 'tuple'>

c. <class 'str'> ✓

d. str

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. Computer

b. (Computer)

c. () ✓

d. Error

Question **9**

Correct

Mark 1.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

a. Yes, No ✓

b. Yes, Yes

c. "==" is not supported for set in Python

d. No, No

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. (1,2,3,4,5,6) ✓

b. Error

c. (1,2,3)(4,5,6)

d. (1,2,3,3,2,1)

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. TypeError: update() doesn't allow list as a argument.

b. Name Error

c. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

d. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {0,9} ✓

b. {9}

c. {0,0,9}

d. It will throw an error as there are two 0 while creating the set.

Question **13**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

a. (1, 4, 8)

b. [1, 4, 8] ✓

c. [2, 3, 9]

d. [1, 2, 4, 3, 8, 9]

Question **14**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['2', '3', '30', '8']

b. ['30', '8', '3', '2']

c. ['8', '30', '3', '2'] ✓

d. ['2', '3', '8', '30']

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

t = (58, 47, 36, 25, 14, 3)

x = t[2:-1]

print(x)

a. Error

b. (58,47,36,25)

c. (3,14,25)

d. (36, 25, 14) ✓