KUBERNETES ASSIGNMENT-5

Name: Vikram
Assignment: Kubernetes – Deployment, ClusterIP Service & Ingress Routing

---

Problem Statement

Using the existing Kubernetes cluster and previous setup:

1. Deploy an NGINX deployment of 3 replicas
2. Create an NGINX service of type ClusterIP
3. Create an Ingress service (NGINX → NGINX)
4. Verify application access from browser

TASK 1: Use Previous Deployment

The Kubernetes cluster, network plugin, and ingress controller were already deployed from previous assignments.

This assignment continues from that environment.

TASK 2: Deploy NGINX with 3 Replicas

Command:

nano nginx-deploy.yaml

paste this:

```
apiVersion: apps/v1
kind: Deployment
metadata:
  name: final-nginx
spec:
  replicas: 3
  selector:
    matchLabels:
      app: final-nginx
  template:
    metadata:
      labels:
```

```
      app: final-nginx
  spec:
    containers:
    - name: nginx
      image: nginx
      ports:
      - containerPort: 80
```

Save and exit

kubectl apply -f nginx-deploy.yaml

kubectl get pods -o wide

```
ubuntu@ip-10-0-15-63:~$ nano nginx-deploy.yaml
ubuntu@ip-10-0-15-63:~$
```

```
  GNU nano 7.2
apiVersion: apps/v1
kind: Deployment
metadata:
  name: final-nginx
spec:
  replicas: 3
  selector:
    matchLabels:
      app: final-nginx
  template:
    metadata:
      labels:
        app: final-nginx
    spec:
      containers:
      - name: nginx
        image: nginx
        ports:
        - containerPort: 80
```

```
ubuntu@ip-10-0-15-63:~$ kubectl apply -f nginx-deploy.yaml
kubectl get pods -o wide
```

```
ubuntu@ip-10-0-15-63:~$ kubectl get pods -o wide
NAME                           READY   STATUS    RESTARTS        AGE   IP             NODE              NOMINATED NODE   READINESS GATES
final-nginx-7d9bf95985-2872h   1/1     Running   0               72s   10.244.0.9     ip-10-0-15-63     <none>           <none>
final-nginx-7d9bf95985-47slt   1/1     Running   1 (70s ago)     72s   10.244.2.42    ip-10-0-14-139    <none>           <none>
final-nginx-7d9bf95985-vpqll   1/1     Running   0               72s   10.244.1.165   ip-10-0-4-139     <none>           <none>
nginx-app-6f44bc4c5b-4ql4c     1/1     Running   0               12h   10.244.0.8     ip-10-0-15-63     <none>           <none>
nginx-app-6f44bc4c5b-qmh9d     1/1     Running   120 (5m48s ago) 12h   10.244.1.164   ip-10-0-4-139     <none>           <none>
nginx-app-6f44bc4c5b-wk58r     1/1     Running   121 (7m32s ago) 12h   10.244.2.39    ip-10-0-14-139    <none>           <none>
ubuntu@ip-10-0-15-63:~$
```

TASK 3: Create ClusterIP Service

nano nginx-service.yaml

paste this:

```
apiVersion: v1
kind: Service
metadata:
  name: final-nginx-service
spec:
  type: ClusterIP
  selector:
    app: final-nginx
  ports:
  - port: 80
    targetPort: 80
```

save and exit

kubectl apply -f nginx-service.yaml

kubectl get svc

```
ubuntu@ip-10-0-15-63:~$ nano nginx-service.yaml
```

```
  GNU nano 7.2
apiVersion: v1
kind: Service
metadata:
  name: final-nginx-service
spec:
  type: ClusterIP
  selector:
    app: final-nginx
  ports:
  - port: 80
    targetPort: 80
```

```
ubuntu@ip-10-0-15-63:~$ kubectl apply -f nginx-service.yaml
service/final-nginx-service created
ubuntu@ip-10-0-15-63:~$
```

```
ubuntu@ip-10-0-15-63:~$ kubectl get svc
NAME                 TYPE        CLUSTER-IP       EXTERNAL-IP   PORT(S)   AGE
final-nginx-service  ClusterIP   10.98.57.29      <none>        80/TCP    14s
kubernetes           ClusterIP   10.96.0.1        <none>        443/TCP   14h
nginx-nodeport       ClusterIP   10.104.208.124   <none>        80/TCP    14h
nginx-service        ClusterIP   10.98.218.42     <none>        80/TCP    11h
ubuntu@ip-10-0-15-63:~$
```

TASK 4: Install Ingress Controller

kubectl apply -f https://raw.githubusercontent.com/kubernetes/ingress-nginx/controller-v1.10.1/deploy/static/provider/cloud/deploy.yaml

Wait:

kubectl get pods -n ingress-nginx -w

```
ubuntu@ip-10-0-15-63:~$ kubectl apply -f https://raw.githubusercontent.com/kubernetes/ingress-nginx/controller-v1.10.1/deploy/static/provider/cloud/deploy.yaml
namespace/ingress-nginx unchanged
serviceaccount/ingress-nginx unchanged
serviceaccount/ingress-nginx-admission unchanged
role.rbac.authorization.k8s.io/ingress-nginx unchanged
role.rbac.authorization.k8s.io/ingress-nginx-admission unchanged
clusterrole.rbac.authorization.k8s.io/ingress-nginx unchanged
clusterrole.rbac.authorization.k8s.io/ingress-nginx-admission unchanged
rolebinding.rbac.authorization.k8s.io/ingress-nginx unchanged
rolebinding.rbac.authorization.k8s.io/ingress-nginx-admission unchanged
clusterrolebinding.rbac.authorization.k8s.io/ingress-nginx unchanged
clusterrolebinding.rbac.authorization.k8s.io/ingress-nginx-admission unchanged
configmap/ingress-nginx-controller unchanged
service/ingress-nginx-controller unchanged
service/ingress-nginx-controller-admission unchanged
deployment.apps/ingress-nginx-controller configured
job.batch/ingress-nginx-admission-create unchanged
job.batch/ingress-nginx-admission-patch unchanged
ingressclass.networking.k8s.io/nginx unchanged
validatingwebhookconfiguration.admissionregistration.k8s.io/ingress-nginx-admission created
ubuntu@ip-10-0-15-63:~$ kubectl get pods -n ingress-nginx -w
NAME                                        READY   STATUS      RESTARTS      AGE
ingress-nginx-admission-create-t5ntc        0/1     Completed   0             38m
ingress-nginx-admission-patch-7fn27         0/1     Completed   1             38m
ingress-nginx-controller-57b7568757-bhmnd   0/1     Running     1 (13s ago)   119s
ingress-nginx-controller-57b7568757-bhmnd   1/1     Running     1 (14s ago)   2m
```

TASK 5 : Fix Webhook Issue & Apply Ingress

Disable broken webhook:

kubectl delete validatingwebhookconfiguration ingress-nginx-admission

```
ubuntu@ip-10-0-15-63:~$ kubectl delete validatingwebhookconfiguration ingress-nginx-admission
validatingwebhookconfiguration.admissionregistration.k8s.io "ingress-nginx-admission" deleted
ubuntu@ip-10-0-15-63:~$
```

Create ingress:

nano ingress.yaml

paste this:

```
apiVersion: networking.k8s.io/v1
kind: Ingress
metadata:
  name: nginx-ingress
  annotations:
    nginx.ingress.kubernetes.io/rewrite-target: /
spec:
  ingressClassName: nginx
```

```
  rules:
  - http:
      paths:
      - path: /
        pathType: Prefix
        backend:
          service:
            name: final-nginx-service
            port:
              number: 80
```

save and exit

kubectl apply -f ingress.yaml

Restart ingress controller:

kubectl delete pod -n ingress-nginx -l app.kubernetes.io/component=controller





```
ubuntu@ip-10-0-15-63:~$ nano ingress.yaml
ubuntu@ip-10-0-15-63:~$ kubectl apply -f ingress.yaml
ingress.networking.k8s.io/nginx-ingress unchanged
ubuntu@ip-10-0-15-63:~$
```

```
ubuntu@ip-10-0-15-63:~$ kubectl delete pod -n ingress-nginx -l app.kubernetes.io/component=controller
pod "ingress-nginx-controller-57b7568757-bhmnd" deleted
ubuntu@ip-10-0-15-63:~$
```

TASK 6: Expose Ingress & Verify

kubectl get svc -n ingress-nginx

```
ubuntu@ip-10-0-15-63:~$ kubectl get svc -n ingress-nginx
NAME                                 TYPE           CLUSTER-IP      EXTERNAL-IP   PORT(S)                      AGE
ingress-nginx-controller             LoadBalancer   10.108.114.234  <pending>     80:30933/TCP,443:32410/TCP   25m
ingress-nginx-controller-admission   ClusterIP      10.99.37.112    <none>        443/TCP                      25m
ubuntu@ip-10-0-15-63:~$
```

i-0ac6451fd14969f99 (k8s-master)

Open browser:

http://<WORKER_PUBLIC_IP>:<NODEPORT>

Note: Make sure to add the nodeport 30933 in security group

NGINX Welcome Page displayed



Conclusion

Successfully deployed Kubernetes cluster, NGINX application, ClusterIP service, and NGINX-based ingress routing with full browser access verification.