

Home Workspaces API Network

Abhinay Reddy Sathi's Workspace

My Collection / Get data

GET http://127.0.0.1:5000/users

Headers (6)

Body

Query Params

Key Value Description

Body Cookies Headers (5) Test Results (1/1)

200 OK 3 ms 311 B Save Response

{ JSON Preview Visualize

```
1 [  
2 {  
3   "email": "ram@gmail.com",  
4   "id": 1,  
5   "name": "ram"  
6 },  
7 {  
8   "email": "raja@gmail.com",  
9   "id": 2,  
10  "name": "raja"  
11 }  
12 ]
```

Cloud View Find and replace Console Terminal

Runner Start Proxy Cookies Vault Trash

Home Workspaces API Network

Search Postman

Abhinay Reddy Sathi's Workspace

New Import

Jan2026 My Collection / New Request

GET http://127.0.0.1:5000/users/1

Params Headers (6) Body Scripts Settings Cookies

Query Params

Key	Value	Description
Key	Value	Description

Body Cookies Headers (5) Test Results

200 OK 10 ms 224 B Save Response

{ } JSON Preview Visualize

```
1 {
2     "email": "ram@gmail.com",
3     "id": 1,
4     "name": "ram"
5 }
```

Cloud View Find and replace Console Terminal

Runner Start Proxy Cookies Vault Trash

File BETA

AI

The screenshot shows the Postman application interface. On the left, there's a sidebar with 'Collections' (My Collection selected), 'Environments' (Jan2026 selected), 'History', 'Flows', and 'Files' (BETA). The main area shows a 'New Request' for a GET method at 'http://127.0.0.1:5000/users/1'. The 'Params' tab is selected. Below it, the 'Query Params' table has one row with 'Key' and 'Value' columns. The 'Body' tab shows a JSON response with a single object containing 'email', 'id', and 'name' fields. The response status is '200 OK' with a duration of '10 ms' and a size of '224 B'. At the bottom, there are links for 'Cloud View', 'Find and replace', 'Console', 'Terminal', 'Runner', 'Start Proxy', 'Cookies', 'Vault', and 'Trash'.

The screenshot shows the Postman application interface. In the left sidebar, under 'Collections', there is a section for 'My Collection' which contains three items: 'Get data', 'New Request', and another 'New Request'. The second 'New Request' item is currently selected. The main workspace displays a 'New Request' dialog for a POST method to the URL `http://127.0.0.1:5000/users`. The 'Body' tab is active, showing a raw JSON payload:

```
1 {  
2   "name": "rahul",  
3   "email": "rahul@gmail.com"  
4 }  
5
```

Below the request details, the response is shown with a status of 201 CREATED, a duration of 6 ms, and a size of 233 B. The response body is also displayed in JSON format:

```
1 {  
2   "email": "rahul@gmail.com",  
3   "id": 4,  
4   "name": "rahul"  
5 }
```