### **C.VIKRAM**

CSE-D

CB.EN.U4CSE17368

# NCP LAB ASSIGNMENT -4 (NESTED TABLES, IMAGE MAP, FRAMES, FORMS)

## **OUTPUT:**

## **Q1**:



## **Q3**:





# <u>Q5:</u>

6 6 1						
Q1.html	Q3.html Frames - Tutorialspoint	Q4.html	Word	Document8.docx	Document5.docx	HTML input type="date" +
○ Id Passport	Number	Passport Expiration Date		Passport Country	India	
Title Title1 C	First Name		Last Name			
Demo Car ID	Company Car	d Number		Birth Date		
Delito Cai 1D	Company Car	divuliber		Bitui Date		
License country India	Issue Date	IATA				
Driver License No.	Exp. Date		ne 1			
Direct Liveline 1101	Dip. Date					
Address		Phone 2				
	F	ax 1				
City/State	Zip	Country India	SMS Nur	nber		
Employer	Customer source type Type 1	_				
Local Address		Local phone				

L

## **CODE:**

## <u>Q1:</u>

```
<!DOCTYPE HTML>
<html>
NESTED TABLE 1:
    First Name Last Name 
   Our First TableNested Within
   NESTED TABLE 1:
```

```
List Object 1
     List Object 2
     List Object 3
    Nested Table 3
  <a href="https://google.com/">Nested Table</a>
   Demo Continued
 Nested Table 4
```

```
<img src="img8.jpg" width="140px" height="100px">
           </html>
Q3:
<!DOCTYPE HTML>
<html>
  <img src="Computer.png" usemap="#comp">
  <map name="comp">
    <area alt="Printer" title="Printer" href="printer.html" coords="46,90,246,320"
shape="rect">
    <area alt="Monitor" title="Monitor" href="monitor.html" coords="496,321,269,143"
shape="rect">
    <area alt="CPU" title="CPU" href="cpu.html" coords="500,354,631,153" shape="rect">
    <area alt="Speakers" title="Speakers" href="speakers.html" coords="228,328,358,423"</pre>
shape="rect">
    <area alt="Keyboard" title="Keyboard" href="keyboard.html" coords="676,394,362,355"
shape="rect">
    <area alt="Mouse" title="Mouse" href="mouse.html" coords="644,426,556,395"
shape="rect">
  </map>
</html>
```

## **Q4**:

```
<!DOCTYPE HTML>
<html>
  <frameset rows = "10%,20%,50%,20%">
   <frame name = "top" src = "top_frame.html" />
   <frame name = "main" src = "main_frame.html" />
   <frame name = "bottom" src = "bottom frame.html" />
   <frame name = "bottom2" src = "bottom2 frame.html" />
   <noframes>
    <body>Your browser does not support frames.</body>
   </noframes>
 </frameset>
</html>
top_frame.html
<!DOCTYPE HTML>
<html>
  <input name="Proof" type="radio" id="gm" value="m" />
  <label style="margin-right: 50px" for="identity">Id</label>
```

```
<input name="Proof" type="radio" id="gf" value="f" />
  <label style="margin-right: 50px" for="pass">Passport</label>
  <label for="numb">Number</label>
  <input style="margin-right: 100px" type="text" id="ln" />
  <label for="ped">Passport Expiration Date</label>
  <input style="margin-right: 100px" type="text" id="ln" />
  <label style="margin-right: 10px" for="ped">Passport Country</label>
  <select style="margin-right: 10px" name="position">
        <option value="Value 1" selected="selected">India</option> <option value="Value"</pre>
2">USA</option> <option value="Value 3">Canada</option> </select>
</html>
bottom_frame.html
<!DOCTYPE HTML>
<html>
  <label style="margin-right: 10px" for="ped">License country</label>
  <select style="margin-right: 100px" name="position">
        <option value="Value 1" selected="selected">India/option> <option value="Value"</pre>
2">USA</option> <option value="Value 3">Canada</option> </select>
  <label for="numb">Issue Date</label>
  <input style="margin-right: 100px" type="text" id="ln" />
  <label for="numb">IATA</label>
  <input style="margin-right: 100px;padding-right: 100px" type="text" id="ln" />
  <br/>
  <br/>
  <label for="numb">Driver License No.</label>
  <input style="margin-right: 100px" type="date" id="ln" />
  <label for="numb">Exp. Date</label>
```

```
<input style="margin-right: 100px" type="text" id="ln" />
  <label for="numb">Phone 1</label>
  <input style="margin-right: 100px;padding-right: 100px" type="text" id="ln" />
  <br/>
  <br/>
  <br/>
  <br/>
  <label for="numb">Address</label>
  <input style="margin-right: 100px;padding-right: 200px" type="text" id="ln" />
  <label for="numb">Phone 2</label>
  <input style="margin-right: 100px;padding-right: 200px" type="text" id="ln" />
  <br/>
  <input style="margin-left: 56px;padding-right: 200px;margin-right: 100px" type="text" id="ln"
/>
  <label for="numb">Fax 1</label>
  <input style="margin-right: 100px;padding-right: 200px" type="text" id="ln" />
  <br/>
  <br/>
  <br/>
  <br/>
  <br/>
  <label for="numb">City/State</label>
  <input style="margin-right: 100px" type="text" id="ln" />
  <label for="numb">Zip</label>
  <input style="margin-right: 100px" type="text" id="ln" />
  <label style="margin-right: 10px" for="ped">Country</label>
  <select style="margin-right: 100px" name="position">
```

```
<option value="Value 1" selected="selected">India/option> <option value="Value</pre>
2">USA</option> <option value="Value 3">Canada</option> </select>
  <label for="numb">SMS Number</label>
  <input style="margin-right: 100px;padding-right: 100px" type="text" id="ln" />
</html>
main_frame.html
<!DOCTYPE HTML>
<html>
  <label style="margin-right: 10px" for="ped">Title</label>
  <select style="margin-right: 200px" name="position">
        <option value="Value 1" selected="selected">Title1/option> <option value="Value"</pre>
2">Title2</option> <option value="Value 3">Title3</option> </select>
  <label for="numb">First Name</label>
  <input style="margin-right: 200px" type="text" id="ln" />
  <label for="numb">Last Name</label>
  <input style="margin-right: 200px" type="text" id="ln" />
  <br/>
  <br/>
  <br/>
  <br/>
  <label for="numb">Demo Car ID</label>
  <input style="margin-right: 180px" type="text" id="ln" />
  <label for="numb">Company Card Number</label>
  <input style="margin-right: 180px" type="text" id="ln" />
  <label for="numb">Birth Date</label>
  <input style="margin-right: 180px" type="date" id="ln" />
```

#### bottom2 frame.html

```
<!DOCTYPE HTML>
<html>
  <label for="numb">Employer</label>
  <input style="margin-right: 100px" type="text" id="ln" />
  <label for="numb">Customer source type</label>
  <select style="margin-right: 100px" name="position">
        <option value="Value 1" selected="selected">Type 1</option> <option value="Value"</pre>
2">Type 2</option> <option value="Value 3">Type 3</option> </select>
  <label for="numb">E-mail</label>
  <input style="margin-right: 100px;padding-right: 100px" type="text" id="ln" />
  <br/>
  <br/>
  <label for="numb">Local Address</label>
  <input style="margin-right:100px;padding-right: 290px" type="text" id="ln" />
  <label for="numb">Local phone</label>
  <input style="margin-right: 100px;padding-right: 100px" type="text" id="ln" />
</html>
```