

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

INSPECTION PLATFORM - MVP1
BUSINESS REQUIREMENTS
DOCUMENT - ENHANCED FINAL
EDITION

Spreadsheet-first scope, native user journeys, 20 in-context storyboard contracts, channel boundaries, engine ownership, Fable acceptance enforcement and zero-regression governance.

Document code	Version	Date
MIM-INSP-MVP1-BRD-ENH-FINAL	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE

MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Executive document lock

This edition is the binding MVP1 business requirements and implementation-readiness contract. The earlier 77-page MVP1 BRD is preserved in full as the final volume of this document so that no prior content can be lost. This enhanced edition adds native user journeys, all twenty storyboard slices in context, channel-specific implementation boundaries, mandatory engine ownership, acceptance criteria, evidence rules and Fable completion gates.

Nothing in the previous BRD is deleted. Every new section strengthens traceability and implementation precision. Where wording conflicts, the source hierarchy and explicit zero-regression rules in this edition govern.

2. Binding source hierarchy

Priority	Source	Role	Authority rule
1	Inspection Project.xlsx	Primary MVP1 functional authority	All 9 tabs and all 478 non-header rows are mandatory.
2	Enhanced MVP1 BRD + Acceptance Contract workbook	Implementation contract	Provides native journeys, engines, states, evidence and Fable completion rules without weakening the spreadsheet.
3	734-page strategic BRD/PDF	Strategic depth and gap-filling	Used only for implementation-critical foundations and MVP2 preservation.
4	61-sheet strategic baseline workbook	Strategic reservoir	Used to identify foundations, engines and explicit MVP2 deferrals.
5	20-storyboard source history + native MVP1 storyboard atlas	Visual and journey evidence	Native storyboard contracts are implementation obligations, not inspiration.

3. Documentation architecture and implementation pack

Artifact	Purpose
Enhanced MVP1 BRD	Business master document; preserves the original BRD and adds native storyboard/user-journey contracts.
MVP1 Breakdown and Acceptance Contract workbook	478 acceptance rows plus channels, engines, screens, states, evidence, regression and Fable gates.
Web Portal Functional Specification	Independently buildable web/operations/review/Factory 360 contract.
Admin Portal Functional Specification	Mandatory configuration engines, publishing/versioning, governance and runtime-consumption contract.
iPad Functional Specification	Field execution, offline, telemetry, geofence, evidence, sync, submission and correction contract.
Fable Master Build Contract	Discovery-to-release goal/loop contract; Fable may stop only after final release gate passes.
UI/UX Design Authority - Mobbin MCP	Authoritative design discovery and synthesis rules for Admin, Web and iPad.
Regression Ban and Evidence Contract	Defines zero regression, proof standards, change control and re-certification.
MVP2 Handoff and Continuation Contract	Enables a new ChatGPT session to reproduce the same documentation quality and visual/document consistency for MVP2.

4. Closed blind spots - mandatory decisions

Blind spot	Closure mechanism
1. Spreadsheet rows alone are not executable	Closed by 478-row acceptance contract with preconditions, action, system reaction, rule, evidence and regression guard.
2. Separate build sessions can create separate products	Closed by canonical channel scope, state model, engine register and shared vocabulary.

Blind spot	Closure mechanism
3. Admin can degrade into CRUD	Closed by mandatory engine ownership and runtime-consumption proof.
4. Workflow engine can be faked	Closed by states, transitions, guards, side effects, versioning and audit acceptance.
5. Risk can be decorative	Closed by reproducible inputs, formula/version, drivers and runtime consumption.
6. GIS can be a visual map only	Closed by location-event, accuracy, geofence, override and operations synchronization contracts.
7. Storyboards can be decorative	Closed by native journey narratives, mapped requirements, acceptance and evidence.
8. Mobbin can create inconsistent copy-paste design	Closed by constrained pattern discovery, synthesis and one unified design system.
9. Fable can optimize for apparent completeness	Closed by evidence gates: page existence is never acceptance.
10. Zero regression was undefined	Closed by machine-checkable regression failure definitions and re-certification gates.

5. Canonical channel boundaries

ID	Channel	Mandatory scope	Acceptance gate	Forbidden compromise
CH-ADM	Admin Portal	Compliance configuration; regulations; inspection items; violations; penalties; evidence rules; report packages; action-form triggers; response/result semantics; scoring; workflow configuration; risk criteria and thresholds needed by MVP1; GIS/geofence configuration; SLA/notification settings; roles/permissions; publishing; versioning; dependency checks; impact analysis; audit.	No admin engine may be represented as plain CRUD only. Runtime must prove it consumes the published configuration.	Hard-coded workflow, risk, compliance, evidence, scoring or penalty logic without admin governance is a failure.
CH-WEB	Inspection Web Portal	Visit planning; visit management; Factory 360; Level 2 review; Operations Center; dashboard/KPI surfaces; search/filter/list/map/calendar; assignment; return/republish; cancellation; review decisions; correction and version comparison.	All spreadsheet-required web behavior must be demonstrable end-to-end and traceable to source requirement IDs.	A beautiful dashboard without working actions, rules, bulk operations, review controls or data integrity is a failure.
CH-IPAD	iPad / Inspector Workspace	Assigned visits; pre-start; package resolution; offline cache; journey start; GPS/device/network readiness; navigation; live telemetry; arrival; geofence check-in; inspection workspace; report/checklist; evidence; violations; penalties; action forms; notes; autosave; pre-submit validation; submission; exceptions; sync.	Must be buildable as a genuine field application with explicit offline, autosave, recovery, sync and device-state behavior.	Shrinking the web portal into an iPad layout or omitting offline/conflict/device/location semantics is a failure.
CH-VIR	Virtual Session	Scheduled remote visits; appointment visibility; session start; participant join; identity verification; OTP; readiness/failure handling; remote execution; evidence and notes; closure; handoff.	Identity, OTP, session states, failure paths and audit must be proven, not mocked.	Generic video-call screen without governed identity/session/evidence state machine is a failure.
CH-OPS	Operations Center	Command dashboard; live map; visit/inspector monitoring; SLA; risk; alerts; workload; cancellation; GPS overrides; tracking history; exception drill-down; partial-failure isolation.	One failed widget/service must not collapse the entire command center.	Static charts or fake live maps are a failure.

6. Mandatory MVP1 engines and runtime proof

ID	Engine	Admin owner	Consumers	Acceptance proof	Forbidden shortcut
ENG-01	Regulatory & Compliance Engine	Admin Portal	Web, iPad, Virtual, Review	Publish configuration, execute an inspection against it, then prove the submission references the same version	Hard-coded checklist detached from admin configuration
ENG-02	Dynamic Form & Package Builder	Admin Portal	iPad, Virtual, Review	Change a draft rule, publish a new version, prove old inspection remains on old version and new inspection uses new version	Static forms coded screen-by-screen
ENG-03	Workflow Engine	Admin Portal	All channels	Demonstrate configurable transition and prove runtime follows it	Hard-coded status chips called a workflow engine
ENG-04	Risk Engine	Admin Portal	Planning, Factory 360, Operations, Review where applicable	Recalculate a factory score from stored inputs and version; show planning/Factory 360 consumption	Decorative risk gauge with no reproducible logic
ENG-05	Assignment Engine	Admin Portal / rules	Planning, Management, Inspector Workspace	Publish visits with valid assignments and prove conflict handling	Random assignment or manual dropdown only

ID	Engine	Admin owner	Consumers	Acceptance proof	Forbidden shortcut
ENG-06	GIS, Geofence & Journey Telemetry	Admin + System	Planning, iPad, Operations Center	Complete journey from start to geofence and show synchronized Ops Center evidence	Map widget without governed location events
ENG-07	Evidence & Media Chain of Custody	Admin + System	iPad, Virtual, Review, Factory 360	Capture offline and online evidence, sync, review, and prove chain of custody	Loose file upload without item linkage and immutable history
ENG-08	Violation & Penalty Engine	Admin Portal	iPad, Review, Factory 360, Operations	Trigger violation from configured response and prove linked penalty/result/audit	Manual typing of violations/penalties disconnected from configured rules
ENG-09	Review, Return & Version Engine	Admin/Workflow	Review, iPad, Web	Return two sections, prove all others remain locked, resubmit and compare versions	Editing original submitted version in place
ENG-10	Offline Sync & Conflict Engine	System	iPad	Execute inspection offline, restart, resume, reconnect, sync and prove no data loss/duplication	Offline badge without real local persistence and recovery
ENG-11	Notification, SLA & Escalation Engine	Admin Portal	All channels	Demonstrate assignment, return, cancellation, expiry, appointment and overdue notifications	Hard-coded toasts with no event/recipient governance
ENG-12	Audit, Version & Non-Regression Traceability	System / Admin	All channels	Trace a source row from spreadsheet to implementation, runtime event, test and evidence	Marking complete without reproducible evidence

7. Native user-journey and storyboard integration rule

The next twenty sections are deliberately interleaved as narrative plus native storyboard page. Each narrative states purpose, entry conditions, detailed steps, system reactions, business rules, exceptions, acceptance criteria, evidence and source traceability. The following landscape storyboard page summarizes the same slice in high-contrast native PDF graphics. The implementation team must satisfy the native narrative and the underlying source requirements; the visual page does not override the detailed contract.

One storyboard per page is mandatory. Each page is generated as native vector/text PDF content, not a blurred raster image. The same twenty storyboard definitions are also delivered as a standalone 20-page storyboard book.

8. Acceptance and Fable stop condition

- 478 source requirements remain mandatory and individually traceable.
- 20 storyboard contracts remain mandatory and individually evidenced.
- Admin, Web, iPad, Virtual and Operations scopes remain distinct but share the same canonical objects, states and engines.
- Fable is forbidden to declare completion because screens exist; behavior, rules, data, audit, failure paths and evidence are required.
- No P0/P1 acceptance failure may remain unresolved at release certification.
- Previously accepted evidence must be rerun after significant change and must remain reproducible.
- Fable may stop only when Gate G10 - Final Release Certification - passes.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 01 - Executive Storyboard - MVP1 End-to-End Inspection Platform Journey

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB01	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE

MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

End-to-end scope from compliance configuration through planning, field/virtual execution, review, Factory 360 and operations visibility.

Primary channel: All MVP1 channels | Primary actors: Compliance Admin; Planner; Inspector; Factory Representative; Level 2 Reviewer; Operations Analyst; Leadership User | Mapped spreadsheet requirements: 478

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Compliance Configuration	Admin publishes regulations, items, violations, penalties, evidence rules and packages.	Versioned compliance package
2	Planning Method Selection	Planner selects Bulk, Single or Immediate planning.	Planning method and scope
3	Target Factory Selection	Search, filter, validate and select eligible factories.	Selected target list
4	Visit Configuration & Assignment	Set type, window, location, priority and inspector/team assignment.	Visit draft and assignments
5	Publish Visit Plan	Validate, lock, create Visit IDs and notify stakeholders.	Published plan and visits
6	Inspector Pre-Start	Review assignment, package, factory context, appointment and readiness.	Ready inspection package
7	Travel / Check-in	Start journey, capture telemetry, arrive and geofence check-in.	Journey and check-in records
8	Inspection Execution	Execute report/checklist, capture evidence, violations, penalties and actions.	Inspection draft and evidence
9	Level 2 Review	Review submitted version; approve, return or reject; preserve versions.	Decision and version history
10	Factory 360 & Operations	Expose complete factory history and live operational visibility.	360 dossier and operational insights

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.

- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.
- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.
- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Three planning methods are supported: Bulk, Single and Immediate.
- One Visit Plan can generate multiple Visits. Every Visit receives a unique Visit ID while sharing the same Visit Plan ID.
- Multiple filters can be combined. Both AND and OR conditions are supported.
- Only factories matching all criteria are returned.
- Planner has full control over the selected factories before publishing.
- Configuration applies to every Visit generated from the same Visit Plan.
- Assignment occurs before publishing.
- Planner may override automatic recommendations.
- Publishing is blocked until all mandatory information is completed.
- Every generated Visit becomes an independent business object while remaining linked to the originating Visit Plan.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M01-001: User can access only the planning methods permitted by their role.
- MVP1-M01-002: Planner successfully publishes a Visit Plan and all selected factories receive individual Visits.
- MVP1-M01-003: Planner can build one or multiple search criteria without limitation.
- MVP1-M01-004: Matching factories are successfully retrieved.
- MVP1-M01-005: Only selected factories proceed to Visit Configuration.
- MVP1-M01-006: Planner successfully configures the Visit Plan.
- MVP1-M01-007: Every Visit has an assigned inspector before publishing.
- MVP1-M01-008: Planner successfully assigns inspectors manually.
- MVP1-M01-009: Planner reviews the complete Visit Plan before publishing.
- MVP1-M01-010: Individual Visits are successfully generated, assigned and available to inspectors.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.
- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M01-001	Visit Creation	Inspection Project.xlsx Visit Planning-Planning row 2	User can access only the planning methods permitted by their role.
MVP1-M01-002	Bulk Planning	Inspection Project.xlsx Visit Planning-Planning row 3	Planner successfully publishes a Visit Plan and all selected factories receive individual Visits.
MVP1-M01-003	Planning Criteria Builder	Inspection Project.xlsx Visit Planning-Planning row 4	Planner can build one or multiple search criteria without limitation.
MVP1-M01-004	Target Factory Identification	Inspection Project.xlsx Visit Planning-Planning row 5	Matching factories are successfully retrieved.
MVP1-M01-005	Target Factory Selection	Inspection Project.xlsx Visit Planning-Planning row 6	Only selected factories proceed to Visit Configuration.
MVP1-M01-006	Visit Configuration	Inspection Project.xlsx Visit Planning-Planning row 7	Planner successfully configures the Visit Plan.
MVP1-M01-007	Automatic Inspector Assignment	Inspection Project.xlsx Visit Planning-Planning row 8	Every Visit has an assigned inspector before publishing.
MVP1-M01-008	Manual Inspector Assignment	Inspection Project.xlsx Visit Planning-Planning row 9	Planner successfully assigns inspectors manually.
MVP1-M01-009	Review Visit Plan	Inspection Project.xlsx Visit Planning-Planning row 10	Planner reviews the complete Visit Plan before publishing.
MVP1-M01-010	Publish Visit Plan	Inspection Project.xlsx Visit Planning-Planning row 11	Individual Visits are successfully generated, assigned and available to inspectors.
MVP1-M01-011	Select Planning Method	Inspection Project.xlsx Visit Planning-Planning row 12	Selected planning workflow opens successfully.
MVP1-M01-012	Build Planning Criteria	Inspection Project.xlsx Visit Planning-Planning row 13	Planner can create valid search criteria.
MVP1-M01-013	Retrieve Target Factories	Inspection Project.xlsx Visit Planning-Planning row 14	Matching factories displayed.
MVP1-M01-014	Review Target Factories	Inspection Project.xlsx Visit Planning-Planning row 15	Planner can review every returned factory.
MVP1-M01-015	Select Target Factories	Inspection Project.xlsx Visit Planning-Planning row 16	Selected factories are saved.
MVP1-M01-016	AI Planning Summary	Inspection Project.xlsx Visit Planning-Planning row 17	Summary generated successfully.
MVP1-M01-017	Configure Visit Details	Inspection Project.xlsx Visit Planning-Planning row 18	Configuration saved successfully.
MVP1-M01-018	Auto Assignment	Inspection Project.xlsx Visit Planning-Planning row 19	Inspectors assigned successfully.
MVP1-M01-019	Manual Assignment	Inspection Project.xlsx Visit Planning-Planning row 20	Manual assignment completed successfully.

Requirement ID	Capability	Source	Acceptance
MVP1-M01-020	Review & Publish	Inspection Project.xlsx Visit Planning-Planning row 21	Visit Plan successfully published.

The full mapped requirement set contains 478 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.

01 Executive Storyboard - MVP1 End-to-End Inspection Platform Journey

478 mapped source requirements

MVP1 | All MVP1 channels | Spreadsheet-first implementation contract

ACTORS Compliance Admin; Planner; Inspector; Factory Representative; Level 2 Reviewer; Operations Analyst; Leadership User

BUSINESS OUTCOME End-to-end scope from compliance configuration through planning, field/virtual execution, review, Factory 360 and operations visibility.

1 Compliance Configuration

BUSINESS ACTION

Admin publishes regulations, items, violations, penalties, evidence rules and packages.

KEY OUTPUT

Versioned compliance package

2 Planning Method Selection

BUSINESS ACTION

Planner selects Bulk, Single or Immediate planning.

KEY OUTPUT

Planning method and scope

3 Target Factory Selection

BUSINESS ACTION

Search, filter, validate and select eligible factories.

KEY OUTPUT

Selected target list

4 Visit Configuration & Assignment

BUSINESS ACTION

Set type, window, location, priority and inspector/team assignment.

KEY OUTPUT

Visit draft and assignments

5 Publish Visit Plan

BUSINESS ACTION

Validate, lock, create Visit IDs and notify stakeholders.

KEY OUTPUT

Published plan and visits

6 Inspector Pre-Start

BUSINESS ACTION

Review assignment, package, factory context, appointment and readiness.

KEY OUTPUT

Ready inspection package

7 Travel / Check-in

BUSINESS ACTION

Start journey, capture telemetry, arrive and geofence check-in.

KEY OUTPUT

Journey and check-in records

8 Inspection Execution

BUSINESS ACTION

Execute report/checklist, capture evidence, violations, penalties and actions.

KEY OUTPUT

Inspection draft and evidence

9 Level 2 Review

BUSINESS ACTION

Review submitted version; approve, return or reject; preserve versions.

KEY OUTPUT

Decision and version history

10 Factory 360 & Operations

BUSINESS ACTION

Expose complete factory history and live operational visibility.

KEY OUTPUT

360 dossier and operational insights

ENTRY / PRECONDITIONS

Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION

Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS

Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL

FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 02 - Persona Experience Atlas - Roles, Channels and Responsibilities

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB02	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE

MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Roles, handoffs, primary channels, responsibilities and governance points.

Primary channel: Cross-channel | Primary actors: All MVP1 roles | Mapped spreadsheet requirements: 81

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Compliance Admin	Admin Portal	Owns regulations, items, violations, penalties, packages and governance.
2	Planner	Web Portal	Plans visits, selects targets, assigns resources and publishes.
3	Inspector	iPad / Inspector Workspace	Prepares, travels, checks in, executes, captures evidence and submits.
4	Factory Representative	Physical / Virtual interaction	Provides access, identity, documents, acknowledgements and responses.
5	Level 2 Reviewer	Web Portal	Reviews immutable submissions, decides, returns targeted sections and compares versions.
6	Operations Analyst	Operations Center	Monitors live visits, journeys, SLA, risk, alerts, overrides and exceptions.
7	Leadership User	Web Portal	Views trusted outcomes, KPIs, compliance posture and executive trends.

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.
- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.

- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Three planning methods are supported: Bulk, Single and Immediate.
- One Visit Plan can generate multiple Visits. Every Visit receives a unique Visit ID while sharing the same Visit Plan ID.
- Multiple filters can be combined. Both AND and OR conditions are supported.
- Only factories matching all criteria are returned.
- Planner has full control over the selected factories before publishing.
- Configuration applies to every Visit generated from the same Visit Plan.
- Assignment occurs before publishing.
- Planner may override automatic recommendations.
- Publishing is blocked until all mandatory information is completed.
- Only visits within the planning lifecycle are displayed.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M01-001: User can access only the planning methods permitted by their role.
- MVP1-M01-002: Planner successfully publishes a Visit Plan and all selected factories receive individual Visits.
- MVP1-M01-003: Planner can build one or multiple search criteria without limitation.
- MVP1-M01-004: Matching factories are successfully retrieved.
- MVP1-M01-005: Only selected factories proceed to Visit Configuration.
- MVP1-M01-006: Planner successfully configures the Visit Plan.
- MVP1-M01-007: Every Visit has an assigned inspector before publishing.
- MVP1-M01-008: Planner successfully assigns inspectors manually.
- MVP1-M01-009: Planner reviews the complete Visit Plan before publishing.
- MVP1-M02-001: Planner can access all planned visits.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.
- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M01-001	Visit Creation	Inspection Project.xlsx Visit Planning-Planning row 2	User can access only the planning methods permitted by their role.
MVP1-M01-002	Bulk Planning	Inspection Project.xlsx Visit Planning-Planning row 3	Planner successfully publishes a Visit Plan and all selected factories receive individual Visits.
MVP1-M01-003	Planning Criteria Builder	Inspection Project.xlsx Visit Planning-Planning row 4	Planner can build one or multiple search criteria without limitation.
MVP1-M01-004	Target Factory Identification	Inspection Project.xlsx Visit Planning-Planning row 5	Matching factories are successfully retrieved.
MVP1-M01-005	Target Factory Selection	Inspection Project.xlsx Visit Planning-Planning row 6	Only selected factories proceed to Visit Configuration.
MVP1-M01-006	Visit Configuration	Inspection Project.xlsx Visit Planning-Planning row 7	Planner successfully configures the Visit Plan.
MVP1-M01-007	Automatic Inspector Assignment	Inspection Project.xlsx Visit Planning-Planning row 8	Every Visit has an assigned inspector before publishing.
MVP1-M01-008	Manual Inspector Assignment	Inspection Project.xlsx Visit Planning-Planning row 9	Planner successfully assigns inspectors manually.
MVP1-M01-009	Review Visit Plan	Inspection Project.xlsx Visit Planning-Planning row 10	Planner reviews the complete Visit Plan before publishing.
MVP1-M02-001	Visit Management Workspace	Inspection Project.xlsx Visit Planning- Mangment row 2	Planner can access all planned visits.
MVP1-M02-002	Visit KPIs	Inspection Project.xlsx Visit Planning- Mangment row 3	KPI values match the underlying visit records.
MVP1-M02-003	Search Visits	Inspection Project.xlsx Visit Planning- Mangment row 4	Matching visits are displayed.
MVP1-M02-004	Filter Visits	Inspection Project.xlsx Visit Planning- Mangment row 5	Visit list reflects selected filters.
MVP1-M02-005	View Visit Details	Inspection Project.xlsx Visit Planning- Mangment row 6	Planner can access complete visit information.
MVP1-M02-006	Edit Visit	Inspection Project.xlsx Visit Planning- Mangment row 7	Changes are successfully saved and audited.
MVP1-M02-007	Bulk Edit Visits	Inspection Project.xlsx Visit Planning- Mangment row 8	Selected visits are successfully updated.
MVP1-M02-008	Return Visit Handling	Inspection Project.xlsx Visit Planning- Mangment row 9	Planner can successfully process returned visits.
MVP1-M02-009	Republish Returned Visit	Inspection Project.xlsx Visit Planning- Mangment row 10	Returned visit is successfully republished.
MVP1-M03-001	Inspector Dashboard	Inspection Project.xlsx Inspection Execution - PreStart row 2	Inspector can access dashboard and view assigned workload.
MVP1-M03-002	View Assigned Visits	Inspection Project.xlsx Inspection Execution - PreStart row 3	Inspector can access all assigned visits.

The full mapped requirement set contains 81 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.

02 Persona Experience Atlas - Roles, Channels and Responsibilities

81 mapped source requirements

MVP1 | Cross-channel | Spreadsheet-first implementation contract

ACTORS

All MVP1 roles

BUSINESS OUTCOME

Roles, handoffs, primary channels, responsibilities and governance points.

1

Compliance Admin

BUSINESS ACTION

Admin Portal

BUSINESS ACTION

Admin Portal

KEY OUTPUT

Owns regulations, items, violations, penalties, packages and governance.

2

Planner

BUSINESS ACTION

Web Portal

BUSINESS ACTION

Web Portal

KEY OUTPUT

Plans visits, selects targets, assigns resources and publishes.

3

Inspector

BUSINESS ACTION

iPad / Inspector Workspace

BUSINESS ACTION

iPad / Inspector Workspace

KEY OUTPUT

Prepares, travels, checks in, executes, captures evidence and submits.

4

Factory Representative

BUSINESS ACTION

Physical / Virtual interaction

BUSINESS ACTION

Physical / Virtual interaction

KEY OUTPUT

Provides access, identity, documents, acknowledgements and responses.

5

Level 2 Reviewer

BUSINESS ACTION

Web Portal

BUSINESS ACTION

Web Portal

KEY OUTPUT

Reviews immutable submissions, decides, returns targeted sections and compares versions.

6

Operations Analyst

BUSINESS ACTION

Operations Center

BUSINESS ACTION

Operations Center

KEY OUTPUT

Monitors live visits, journeys, SLA, risk, alerts, overrides and exceptions.

7

Leadership User

BUSINESS ACTION

Web Portal

BUSINESS ACTION

Web Portal

KEY OUTPUT

Views trusted outcomes, KPIs, compliance posture and executive trends.

ENTRY / PRECONDITIONS

Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION

Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS

Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL

FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 03 - Compliance Configuration Admin - Rules, Items, Violations and Packages

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB03	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE
MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Regulations, inspection items, violations, penalties, evidence rules, report packages, triggers, versioning and publish.

Primary channel: Admin Portal | Primary actors: Compliance Admin; Business Admin; Technical Admin; Reviewer | Mapped spreadsheet requirements: 30

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Regulations Library	Create hierarchy, applicability, effective dates and source provenance.	Regulation versions
2	Inspection Item Catalogue	Define items, response types, guidance, order and dependencies.	Item catalogue
3	Violation Mapping	Map responses/items to violation codes, levels and triggers.	Violation matrix
4	Penalty Setup	Map violation outcomes to governed penalties and ranges.	Penalty rules
5	Evidence Rules	Define mandatory/optional evidence types, counts and limits.	Evidence policy
6	Report Package Definition	Compile versioned sections, items, forms and outputs.	Published package
7	Action Form Triggers	Trigger corrective/legal/action forms and owners from results.	Action-form rules
8	Publish & Version Control	Validate dependencies, impact, lock runtime version and audit changes.	Immutable runtime version

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.
- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.
- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Regulation is the parent of inspection items. Deactivated regulation prevents future use but does not affect previous inspections.
- Item must belong to a regulation. Item can be reused in multiple packages.
- Violation is generated automatically during inspection. Inspector cannot override predefined violation.
- One violation has only one penalty. Penalty is shown to inspector as information and issued only after approval.
- Evidence rules are configured per inspection item. Missing mandatory evidence blocks submission.
- Package can contain one or more forms and inspection items. Visit can support one or multiple packages if configured.
- Same item can be reused across packages. Required items cannot be removed during execution. Optional items may be selected/unselected by inspector.
- Template configuration is managed in Template Builder. Compliance only consumes active templates.
- Action forms are generated dynamically during inspection and must be completed if mandatory.
- Execution uses locked published version. Changes affect future inspections only.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M09-001: Admin can create and manage regulation records.
- MVP1-M09-002: Item can be configured and reused.
- MVP1-M09-003: Violation is triggered correctly.
- MVP1-M09-004: Penalty is linked and displayed correctly.
- MVP1-M09-005: Evidence requirement is enforced correctly.
- MVP1-M09-006: Package can be created and used in execution.
- MVP1-M09-007: Package checklist renders correctly.
- MVP1-M09-008: Correct template is used at runtime.
- MVP1-M09-009: Correct action form is generated.
- MVP1-M09-010: Previous inspections remain traceable to old configuration.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.
- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M09-001	Regulation Management	Inspection Project.xlsx Compliance row 2	Admin can create and manage regulation records.
MVP1-M09-002	Inspection Item Management	Inspection Project.xlsx Compliance row 3	Item can be configured and reused.
MVP1-M09-003	Violation Management	Inspection Project.xlsx Compliance row 4	Violation is triggered correctly.
MVP1-M09-004	Penalty Management	Inspection Project.xlsx Compliance row 5	Penalty is linked and displayed correctly.
MVP1-M09-005	Evidence Rule Configuration	Inspection Project.xlsx Compliance row 6	Evidence requirement is enforced correctly.
MVP1-M09-006	Report Package Management	Inspection Project.xlsx Compliance row 7	Package can be created and used in execution.
MVP1-M09-007	Package Item Assignment	Inspection Project.xlsx Compliance row 8	Package checklist renders correctly.
MVP1-M09-008	Dynamic Template Assignment	Inspection Project.xlsx Compliance row 9	Correct template is used at runtime.
MVP1-M09-009	Action Form Trigger Configuration	Inspection Project.xlsx Compliance row 10	Correct action form is generated.
MVP1-M09-010	Configuration Versioning	Inspection Project.xlsx Compliance row 11	Previous inspections remain traceable to old configuration.
MVP1-M09-011	Draft / Publish Lifecycle	Inspection Project.xlsx Compliance row 12	Invalid configuration cannot be published.
MVP1-M09-012	Dependency Validation	Inspection Project.xlsx Compliance row 13	Admin receives clear validation errors.
MVP1-M09-013	Impact Analysis	Inspection Project.xlsx Compliance row 14	Admin can understand impact before publishing.
MVP1-M09-014	Deactivation Rules	Inspection Project.xlsx Compliance row 15	Deactivated config no longer appears for new packages.
MVP1-M09-015	Audit Trail	Inspection Project.xlsx Compliance row 16	Full history is available.
MVP1-M09-016	Inspection Section / Group Management	Inspection Project.xlsx Compliance row 17	Sections appear correctly in execution.
MVP1-M09-017	Item Display Order	Inspection Project.xlsx Compliance row 18	Items display in configured order.
MVP1-M09-018	Mandatory Rule	Inspection Project.xlsx Compliance row 19	Execution respects required/optional/conditional behavior.
MVP1-M09-019	Response Mapping	Inspection Project.xlsx Compliance row 20	Selected response triggers correct result.
MVP1-M09-020	Compliance Result Mapping	Inspection Project.xlsx Compliance row 21	Correct compliance result appears during inspection.

The full mapped requirement set contains 30 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.

03 Compliance Configuration Admin - Rules, Items, Violations and Packages

30 mapped source requirements

MVP1 | Admin Portal | Spreadsheet-first implementation contract

ACTORSCompliance Admin; Business Admin; Technical Admin; Reviewer

BUSINESS OUTCOMERegulations, inspection items, violations, penalties, evidence rules, report packages, triggers, versioning and publish.

1

Regulations Library

BUSINESS ACTION
Create hierarchy, applicability, effective dates and source provenance.
KEY OUTPUT
Regulation versions

2

Inspection Item Catalogue

BUSINESS ACTION
Define items, response types, guidance, order and dependencies.
KEY OUTPUT
Item catalogue

3

Violation Mapping

BUSINESS ACTION
Map responses/items to violation codes, levels and triggers.
KEY OUTPUT
Violation matrix

4

Penalty Setup

BUSINESS ACTION
Map violation outcomes to governed penalties and ranges.
KEY OUTPUT
Penalty rules

5

Evidence Rules

BUSINESS ACTION
Define mandatory/optional evidence types, counts and limits.
KEY OUTPUT
Evidence policy

6

Report Package Definition

BUSINESS ACTION
Compile versioned sections, items, forms and outputs.
KEY OUTPUT
Published package

7

Action Form Triggers

BUSINESS ACTION
Trigger corrective/legal/action forms and owners from results.
KEY OUTPUT
Action-form rules

8

Publish & Version Control

BUSINESS ACTION
Validate dependencies, impact, lock runtime version and audit changes.
KEY OUTPUT
Immutable runtime version

ENTRY / PRECONDITIONS
Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION
Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS
Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL
FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 04 - Visit Planning - Planning Methods, Targeting and Publishing

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB04	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE
MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Bulk, Single and Immediate planning paths, assignment methods, publication and resulting artifacts.

Primary channel: Web Portal | Primary actors: Planner; Inspector; System | Mapped spreadsheet requirements: 52

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Choose Planning Path	Bulk, Single or Immediate.	Planning path
2	Build Criteria / Select Entity	Use AND/OR filters or direct lookup.	Candidate factories
3	Preview & Validate Targets	Check eligibility, duplicates and target count.	Validated target set
4	Configure Visit Details	Set type, scope, location, window and priority.	Visit configuration
5	Choose Assignment Method	Automatic or manual.	Assignment strategy
6	Validate Capacity & Conflicts	Check availability, skills, workload and conflicts.	Validated assignment
7	Review Plan Summary	Confirm factories, visits, resources and schedule.	Review-ready plan
8	Publish / Dispatch	Create Visit Plan ID, Visit IDs, assignments and notifications.	Published plan or immediate dispatch

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.
- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.
- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Three planning methods are supported: Bulk, Single and Immediate.
- One Visit Plan can generate multiple Visits. Every Visit receives a unique Visit ID while sharing the same Visit Plan ID.
- Multiple filters can be combined. Both AND and OR conditions are supported.
- Only factories matching all criteria are returned.
- Planner has full control over the selected factories before publishing.
- Configuration applies to every Visit generated from the same Visit Plan.
- Assignment occurs before publishing.
- Planner may override automatic recommendations.
- Publishing is blocked until all mandatory information is completed.
- Every generated Visit becomes an independent business object while remaining linked to the originating Visit Plan.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M01-001: User can access only the planning methods permitted by their role.
- MVP1-M01-002: Planner successfully publishes a Visit Plan and all selected factories receive individual Visits.
- MVP1-M01-003: Planner can build one or multiple search criteria without limitation.
- MVP1-M01-004: Matching factories are successfully retrieved.
- MVP1-M01-005: Only selected factories proceed to Visit Configuration.
- MVP1-M01-006: Planner successfully configures the Visit Plan.
- MVP1-M01-007: Every Visit has an assigned inspector before publishing.
- MVP1-M01-008: Planner successfully assigns inspectors manually.
- MVP1-M01-009: Planner reviews the complete Visit Plan before publishing.
- MVP1-M01-010: Individual Visits are successfully generated, assigned and available to inspectors.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.
- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.

- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M01-001	Visit Creation	Inspection Project.xlsx Visit Planning-Planning row 2	User can access only the planning methods permitted by their role.
MVP1-M01-002	Bulk Planning	Inspection Project.xlsx Visit Planning-Planning row 3	Planner successfully publishes a Visit Plan and all selected factories receive individual Visits.
MVP1-M01-003	Planning Criteria Builder	Inspection Project.xlsx Visit Planning-Planning row 4	Planner can build one or multiple search criteria without limitation.
MVP1-M01-004	Target Factory Identification	Inspection Project.xlsx Visit Planning-Planning row 5	Matching factories are successfully retrieved.
MVP1-M01-005	Target Factory Selection	Inspection Project.xlsx Visit Planning-Planning row 6	Only selected factories proceed to Visit Configuration.
MVP1-M01-006	Visit Configuration	Inspection Project.xlsx Visit Planning-Planning row 7	Planner successfully configures the Visit Plan.
MVP1-M01-007	Automatic Inspector Assignment	Inspection Project.xlsx Visit Planning-Planning row 8	Every Visit has an assigned inspector before publishing.
MVP1-M01-008	Manual Inspector Assignment	Inspection Project.xlsx Visit Planning-Planning row 9	Planner successfully assigns inspectors manually.
MVP1-M01-009	Review Visit Plan	Inspection Project.xlsx Visit Planning-Planning row 10	Planner reviews the complete Visit Plan before publishing.
MVP1-M01-010	Publish Visit Plan	Inspection Project.xlsx Visit Planning-Planning row 11	Individual Visits are successfully generated, assigned and available to inspectors.
MVP1-M01-011	Select Planning Method	Inspection Project.xlsx Visit Planning-Planning row 12	Selected planning workflow opens successfully.
MVP1-M01-012	Build Planning Criteria	Inspection Project.xlsx Visit Planning-Planning row 13	Planner can create valid search criteria.
MVP1-M01-013	Retrieve Target Factories	Inspection Project.xlsx Visit Planning-Planning row 14	Matching factories displayed.
MVP1-M01-014	Review Target Factories	Inspection Project.xlsx Visit Planning-Planning row 15	Planner can review every returned factory.
MVP1-M01-015	Select Target Factories	Inspection Project.xlsx Visit Planning-Planning row 16	Selected factories are saved.
MVP1-M01-016	AI Planning Summary	Inspection Project.xlsx Visit Planning-Planning row 17	Summary generated successfully.
MVP1-M01-017	Configure Visit Details	Inspection Project.xlsx Visit Planning-Planning row 18	Configuration saved successfully.
MVP1-M01-018	Auto Assignment	Inspection Project.xlsx Visit Planning-Planning row 19	Inspectors assigned successfully.
MVP1-M01-019	Manual Assignment	Inspection Project.xlsx Visit Planning-Planning row 20	Manual assignment completed successfully.
MVP1-M01-020	Review & Publish	Inspection Project.xlsx Visit Planning-Planning row 21	Visit Plan successfully published.

The full mapped requirement set contains 52 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.

04 Visit Planning - Planning Methods, Targeting and Publishing

52 mapped source requirements

MVP1 | Web Portal | Spreadsheet-first implementation contract

ACTORSPlanner; Inspector; System

BUSINESS OUTCOMEBulk, Single and Immediate planning paths, assignment methods, publication and resulting artifacts.

1

Choose Planning Path

BUSINESS ACTION
Bulk, Single or Immediate.
KEY OUTPUT
Planning path

2

Build Criteria / Select Entity

BUSINESS ACTION
Use AND/OR filters or direct lookup.
KEY OUTPUT
Candidate factories

3

Preview & Validate Targets

BUSINESS ACTION
Check eligibility, duplicates and target count.
KEY OUTPUT
Validated target set

4

Configure Visit Details

BUSINESS ACTION
Set type, scope, location, window and priority.
KEY OUTPUT
Visit configuration

5

Choose Assignment Method

BUSINESS ACTION
Automatic or manual.
KEY OUTPUT
Assignment strategy

6

Validate Capacity & Conflicts

BUSINESS ACTION
Check availability, skills, workload and conflicts.
KEY OUTPUT
Validated assignment

7

Review Plan Summary

BUSINESS ACTION
Confirm factories, visits, resources and schedule.
KEY OUTPUT
Review-ready plan

8

Publish / Dispatch

BUSINESS ACTION
Create Visit Plan ID, Visit IDs, assignments and notifications.
KEY OUTPUT
Published plan or immediate dispatch

ENTRY / PRECONDITIONS
Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION
Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS
Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL
FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MVP1 native storyboard - high-contrast implementation contract - not decorative inspiration

SB04 | 52 mapped requirements | 10 July 2026

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 05 - Visit Planning - Management Workspace and Operational Control

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB05	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE
MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Search, KPI, detail, edit, reassign, return/republish, bulk actions, cancellation, calendar/map/list, expiry.

Primary channel: Web Portal | Primary actors: Planner; Operations User; Branch Manager; System | Mapped spreadsheet requirements: 46

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Workspace & KPI Summary	Unified operational view of visits, plan progress and exceptions.	Visit workspace
2	Search & Advanced Filters	Filter by IDs, dates, location, inspector, status and priority.	Result set / saved view
3	Visit Detail	Open factory, schedule, route, notes, attachments and history.	Visit dossier
4	Edit & Reschedule	Change allowed fields with conflict validation.	Updated visit
5	Reassign Inspectors	Validate availability/capacity and notify parties.	Reassignment record
6	Return & Republish	Return for updates, edit, validate and republish.	Republished visit
7	Bulk Actions	Select many visits and perform governed bulk changes.	Bulk audit record
8	Cancellation	Cancel with reason, date, notifications and history.	Cancellation record
9	Calendar / Map / List	Switch synchronized operational views.	Operational views
10	Timeline / Notes / Attachments	Maintain complete activity record.	Timeline and attachments
11	Automatic Expiry	System applies configured expiry semantics and logs event.	Expiry event

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.
- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.

- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Only visits within the planning lifecycle are displayed.
- KPIs represent only planning statuses. Inspection execution statuses are excluded.
- Partial matching is supported.
- Multiple filters may be combined.
- Information is read-only until Edit is selected.
- Edit is allowed only before the inspection has started.
- Bulk Edit is only available for visits within the same Visit Plan and before inspection starts.
- Returned visits are always managed as Single Visits, even if originally created through Bulk Planning.
- Same Visit ID and same Visit Plan ID are retained.
- Cancellation is only allowed before inspection starts. Cancelled is a final state.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M02-001: Planner can access all planned visits.
- MVP1-M02-002: KPI values match the underlying visit records.
- MVP1-M02-003: Matching visits are displayed.
- MVP1-M02-004: Visit list reflects selected filters.
- MVP1-M02-005: Planner can access complete visit information.
- MVP1-M02-006: Changes are successfully saved and audited.
- MVP1-M02-007: Selected visits are successfully updated.
- MVP1-M02-008: Planner can successfully process returned visits.
- MVP1-M02-009: Returned visit is successfully republished.
- MVP1-M02-010: Visit is cancelled successfully and removed from active planning.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.
- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M02-001	Visit Management Workspace	Inspection Project.xlsx Visit Planning- Mangment row 2	Planner can access all planned visits.
MVP1-M02-002	Visit KPIs	Inspection Project.xlsx Visit Planning- Mangment row 3	KPI values match the underlying visit records.
MVP1-M02-003	Search Visits	Inspection Project.xlsx Visit Planning- Mangment row 4	Matching visits are displayed.
MVP1-M02-004	Filter Visits	Inspection Project.xlsx Visit Planning- Mangment row 5	Visit list reflects selected filters.
MVP1-M02-005	View Visit Details	Inspection Project.xlsx Visit Planning- Mangment row 6	Planner can access complete visit information.
MVP1-M02-006	Edit Visit	Inspection Project.xlsx Visit Planning- Mangment row 7	Changes are successfully saved and audited.
MVP1-M02-007	Bulk Edit Visits	Inspection Project.xlsx Visit Planning- Mangment row 8	Selected visits are successfully updated.
MVP1-M02-008	Return Visit Handling	Inspection Project.xlsx Visit Planning- Mangment row 9	Planner can successfully process returned visits.
MVP1-M02-009	Republish Returned Visit	Inspection Project.xlsx Visit Planning- Mangment row 10	Returned visit is successfully republished.
MVP1-M02-010	Cancel Visit	Inspection Project.xlsx Visit Planning- Mangment row 11	Visit is cancelled successfully and removed from active planning.
MVP1-M02-011	Bulk Cancel Visits	Inspection Project.xlsx Visit Planning- Mangment row 12	Selected visits are successfully cancelled.
MVP1-M02-012	Duplicate Visit Validation	Inspection Project.xlsx Visit Planning- Mangment row 13	Duplicate visits are successfully prevented.
MVP1-M02-013	Activity Timeline	Inspection Project.xlsx Visit Planning- Mangment row 14	Timeline displays complete visit history.
MVP1-M02-014	Audit Trail	Inspection Project.xlsx Visit Planning- Mangment row 15	Every planning action is traceable.
MVP1-M02-015	Visit Status Management	Inspection Project.xlsx Visit Planning- Mangment row 16	Invalid status transitions are prevented automatically.
MVP1-M02-016	Expired Visit Management	Inspection Project.xlsx Visit Planning- Mangment row 17	Visits automatically expire after the configured visit window ends.
MVP1-M02-017	Visit Plan Details	Inspection Project.xlsx Visit Planning- Mangment row 18	Planner can successfully manage all visits within the selected Visit Plan.
MVP1-M02-018	Assignment Overview	Inspection Project.xlsx Visit Planning- Mangment row 19	Planner can review inspector workload before reassigning visits.
MVP1-M02-019	Visit Management Workspace	Inspection Project.xlsx Visit Planning- Mangment row 20	Visit Repository, User Roles, Dashboard Service
MVP1-M02-020	Planning KPI Summary	Inspection Project.xlsx Visit Planning- Mangment row 21	Visit Repository

The full mapped requirement set contains 46 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.

05 Visit Planning - Management Workspace and Operational Control

46 mapped source requirements

MVP1 | Web Portal | Spreadsheet-first implementation contract

ACTORS Planner; Operations User; Branch Manager; System

BUSINESS OUTCOME Search, KPI, detail, edit, reassign, return/republish, bulk actions, cancellation, calendar/map/list, expiry.

1 **Workspace & KPI Summary**

BUSINESS ACTION
Unified operational view of visits, plan progress and exceptions.

KEY OUTPUT
Visit workspace

2 **Search & Advanced Filters**

BUSINESS ACTION
Filter by IDs, dates, location, inspector, status and priority.

KEY OUTPUT
Result set / saved view

3 **Visit Detail**

BUSINESS ACTION
Open factory, schedule, route, notes, attachments and history.

KEY OUTPUT
Visit dossier

4 **Edit & Reschedule**

BUSINESS ACTION
Change allowed fields with conflict validation.

KEY OUTPUT
Updated visit

5 **Reassign Inspectors**

BUSINESS ACTION
Validate availability/capacity and notify parties.

KEY OUTPUT
Reassignment record

6 **Return & Republish**

BUSINESS ACTION
Return for updates, edit, validate and republish.

KEY OUTPUT
Republished visit

7 **Bulk Actions**

BUSINESS ACTION
Select many visits and perform governed bulk changes.

KEY OUTPUT
Bulk audit record

8 **Cancellation**

BUSINESS ACTION
Cancel with reason, date, notifications and history.

KEY OUTPUT
Cancellation record

9 **Calendar / Map / List**

BUSINESS ACTION
Switch synchronized operational views.

KEY OUTPUT
Operational views

10 **Timeline / Notes / Attachments**

BUSINESS ACTION
Maintain complete activity record.

KEY OUTPUT
Timeline and attachments

11 **Automatic Expiry**

BUSINESS ACTION
System applies configured expiry semantics and logs event.

KEY OUTPUT
Expiry event

ENTRY / PRECONDITIONS

Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION

Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS

Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL

FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 06 - Inspector Pre-Start Workspace - Assignments, Preparation and Readiness

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB06	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE
MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Assigned visits, views, preparation, Factory 360 snapshot, execution mode, package resolution, notifications and return assignment.

Primary channel: Inspector Workspace | Primary actors: Inspector; Factory Representative; System | Mapped spreadsheet requirements: 15

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Assigned Visits Dashboard	Review today/upcoming/completed assignments and readiness.	Assignment list
2	Calendar / List / Map	Choose field-friendly view of schedule and route.	Schedule view
3	Search / Filter / Sort	Find visits by factory, ID, status, date or priority.	Filtered list
4	Visit Card Summary	See visit, factory, time, location, package and status.	Visit card
5	Prepare Inspection	Complete pre-start checklist and required documents.	Preparation record
6	Factory 360 Snapshot	Review recent findings, risk and factory context.	Factory snapshot
7	Execution Mode Eligibility	Determine physical or virtual eligibility.	Eligibility decision
8	Package Resolution	Verify complete, current and offline-ready package.	Package validation
9	Notifications & Appointment	See confirmations, reminders and critical alerts.	Notification state
10	Return Assignment	Return with valid reason, notes and audit.	Return/reassignment request

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.
- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.

- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Dashboard displays inspector-specific information only.
- Only assigned visits are displayed.
- New visits appear only in Assignment Pool. Prepared visits appear in Calendar. Map displays all assigned visits.
- Search applies across all assigned visits.
- Execution Date must remain within Planning Window.
- Return reason is mandatory.
- Visit information is read-only.
- Latest synchronized factory data shall be displayed.
- AI recommendations are advisory only.
- Preparation required before inspection can start.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M03-001: Inspector can access dashboard and view assigned workload.
- MVP1-M03-002: Inspector can access all assigned visits.
- MVP1-M03-003: Inspector can switch between all views.
- MVP1-M03-004: Accurate search and filtering results.
- MVP1-M03-005: Calendar updates successfully after changes.
- MVP1-M03-006: Assignment successfully returned.
- MVP1-M03-007: Visit information displayed correctly.
- MVP1-M03-008: Factory profile loads successfully.
- MVP1-M03-009: AI recommendations generated successfully.
- MVP1-M03-010: Inspection successfully prepared.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.
- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M03-001	Inspector Dashboard	Inspection Project.xlsx Inspection Execution - PreStart row 2	Inspector can access dashboard and view assigned workload.
MVP1-M03-002	View Assigned Visits	Inspection Project.xlsx Inspection Execution - PreStart row 3	Inspector can access all assigned visits.
MVP1-M03-003	Calendar, List & Map Views	Inspection Project.xlsx Inspection Execution - PreStart row 4	Inspector can switch between all views.
MVP1-M03-004	Search, Filter & Sort	Inspection Project.xlsx Inspection Execution - PreStart row 5	Accurate search and filtering results.
MVP1-M03-005	Manage My Schedule	Inspection Project.xlsx Inspection Execution - PreStart row 6	Calendar updates successfully after changes.
MVP1-M03-006	Return Assignment	Inspection Project.xlsx Inspection Execution - PreStart row 7	Assignment successfully returned.
MVP1-M03-007	View Visit Card	Inspection Project.xlsx Inspection Execution - PreStart row 8	Visit information displayed correctly.
MVP1-M03-008	View Factory 360°	Inspection Project.xlsx Inspection Execution - PreStart row 9	Factory profile loads successfully.
MVP1-M03-009	AI Preparation Assistant	Inspection Project.xlsx Inspection Execution - PreStart row 10	AI recommendations generated successfully.
MVP1-M03-010	Prepare Inspection	Inspection Project.xlsx Inspection Execution - PreStart row 11	Inspection successfully prepared.
MVP1-M03-011	Execution Mode Eligibility	Inspection Project.xlsx Inspection Execution - PreStart row 12	Ineligible modes cannot be selected.
MVP1-M03-012	Inspection Package Resolution	Inspection Project.xlsx Inspection Execution - PreStart row 13	Correct inspection package generated.
MVP1-M03-013	Notify Factory	Inspection Project.xlsx Inspection Execution - PreStart row 14	Notification successfully sent when enabled.
MVP1-M03-014	Virtual Appointment Management	Inspection Project.xlsx Inspection Execution - PreStart row 15	Virtual appointment confirmed successfully.
MVP1-M03-015	Inspection Status Management	Inspection Project.xlsx Inspection Execution - PreStart row 16	Status transitions occur correctly.

The full mapped requirement set contains 15 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.

06 Inspector Pre-Start Workspace - Assignments, Preparation and Readiness

15 mapped source requirements

MVP1 | Inspector Workspace | Spreadsheet-first implementation contract

ACTORS Inspector; Factory Representative; System

BUSINESS OUTCOME Assigned visits, views, preparation, Factory 360 snapshot, execution mode, package resolution, notifications and return assignment.

1 **Assigned Visits Dashboard**

BUSINESS ACTION

Review today/upcoming/completed assignments and readiness.

KEY OUTPUT

Assignment list

2 **Calendar / List / Map**

BUSINESS ACTION

Choose field-friendly view of schedule and route.

KEY OUTPUT

Schedule view

3 **Search / Filter / Sort**

BUSINESS ACTION

Find visits by factory, ID, status, date or priority.

KEY OUTPUT

Filtered list

4 **Visit Card Summary**

BUSINESS ACTION

See visit, factory, time, location, package and status.

KEY OUTPUT

Visit card

5 **Prepare Inspection**

BUSINESS ACTION

Complete pre-start checklist and required documents.

KEY OUTPUT

Preparation record

6 **Factory 360 Snapshot**

BUSINESS ACTION

Review recent findings, risk and factory context.

KEY OUTPUT

Factory snapshot

7 **Execution Mode Eligibility**

BUSINESS ACTION

Determine physical or virtual eligibility.

KEY OUTPUT

Eligibility decision

8 **Package Resolution**

BUSINESS ACTION

Verify complete, current and offline-ready package.

KEY OUTPUT

Package validation

9 **Notifications & Appointment**

BUSINESS ACTION

See confirmations, reminders and critical alerts.

KEY OUTPUT

Notification state

10 **Return Assignment**

BUSINESS ACTION

Return with valid reason, notes and audit.

KEY OUTPUT

Return/reassignment request

ENTRY / PRECONDITIONS

Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION

Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS

Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL

FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 07 - Physical Inspection Start Journey - Travel, Check-In and Session Initiation

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB07	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE
MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Package integrity, journey start, device/network, navigation, live telemetry, arrival, geofence, inspection start and exceptions.

Primary channel: Inspector Workspace / Operations | Primary actors: Inspector; Operations User; Factory Representative; System | Mapped spreadsheet requirements: 32

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Accept Assigned Visit	Review summary and accept assignment.	Accepted visit
2	Package Integrity Check	Download encrypted package and verify integrity.	Locked offline package
3	Start Journey Session	Create active journey and timestamp.	Journey session
4	GPS / Device / Network	Verify accuracy, battery, connectivity and offline readiness.	Readiness telemetry
5	Navigation & Route Guidance	Receive route, ETA and remaining distance.	Route plan
6	Live Journey Progress	Track ETA, distance and route deviation.	Live telemetry
7	Arrival Detection	Detect proximity and arrival confidence.	Arrival event
8	Geofence Check-in	Compare official/observed location and record check-in.	Check-in evidence
9	Start Inspection Session	Pass mandatory validations and initialize workspace.	Inspection session
10	Handle Exceptions	Govern cancellation, override and inability-to-execute paths.	Exception record

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.
- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.
- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- One active journey per visit.
- Server time is the official audit time.
- Coordinates stored as audit evidence.
- Used later for audit and investigation.
- Every inspection must be traceable to a device.
- Used for troubleshooting offline scenarios.
- Every operational event must appear in timeline.
- Tracking starts only after successful Start Journey.
- Every GPS point is linked to the journey session.
- ETA shall refresh automatically during travel.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M04-008: Journey session created successfully.
- MVP1-M04-009: Journey start time recorded.
- MVP1-M04-010: GPS stored successfully.
- MVP1-M04-011: GPS accuracy stored.
- MVP1-M04-012: Device information stored successfully.
- MVP1-M04-013: Initial connectivity stored.
- MVP1-M04-015: Timeline initialized successfully.
- MVP1-M04-021: Live tracking starts successfully.
- MVP1-M04-022: GPS history is stored successfully.
- MVP1-M04-024: ETA displayed accurately.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.

- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M04-008	Create Journey Session	Inspection Project.xlsx Inspection excution-Start jou row 9	Journey session created successfully.
MVP1-M04-009	Capture Journey Start Time	Inspection Project.xlsx Inspection excution-Start jou row 10	Journey start time recorded.
MVP1-M04-010	Capture Journey Start GPS	Inspection Project.xlsx Inspection excution-Start jou row 11	GPS stored successfully.
MVP1-M04-011	Capture GPS Accuracy	Inspection Project.xlsx Inspection excution-Start jou row 12	GPS accuracy stored.
MVP1-M04-012	Capture Device Information	Inspection Project.xlsx Inspection excution-Start jou row 13	Device information stored successfully.
MVP1-M04-013	Capture Network Status	Inspection Project.xlsx Inspection excution-Start jou row 14	Initial connectivity stored.
MVP1-M04-015	Initialize Journey Timeline	Inspection Project.xlsx Inspection excution-Start jou row 16	Timeline initialized successfully.
MVP1-M04-021	Activate Live Journey Tracking	Inspection Project.xlsx Inspection excution-Start jou row 22	Live tracking starts successfully.
MVP1-M04-022	Capture Live GPS Coordinates	Inspection Project.xlsx Inspection excution-Start jou row 23	GPS history is stored successfully.
MVP1-M04-024	Calculate Estimated Time of Arrival (ETA)	Inspection Project.xlsx Inspection excution-Start jou row 25	ETA displayed accurately.
MVP1-M04-026	Monitor Journey Progress	Inspection Project.xlsx Inspection excution-Start jou row 27	Progress updates correctly.
MVP1-M04-027	Monitor GPS Accuracy	Inspection Project.xlsx Inspection excution-Start jou row 28	GPS quality recorded correctly.
MVP1-M04-028	Monitor Network Connectivity	Inspection Project.xlsx Inspection excution-Start jou row 29	Connectivity status updates correctly.
MVP1-M04-030	Synchronize Offline Journey Data	Inspection Project.xlsx Inspection excution-Start jou row 31	Queued data synchronized successfully.
MVP1-M04-031	Monitor Route Deviation	Inspection Project.xlsx Inspection excution-Start jou row 32	Deviation events recorded.
MVP1-M04-032	Detect Arrival Radius	Inspection Project.xlsx Inspection excution-Start jou row 33	Arrival eligibility evaluated correctly.
MVP1-M04-033	Record Journey Timeline Events	Inspection Project.xlsx Inspection excution-Start jou row 34	Timeline contains all operational events.
MVP1-M04-035	Display Journey Status	Inspection Project.xlsx Inspection excution-Start jou row 36	Journey dashboard displays current operational status.
MVP1-M04-036	Handle Journey Exceptions	Inspection Project.xlsx Inspection excution-Start jou row 37	Journey remains recoverable after unexpected failures.
MVP1-M04-037	Detect Arrival Radius	Inspection Project.xlsx Inspection excution-Start jou row 38	System correctly identifies when the inspector enters the allowed arrival radius.

The full mapped requirement set contains 32 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.


07 Physical Inspection Start Journey - Travel, Check-In and Session Initiation

32 mapped source requirements

MVP1 | Inspector Workspace / Operations | Spreadsheet-first implementation contract

ACTORSInspector; Operations User; Factory Representative; System

BUSINESS OUTCOMEPackage integrity, journey start, device/network, navigation, live telemetry, arrival, geofence, inspection start and exceptions.



ENTRY / PRECONDITIONS

Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION

Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS

Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL

FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 08 - Physical Inspection Execution Workspace - Report, Checklist, Evidence and Submission

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB08	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE

MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Factory verification, dynamic report, checklist, violations, penalties, evidence, action forms, notes, review and submission.

Primary channel: Inspector Workspace | Primary actors: Inspector; Factory Representative; System | Mapped spreadsheet requirements: 191

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Inspection Workspace	Show visit, factory, scope, progress and offline/autosave state.	Inspection session
2	Factory Verification	Verify factory contact/representative and capture timestamp/location.	Verification record
3	Dynamic Report Form	Render package-defined report fields and context.	Report draft
4	Inspection Checklist	Execute sectioned items with required/optional/conditional behavior.	Checklist responses
5	Violations & Penalties	Apply configured rules and surface resulting enforcement outcomes.	Violation/penalty records
6	Evidence Capture	Capture photo/video/document/audio with item linkage and metadata.	Evidence chain
7	Action Forms	Open required corrective/legal/action forms from rules.	Action forms
8	Notes / Observations	Record timestamped notes linked to items/forms.	Observation log
9	Pre-Submit Review	Identify incomplete mandatory data, evidence and forms.	Validation summary
10	Final Validation & Submission	Create immutable submitted version and handoff to review.	Submitted version

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.

- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.
- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Only the assigned inspector can start the journey. Shared or reassigned visits shall follow the latest assignment.
- Journey can only start for executable visits.
- Journey cannot start after the visit has expired.
- Journey cannot start without a destination.
- Package version is frozen after download. Future changes by planners shall not affect the ongoing inspection.
- Inspection cannot continue using a corrupted package.
- Package remains available while offline until inspection is submitted.
- Tracking continues until inspection begins or journey is cancelled.
- Navigation is optional but recommended.
- ETA updates continuously during journey.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M04-001: Inspector cannot start a visit assigned to another inspector.
- MVP1-M04-002: Invalid visit statuses are blocked with a clear error message.
- MVP1-M04-003: Inspector receives appropriate validation if outside execution window.
- MVP1-M04-004: Navigation starts using the correct destination.
- MVP1-M04-005: Package downloads successfully before journey begins.
- MVP1-M04-006: Invalid packages are rejected and re-downloaded.
- MVP1-M04-007: Inspector can continue execution without network connectivity.
- MVP1-M04-014: Operations Center receives live location updates.
- MVP1-M04-016: Inspector navigates to correct destination.
- MVP1-M04-017: ETA displayed correctly.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.
- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M04-001	Validate Assigned Visit	Inspection Project.xlsx Inspection excution-Start jou row 2	Inspector cannot start a visit assigned to another inspector.
MVP1-M04-002	Validate Visit Status	Inspection Project.xlsx Inspection excution-Start jou row 3	Invalid visit statuses are blocked with a clear error message.
MVP1-M04-003	Validate Execution Window	Inspection Project.xlsx Inspection excution-Start jou row 4	Inspector receives appropriate validation if outside execution window.
MVP1-M04-004	Validate Factory Location	Inspection Project.xlsx Inspection excution-Start jou row 5	Navigation starts using the correct destination.
MVP1-M04-005	Download Locked Inspection Package	Inspection Project.xlsx Inspection excution-Start jou row 6	Package downloads successfully before journey begins.
MVP1-M04-006	Verify Package Integrity	Inspection Project.xlsx Inspection excution-Start jou row 7	Invalid packages are rejected and re-downloaded.
MVP1-M04-007	Cache Offline Package	Inspection Project.xlsx Inspection excution-Start jou row 8	Inspector can continue execution without network connectivity.
MVP1-M04-014	Start Live Tracking	Inspection Project.xlsx Inspection excution-Start jou row 15	Operations Center receives live location updates.
MVP1-M04-016	Launch Navigation	Inspection Project.xlsx Inspection excution-Start jou row 17	Inspector navigates to correct destination.
MVP1-M04-017	Calculate Initial ETA	Inspection Project.xlsx Inspection excution-Start jou row 18	ETA displayed correctly.
MVP1-M04-018	Update Operational State	Inspection Project.xlsx Inspection excution-Start jou row 19	Operational State updated correctly.
MVP1-M04-019	Generate Audit Events	Inspection Project.xlsx Inspection excution-Start jou row 20	Complete audit trail available.
MVP1-M04-020	Error Handling	Inspection Project.xlsx Inspection excution-Start jou row 21	User receives meaningful error messages and system remains in a consistent state.
MVP1-M04-023	Update Inspector Location on Operations Map	Inspection Project.xlsx Inspection excution-Start jou row 24	Operations users can monitor inspector movement.
MVP1-M04-025	Calculate Remaining Distance	Inspection Project.xlsx Inspection excution-Start jou row 26	Remaining distance displayed correctly.
MVP1-M04-029	Handle Offline Mode	Inspection Project.xlsx Inspection excution-Start jou row 30	Inspector continues working without interruption.
MVP1-M04-034	Generate Operational Audit Logs	Inspection Project.xlsx Inspection excution-Start jou row 35	Complete audit trail available.
MVP1-M04-041	Compare Planned vs Actual Location	Inspection Project.xlsx Inspection excution-Start jou row 42	System calculates the distance correctly.
MVP1-M04-044	Store Actual Inspection Location	Inspection Project.xlsx Inspection excution-Start jou row 45	Inspection location stored successfully.
MVP1-M04-046	Update Operational State	Inspection Project.xlsx Inspection excution-Start jou row 47	Operational State updated correctly.

The full mapped requirement set contains 191 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.

08 Physical Inspection Execution Workspace - Report, Checklist, Evidence and Submission

191 mapped source requirements

MVP1 | Inspector Workspace | Spreadsheet-first implementation contract

ACTORS Inspector; Factory Representative; System

BUSINESS OUTCOME Factory verification, dynamic report, checklist, violations, penalties, evidence, action forms, notes, review and submission.

1 Inspection Workspace

BUSINESS ACTION

Show visit, factory, scope, progress and offline/autosave state.

KEY OUTPUT

Inspection session

2 Factory Verification

BUSINESS ACTION

Verify factory contact/representative and capture timestamp/location.

KEY OUTPUT

Verification record

3 Dynamic Report Form

BUSINESS ACTION

Render package-defined report fields and context.

KEY OUTPUT

Report draft

4 Inspection Checklist

BUSINESS ACTION

Execute sectioned items with required/optional/conditional behavior.

KEY OUTPUT

Checklist responses

5 Violations & Penalties

BUSINESS ACTION

Apply configured rules and surface resulting enforcement outcomes.

KEY OUTPUT

Violation/penalty records

6 Evidence Capture

BUSINESS ACTION

Capture photo/video/document/audio with item linkage and metadata.

KEY OUTPUT

Evidence chain

7 Action Forms

BUSINESS ACTION

Open required corrective/legal/action forms from rules.

KEY OUTPUT

Action forms

8 Notes / Observations

BUSINESS ACTION

Record timestamped notes linked to items/forms.

KEY OUTPUT

Observation log

9 Pre-Submit Review

BUSINESS ACTION

Identify incomplete mandatory data, evidence and forms.

KEY OUTPUT

Validation summary

10 Final Validation & Submission

BUSINESS ACTION

Create immutable submitted version and handoff to review.

KEY OUTPUT

Submitted version

ENTRY / PRECONDITIONS

Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION

Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS

Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL

FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 09 - Virtual Inspection Execution - Identity Verification, Remote Session and Inspection Flow

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB09	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE

MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Appointment, join, ID and OTP verification, readiness, remote inspection, evidence, closure and handoff.

Primary channel: Virtual Session | Primary actors: Inspector; Factory Representative; Reviewer; System | Mapped spreadsheet requirements: 20

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Scheduled Virtual Visit	Publish remote appointment, time and representative.	Virtual appointment
2	Appointment & Notifications	Send link, instructions, calendar invite and reminders.	Notification log
3	Session Start	Inspector starts secure waiting room.	Session record
4	Representative Join	Capture participant identity context and join time.	Join event
5	Identity Verification	Validate identity information and representative match.	Identity record
6	OTP Verification	Verify one-time password with governed retry/failure path.	OTP record
7	Readiness / Failure Handling	Check camera, audio, network and permissions.	Readiness result
8	Remote Inspection Execution	Conduct guided remote inspection and record session states.	Remote inspection state
9	Evidence & Notes	Capture linked artifacts and observations.	Evidence package
10	Closure & Handoff	Finalize session, compile artifacts and submit for review.	Review-ready submission

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.
- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.
- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Only confirmed virtual visits are displayed.
- Session may only start during the planned execution window.
- Timeline starts before meeting connection.
- Workflow Status changes only after inspection starts.
- Cancellation only allowed before inspection starts.
- Reason mandatory.
- Every event shall be auditable.
- Meeting provider is transparent to business users.
- Inspection cannot start until factory joins.
- Join times are auditable.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M05-001: Visit displayed successfully.
- MVP1-M05-002: Session created successfully.
- MVP1-M05-003: Timeline created successfully.
- MVP1-M05-004: Operational State updated successfully.
- MVP1-M05-005: Cancellation initiated successfully.
- MVP1-M05-006: Cancellation reason recorded.
- MVP1-M05-007: Audit generated successfully.
- MVP1-M05-008: Inspector connected successfully.
- MVP1-M05-009: Waiting state displayed correctly.
- MVP1-M05-010: Join times stored successfully.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.

- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M05-001	Display Scheduled Visit	Inspection Project.xlsx Inspection Excution - Virtual row 2	Visit displayed successfully.
MVP1-M05-002	Start Virtual Session	Inspection Project.xlsx Inspection Excution - Virtual row 3	Session created successfully.
MVP1-M05-003	Create Session Timeline	Inspection Project.xlsx Inspection Excution - Virtual row 4	Timeline created successfully.
MVP1-M05-004	Update Operational State	Inspection Project.xlsx Inspection Excution - Virtual row 5	Operational State updated successfully.
MVP1-M05-005	Cancel Virtual Visit	Inspection Project.xlsx Inspection Excution - Virtual row 6	Cancellation initiated successfully.
MVP1-M05-006	Capture Cancellation Reason	Inspection Project.xlsx Inspection Excution - Virtual row 7	Cancellation reason recorded.
MVP1-M05-007	Generate Audit Events	Inspection Project.xlsx Inspection Excution - Virtual row 8	Audit generated successfully.
MVP1-M05-008	Join Session	Inspection Project.xlsx Inspection Excution - Virtual row 9	Inspector connected successfully.
MVP1-M05-009	Wait for Factory Representative	Inspection Project.xlsx Inspection Excution - Virtual row 10	Waiting state displayed correctly.
MVP1-M05-010	Capture Participant Join	Inspection Project.xlsx Inspection Excution - Virtual row 11	Join times stored successfully.
MVP1-M05-011	Monitor Session Status	Inspection Project.xlsx Inspection Excution - Virtual row 12	Meeting lifecycle recorded successfully.
MVP1-M05-012	Generate Session Audit	Inspection Project.xlsx Inspection Excution - Virtual row 13	Complete meeting audit generated.
MVP1-M05-013	Initiate Identity Verification	Inspection Project.xlsx Inspection Excution - Virtual row 14	Verification initiated successfully.
MVP1-M05-014	Send OTP	Inspection Project.xlsx Inspection Excution - Virtual row 15	OTP sent successfully.
MVP1-M05-015	Verify OTP	Inspection Project.xlsx Inspection Excution - Virtual row 16	OTP validated successfully.
MVP1-M05-016	Handle Verification Failure	Inspection Project.xlsx Inspection Excution - Virtual row 17	Failure handled correctly.
MVP1-M05-017	Record Verification Details	Inspection Project.xlsx Inspection Excution - Virtual row 18	Verification stored successfully.
MVP1-M05-018	Update Operational State	Inspection Project.xlsx Inspection Excution - Virtual row 19	Operational State updated successfully.
MVP1-M05-019	Start Inspection	Inspection Project.xlsx Inspection Excution - Virtual row 20	Execution Workspace opens successfully.
MVP1-M05-020	Redirect to Common Execution Engine	Inspection Project.xlsx Inspection Excution - Virtual row 21	Inspector continues using the shared execution flow.

The full mapped requirement set contains 20 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.

09 Virtual Inspection Execution - Identity Verification, Remote Session and Inspection Flow

20 mapped source requirements

MVP1 | Virtual Session | Spreadsheet-first implementation contract

ACTORS Inspector; Factory Representative; Reviewer; System

BUSINESS OUTCOME Appointment, join, ID and OTP verification, readiness, remote inspection, evidence, closure and handoff.

1 Scheduled Virtual Visit

BUSINESS ACTION

Publish remote appointment, time and representative.

KEY OUTPUT

Virtual appointment

2 Appointment & Notifications

BUSINESS ACTION

Send link, instructions, calendar invite and reminders.

KEY OUTPUT

Notification log

3 Session Start

BUSINESS ACTION

Inspector starts secure waiting room.

KEY OUTPUT

Session record

4 Representative Join

BUSINESS ACTION

Capture participant identity context and join time.

KEY OUTPUT

Join event

5 Identity Verification

BUSINESS ACTION

Validate identity information and representative match.

KEY OUTPUT

Identity record

6 OTP Verification

BUSINESS ACTION

Verify one-time password with governed retry/failure path.

KEY OUTPUT

OTP record

7 Readiness / Failure Handling

BUSINESS ACTION

Check camera, audio, network and permissions.

KEY OUTPUT

Readiness result

8 Remote Inspection Execution

BUSINESS ACTION

Conduct guided remote inspection and record session states.

KEY OUTPUT

Remote inspection state

9 Evidence & Notes

BUSINESS ACTION

Capture linked artifacts and observations.

KEY OUTPUT

Evidence package

10 Closure & Handoff

BUSINESS ACTION

Finalize session, compile artifacts and submit for review.

KEY OUTPUT

Review-ready submission

ENTRY / PRECONDITIONS

Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION

Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS

Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL

FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 10 - Level 2 Review, Return and Version Control - Decision Workflow

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB10	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE

MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Review queue, read-only review, decisions, returned-section unlock, resubmission, version comparison and immutable audit.

Primary channel: Web Portal | Primary actors: Level 2 Reviewer; Inspector; Auditor; System | Mapped spreadsheet requirements: 53

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Pending Review Queue	Open submitted inspections by priority/date/factory/inspector.	Review queue
2	Search / Filter / Open	Find and open exact submission version.	Selected version
3	Review Workspace	Track sections, completeness and open issues.	Review context
4	Factory Observations	Validate factory data and observations.	Reviewed observations
5	Report & Checklist	Review responses, scores and compliance outcome.	Reviewed checklist
6	Evidence & Action Forms	Inspect evidence, actions and open items.	Reviewed evidence/actions
7	Approve / Return / Reject	Make governed decision with mandatory comments/reason.	Decision record
8	Returned Summary	Communicate reason, affected sections, blockers and due date.	Return package
9	Unlock Returned Sections Only	Only specified sections become editable.	Selective edit scope
10	Resubmission & New Version	Create new immutable submitted version.	New version
11	Version Comparison	Show exactly what changed.	Diff view
12	Immutable Audit & Timeline	Preserve all submissions, decisions and comments.	Audit timeline

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.

- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.
- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Only Level 2 reviewer can approve, return, or reject. Reviewer cannot edit inspection content.
- Approval is irreversible. Reviewer must confirm before approval is committed.
- Preview is read-only. Reviewer cannot modify penalties from this screen.
- Approved inspection is permanently read-only. Compliance Engine starts only after approval.
- Return reason is mandatory. Reviewer may identify one or more sections requiring correction.
- Returned inspection becomes editable for inspector. Previous submitted version remains locked for audit.
- Rejection reason is mandatory. Reject is final.
- Rejected inspections cannot be reopened. If another inspection is required, a new visit must be created.
- Every decision must be immutable and auditable.
- Timeline is immutable.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M06-001: Reviewer sees only valid actions for Pending Review inspection.
- MVP1-M06-002: Approval confirmation appears before final approval.
- MVP1-M06-003: Reviewer can see consequences before approving.
- MVP1-M06-004: Inspection status becomes Approved and Compliance Management is triggered.
- MVP1-M06-005: Return cannot be submitted without reason.
- MVP1-M06-006: Inspection is returned and inspector can update it.
- MVP1-M06-007: Reject cannot proceed without reason.
- MVP1-M06-008: Inspection is rejected, read-only, and Compliance Engine is not triggered.
- MVP1-M06-009: Complete audit record exists for each decision.
- MVP1-M06-010: Decision appears in inspection timeline.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.
- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M06-001	Review Decision Panel	Inspection Project.xlsx Inspection Execution-Level2Flow row 2	Reviewer sees only valid actions for Pending Review inspection.
MVP1-M06-002	Approve Confirmation	Inspection Project.xlsx Inspection Execution-Level2Flow row 3	Approval confirmation appears before final approval.
MVP1-M06-003	Compliance Preview	Inspection Project.xlsx Inspection Execution-Level2Flow row 4	Reviewer can see consequences before approving.
MVP1-M06-004	Approve Inspection	Inspection Project.xlsx Inspection Execution-Level2Flow row 5	Inspection status becomes Approved and Compliance Management is triggered.
MVP1-M06-005	Return Confirmation	Inspection Project.xlsx Inspection Execution-Level2Flow row 6	Return cannot be submitted without reason.
MVP1-M06-006	Return Inspection	Inspection Project.xlsx Inspection Execution-Level2Flow row 7	Inspection is returned and inspector can update it.
MVP1-M06-007	Reject Confirmation	Inspection Project.xlsx Inspection Execution-Level2Flow row 8	Reject cannot proceed without reason.
MVP1-M06-008	Reject Inspection	Inspection Project.xlsx Inspection Execution-Level2Flow row 9	Inspection is rejected, read-only, and Compliance Engine is not triggered.
MVP1-M06-009	Decision Audit	Inspection Project.xlsx Inspection Execution-Level2Flow row 10	Complete audit record exists for each decision.
MVP1-M06-010	Decision Timeline	Inspection Project.xlsx Inspection Execution-Level2Flow row 11	Decision appears in inspection timeline.
MVP1-M06-011	Version Handling on Return	Inspection Project.xlsx Inspection Execution-Level2Flow row 12	Reviewer can compare previous and latest versions.
MVP1-M06-012	Reviewer Read-Only Rule	Inspection Project.xlsx Inspection Execution-Level2Flow row 13	Reviewer cannot edit submitted inspection fields.
MVP1-M06-013	Display Pending Review Queue	Inspection Project.xlsx Inspection Execution-Level2Flow row 14	Queue loads successfully.
MVP1-M06-014	Search & Filter Queue	Inspection Project.xlsx Inspection Execution-Level2Flow row 15	Filters operate correctly.
MVP1-M06-015	Open Submitted Inspection	Inspection Project.xlsx Inspection Execution-Level2Flow row 16	Package loads successfully.
MVP1-M06-016	Display Inspection Summary	Inspection Project.xlsx Inspection Execution-Level2Flow row 17	Summary displayed successfully.
MVP1-M06-017	Review Factory Verification	Inspection Project.xlsx Inspection Execution-Level2Flow row 18	Changes displayed correctly.
MVP1-M06-018	Review Inspection Report	Inspection Project.xlsx Inspection Execution-Level2Flow row 19	Report displayed successfully.
MVP1-M06-019	Review Inspection Checklist	Inspection Project.xlsx Inspection Execution-Level2Flow row 20	Checklist displayed successfully.
MVP1-M06-020	Review Evidence	Inspection Project.xlsx Inspection Execution-Level2Flow row 21	Evidence displayed successfully.

The full mapped requirement set contains 53 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.

10 Level 2 Review, Return and Version Control - Decision Workflow

53 mapped source requirements


MVP1 | Web Portal | Spreadsheet-first implementation contract

ACTORS

Level 2 Reviewer; Inspector; Auditor; System

BUSINESS OUTCOME

Review queue, read-only review, decisions, returned-section unlock, resubmission, version comparison and immutable audit.



ENTRY / PRECONDITIONS

Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION

Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS

Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL

FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 11 - Factory 360 - Comprehensive Profile, History and Compliance View

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB11	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE
MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Identity, licence, CR, location, products, raw materials, workforce, inspection history, violations, actions, scores, risk and timeline.

Primary channel: Web Portal | Primary actors: Planner; Inspector; Reviewer; Supervisor; Executive | Mapped spreadsheet requirements: 20

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Identity & Registration	Factory identity, CR, licence, branch and authority data.	Factory master profile
2	Location & Map	Official and field-verified location, map and contact points.	Location dossier
3	Products & Raw Materials	Configured products, materials and industrial context.	Operational profile
4	Workforce / Investment / Capacity	Key factory scale and operating metrics.	Capacity snapshot
5	Visit & Inspection History	Chronological visits, inspection types, reports and outcomes.	Inspection history
6	Violations & Penalties	All enforcement history linked to source inspections.	Enforcement history
7	Corrective & Action Items	Open/closed actions, owners, due dates and evidence.	Action history
8	Health & Risk	Current health/risk indicators and drivers.	Risk/health snapshot
9	Documents & Evidence	Source documents and linked evidence with provenance.	Evidence dossier
10	Unified Timeline & Access	Role-controlled longitudinal history across all events.	Factory 360 timeline

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.
- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.
- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Factory 360° is the full profile page, not the small Factory Card.
- Data source is Senaei unless updated through approved future flow.
- License data is read-only in Factory 360°.
- CR info follows latest synchronized source.
- Planner pin does not overwrite license pin. Actual observed location is stored separately.
- Product data is read-only unless future approved update flow exists.
- Read-only.
- Inspector observations do not update source directly in Phase 1.
- Visits are chronological and filterable.
- Submitted/approved inspections remain read-only.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M07-001: User can open complete factory profile.
- MVP1-M07-002: Overview displays correct synchronized data.
- MVP1-M07-003: License details display correctly.
- MVP1-M07-004: CR details display correctly.
- MVP1-M07-005: All location points display correctly.
- MVP1-M07-006: Products display correctly.
- MVP1-M07-007: Raw materials display correctly.
- MVP1-M07-008: Workforce data and observations are visible.
- MVP1-M07-009: Investment section loads correctly.
- MVP1-M07-010: User can view visit history.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.

- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M07-001	Factory Profile Page	Inspection Project.xlsx Factory 360 row 2	User can open complete factory profile.
MVP1-M07-002	Factory Overview	Inspection Project.xlsx Factory 360 row 3	Overview displays correct synchronized data.
MVP1-M07-003	License Information	Inspection Project.xlsx Factory 360 row 4	License details display correctly.
MVP1-M07-004	CR Information	Inspection Project.xlsx Factory 360 row 5	CR details display correctly.
MVP1-M07-005	Location & Map	Inspection Project.xlsx Factory 360 row 6	All location points display correctly.
MVP1-M07-006	Products	Inspection Project.xlsx Factory 360 row 7	Products display correctly.
MVP1-M07-007	Raw Materials	Inspection Project.xlsx Factory 360 row 8	Raw materials display correctly.
MVP1-M07-008	Workforce	Inspection Project.xlsx Factory 360 row 9	Workforce data and observations are visible.
MVP1-M07-009	Investment & Capacity	Inspection Project.xlsx Factory 360 row 10	Investment section loads correctly.
MVP1-M07-010	Visit History	Inspection Project.xlsx Factory 360 row 11	User can view visit history.
MVP1-M07-011	Inspection History	Inspection Project.xlsx Factory 360 row 12	Inspection history displays correctly.
MVP1-M07-012	Violations & Penalties	Inspection Project.xlsx Factory 360 row 13	Violations and penalties display correctly.
MVP1-M07-013	Corrective Actions	Inspection Project.xlsx Factory 360 row 14	Corrective actions show status and due date.
MVP1-M07-014	Factory Health Score	Inspection Project.xlsx Factory 360 row 15	Score and history display correctly.
MVP1-M07-015	Risk Profile	Inspection Project.xlsx Factory 360 row 16	Risk profile displays correctly.
MVP1-M07-016	Documents & Evidence	Inspection Project.xlsx Factory 360 row 17	Authorized users can view documents.
MVP1-M07-017	Factory Timeline	Inspection Project.xlsx Factory 360 row 18	Timeline accurately shows factory history.
MVP1-M07-018	Factory Card Link	Inspection Project.xlsx Factory 360 row 19	User can open full profile from card.
MVP1-M07-019	Access Control	Inspection Project.xlsx Factory 360 row 20	Unauthorized sections are hidden/blocked.
MVP1-M07-020	Error Handling	Inspection Project.xlsx Factory 360 row 21	User sees available data and clear error message.

The full mapped requirement set contains 20 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.

11 Factory 360 - Comprehensive Profile, History and Compliance View

20 mapped source requirements

MVP1 | Web Portal | Spreadsheet-first implementation contract

ACTORS Planner; Inspector; Reviewer; Supervisor; Executive

BUSINESS OUTCOME Identity, licence, CR, location, products, raw materials, workforce, inspection history, violations, actions, scores, risk and timeline.

1 Identity & Registration

BUSINESS ACTION
Factory identity, CR, licence, branch and authority data.

KEY OUTPUT
Factory master profile

2 Location & Map

BUSINESS ACTION
Official and field-verified location, map and contact points.

KEY OUTPUT
Location dossier

3 Products & Raw Materials

BUSINESS ACTION
Configured products, materials and industrial context.

KEY OUTPUT
Operational profile

4 Workforce / Investment / Capacity

BUSINESS ACTION
Key factory scale and operating metrics.

KEY OUTPUT
Capacity snapshot

5 Visit & Inspection History

BUSINESS ACTION
Chronological visits, inspection types, reports and outcomes.

KEY OUTPUT
Inspection history

6 Violations & Penalties

BUSINESS ACTION
All enforcement history linked to source inspections.

KEY OUTPUT
Enforcement history

7 Corrective & Action Items

BUSINESS ACTION
Open/closed actions, owners, due dates and evidence.

KEY OUTPUT
Action history

8 Health & Risk

BUSINESS ACTION
Current health/risk indicators and drivers.

KEY OUTPUT
Risk/health snapshot

9 Documents & Evidence

BUSINESS ACTION
Source documents and linked evidence with provenance.

KEY OUTPUT
Evidence dossier

10 Unified Timeline & Access

BUSINESS ACTION
Role-controlled longitudinal history across all events.

KEY OUTPUT
Factory 360 timeline

ENTRY / PRECONDITIONS

Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION

Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS

Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL

FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 12 - Operations Center - Command Dashboard, Live Map and Monitoring

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB12	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE

MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Live operations map, visit/inspector states, SLA, risk, alerts, workload, cancellations, GPS overrides and tracking history.

Primary channel: Operations Center | Primary actors: Operations Center Analyst; Supervisor; Executive | Mapped spreadsheet requirements: 19

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Command Dashboard	National/operational summary of visits, execution and exceptions.	Command KPIs
2	Live Map	Synchronized map and list of inspectors, visits and sites.	Live operational map
3	Visit Monitoring	Track planned, en route, checked-in, executing, review and closed states.	Visit state feed
4	Inspector Monitoring	Workload, availability and active journey/execution context.	Inspector state
5	SLA Monitoring	Due, at-risk, overdue and breached work.	SLA status
6	Risk Monitoring	High-risk factories/visits and drivers.	Risk alerts
7	Alerts & Exceptions	Operational exceptions, blockers and escalations.	Exception queue
8	Cancellation & GPS Overrides	Dedicated monitoring with reasons and approval trail.	Exception records
9	Tracking History	Review journey/location history subject to policy.	Tracking history
10	Fault Isolation & Export	One widget failure cannot break command center; export governed data.	Resilient dashboard

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.
- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.

- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Operations Center is monitoring-only unless user has supervisor permissions.
- Map refresh interval is configurable.
- Operational state is separate from workflow status.
- Inspector location visible only during active journey/execution and based on policy.
- SLA uses server timestamps.
- Risk indicators are read-only.
- Alert rules are configurable.
- Drilldown is read-only unless user has action permission.
- Same access rules as Factory 360°.
- Users see only authorized regions.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M08-001: Dashboard loads live inspection status.
- MVP1-M08-002: Live map shows accurate locations.
- MVP1-M08-003: Visits display correct current state.
- MVP1-M08-004: Supervisor can monitor inspector status.
- MVP1-M08-005: SLA breaches display correctly.
- MVP1-M08-006: High-risk items are visible and filterable.
- MVP1-M08-007: Alerts are generated for configured events.
- MVP1-M08-008: User can open visit detail.
- MVP1-M08-009: User can open factory profile.
- MVP1-M08-010: Region filters work correctly.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.
- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M08-001	Command Center Dashboard	Inspection Project.xlsx Ops center row 2	Dashboard loads live inspection status.
MVP1-M08-002	Live Operations Map	Inspection Project.xlsx Ops center row 3	Live map shows accurate locations.
MVP1-M08-003	Visit Monitoring	Inspection Project.xlsx Ops center row 4	Visits display correct current state.
MVP1-M08-004	Inspector Monitoring	Inspection Project.xlsx Ops center row 5	Supervisor can monitor inspector status.
MVP1-M08-005	SLA Monitoring	Inspection Project.xlsx Ops center row 6	SLA breaches display correctly.
MVP1-M08-006	Risk Monitoring	Inspection Project.xlsx Ops center row 7	High-risk items are visible and filterable.
MVP1-M08-007	Alert Management	Inspection Project.xlsx Ops center row 8	Alerts are generated for configured events.
MVP1-M08-008	Drilldown to Visit	Inspection Project.xlsx Ops center row 9	User can open visit detail.
MVP1-M08-009	Drilldown to Factory 360°	Inspection Project.xlsx Ops center row 10	User can open factory profile.
MVP1-M08-010	Branch / Region Filtering	Inspection Project.xlsx Ops center row 11	Region filters work correctly.
MVP1-M08-011	Workload Monitoring	Inspection Project.xlsx Ops center row 12	Workload metrics display correctly.
MVP1-M08-012	Cancellation Monitoring	Inspection Project.xlsx Ops center row 13	Cancellations are visible and categorized.
MVP1-M08-013	GPS Override Monitoring	Inspection Project.xlsx Ops center row 14	GPS overrides are traceable.
MVP1-M08-014	Live Tracking History	Inspection Project.xlsx Ops center row 15	Route history displays correctly.
MVP1-M08-015	Operational Timeline	Inspection Project.xlsx Ops center row 16	Timeline reflects all major events.
MVP1-M08-016	Operations KPIs	Inspection Project.xlsx Ops center row 17	KPIs display accurately.
MVP1-M08-017	Export Operational Data	Inspection Project.xlsx Ops center row 18	Authorized user can export data.
MVP1-M08-018	Access Control	Inspection Project.xlsx Ops center row 19	Access restrictions apply correctly.
MVP1-M08-019	Error Handling	Inspection Project.xlsx Ops center row 20	Dashboard remains usable with clear error messages.

The full mapped requirement set contains 19 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.

12 Operations Center - Command Dashboard, Live Map and Monitoring

19 mapped source requirements

MVP1 | Operations Center | Spreadsheet-first implementation contract

ACTORS Operations Center Analyst; Supervisor; Executive

BUSINESS OUTCOME Live operations map, visit/inspector states, SLA, risk, alerts, workload, cancellations, GPS overrides and tracking history.

1 **Command Dashboard**

BUSINESS ACTION
National/operational summary of visits, execution and exceptions.

KEY OUTPUT
Command KPIs

2 **Live Map**

BUSINESS ACTION
Synchronized map and list of inspectors, visits and sites.

KEY OUTPUT
Live operational map

3 **Visit Monitoring**

BUSINESS ACTION
Track planned, en route, checked-in, executing, review and closed states.

KEY OUTPUT
Visit state feed

4 **Inspector Monitoring**

BUSINESS ACTION
Workload, availability and active journey/execution context.

KEY OUTPUT
Inspector state

5 **SLA Monitoring**

BUSINESS ACTION
Due, at-risk, overdue and breached work.

KEY OUTPUT
SLA status

6 **Risk Monitoring**

BUSINESS ACTION
High-risk factories/visits and drivers.

KEY OUTPUT
Risk alerts

7 **Alerts & Exceptions**

BUSINESS ACTION
Operational exceptions, blockers and escalations.

KEY OUTPUT
Exception queue

8 **Cancellation & GPS Overrides**

BUSINESS ACTION
Dedicated monitoring with reasons and approval trail.

KEY OUTPUT
Exception records

9 **Tracking History**

BUSINESS ACTION
Review journey/location history subject to policy.

KEY OUTPUT
Tracking history

10 **Fault Isolation & Export**

BUSINESS ACTION
One widget failure cannot break command center; export governed data.

KEY OUTPUT
Resilient dashboard

ENTRY / PRECONDITIONS

Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION

Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS

Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL

FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 13 - Compliance Runtime - Package, Response, Evidence, Scoring and Trigger Semantics

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB13	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE
MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Required/optional items, response meanings, evidence override, scoring, violation/penalty mapping and action-form blocking.

Primary channel: Admin + Runtime | Primary actors: Compliance Admin; Inspector; Reviewer; System | Mapped spreadsheet requirements: 16

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Resolve Published Package	Runtime selects exact package/version for visit.	Resolved package version
2	Render Sections & Items	Show ordered sections/groups and item semantics.	Dynamic inspection form
3	Required / Optional / Conditional	Apply item-level mandatory rules.	Validation behavior
4	Response Meaning Mapping	Map user response to configured compliance result.	Compliance result
5	Evidence Override Rules	Require evidence based on item and response.	Evidence requirement
6	Scoring & Exclusion	Calculate score and excluded responses/items correctly.	Score result
7	Violation Trigger	Create configured violation from result.	Violation record
8	Penalty Mapping	Resolve governed penalty relationship.	Penalty outcome
9	Action Form Blocking	Open mandatory action forms and block submission if incomplete.	Action-form state
10	Runtime Lock & Audit	Keep active inspection on immutable published version.	Version/audit reference

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.
- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.

- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Violation is generated automatically during inspection. Inspector cannot override predefined violation.
- One violation has only one penalty. Penalty is shown to inspector as information and issued only after approval.
- Evidence rules are configured per inspection item. Missing mandatory evidence blocks submission.
- Package can contain one or more forms and inspection items. Visit can support one or multiple packages if configured.
- Same item can be reused across packages. Required items cannot be removed during execution. Optional items may be selected/unselected by inspector.
- Template configuration is managed in Template Builder. Compliance only consumes active templates.
- Action forms are generated dynamically during inspection and must be completed if mandatory.
- Response outcome must be configurable, not hardcoded.
- Hidden conditional items are excluded from mandatory validation.
- Conditional mandatory items block submission only when active.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M09-003: Violation is triggered correctly.
- MVP1-M09-004: Penalty is linked and displayed correctly.
- MVP1-M09-005: Evidence requirement is enforced correctly.
- MVP1-M09-006: Package can be created and used in execution.
- MVP1-M09-007: Package checklist renders correctly.
- MVP1-M09-008: Correct template is used at runtime.
- MVP1-M09-009: Correct action form is generated.
- MVP1-M09-019: Selected response triggers correct result.
- MVP1-M09-021: Conditional items appear only when rule is met.
- MVP1-M09-022: Submission validation respects conditional mandatory logic.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.
- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M09-003	Violation Management	Inspection Project.xlsx Compliance row 4	Violation is triggered correctly.
MVP1-M09-004	Penalty Management	Inspection Project.xlsx Compliance row 5	Penalty is linked and displayed correctly.
MVP1-M09-005	Evidence Rule Configuration	Inspection Project.xlsx Compliance row 6	Evidence requirement is enforced correctly.
MVP1-M09-006	Report Package Management	Inspection Project.xlsx Compliance row 7	Package can be created and used in execution.
MVP1-M09-007	Package Item Assignment	Inspection Project.xlsx Compliance row 8	Package checklist renders correctly.
MVP1-M09-008	Dynamic Template Assignment	Inspection Project.xlsx Compliance row 9	Correct template is used at runtime.
MVP1-M09-009	Action Form Trigger Configuration	Inspection Project.xlsx Compliance row 10	Correct action form is generated.
MVP1-M09-019	Response Mapping	Inspection Project.xlsx Compliance row 20	Selected response triggers correct result.
MVP1-M09-021	Conditional Item Logic	Inspection Project.xlsx Compliance row 22	Conditional items appear only when rule is met.
MVP1-M09-022	Conditional Mandatory Logic	Inspection Project.xlsx Compliance row 23	Submission validation respects conditional mandatory logic.
MVP1-M09-023	Item Weight / Score	Inspection Project.xlsx Compliance row 24	Item score is stored and available for calculations.
MVP1-M09-024	Score Exclusion Rule	Inspection Project.xlsx Compliance row 25	Excluded items are ignored in score.
MVP1-M09-025	Response-Based Evidence Rule	Inspection Project.xlsx Compliance row 26	Evidence validation applies correctly.
MVP1-M09-026	Violation Trigger Rule	Inspection Project.xlsx Compliance row 27	Correct violation is generated.
MVP1-M09-027	Action Form Requirement Rule	Inspection Project.xlsx Compliance row 28	Execution blocks submission when required form is incomplete.
MVP1-M09-030	Runtime Locking	Inspection Project.xlsx Compliance row 31	Execution uses the locked version only.

The full mapped requirement set contains 16 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.

13 Compliance Runtime - Package, Response, Evidence, Scoring and Trigger Semantics

16 mapped source requirements

MVP1 | Admin + Runtime | Spreadsheet-first implementation contract

ACTORS Compliance Admin; Inspector; Reviewer; System

BUSINESS OUTCOME Required/optional items, response meanings, evidence override, scoring, violation/penalty mapping and action-form blocking.

1 Resolve Published Package

BUSINESS ACTION
Runtime selects exact package/version for visit.

KEY OUTPUT
Resolved package version

2 Render Sections & Items

BUSINESS ACTION
Show ordered sections/groups and item semantics.

KEY OUTPUT
Dynamic inspection form

3 Required / Optional / Conditional

BUSINESS ACTION
Apply item-level mandatory rules.

KEY OUTPUT
Validation behavior

4 Response Meaning Mapping

BUSINESS ACTION
Map user response to configured compliance result.

KEY OUTPUT
Compliance result

5 Evidence Override Rules

BUSINESS ACTION
Require evidence based on item and response.

KEY OUTPUT
Evidence requirement

6 Scoring & Exclusion

BUSINESS ACTION
Calculate score and excluded responses/items correctly.

KEY OUTPUT
Score result

7 Violation Trigger

BUSINESS ACTION
Create configured violation from result.

KEY OUTPUT
Violation record

8 Penalty Mapping

BUSINESS ACTION
Resolve governed penalty relationship.

KEY OUTPUT
Penalty outcome

9 Action Form Blocking

BUSINESS ACTION
Open mandatory action forms and block submission if incomplete.

KEY OUTPUT
Action-form state

10 Runtime Lock & Audit

BUSINESS ACTION
Keep active inspection on immutable published version.

KEY OUTPUT
Version/audit reference

ENTRY / PRECONDITIONS

Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION

Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS

Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL

FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 14 - Journey Telemetry, Location and Exception Control

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB14	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE

MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

ETA, remaining distance, route deviation, arrival radius, GPS accuracy, check-in evidence, overrides and exception handling.

Primary channel: Inspector + Operations | Primary actors: Inspector; Operations Analyst; System | Mapped spreadsheet requirements: 36

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Journey Start	Create journey session for accepted visit.	Journey session
2	Device Readiness	Capture device, GPS, network and offline state.	Device telemetry
3	Route Guidance	Plan route and expected journey metrics.	Route plan
4	ETA & Remaining Distance	Update progress continuously.	Journey metrics
5	Route Deviation	Detect deviation from planned route.	Deviation event
6	Arrival Radius	Detect expected arrival proximity.	Arrival event
7	Geofence Entry	Validate boundary and location accuracy.	Geofence event
8	Check-in Evidence	Record official/observed coordinates, time and device.	Check-in record
9	Override / Exception	Govern low accuracy, GPS override or inability to execute.	Exception/override record
10	Operations Synchronization	Expose current state and history to Operations Center.	Operational telemetry

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.
- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.
- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Journey cannot start without a destination.
- One active journey per visit.
- Server time is the official audit time.
- Coordinates stored as audit evidence.
- Used later for audit and investigation.
- Tracking continues until inspection begins or journey is cancelled.
- Every operational event must appear in timeline.
- Tracking starts only after successful Start Journey.
- Every GPS point is linked to the journey session.
- Map refresh interval shall be configurable.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M04-004: Navigation starts using the correct destination.
- MVP1-M04-008: Journey session created successfully.
- MVP1-M04-009: Journey start time recorded.
- MVP1-M04-010: GPS stored successfully.
- MVP1-M04-011: GPS accuracy stored.
- MVP1-M04-014: Operations Center receives live location updates.
- MVP1-M04-015: Timeline initialized successfully.
- MVP1-M04-021: Live tracking starts successfully.
- MVP1-M04-022: GPS history is stored successfully.
- MVP1-M04-023: Operations users can monitor inspector movement.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.

- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M04-004	Validate Factory Location	Inspection Project.xlsx Inspection excution-Start jou row 5	Navigation starts using the correct destination.
MVP1-M04-008	Create Journey Session	Inspection Project.xlsx Inspection excution-Start jou row 9	Journey session created successfully.
MVP1-M04-009	Capture Journey Start Time	Inspection Project.xlsx Inspection excution-Start jou row 10	Journey start time recorded.
MVP1-M04-010	Capture Journey Start GPS	Inspection Project.xlsx Inspection excution-Start jou row 11	GPS stored successfully.
MVP1-M04-011	Capture GPS Accuracy	Inspection Project.xlsx Inspection excution-Start jou row 12	GPS accuracy stored.
MVP1-M04-014	Start Live Tracking	Inspection Project.xlsx Inspection excution-Start jou row 15	Operations Center receives live location updates.
MVP1-M04-015	Initialize Journey Timeline	Inspection Project.xlsx Inspection excution-Start jou row 16	Timeline initialized successfully.
MVP1-M04-021	Activate Live Journey Tracking	Inspection Project.xlsx Inspection excution-Start jou row 22	Live tracking starts successfully.
MVP1-M04-022	Capture Live GPS Coordinates	Inspection Project.xlsx Inspection excution-Start jou row 23	GPS history is stored successfully.
MVP1-M04-023	Update Inspector Location on Operations Map	Inspection Project.xlsx Inspection excution-Start jou row 24	Operations users can monitor inspector movement.
MVP1-M04-024	Calculate Estimated Time of Arrival (ETA)	Inspection Project.xlsx Inspection excution-Start jou row 25	ETA displayed accurately.
MVP1-M04-026	Monitor Journey Progress	Inspection Project.xlsx Inspection excution-Start jou row 27	Progress updates correctly.
MVP1-M04-027	Monitor GPS Accuracy	Inspection Project.xlsx Inspection excution-Start jou row 28	GPS quality recorded correctly.
MVP1-M04-030	Synchronize Offline Journey Data	Inspection Project.xlsx Inspection excution-Start jou row 31	Queued data synchronized successfully.
MVP1-M04-031	Monitor Route Deviation	Inspection Project.xlsx Inspection excution-Start jou row 32	Deviation events recorded.
MVP1-M04-032	Detect Arrival Radius	Inspection Project.xlsx Inspection excution-Start jou row 33	Arrival eligibility evaluated correctly.
MVP1-M04-033	Record Journey Timeline Events	Inspection Project.xlsx Inspection excution-Start jou row 34	Timeline contains all operational events.
MVP1-M04-035	Display Journey Status	Inspection Project.xlsx Inspection excution-Start jou row 36	Journey dashboard displays current operational status.
MVP1-M04-036	Handle Journey Exceptions	Inspection Project.xlsx Inspection excution-Start jou row 37	Journey remains recoverable after unexpected failures.
MVP1-M04-037	Detect Arrival Radius	Inspection Project.xlsx Inspection excution-Start jou row 38	System correctly identifies when the inspector enters the allowed arrival radius.

The full mapped requirement set contains 36 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.

14 Journey Telemetry, Location and Exception Control

36 mapped source requirements

MVP1 | Inspector + Operations | Spreadsheet-first implementation contract

ACTORS Inspector; Operations Analyst; System

BUSINESS OUTCOME ETA, remaining distance, route deviation, arrival radius, GPS accuracy, check-in evidence, overrides and exception handling.

1 Journey Start

BUSINESS ACTION
Create journey session for accepted visit.
KEY OUTPUT
Journey session

2 Device Readiness

BUSINESS ACTION
Capture device, GPS, network and offline state.
KEY OUTPUT
Device telemetry

3 Route Guidance

BUSINESS ACTION
Plan route and expected journey metrics.
KEY OUTPUT
Route plan

4 ETA & Remaining Distance

BUSINESS ACTION
Update progress continuously.
KEY OUTPUT
Journey metrics

5 Route Deviation

BUSINESS ACTION
Detect deviation from planned route.
KEY OUTPUT
Deviation event

6 Arrival Radius

BUSINESS ACTION
Detect expected arrival proximity.
KEY OUTPUT
Arrival event

7 Geofence Entry

BUSINESS ACTION
Validate boundary and location accuracy.
KEY OUTPUT
Geofence event

8 Check-in Evidence

BUSINESS ACTION
Record official/observed coordinates, time and device.
KEY OUTPUT
Check-in record

9 Override / Exception

BUSINESS ACTION
Govern low accuracy, GPS override or inability to execute.
KEY OUTPUT
Exception/override record

10 Operations Synchronization

BUSINESS ACTION
Expose current state and history to Operations Center.
KEY OUTPUT
Operational telemetry

ENTRY / PRECONDITIONS

Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION

Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS

Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL

FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 15 - Evidence, Violations, Penalties and Action Forms

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB15	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE

MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Capture rules, chain of custody, auto-generated violations, penalty visibility, corrective/action forms and review traceability.

Primary channel: Inspector + Reviewer | Primary actors: Inspector; Reviewer; Compliance Admin; System | Mapped spreadsheet requirements: 54

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Capture Response	Inspector records checklist/report result.	Response record
2	Evaluate Evidence Rule	System determines mandatory/optional evidence.	Evidence requirement
3	Capture Evidence	Create linked evidence with metadata and content identity.	Evidence record
4	Generate Finding	Create finding/observation where required.	Finding record
5	Trigger Violation	Apply published violation rules.	Violation record
6	Resolve Penalty	Apply configured penalty relationship/range.	Penalty record
7	Open Action Form	Create mandatory corrective/legal/action form.	Action form
8	Track Owner / Due Date	Assign responsibility and priority.	Action tracking
9	Review Traceability	Reviewer sees full response-evidence-violation-action lineage.	Review chain
10	Factory 360 History	Accepted outcomes update longitudinal factory dossier.	Historical record

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.
- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.

- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Arrival evidence requirements shall be configurable.
- Evidence requirements are configurable per cancellation reason.
- Action Forms step appears only when required.
- Evidence can be attached to any verified field.
- Original evidence shall never be overwritten.
- Evidence remains attached to the originating field.
- Original image shall never be modified.
- Historical evidence is read-only.
- Inspector cannot modify generated violation.
- Penalty is informational during inspection.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M04-045: Required evidence is successfully attached.
- MVP1-M04-058: Mandatory evidence is enforced correctly.
- MVP1-M04-084: Wizard hides unnecessary steps.
- MVP1-M04-108: Evidence linked successfully.
- MVP1-M04-109: Annotated evidence stored successfully.
- MVP1-M04-123: Evidence linked successfully.
- MVP1-M04-124: Annotation stored successfully.
- MVP1-M04-137: Historical evidence displayed correctly.
- MVP1-M04-142: Correct violation generated automatically.
- MVP1-M04-143: Correct penalty displayed.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.
- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M04-045	Capture Arrival Evidence	Inspection Project.xlsx Inspection excution-Start jou row 46	Required evidence is successfully attached.
MVP1-M04-058	Capture Cancellation Evidence	Inspection Project.xlsx Inspection excution-Start jou row 59	Mandatory evidence is enforced correctly.
MVP1-M04-084	Skip Empty Action Forms Step	Inspection Project.xlsx Inspection excution-Start jou row 85	Wizard hides unnecessary steps.
MVP1-M04-108	Attach Evidence to Factory Data	Inspection Project.xlsx Inspection excution-Start jou row 109	Evidence linked successfully.
MVP1-M04-109	Annotate Evidence	Inspection Project.xlsx Inspection excution-Start jou row 110	Annotated evidence stored successfully.
MVP1-M04-123	Attach Evidence to Report Fields	Inspection Project.xlsx Inspection excution-Start jou row 124	Evidence linked successfully.
MVP1-M04-124	Annotate Report Evidence	Inspection Project.xlsx Inspection excution-Start jou row 125	Annotation stored successfully.
MVP1-M04-137	Load Previous Evidence	Inspection Project.xlsx Inspection excution-Start jou row 138	Historical evidence displayed correctly.
MVP1-M04-142	Generate Violation	Inspection Project.xlsx Inspection excution-Start jou row 143	Correct violation generated automatically.
MVP1-M04-143	Display Penalty	Inspection Project.xlsx Inspection excution-Start jou row 144	Correct penalty displayed.
MVP1-M04-146	Attach Evidence to Inspection Item	Inspection Project.xlsx Inspection excution-Start jou row 147	Evidence linked correctly.
MVP1-M04-147	Annotate Inspection Evidence	Inspection Project.xlsx Inspection excution-Start jou row 148	Annotation stored successfully.
MVP1-M04-154	Upload Evidence	Inspection Project.xlsx Inspection excution-Start jou row 155	Evidence uploaded successfully.
MVP1-M04-155	Select Evidence Source	Inspection Project.xlsx Inspection excution-Start jou row 156	Selected source opened successfully.
MVP1-M04-159	Add Evidence Comment	Inspection Project.xlsx Inspection excution-Start jou row 160	Comment stored successfully.
MVP1-M04-161	Link Evidence	Inspection Project.xlsx Inspection excution-Start jou row 162	Evidence linked correctly.
MVP1-M04-162	Preview Evidence	Inspection Project.xlsx Inspection excution-Start jou row 163	Evidence preview available.
MVP1-M04-163	Replace Evidence	Inspection Project.xlsx Inspection excution-Start jou row 164	Previous version retained in audit.
MVP1-M04-164	Delete Evidence	Inspection Project.xlsx Inspection excution-Start jou row 165	Evidence removed successfully.
MVP1-M04-165	Validate Evidence	Inspection Project.xlsx Inspection excution-Start jou row 166	Validation performed successfully.

The full mapped requirement set contains 54 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.

15 Evidence, Violations, Penalties and Action Forms

54 mapped source requirements

MVP1 | Inspector + Reviewer | Spreadsheet-first implementation contract

ACTORS Inspector; Reviewer; Compliance Admin; System

BUSINESS OUTCOME Capture rules, chain of custody, auto-generated violations, penalty visibility, corrective/action forms and review traceability.

1 Capture Response

BUSINESS ACTION

Inspector records checklist/report result.

KEY OUTPUT

Response record

2 Evaluate Evidence Rule

BUSINESS ACTION

System determines mandatory/optional evidence.

KEY OUTPUT

Evidence requirement

3 Capture Evidence

BUSINESS ACTION

Create linked evidence with metadata and content identity.

KEY OUTPUT

Evidence record

4 Generate Finding

BUSINESS ACTION

Create finding/observation where required.

KEY OUTPUT

Finding record

5 Trigger Violation

BUSINESS ACTION

Apply published violation rules.

KEY OUTPUT

Violation record

6 Resolve Penalty

BUSINESS ACTION

Apply configured penalty relationship/range.

KEY OUTPUT

Penalty record

7 Open Action Form

BUSINESS ACTION

Create mandatory corrective/legal/action form.

KEY OUTPUT

Action form

8 Track Owner / Due Date

BUSINESS ACTION

Assign responsibility and priority.

KEY OUTPUT

Action tracking

9 Review Traceability

BUSINESS ACTION

Reviewer sees full response-evidence-violation-action lineage.

KEY OUTPUT

Review chain

10 Factory 360 History

BUSINESS ACTION

Accepted outcomes update longitudinal factory dossier.

KEY OUTPUT

Historical record

ENTRY / PRECONDITIONS

Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION

Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS

Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL

FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 16 - Inspection Submission, Locking, Version Creation and Handoff

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB16	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE

MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Pre-submit validation, signatures where applicable, immutable submitted version, audit and handoff to Level 2 review.

Primary channel: Inspector + System | Primary actors: Inspector; System; Level 2 Reviewer | Mapped spreadsheet requirements: 26

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Completion Summary	Show progress and unresolved mandatory gaps.	Completion status
2	Mandatory Field Validation	Validate report/checklist values.	Validation result
3	Evidence Validation	Validate required evidence and item linkage.	Evidence result
4	Action Form Validation	Require all blocking forms complete.	Action result
5	Signature / Acknowledgement	Capture only where required by approved MVP1 flow.	Signature record
6	Final Confirmation	Inspector confirms submission intent.	Submission confirmation
7	Create Immutable Version	Lock exact report/checklist/evidence/config versions.	Submitted version
8	Generate Report / IDs	Generate submission/report identifiers.	Report artifact
9	Audit Submission	Record actor, device, time, state, package/version references.	Submission audit
10	Handoff to Level 2	Create review queue item and notifications.	Review-ready case

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.
- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.
- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Package version is frozen after download. Future changes by planners shall not affect the ongoing inspection.
- Planner changes after execution starts shall not affect the active inspection.
- Submitted inspections become permanently read-only.
- Report becomes immutable immediately after submission.
- Checklist becomes immutable after submission.
- Signature requirement is configurable.
- Forms become immutable after submission.
- Signature requirements depend on Action Form configuration.
- Submit button remains disabled while blocking issues exist.
- Submit is only available after Review validation passes.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M04-005: Package downloads successfully before journey begins.
- MVP1-M04-063: Package remains unchanged throughout execution.
- MVP1-M04-092: Inspector cannot edit after submission.
- MVP1-M04-129: Report cannot be modified after submission.
- MVP1-M04-151: Checklist cannot be modified after submission.
- MVP1-M04-180: Required signatures captured successfully.
- MVP1-M04-186: Action Forms cannot be edited.
- MVP1-M04-197: Signature status displayed correctly.
- MVP1-M04-204: Submit button enabled only when inspection is ready.
- MVP1-M04-207: Submission process starts successfully.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.

- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M04-005	Download Locked Inspection Package	Inspection Project.xlsx Inspection excution-Start jou row 6	Package downloads successfully before journey begins.
MVP1-M04-063	Lock Inspection Package	Inspection Project.xlsx Inspection excution-Start jou row 64	Package remains unchanged throughout execution.
MVP1-M04-092	Lock Completed Navigation After Submission	Inspection Project.xlsx Inspection excution-Start jou row 93	Inspector cannot edit after submission.
MVP1-M04-129	Lock Report After Submission	Inspection Project.xlsx Inspection excution-Start jou row 130	Report cannot be modified after submission.
MVP1-M04-151	Lock Checklist After Submission	Inspection Project.xlsx Inspection excution-Start jou row 152	Checklist cannot be modified after submission.
MVP1-M04-180	Capture Digital Signature	Inspection Project.xlsx Inspection excution-Start jou row 181	Required signatures captured successfully.
MVP1-M04-186	Lock Action Forms After Submission	Inspection Project.xlsx Inspection excution-Start jou row 187	Action Forms cannot be edited.
MVP1-M04-197	Review Signatures	Inspection Project.xlsx Inspection excution-Start jou row 198	Signature status displayed correctly.
MVP1-M04-204	Determine Submission Readiness	Inspection Project.xlsx Inspection excution-Start jou row 205	Submit button enabled only when inspection is ready.
MVP1-M04-207	Submit Inspection	Inspection Project.xlsx Inspection excution-Start jou row 208	Submission process starts successfully.
MVP1-M04-208	Execute Final Validation	Inspection Project.xlsx Inspection excution-Start jou row 209	Submission blocked if validation fails.
MVP1-M04-211	Lock Inspection Package	Inspection Project.xlsx Inspection excution-Start jou row 212	Package version preserved successfully.
MVP1-M04-212	Finalize Evidence Repository	Inspection Project.xlsx Inspection excution-Start jou row 213	Evidence repository finalized successfully.
MVP1-M04-213	Finalize Action Forms	Inspection Project.xlsx Inspection excution-Start jou row 214	Action Forms finalized successfully.
MVP1-M04-222	Generate Submission Audit Events	Inspection Project.xlsx Inspection excution-Start jou row 223	Complete submission audit history available.
MVP1-M04-223	Handle Submission Failures	Inspection Project.xlsx Inspection excution-Start jou row 224	Submission failures recover safely without corrupting the inspection.
MVP1-M06-011	Version Handling on Return	Inspection Project.xlsx Inspection Excution-Level2Flow row 12	Reviewer can compare previous and latest versions.
MVP1-M06-015	Open Submitted Inspection	Inspection Project.xlsx Inspection Excution-Level2Flow row 16	Package loads successfully.
MVP1-M06-023	Review Version History	Inspection Project.xlsx Inspection Excution-Level2Flow row 24	Version comparison works correctly.
MVP1-M06-040	Review Version History	Inspection Project.xlsx Inspection Excution-Level2Flow row 41	Reviewer can compare resubmissions.

The full mapped requirement set contains 26 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.


16 Inspection Submission, Locking, Version Creation and Handoff

26 mapped source requirements

MVP1 | Inspector + System | Spreadsheet-first implementation contract

ACTORSInspector; System; Level 2 Reviewer

BUSINESS OUTCOMEPre-submit validation, signatures where applicable, immutable submitted version, audit and handoff to Level 2 review.



ENTRY / PRECONDITIONS
Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION
Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS
Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL
FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 17 - Returned Inspection Correction, Resubmission and Version Comparison

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB17	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE

MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Returned section targeting, selective unlock, immutable reviewer comments, new versions and before/after comparison.

Primary channel: Inspector + Reviewer | Primary actors: Inspector; Level 2 Reviewer; System | Mapped spreadsheet requirements: 16

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Receive Return Decision	Inspector receives immutable reviewer comments and reason.	Return notice
2	Identify Affected Sections	Show only sections/items targeted for correction.	Return scope
3	Lock Unaffected Content	All other submitted content remains read-only.	Locked baseline
4	Edit Returned Sections	Inspector corrects only allowed scope.	Corrected draft
5	Add New Evidence / Forms	Add new artifacts without rewriting original history.	Correction evidence
6	Validate Corrections	Re-run mandatory rules on returned scope.	Correction validation
7	Create New Version	Resubmission creates immutable new version.	Version N+1
8	Compare Versions	Highlight changes by section/item/evidence.	Version diff
9	Reopen Review	Reviewer evaluates latest version with prior history visible.	Re-review state
10	Preserve Timeline	All versions, comments and decisions remain immutable.	Audit timeline

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.
- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.

- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Return reason is mandatory. Reviewer may identify one or more sections requiring correction.
- Returned inspection becomes editable for inspector. Previous submitted version remains locked for audit.
- No submitted version is overwritten. Latest submitted version is used for review.
- All submitted versions remain available.
- Return reason is mandatory.
- No version is overwritten.
- Only assigned inspector can update returned inspection.
- Inspector can edit only returned sections.
- Returned draft remains editable until resubmitted.
- Every resubmission creates new version. Previous version remains locked.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M06-005: Return cannot be submitted without reason.
- MVP1-M06-006: Inspection is returned and inspector can update it.
- MVP1-M06-011: Reviewer can compare previous and latest versions.
- MVP1-M06-023: Version comparison works correctly.
- MVP1-M06-024: Inspection successfully returned.
- MVP1-M06-040: Reviewer can compare resubmissions.
- MVP1-M06-041: Inspector receives returned inspection.
- MVP1-M06-042: Inspector understands required corrections.
- MVP1-M06-043: Only returned sections are editable.
- MVP1-M06-044: Returned updates are saved.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.
- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M06-005	Return Confirmation	Inspection Project.xlsx Inspection Excution-Level2Flow row 6	Return cannot be submitted without reason.
MVP1-M06-006	Return Inspection	Inspection Project.xlsx Inspection Excution-Level2Flow row 7	Inspection is returned and inspector can update it.
MVP1-M06-011	Version Handling on Return	Inspection Project.xlsx Inspection Excution-Level2Flow row 12	Reviewer can compare previous and latest versions.
MVP1-M06-023	Review Version History	Inspection Project.xlsx Inspection Excution-Level2Flow row 24	Version comparison works correctly.
MVP1-M06-024	Return Inspection	Inspection Project.xlsx Inspection Excution-Level2Flow row 25	Inspection successfully returned.
MVP1-M06-040	Review Version History	Inspection Project.xlsx Inspection Excution-Level2Flow row 41	Reviewer can compare resubmissions.
MVP1-M06-041	Receive Returned Inspection	Inspection Project.xlsx Inspection Excution-Level2Flow row 42	Inspector receives returned inspection.
MVP1-M06-042	Display Return Details	Inspection Project.xlsx Inspection Excution-Level2Flow row 43	Inspector understands required corrections.
MVP1-M06-043	Unlock Returned Sections	Inspection Project.xlsx Inspection Excution-Level2Flow row 44	Only returned sections are editable.
MVP1-M06-044	Save Returned Updates	Inspection Project.xlsx Inspection Excution-Level2Flow row 45	Returned updates are saved.
MVP1-M06-045	Resubmit Returned Inspection	Inspection Project.xlsx Inspection Excution-Level2Flow row 46	Resubmitted inspection returns to reviewer.
MVP1-M06-046	Compare Returned Versions	Inspection Project.xlsx Inspection Excution-Level2Flow row 47	Reviewer can identify corrected sections.
MVP1-M06-047	Create Submission Version	Inspection Project.xlsx Inspection Excution-Level2Flow row 48	Version created on every submission.
MVP1-M06-048	Maintain Version History	Inspection Project.xlsx Inspection Excution-Level2Flow row 49	All versions remain accessible.
MVP1-M06-050	Audit Returned Edits	Inspection Project.xlsx Inspection Excution-Level2Flow row 51	Corrections are visible in audit.
MVP1-M06-053	Version Comparison	Inspection Project.xlsx Inspection Excution-Level2Flow row 54	Reviewer can compare versions accurately.

The full mapped requirement set contains 16 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.

17 Returned Inspection Correction, Resubmission and Version Comparison

16 mapped source requirements

MVP1 | Inspector + Reviewer | Spreadsheet-first implementation contract

ACTORS Inspector; Level 2 Reviewer; System

BUSINESS OUTCOME Returned section targeting, selective unlock, immutable reviewer comments, new versions and before/after comparison.

1 **Receive Return Decision**

BUSINESS ACTION

Inspector receives immutable reviewer comments and reason.

KEY OUTPUT

Return notice

2 **Identify Affected Sections**

BUSINESS ACTION

Show only sections/items targeted for correction.

KEY OUTPUT

Return scope

3 **Lock Unaffected Content**

BUSINESS ACTION

All other submitted content remains read-only.

KEY OUTPUT

Locked baseline

4 **Edit Returned Sections**

BUSINESS ACTION

Inspector corrects only allowed scope.

KEY OUTPUT

Corrected draft

5 **Add New Evidence / Forms**

BUSINESS ACTION

Add new artifacts without rewriting original history.

KEY OUTPUT

Correction evidence

6 **Validate Corrections**

BUSINESS ACTION

Re-run mandatory rules on returned scope.

KEY OUTPUT

Correction validation

7 **Create New Version**

BUSINESS ACTION

Resubmission creates immutable new version.

KEY OUTPUT

Version N+1

8 **Compare Versions**

BUSINESS ACTION

Highlight changes by section/item/evidence.

KEY OUTPUT

Version diff

9 **Reopen Review**

BUSINESS ACTION

Reviewer evaluates latest version with prior history visible.

KEY OUTPUT

Re-review state

10 **Preserve Timeline**

BUSINESS ACTION

All versions, comments and decisions remain immutable.

KEY OUTPUT

Audit timeline

ENTRY / PRECONDITIONS

Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION

Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS

Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL

FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 18 - MVP1 Admin Portal Information Architecture

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB18	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE

MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Navigation and ownership for compliance configuration, lookups, permissions, notification/SLA settings and supporting governance.

Primary channel: Admin Portal | Primary actors: Compliance Admin; Business Admin; Technical Admin; Reviewer | Mapped spreadsheet requirements: 30

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Admin Home & Navigation	Expose all MVP1 configuration domains as governed workspaces.	Admin IA
2	Regulatory Configuration	Regulations, items, responses, violations and penalties.	Compliance config
3	Package & Form Configuration	Packages, sections, items, evidence and action forms.	Runtime package config
4	Workflow Configuration	States, transitions, guards, side effects and SLA.	Workflow config
5	Risk Configuration	Variables, sources, weights, thresholds and explainability.	Risk config
6	GIS / Geofence Configuration	Official locations, polygons/radius and thresholds.	Location config
7	Assignment Rules	Automatic/manual strategies, capacity and conflict policies.	Assignment config
8	Notifications / SLA	Events, recipients, templates, timers and escalation.	Communication config
9	Roles & Permissions	Channel/action/data permissions and organizational scope.	RBAC config
10	Version / Publish / Impact	Validate dependencies, simulate impact, publish, audit and rollback policy.	Published config

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.
- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.

- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Regulation is the parent of inspection items. Deactivated regulation prevents future use but does not affect previous inspections.
- Item must belong to a regulation. Item can be reused in multiple packages.
- Violation is generated automatically during inspection. Inspector cannot override predefined violation.
- One violation has only one penalty. Penalty is shown to inspector as information and issued only after approval.
- Evidence rules are configured per inspection item. Missing mandatory evidence blocks submission.
- Package can contain one or more forms and inspection items. Visit can support one or multiple packages if configured.
- Same item can be reused across packages. Required items cannot be removed during execution. Optional items may be selected/unselected by inspector.
- Template configuration is managed in Template Builder. Compliance only consumes active templates.
- Action forms are generated dynamically during inspection and must be completed if mandatory.
- Execution uses locked published version. Changes affect future inspections only.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M09-001: Admin can create and manage regulation records.
- MVP1-M09-002: Item can be configured and reused.
- MVP1-M09-003: Violation is triggered correctly.
- MVP1-M09-004: Penalty is linked and displayed correctly.
- MVP1-M09-005: Evidence requirement is enforced correctly.
- MVP1-M09-006: Package can be created and used in execution.
- MVP1-M09-007: Package checklist renders correctly.
- MVP1-M09-008: Correct template is used at runtime.
- MVP1-M09-009: Correct action form is generated.
- MVP1-M09-010: Previous inspections remain traceable to old configuration.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.
- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M09-001	Regulation Management	Inspection Project.xlsx Compliance row 2	Admin can create and manage regulation records.
MVP1-M09-002	Inspection Item Management	Inspection Project.xlsx Compliance row 3	Item can be configured and reused.
MVP1-M09-003	Violation Management	Inspection Project.xlsx Compliance row 4	Violation is triggered correctly.
MVP1-M09-004	Penalty Management	Inspection Project.xlsx Compliance row 5	Penalty is linked and displayed correctly.
MVP1-M09-005	Evidence Rule Configuration	Inspection Project.xlsx Compliance row 6	Evidence requirement is enforced correctly.
MVP1-M09-006	Report Package Management	Inspection Project.xlsx Compliance row 7	Package can be created and used in execution.
MVP1-M09-007	Package Item Assignment	Inspection Project.xlsx Compliance row 8	Package checklist renders correctly.
MVP1-M09-008	Dynamic Template Assignment	Inspection Project.xlsx Compliance row 9	Correct template is used at runtime.
MVP1-M09-009	Action Form Trigger Configuration	Inspection Project.xlsx Compliance row 10	Correct action form is generated.
MVP1-M09-010	Configuration Versioning	Inspection Project.xlsx Compliance row 11	Previous inspections remain traceable to old configuration.
MVP1-M09-011	Draft / Publish Lifecycle	Inspection Project.xlsx Compliance row 12	Invalid configuration cannot be published.
MVP1-M09-012	Dependency Validation	Inspection Project.xlsx Compliance row 13	Admin receives clear validation errors.
MVP1-M09-013	Impact Analysis	Inspection Project.xlsx Compliance row 14	Admin can understand impact before publishing.
MVP1-M09-014	Deactivation Rules	Inspection Project.xlsx Compliance row 15	Deactivated config no longer appears for new packages.
MVP1-M09-015	Audit Trail	Inspection Project.xlsx Compliance row 16	Full history is available.
MVP1-M09-016	Inspection Section / Group Management	Inspection Project.xlsx Compliance row 17	Sections appear correctly in execution.
MVP1-M09-017	Item Display Order	Inspection Project.xlsx Compliance row 18	Items display in configured order.
MVP1-M09-018	Mandatory Rule	Inspection Project.xlsx Compliance row 19	Execution respects required/optional/conditional behavior.
MVP1-M09-019	Response Mapping	Inspection Project.xlsx Compliance row 20	Selected response triggers correct result.
MVP1-M09-020	Compliance Result Mapping	Inspection Project.xlsx Compliance row 21	Correct compliance result appears during inspection.

The full mapped requirement set contains 30 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.


18 MVP1 Admin Portal Information Architecture

30 mapped source requirements

MVP1 | Admin Portal | Spreadsheet-first implementation contract

ACTORS Compliance Admin; Business Admin; Technical Admin; Reviewer

BUSINESS OUTCOME Navigation and ownership for compliance configuration, lookups, permissions, notification/SLA settings and supporting governance.



ENTRY / PRECONDITIONS

Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION

Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS

Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL

FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 19 - MVP1 Web Portal and Inspector Workspace Information Architecture

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB19	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE
MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Navigation structure connecting planning, management, Factory 360, Operations Center, review, pre-start and execution.

Primary channel: Web + Inspector | Primary actors: Planner; Inspector; Reviewer; Operations User; Leadership User | Mapped spreadsheet requirements: 428

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Web Portal Home	Access planning, management, Factory 360, review and operations.	Web navigation
2	Planning Workspace	Bulk/Single/Immediate planning.	Visit plans
3	Visit Management	Operational control and bulk actions.	Managed visits
4	Factory 360	Unified factory dossier.	Factory context
5	Review Workspace	Level 2 queue, decisions and version comparison.	Review decisions
6	Operations Center	Live map, SLA, risk and exceptions.	Operational visibility
7	Inspector Home	Assigned visits and readiness.	Inspector assignments
8	Journey & Check-in	Travel, telemetry, arrival and geofence.	Journey records
9	Inspection Workspace	Report, checklist, evidence and actions.	Inspection content
10	Submission & Correction	Submit, receive returns, correct and resubmit.	Versioned submissions
11	Shared Search / Alerts / Timeline	Consistent cross-module access patterns.	Shared UX
12	Cross-Channel Deep Links	Preserve object, version and context across channels.	Context continuity

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.
- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.

- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.
- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Three planning methods are supported: Bulk, Single and Immediate.
- One Visit Plan can generate multiple Visits. Every Visit receives a unique Visit ID while sharing the same Visit Plan ID.
- Multiple filters can be combined. Both AND and OR conditions are supported.
- Only factories matching all criteria are returned.
- Planner has full control over the selected factories before publishing.
- Configuration applies to every Visit generated from the same Visit Plan.
- Assignment occurs before publishing.
- Planner may override automatic recommendations.
- Publishing is blocked until all mandatory information is completed.
- Every generated Visit becomes an independent business object while remaining linked to the originating Visit Plan.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M01-001: User can access only the planning methods permitted by their role.
- MVP1-M01-002: Planner successfully publishes a Visit Plan and all selected factories receive individual Visits.
- MVP1-M01-003: Planner can build one or multiple search criteria without limitation.
- MVP1-M01-004: Matching factories are successfully retrieved.
- MVP1-M01-005: Only selected factories proceed to Visit Configuration.
- MVP1-M01-006: Planner successfully configures the Visit Plan.
- MVP1-M01-007: Every Visit has an assigned inspector before publishing.
- MVP1-M01-008: Planner successfully assigns inspectors manually.
- MVP1-M01-009: Planner reviews the complete Visit Plan before publishing.
- MVP1-M01-010: Individual Visits are successfully generated, assigned and available to inspectors.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.
- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M01-001	Visit Creation	Inspection Project.xlsx Visit Planning-Planning row 2	User can access only the planning methods permitted by their role.
MVP1-M01-002	Bulk Planning	Inspection Project.xlsx Visit Planning-Planning row 3	Planner successfully publishes a Visit Plan and all selected factories receive individual Visits.
MVP1-M01-003	Planning Criteria Builder	Inspection Project.xlsx Visit Planning-Planning row 4	Planner can build one or multiple search criteria without limitation.
MVP1-M01-004	Target Factory Identification	Inspection Project.xlsx Visit Planning-Planning row 5	Matching factories are successfully retrieved.
MVP1-M01-005	Target Factory Selection	Inspection Project.xlsx Visit Planning-Planning row 6	Only selected factories proceed to Visit Configuration.
MVP1-M01-006	Visit Configuration	Inspection Project.xlsx Visit Planning-Planning row 7	Planner successfully configures the Visit Plan.
MVP1-M01-007	Automatic Inspector Assignment	Inspection Project.xlsx Visit Planning-Planning row 8	Every Visit has an assigned inspector before publishing.
MVP1-M01-008	Manual Inspector Assignment	Inspection Project.xlsx Visit Planning-Planning row 9	Planner successfully assigns inspectors manually.
MVP1-M01-009	Review Visit Plan	Inspection Project.xlsx Visit Planning-Planning row 10	Planner reviews the complete Visit Plan before publishing.
MVP1-M01-010	Publish Visit Plan	Inspection Project.xlsx Visit Planning-Planning row 11	Individual Visits are successfully generated, assigned and available to inspectors.
MVP1-M01-011	Select Planning Method	Inspection Project.xlsx Visit Planning-Planning row 12	Selected planning workflow opens successfully.
MVP1-M01-012	Build Planning Criteria	Inspection Project.xlsx Visit Planning-Planning row 13	Planner can create valid search criteria.
MVP1-M01-013	Retrieve Target Factories	Inspection Project.xlsx Visit Planning-Planning row 14	Matching factories displayed.
MVP1-M01-014	Review Target Factories	Inspection Project.xlsx Visit Planning-Planning row 15	Planner can review every returned factory.
MVP1-M01-015	Select Target Factories	Inspection Project.xlsx Visit Planning-Planning row 16	Selected factories are saved.
MVP1-M01-016	AI Planning Summary	Inspection Project.xlsx Visit Planning-Planning row 17	Summary generated successfully.
MVP1-M01-017	Configure Visit Details	Inspection Project.xlsx Visit Planning-Planning row 18	Configuration saved successfully.
MVP1-M01-018	Auto Assignment	Inspection Project.xlsx Visit Planning-Planning row 19	Inspectors assigned successfully.
MVP1-M01-019	Manual Assignment	Inspection Project.xlsx Visit Planning-Planning row 20	Manual assignment completed successfully.
MVP1-M01-020	Review & Publish	Inspection Project.xlsx Visit Planning-Planning row 21	Visit Plan successfully published.

The full mapped requirement set contains 428 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.


19 MVP1 Web Portal and Inspector Workspace Information Architecture

428 mapped source requirements

MVP1 | Web + Inspector | Spreadsheet-first implementation contract

ACTORS Planner; Inspector; Reviewer; Operations User; Leadership User

BUSINESS OUTCOME Navigation structure connecting planning, management, Factory 360, Operations Center, review, pre-start and execution.



ENTRY / PRECONDITIONS

Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION

Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS

Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL

FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

Storyboard 20 - MVP1 Architecture, Integrations, Security and Traceability Blueprint

Native BRD narrative and implementation contract. The visual storyboard page is intentionally supplemented by explicit business language, state logic, data, exceptions, acceptance criteria and evidence rules.

Document code	Version	Date
MIM-INSP-MVP1-SB20	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE
MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Purpose and business outcome

Channel architecture, shared services, source systems, audit, offline sync, media, notifications, GIS and non-regression traceability.

Primary channel: Cross-platform | Primary actors: Technical Admin; Architects; Product; QA; all runtime roles | Mapped spreadsheet requirements: 478

This storyboard is a binding functional slice of MVP1. It is not a design moodboard and it is not optional. Every behavior below must be implemented, tested and evidenced in the correct channel. Where a storyboard summarizes many spreadsheet rows, the spreadsheet requirement IDs remain authoritative and no summarized wording may be used to remove detail.

2. Entry conditions and preconditions

- The user is authenticated and authorized for the channel, organizational scope and action.
- All configuration required by the journey is in an effective published version and the runtime can resolve that exact version.
- The preceding business object/state exists and satisfies the guards for the next transition.
- Required source data and external dependencies are available, or an explicitly governed degraded/offline path applies.
- The application can create a complete audit event for every state-changing action.

3. Detailed native user journey

Step	Journey slice	Business behavior	Mandatory output
1	Identity & Access Layer	Authentication, RBAC and organizational scope.	Trusted access
2	Channel Layer	Admin, Web, iPad, Virtual and Operations Center.	User experiences
3	Domain Services	Planning, factory, inspection, review, compliance and operations.	Business services
4	Configuration Engines	Regulatory, forms/packages, workflow, risk, assignment and SLA.	Configured behavior
5	Field Services	GIS/geofence, journey telemetry, evidence/media and offline sync.	Field execution
6	Version & Audit	Immutable submissions, configuration versions and event history.	Traceability
7	Data & Search	Factory master, operational stores, search and reporting.	Trusted data
8	Integration Layer	Source systems, notifications, identity and external dependencies.	Interoperability
9	Security & Resilience	Encryption, recovery, fault isolation, monitoring and retention.	Operational assurance
10	Acceptance & Regression	Requirement IDs, tests, screenshots, evidence and zero-regression gates.	Delivery proof

4. System reaction, data and audit requirements

- Every state-changing action must execute atomically: either the full transition and all mandatory side effects succeed, or the user remains in an unambiguous prior state with a recoverable error.
- The system must retain source requirement ID, object ID, actor, timestamp, channel, previous state, resulting state, configuration/package/workflow version where relevant, and evidence reference.

- No submitted inspection, published configuration, reviewer decision or immutable audit event may be silently overwritten in place.
- Cross-channel handoffs must preserve the same object identity, version identity and business context; creating duplicate shadow records is prohibited.
- Error handling must not produce partial transitions, duplicate notifications, duplicate visits, duplicate evidence or lost offline drafts.

5. Business rules and controls

- Three planning methods are supported: Bulk, Single and Immediate.
- One Visit Plan can generate multiple Visits. Every Visit receives a unique Visit ID while sharing the same Visit Plan ID.
- Multiple filters can be combined. Both AND and OR conditions are supported.
- Only factories matching all criteria are returned.
- Planner has full control over the selected factories before publishing.
- Configuration applies to every Visit generated from the same Visit Plan.
- Assignment occurs before publishing.
- Planner may override automatic recommendations.
- Publishing is blocked until all mandatory information is completed.
- Every generated Visit becomes an independent business object while remaining linked to the originating Visit Plan.

6. Exception and failure paths

- Unauthorized action: deny the action, reveal no unauthorized data and write a security/audit event where policy requires.
- Validation failure: retain entered data, highlight exact blockers, do not advance state and do not create partial side effects.
- Dependency failure: display actionable error state, preserve user work, queue/retry only where idempotency is proven, and expose the failure operationally when required.
- Offline or connectivity interruption: preserve local work, show explicit sync state, resume without data loss and resolve conflicts without silent overwrite.
- Concurrent update: compare versions and force explicit conflict resolution where the same business object changed independently.
- Evidence/media failure: preserve metadata and capture intent, retry safely, and never claim successful submission until required artifacts are durable.

7. Storyboard acceptance contract

- MVP1-M01-001: User can access only the planning methods permitted by their role.
- MVP1-M01-002: Planner successfully publishes a Visit Plan and all selected factories receive individual Visits.
- MVP1-M01-003: Planner can build one or multiple search criteria without limitation.
- MVP1-M01-004: Matching factories are successfully retrieved.
- MVP1-M01-005: Only selected factories proceed to Visit Configuration.
- MVP1-M01-006: Planner successfully configures the Visit Plan.
- MVP1-M01-007: Every Visit has an assigned inspector before publishing.
- MVP1-M01-008: Planner successfully assigns inspectors manually.
- MVP1-M01-009: Planner reviews the complete Visit Plan before publishing.
- MVP1-M01-010: Individual Visits are successfully generated, assigned and available to inspectors.

The storyboard fails acceptance if any step is visual-only, uses mock data where real runtime behavior is required, bypasses configured engines, loses audit/version semantics, or cannot reproduce its accepted evidence after a later build change.

8. Implementation evidence required

- High-resolution runtime screenshot for each major state or screen.
- Requirement-linked UI/API/E2E test result; add device/offline/location evidence where the journey uses iPad or GIS.
- Data/API proof for objects created or updated, including IDs and versions.
- Audit timeline or event proof for every state-changing decision.
- Negative-path evidence for at least the highest-risk validation, permission and failure scenario.
- Regression rerun proving the previously accepted behavior still works after subsequent changes.

9. Source traceability

Requirement ID	Capability	Source	Acceptance
MVP1-M01-001	Visit Creation	Inspection Project.xlsx Visit Planning-Planning row 2	User can access only the planning methods permitted by their role.
MVP1-M01-002	Bulk Planning	Inspection Project.xlsx Visit Planning-Planning row 3	Planner successfully publishes a Visit Plan and all selected factories receive individual Visits.
MVP1-M01-003	Planning Criteria Builder	Inspection Project.xlsx Visit Planning-Planning row 4	Planner can build one or multiple search criteria without limitation.
MVP1-M01-004	Target Factory Identification	Inspection Project.xlsx Visit Planning-Planning row 5	Matching factories are successfully retrieved.
MVP1-M01-005	Target Factory Selection	Inspection Project.xlsx Visit Planning-Planning row 6	Only selected factories proceed to Visit Configuration.
MVP1-M01-006	Visit Configuration	Inspection Project.xlsx Visit Planning-Planning row 7	Planner successfully configures the Visit Plan.
MVP1-M01-007	Automatic Inspector Assignment	Inspection Project.xlsx Visit Planning-Planning row 8	Every Visit has an assigned inspector before publishing.
MVP1-M01-008	Manual Inspector Assignment	Inspection Project.xlsx Visit Planning-Planning row 9	Planner successfully assigns inspectors manually.
MVP1-M01-009	Review Visit Plan	Inspection Project.xlsx Visit Planning-Planning row 10	Planner reviews the complete Visit Plan before publishing.
MVP1-M01-010	Publish Visit Plan	Inspection Project.xlsx Visit Planning-Planning row 11	Individual Visits are successfully generated, assigned and available to inspectors.
MVP1-M01-011	Select Planning Method	Inspection Project.xlsx Visit Planning-Planning row 12	Selected planning workflow opens successfully.
MVP1-M01-012	Build Planning Criteria	Inspection Project.xlsx Visit Planning-Planning row 13	Planner can create valid search criteria.
MVP1-M01-013	Retrieve Target Factories	Inspection Project.xlsx Visit Planning-Planning row 14	Matching factories displayed.
MVP1-M01-014	Review Target Factories	Inspection Project.xlsx Visit Planning-Planning row 15	Planner can review every returned factory.
MVP1-M01-015	Select Target Factories	Inspection Project.xlsx Visit Planning-Planning row 16	Selected factories are saved.
MVP1-M01-016	AI Planning Summary	Inspection Project.xlsx Visit Planning-Planning row 17	Summary generated successfully.
MVP1-M01-017	Configure Visit Details	Inspection Project.xlsx Visit Planning-Planning row 18	Configuration saved successfully.
MVP1-M01-018	Auto Assignment	Inspection Project.xlsx Visit Planning-Planning row 19	Inspectors assigned successfully.
MVP1-M01-019	Manual Assignment	Inspection Project.xlsx Visit Planning-Planning row 20	Manual assignment completed successfully.

Requirement ID	Capability	Source	Acceptance
MVP1-M01-020	Review & Publish	Inspection Project.xlsx Visit Planning-Planning row 21	Visit Plan successfully published.

The full mapped requirement set contains 478 rows and remains available in the companion MVP1 Breakdown and Acceptance Contract workbook. The table above is a representative in-document trace, not a replacement for the complete contract.


20 MVP1 Architecture, Integrations, Security and Traceability Blueprint

478 mapped source requirements

MVP1 | Cross-platform | Spreadsheet-first implementation contract

ACTORS Technical Admin; Architects; Product; QA; all runtime roles

BUSINESS OUTCOME Channel architecture, shared services, source systems, audit, offline sync, media, notifications, GIS and non-regression traceability.



ENTRY / PRECONDITIONS

Authorized role; required configuration/version and dependent source data are available; prior state is valid.

SYSTEM REACTION

Apply configured rules, create state/data changes atomically, update audit history and notify where defined.

EVIDENCE / ARTIFACTS

Runtime screenshots, test evidence, data/API proof and audit/version references linked to requirement IDs.

NON-REGRESSION CONTROL

FAIL if any mapped requirement is missing, weakened, mocked, moved to another channel without approval, or loses reproducible evidence.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

MVP1 IMPLEMENTATION AND ACCEPTANCE CLOSURE

Final implementation governance, evidence, regression and preserved baseline handoff.

Document code	Version	Date
MIM-INSP-MVP1-BRD-CLOSE	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE

MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Canonical state model

Domain	Object	Source state	Trigger	Target state	Guard	Regression rule
Visit Planning	Visit Plan	Draft	Publish	Published	All mandatory plan fields valid; selected targets valid; assignment rules satisfied	No direct database status mutation may bypass transition guards
Visit Management	Visit / Visit Plan	Published	Return for update	Returned	Mandatory return reason	Returned state cannot silently erase published history
Visit Management	Visit	Published/Returned	Cancel	Cancelled	Mandatory cancellation reason and scope	No hard delete in place of cancellation
Visit Management	Visit	Applicable active state	Expiry rule fires	Expired	Configured expiry threshold reached and no exception applies	Expired must be system-governed, not only a label
Inspection Pre-Start	Assignment	Assigned	Inspector accepts / prepares	Preparing / Ready	Valid assignment and package availability	Cannot start execution without mandatory readiness gates
Journey	Journey Session	Not Started	Start Journey	On Journey	Valid assigned visit; active execution window if required	Do not merge On Journey with business workflow status
Journey	Visit Execution	On Journey	Arrival / Geofence check-in	Arrived / Checked-in	Location within configured threshold or approved override	No check-in without evidence or governed override
Inspection	Inspection Session	Checked-in/Ready	Start Inspection	In Progress	All mandatory pre-start validation passes	Cannot start with unresolved mandatory blockers
Inspection	Inspection Submission	In Progress	Submit	Submitted	All required data/evidence/action forms/signatures where applicable complete	Never edit submitted version in place
Review	Inspection Version	Submitted	Open Review	Under Review	Reviewer permission	Submitted content remains read-only
Review	Inspection Version	Under Review	Return	Returned	Mandatory reason; affected sections identified	Selective unlock is mandatory
Review	Inspection Version	Under Review	Approve	Approved	Review completeness and decision rules satisfied	Approved decision cannot be silently edited
Review	Inspection Version	Under Review	Reject	Rejected	Mandatory rejection explanation	Rejected history must remain visible
Correction	Returned Inspection	Returned	Resubmit	Submitted / Under Review	Only returned sections edited; mandatory corrections complete	Every resubmission creates a new immutable version
Virtual	Virtual Session	Scheduled	Start session	Waiting	Valid appointment and permissions	No generic untracked video call
Virtual	Virtual Participant	Joined	Verify identity + OTP	Verified	Required ID/OTP checks pass within retry policy	Verification cannot be bypassed without governed exception
Virtual	Virtual Session	Verified/Ready	Begin remote inspection	In Progress	Readiness checks pass	State machine required
Virtual	Virtual Session	In Progress	Close and handoff	Closed / Submitted	Closure confirmed; artifacts finalized	All outputs must remain traceable
Sync	Local Draft	Local changes	Reconnect / Sync	Synced or Conflict	Idempotency; version comparison; conflict policy	No silent overwrite or duplicate side effect

2. Evidence and zero-regression baseline

ID	Scope ref	Channel	Evidence type	Evidence required	Minimum proof
EV-001	All 478 source requirements	All	Traceability	Requirement ID -> implementation -> test -> evidence -> sign-off	Every requirement has no blank implementation/evidence status before release
EV-002	Admin engines	Admin	Runtime consumption proof	Configuration screenshot + published version + runtime evidence consuming same version	At least one end-to-end runtime proof per engine
EV-003	Workflow transitions	All	State transition evidence	Before state, action, guard outcome, target state, audit event	All critical transitions in State Transition Contract proven
EV-004	Risk engine	Admin/Web/Ops	Reproducibility	Inputs, formula/version, score, drivers, runtime consumption	Historical score can be recomputed exactly

ID	Scope ref	Channel	Evidence type	Evidence required	Minimum proof
EV-005	GIS/geofence	iPad/Ops	Location evidence	Official and observed coordinates, GPS accuracy, threshold, timestamp, check-in/override record	Journey event visible in both field and Ops surfaces
EV-006	Offline inspection	iPad	Resilience evidence	Offline start, autosave, restart/recovery, reconnect, sync, conflict if applicable	No data loss, duplicate or silent overwrite
EV-007	Evidence chain of custody	iPad/Virtual/R review	Data integrity	Capture metadata, item/finding link, content identity, submission version, reviewer view	Same evidence traceable from capture to review
EV-008	Return/resubmission	Web/iPad	Version evidence	Returned sections, locked sections, new version, diff, immutable comments	Only returned sections editable; old version preserved
EV-009	Virtual verification	Virtual	Identity/session evidence	Join, ID, OTP attempts, verified participant, readiness, session timeline	Failure/retry and success paths proven
EV-010	Operations Center	Ops	Fault isolation/live behavior	Live map/list/state evidence plus one simulated failed widget/service	Other widgets remain usable and exception is visible
EV-011	Visual acceptance	All	UI/UX evidence	High-resolution screenshots at canonical viewport/device sizes	No tiny text, clipping, broken hierarchy, generic AI UI, or inconsistent design system
EV-012	Regression baseline	All	Before/after comparison	Previously accepted evidence rerun after major changes	100% critical acceptance criteria still reproducible

3. Claude / Fable completion gates

Gate	Name	Hard exit condition	Evidence	Loop when	Stop?
G0	Source Intake & Discovery	All provided documents, 478 requirements, 20 storyboard contracts and channel/engine contracts are indexed and acknowledged.	Discovery report with file paths, counts, requirement IDs and unresolved ambiguities.	Any source is unread, unindexed or contradicted.	No
G1	Canonical Product Contract	Shared vocabulary, roles, objects, states, routes, design tokens and cross-channel APIs are frozen.	Canonical dictionary, state contract and dependency map.	Separate sessions use different terms/statuses/field meanings.	No
G2	Architecture & Engine Foundation	Mandatory MVP1 engines exist with clear admin ownership and runtime consumers.	Architecture evidence, schemas/services/routes, engine-specific runtime proof.	Engine is hard-coded, mocked or CRUD-only where configuration is required.	No
G3	Channel Scope Coverage	Admin, Web, iPad, Virtual and Ops surfaces cover every mapped requirement.	Requirement-to-route/screen matrix and screenshots.	Any 478-row requirement lacks implementation mapping.	No
G4	Functional Acceptance	Every acceptance row has Passed status and evidence.	Automated/manual tests, screenshots, API/data/audit proof.	Any P0/P1 acceptance criterion fails or lacks evidence.	No
G5	UI/UX Quality	Canonical design system is consistent; Mobbin-informed patterns are synthesized; no unreadable text or generic AI UI.	Viewport/device screenshots, design critique checklist, responsive/touch evidence.	Text is tiny, hierarchy poor, copied patterns conflict, or screens are inconsistent.	No
G6	Offline / Device / GIS Resilience	iPad offline, recovery, sync, GPS/geofence and exception paths pass.	Device runs, offline/reconnect evidence, location event evidence.	Data loss, duplicate, silent overwrite or location ambiguity exists.	No
G7	Review / Version / Audit Integrity	Submitted content is immutable; selective unlock and version comparison work; audit is complete.	Version IDs, diffs, locked sections, immutable comments and audit events.	Any submitted version can be mutated in place or audit is incomplete.	No
G8	Security / Permissions / Negative Paths	Least privilege and negative tests pass for sensitive actions.	Permission tests, unauthorized attempts, validation/error evidence.	Unauthorized actor can act or error path leaves ambiguous/partial state.	No
G9	Zero Regression	Previously accepted evidence reruns successfully after the final build.	Regression results and before/after evidence.	Any accepted scope, rule, state, permission, audit event, field or usability regresses.	No
G10	Final Release Certification	Zero unresolved P0/P1; all mandatory acceptance rows Passed; evidence links complete; build reproducible.	Final certification report and artifact manifest.	Any blocker remains or evidence is missing.	Yes, only if passed

Fable may stop only at G10 after all mandatory acceptance rows are passed, evidence links are complete, zero P0/P1 blockers remain and the regression baseline is reproducible.

4. Preservation of the prior MVP1 BRD

The complete prior 77-page MIM_Inspection_MVP1_BRD.pdf follows this closure section unchanged as the Preserved Baseline Volume. This is intentional. It guarantees that the enhanced edition cannot accidentally remove prior content while allowing the new native journeys, storyboard contracts, engine rules and acceptance governance to sit above it as the stronger implementation contract.

PRESERVATION RULE: no future revision may delete the preserved baseline volume unless a formally approved superseding baseline is issued with a complete change log and proof that every prior requirement remains traceable.

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

INSPECTION PLATFORM

MVP1 BUSINESS REQUIREMENTS DOCUMENT

Spreadsheet-First Functional Baseline | 100% Customer/Auditor Scope Alignment

MVP1 DECISION

Deliver every one of the 478 functional rows in Inspection Project.xlsx. Use the strategic BRD/PDF only to fill implementation-critical gaps. Keep advanced strategic expansion in MVP2.

Version: 1.0 - MVP1 Baseline

Date: 10 July 2026

Primary functional source: Inspection Project.xlsx - 9 tabs / 478 requirement rows

Strategic reference: 734-page Inspection Platform BRD/PDF

Strategic reservoir: 61-sheet baseline workbook

1. Document Control and Source Baseline

This BRD is the governing MVP1 specification for the MIM Inspection Platform. It intentionally re-centres delivery around the customer/auditor spreadsheet while preserving only those strategic safeguards from the earlier platform BRD that are necessary to deliver the spreadsheet safely, coherently and without implementation drift.

Document	MIM Inspection Platform - MVP1 Business Requirements Document
Version	1.0 - MVP1 Baseline
Date	10 July 2026
MVP1 functional authority	Inspection Project.xlsx - all 9 tabs and all 478 non-header requirement rows
Strategic reference	MIM_Inspection_Platform_End_to_End_Requirements_BTRS_Final_Submission(1).pdf - 734 pages
Strategic requirements reservoir	Inspection_Platform_Baseline_SOP_v6_Fixes_Requirements(1).xlsx - 61 sheets
Storyboard baseline	03 Storyboard.zip - 20 principal storyboard subjects; MVP1 is redefined as 20 dedicated one-page storyboards
Delivery rule	100% spreadsheet non-regression; strategic deltas are either essential MVP1 foundations or explicit MVP2 deferrals

1.1 Source Hierarchy

Priority	Source	Role	Authority Rule
1	Inspection Project.xlsx	Primary MVP1 functional contract	Every row is mandatory unless a later approved business decision explicitly changes it.
2	Current strategic BRD/PDF	Gap-filling and design depth	Used only where needed for integrity, auditability, security, offline safety, operability or correctness.
3	61-sheet strategic baseline workbook	Strategic reservoir and future scope	Used to identify cross-cutting foundations and capabilities to move into MVP2.
4	20-storyboard source pack	Visual history	Used as historical visual evidence; MVP1 storyboards are separately defined around spreadsheet-first scope.

NON-NEGOTIABLE MVP1 RULE

No spreadsheet requirement may be silently dropped, weakened, generalized away or moved to MVP2. The full 478-row baseline is preserved in the requirement catalogue and the companion MVP1 breakdown workbook.

2. Executive Decision and Scope Boundary

The strategic direction has been deliberately split into two product phases. MVP1 is the customer/auditor-aligned inspection application. MVP2 is the future strategic expansion. This split protects customer alignment, delivery focus and audit defensibility without discarding the earlier discovery work.

2.1 MVP1 Definition

- Deliver 100% of the 9-tab spreadsheet functionality exactly in the business direction stipulated by the spreadsheet.
- Keep the spreadsheet interaction model at the forefront of how the product is showcased, accepted and tested.
- Include the Admin Portal, business Web Portal, Inspector Workspace / iPad execution, Virtual Session, Level 2 Review, Factory 360 and Operations Center needed by the spreadsheet.
- Add only essential cross-cutting foundations from the strategic BRD where the spreadsheet is functionally dependent on them or would otherwise be unsafe, brittle or non-auditable.
- Do not allow advanced strategic capability to inflate MVP1 or distract implementation.

2.2 MVP2 Definition

- Preserve strategic capabilities that are valuable but not necessary for strict spreadsheet-first MVP1 delivery.
- Keep advanced studios, expanded AI, advanced GIS, objections/appeals, advanced executive intelligence and other strategic expansion out of MVP1 unless they are explicitly required by a spreadsheet row.
- Maintain source traceability so no valuable discovery is lost when the program moves to MVP2.

EXECUTIVE COUNSEL

Proceed with the spreadsheet as the functional authority for MVP1. Do not rebuild the entire 734-page strategic BRD in MVP1. Use the strategic material selectively to make the spreadsheet solution implementation-safe, not to change its scope direction.

3. MVP1 Product Definition and Objectives

MVP1 is an end-to-end inspection operations platform that enables compliance administrators to configure inspection content, planners to create and manage visits, inspectors to prepare and execute physical or virtual inspections, Level 2 reviewers to decide and control resubmissions, and operational users to monitor factories, visits, inspectors, SLA, risk, alerts and exceptions.

3.1 MVP1 Objectives

- Create inspection visits using Bulk, Single and Immediate planning methods.
- Manage visits through search, filtering, edit, reschedule, reassignment, return, republish, cancellation, bulk actions, calendar/map/list views and controlled expiry.
- Prepare inspectors with assigned visits, schedules, Factory 360 context, package readiness, execution-mode eligibility, notifications and appointment details.
- Execute physical inspections with package integrity, journey telemetry, navigation, arrival, geofence check-in, report/checklist completion, evidence, violations, penalties, action forms, notes, validation and submission.
- Execute virtual inspections with scheduling, secure session start, representative join, identity and OTP verification, remote evidence capture and review handoff.
- Perform Level 2 review through read-only inspection review, approve/return/reject decisions, selective correction unlock, immutable resubmission versions and version comparison.
- Provide a unified Factory 360 profile and a live Operations Center for operational visibility.

- Provide Compliance Configuration administration for regulations, inspection items, violations, penalties, evidence rules, packages, scoring, triggers, versioning and publishing.

3.2 Success Criteria

- All 478 spreadsheet baseline requirements are implemented or mapped to an explicitly approved functional grouping without loss of meaning.
- Every critical business transition is permission-controlled, validated and auditable.
- Physical field execution remains usable through approved offline behavior and resilient synchronization.
- Submitted inspection content, reviewer decisions and version history are protected from silent overwrite.
- The same business object can be traced from planning through execution, review, Factory 360 and operational reporting.
- UAT can trace each baseline requirement to acceptance criteria, test evidence and sign-off.

4. Personas, Channels and Responsibilities

Persona	Primary Channel	MVP1 Responsibility
Compliance Admin	Admin Portal	Configures regulations, inspection items, violations, penalties, evidence rules, packages, dynamic behavior, scoring, triggers and versions.
Planner	Web Portal	Creates Bulk, Single and Immediate visits; selects factories; configures visits; assigns inspectors; publishes and manages planning work.
Inspector	Inspector Workspace / iPad / Virtual Session	Prepares visits, travels, checks in, executes physical or virtual inspections, captures evidence and submits.
Factory Representative	Physical / Virtual Session	Supports access, identity verification, documents, evidence and inspection participation as required.
Level 2 Reviewer	Web Portal	Reviews submitted content in read-only mode and approves, returns or rejects; controls correction scope and resubmission versions.
Operations User / Supervisor	Operations Center / Web Portal	Monitors live visits, inspectors, map, SLA, risk, alerts, workload, exceptions and escalation.
Executive / Leadership User	Web Portal	Consumes authorized operational and factory views required by MVP1; broader strategic executive intelligence is deferred to MVP2.
Auditor	Web Portal / Audit Views	Reviews immutable history, version lineage, decisions and evidence traceability.
System	Shared Services	Validates rules and state, enforces permissions, creates records, locks versions, sends notifications and captures audit evidence.

4.1 Channel Model

- Admin Portal: compliance configuration and supporting governance administration required by MVP1.
- Web Portal: visit planning, visit management, Level 2 review, Factory 360 and authorized operational views.

- Inspector Workspace / iPad: pre-start, physical journey, check-in, inspection execution, evidence and submission.
- Virtual Session: remote inspection appointment, participant verification, OTP and inspection execution handoff.
- Operations Center: live monitoring, map, workload, SLA, alerts, exceptions and operational investigation.

5. MVP1 Information Architecture

Channel	Module	Primary Navigation / Capability Areas
Admin Portal	Compliance Configuration	Regulations; Inspection Items; Violations; Penalties; Evidence Rules; Report Packages; Package Item Assignment; Dynamic Logic; Scoring; Triggers; Versioning; Publish.
Web Portal	Visit Planning	Bulk Planning; Single Planning; Immediate Visit; Assignment; Review; Publish.
Web Portal	Visit Management	Workspace; KPIs; Search; Filters; Details; Edit; Reschedule; Reassign; Return/Republish; Bulk Actions; Cancel; Calendar/Map/List; Timeline; Attachments; Expiry.
Inspector Workspace	Pre-Start	Assigned Visits; Calendar/List/Map; Search/Filter/Sort; Visit Card; Prepare Inspection; Factory 360 Snapshot; Eligibility; Package Resolution; Notifications; Return Assignment.
Inspector Workspace	Physical Execution	Package Integrity; Journey; GPS/Device/Network; Navigation; Arrival; Geofence; Inspection Workspace; Factory Verification; Report; Checklist; Evidence; Violations; Penalties; Action Forms; Notes; Review; Submission.
Virtual Session	Virtual Execution	Scheduled Visit; Appointment; Session Start; Representative Join; Identity Verification; OTP; Readiness/Failure Handling; Remote Execution; Evidence; Closure/Handoff.
Web Portal	Level 2 Review	Pending Queue; Search/Filter; Review Workspace; Factory Observations; Report/Checklist; Evidence/Action Forms; Approve/Return/Reject; Return Summary; Selective Unlock; Resubmission; Version Comparison; Audit.
Web Portal	Factory 360	Factory Identity; Licence; CR; Location; Products; Raw Materials; Workforce; Investment/Capacity; Visit History; Inspection History; Violations/Penalties; Corrective Actions; Health; Risk; Documents/Evidence; Timeline.
Operations Center	Operations Monitoring	Command Dashboard; Live Map; Visit Monitoring; Inspector Monitoring; SLA; Risk; Alerts; Workload; Cancellation Monitoring; GPS Overrides; Tracking History; Timeline; KPIs; Export; Access Control.

6. End-to-End MVP1 Journey

Step	Journey Stage	Outcome
1	Compliance Configuration	Admin configures regulations, inspection items, violations, penalties, evidence rules and report packages; publishes version-controlled configuration.
2	Planning Method Selection	Planner chooses Bulk, Single or Immediate planning based on the business scenario and permissions.
3	Factory Targeting and Selection	Planner retrieves, reviews and selects eligible factories or identifies a single/immediate target.
4	Visit Configuration and Assignment	Planner configures visit details, planned window, execution requirements and inspector assignment.
5	Review and Publish	System validates mandatory information, creates Visit Plan/Visit records where applicable, notifies inspectors and starts audit history.
6	Inspector Pre-Start	Inspector reviews assignments, package readiness, Factory 360 context, appointment details and execution eligibility.
7	Physical or Virtual Start	Physical: package, journey, GPS, arrival and geofence. Virtual: appointment, join, ID and OTP verification.
8	Inspection Execution	Inspector completes report/checklist, captures evidence, records observations, violations, penalties and action forms, and resolves mandatory validation gaps.
9	Submission and Level 2 Review	System creates an immutable submission version. Reviewer evaluates in read-only mode and approves, returns or rejects.
10	Return / Resubmit / Close	Returned sections alone become editable. Resubmission creates a new version. Approved or rejected decisions remain fully auditable.
11	Factory 360 and Operations Visibility	Factory history and live operational monitoring reflect authorized outcomes, states, alerts, SLA and exceptions.

7. Functional Requirements by Module

This section translates the nine spreadsheet tabs into nine mandatory MVP1 product modules. The detailed 478-row requirement catalogue is included in Appendix A and the companion breakdown spreadsheet preserves all source rows with source sheet and row references.

7.1 Visit Planning - Planning

Requirement count: 52 mandatory spreadsheet rows. Primary channel: Web Portal. Primary personas: Planner, Inspector.

Bulk, Single and Immediate visit creation; targeting; assignment; review; publish; immediate start.

Capability Coverage

- Visit creation method selection: Bulk, Single and Immediate.
- Bulk planning criteria builder with multiple filters and AND/OR logic.
- Factory retrieval, review, selection and duplicate validation.
- Common visit configuration, automatic/manual assignment and publish validation.
- Visit Plan and child Visit creation with unique identifiers and source linkage.
- Single-factory planning using CR / Industrial License, location verification and one-visit publishing.
- Immediate visit creation for registered or unregistered factories, mandatory location capture and immediate start where inspector-created.
- Bulk edit and bulk cancellation before inspection execution begins.

Non-Negotiable Business Rules

- Every spreadsheet row in Visit Planning-Planning is MVP1 mandatory.
- Only one planning method is selected per creation session.
- One Bulk Visit Plan may generate multiple independent Visits; each Visit has a unique Visit ID and remains linked to the Visit Plan ID.
- A Single Visit creates one Visit Plan containing one Visit; the inspector receives the Visit, not the Visit Plan.
- Immediate Visits create the operational Visit directly and may proceed without a registered factory when business rules permit.
- Publishing is blocked until mandatory information and validations are complete.

MVP1 DELIVERY DECISION

All 52 source rows for Visit Planning - Planning remain mandatory in MVP1. Detailed IDs and acceptance criteria are preserved in Appendix A and the companion breakdown workbook.

7.2 Visit Planning - Management

Requirement count: 46 mandatory spreadsheet rows. Primary channel: Web Portal. Primary personas: Planner, Operations User, Branch Manager.

Workspace, KPIs, search, filters, edit, reassignment, return/republish, cancellation, bulk actions, calendar/map/list, expiry, audit.

Capability Coverage

- Central visit management workspace and planning KPIs.
- Search, advanced filters, list and detail views.
- Individual edit, reschedule, reassignment and validation before execution starts.
- Returned visit handling, correction and republish while retaining identifiers.
- Individual and bulk cancellation with mandatory reason and notification behavior.
- Duplicate visit prevention and valid status-transition enforcement.
- Timeline, immutable audit, notes, attachments and plan-level bulk operations.
- Calendar, map and list views, campaign progress and automatic expiry.

Non-Negotiable Business Rules

- Planning statuses are Draft, Published, Returned, Cancelled and Expired.
- Cancelled and Expired are final states.
- Returned is available only before inspection starts.
- Bulk operations apply only where the source rules permit, typically within the same Visit Plan and before inspection begins.
- Expired visits are view-only; edit, republish and cancel are blocked.

- All planning actions are audited and audit records cannot be edited or deleted.

MVP1 DELIVERY DECISION

All 46 source rows for Visit Planning - Management remain mandatory in MVP1. Detailed IDs and acceptance criteria are preserved in Appendix A and the companion breakdown workbook.

7.3 Inspection Execution - Pre-Start

Requirement count: 15 mandatory spreadsheet rows. Primary channel: Inspector Workspace / Web Portal. Primary personas: Inspector.

Assigned visits, schedule views, preparation, Factory 360 snapshot, execution eligibility, package readiness, appointments and assignment return.

Capability Coverage

- Inspector assigned-visits dashboard with status, schedule and quick access.
- Calendar, List and Map views; search, filter and sort.
- Visit card summary and detailed visit view.
- Pre-start preparation checklist and Factory 360 snapshot.
- Execution-mode eligibility and package resolution.
- Appointment confirmation, notifications and inspection status visibility.
- Controlled return of assignment when the inspector cannot perform the visit.

Non-Negotiable Business Rules

- The inspector sees only assigned work permitted by role and assignment.
- Execution cannot start without the required package and applicable readiness checks.
- Execution-mode eligibility must be explicit and validated.
- Returning an assignment requires a valid reason and controlled permission.

MVP1 DELIVERY DECISION

All 15 source rows for Inspection Execution - Pre-Start remain mandatory in MVP1. Detailed IDs and acceptance criteria are preserved in Appendix A and the companion breakdown workbook.

7.4 Physical Inspection Execution

Requirement count: 223 mandatory spreadsheet rows. Primary channel: Inspector Workspace / iPad. Primary personas: Inspector, Factory Representative, Operations User.

Package download, journey telemetry, travel, arrival, geofence, execution workspace, checklist, report, evidence, violations, action forms, submission and audit.

Capability Coverage

- Execution eligibility and planned window validation.
- Locked inspection package download, checksum/integrity validation and offline cache.
- Journey session creation, device/network/GPS readiness and operational state updates.
- Navigation, ETA, remaining distance, route deviation and live journey telemetry.
- Arrival detection, actual GPS capture, planned-vs-observed comparison and geofence check-in.
- Inspection workspace initialization and error-safe recovery.
- Factory information verification with source/observed values and supporting evidence.
- Dynamic report completion, navigation, conditional fields, attachments and autosave.
- Checklist execution with required/optional items, responses, evidence rules and progress.
- Violation and penalty generation, action forms, notes/comments/observations and supporting evidence.
- Pre-submit review, mandatory validation, signatures where applicable, immutable submission version and review handoff.
- Comprehensive audit, timeline, exception handling and failure-safe retry behavior.

Non-Negotiable Business Rules

- Package version is frozen after download; later planning changes must not silently alter an ongoing inspection.
- Inspection cannot continue on a corrupted package.
- Operational state is separate from workflow status.
- Arrival/check-in must preserve actual location evidence and location source.
- Mandatory evidence and action forms can block submission.
- Submitted content is locked into a version and handed to Level 2 review.
- Retry-sensitive operations must not create duplicate or partial records.

MVP1 DELIVERY DECISION

All 223 source rows for Physical Inspection Execution remain mandatory in MVP1. Detailed IDs and acceptance criteria are preserved in Appendix A and the companion breakdown workbook.

7.5 Virtual Inspection Execution

Requirement count: 20 mandatory spreadsheet rows. Primary channel: Web Portal / Virtual Session. Primary personas: Inspector, Factory Representative.

Scheduled remote visit, session start, participant join, identity and OTP verification, remote execution, evidence and session handoff.

Capability Coverage

- Display confirmed scheduled virtual visit and appointment details.
- Create virtual session, timeline and operational state.
- Allow controlled cancellation before inspection starts with mandatory reason.
- Factory representative join and waiting-room behavior.
- Identity verification and OTP verification with failure handling.
- Session readiness and transition into remote inspection execution.
- Remote evidence/notes capture and session closure/handoff to inspection review.

Non-Negotiable Business Rules

- Only confirmed virtual visits are displayed for execution.
- Session start is constrained by the planned execution window and assignment.
- Participant identity and OTP verification are mandatory where configured.
- Verification failures must block unauthorized session progression and remain auditable.
- The virtual session hands off to the same controlled inspection outputs and review process.

MVP1 DELIVERY DECISION

All 20 source rows for Virtual Inspection Execution remain mandatory in MVP1. Detailed IDs and acceptance criteria are preserved in Appendix A and the companion breakdown workbook.

7.6 Level 2 Review & Resubmission

Requirement count: 53 mandatory spreadsheet rows. Primary channel: Web Portal. Primary personas: Level 2 Reviewer, Inspector, Auditor.

Review queue, read-only review workspace, approve/return/reject, selective unlock, resubmission, immutable versions, comparison and audit.

Capability Coverage

- Pending Review queue with search, filters, risk/SLA indicators and latest submitted version.
- Read-only review workspace covering factory observations, report, checklist, evidence, action forms, timeline and audit.
- Approve, Return and Reject decisions with confirmation, reason and permission rules.
- Return summary identifying required correction scope.

- Selective unlock so only returned sections become editable.
- Resubmission creating a new immutable version while preserving previous submitted versions.
- Side-by-side version comparison and immutable reviewer comments.
- Complete decision, correction and resubmission audit history.

Non-Negotiable Business Rules

- Reviewer cannot edit submitted inspection content.
- Approval is irreversible and locks the latest version.
- Return reason is mandatory and correction scope is explicit.
- Only returned sections become editable; all other sections remain locked.
- Every resubmission creates a new submitted version; no submitted version is overwritten.
- Reviewer comments are immutable after submission.
- Reject is final and requires a mandatory reason.

MVP1 DELIVERY DECISION

All 53 source rows for Level 2 Review & Resubmission remain mandatory in MVP1. Detailed IDs and acceptance criteria are preserved in Appendix A and the companion breakdown workbook.

7.7 Factory 360

Requirement count: 20 mandatory spreadsheet rows. Primary channel: Web Portal. Primary personas: Planner, Inspector, Reviewer, Supervisor, Executive.

Unified factory profile covering identity, licenses, CR, map, products, raw materials, workforce, history, violations, actions, health, risk, evidence and timeline.

Capability Coverage

- Complete Factory 360 profile page, distinct from a small factory summary card.
- Factory overview, licence, CR and identity data.
- Official, planner-adjusted and observed locations with map evidence.
- Products, raw materials, workforce, investment and capacity information.
- Visit and inspection history.
- Violations, penalties, corrective actions and follow-up status.
- Health score, risk profile and key indicators.
- Documents, evidence, timeline and access controls.
- Partial-failure isolation so one failed subsection does not break the page.

Non-Negotiable Business Rules

- Official source data is not silently overwritten by planner or field observations.
- Location provenance remains visible.
- Sensitive data is role-controlled.
- The page must continue operating if an optional subsection or downstream service fails.

MVP1 DELIVERY DECISION

All 20 source rows for Factory 360 remain mandatory in MVP1. Detailed IDs and acceptance criteria are preserved in Appendix A and the companion breakdown workbook.

7.8 Operations Center

Requirement count: 19 mandatory spreadsheet rows. Primary channel: Operations Center / Web Portal. Primary personas: Operations Manager, Supervisor, Executive.

Command dashboard, live map, visit and inspector monitoring, SLA, risk, alerts, exceptions, workload, cancellations, GPS overrides and live tracking history.

Capability Coverage

- Command Center dashboard for live operational monitoring.
- Live map showing factories, visits, active journeys and authorized inspector positions.
- Visit monitoring by operational state.
- Inspector availability, active visit, online/offline state, workload and authorized location visibility.
- SLA monitoring, risk monitoring and alerts.
- Workload/capacity views and exception handling.
- Cancellation monitoring, GPS override monitoring and live tracking history.
- Timeline, KPIs, export and role-based access.
- Widget/service partial-failure isolation.

Non-Negotiable Business Rules

- Operational state is separate from workflow status.
- Inspector location is visible only during active journey/execution and according to policy.
- SLA calculations use server timestamps.
- Risk indicators are read-only in the Operations Center.
- One failed widget or source must not bring down the entire Operations Center.

MVP1 DELIVERY DECISION

All 19 source rows for Operations Center remain mandatory in MVP1. Detailed IDs and acceptance criteria are preserved in Appendix A and the companion breakdown workbook.

7.9 Compliance Configuration

Requirement count: 30 mandatory spreadsheet rows. Primary channel: Admin Portal. Primary personas: Compliance Admin.

Regulations, inspection items, violations, penalties, evidence rules, report packages, dynamic behavior, scoring, triggers, versioning and publishing.

Capability Coverage

- Regulation management and legal source hierarchy.
- Inspection item management with response type, evidence rule and reuse.
- Violation and penalty configuration.
- Evidence rule configuration by item/response.
- Report package management and package-item assignment.
- Dynamic templates, action-form triggers and conditional runtime behavior.
- Draft/publish lifecycle, dependency validation, impact analysis, safe deactivation and audit.
- Sections/groups/order, required/optional/conditional items and response mapping.
- Compliance-result mapping, conditional mandatory logic, scoring and score exclusion.
- Response-based evidence override, violation triggers, action-form submission blocking, preview and publish validation.
- Runtime locking and version control.

Non-Negotiable Business Rules

- A regulation is the parent of inspection items.
- One violation has only one penalty.
- The same inspection item may be reused across packages.
- Required items cannot be removed during execution; optional items may be selected/unselected only where permitted.
- Missing mandatory evidence blocks submission.
- Published runtime configuration is locked and versioned.
- Dependency and impact checks are required before unsafe changes are published.

MVP1 DELIVERY DECISION

All 30 source rows for Compliance Configuration remain mandatory in MVP1. Detailed IDs and acceptance criteria are preserved in Appendix A and the companion breakdown workbook.

8. Essential MVP1 Foundation Additions

The following additions are the limited strategic gap-fillers permitted in MVP1. They do not replace or broaden the spreadsheet functional baseline. They make the 478-row scope secure, auditable, resilient and implementation-safe.

ID	Foundation Capability	MVP1 Rule	Acceptance Criteria
MVP1-FND-001	Identity, Authentication and Role-Based Access	Users may access only the channels, data and actions granted by role and organizational scope; least privilege is mandatory.	A user cannot view or execute any MVP1 action outside assigned role, branch/organizational scope or channel permission.
MVP1-FND-002	Canonical Status and Operational State Separation	Visit planning status, journey operational state, inspection execution status, review status, virtual session state and sync state are separate controlled state models.	No screen, API or report substitutes one state type for another; every transition is auditable and validated.
MVP1-FND-003	Immutable Audit and Timeline Service	Every create, update, assignment, publish, return, cancel, check-in, evidence action, submission, review decision and version event records actor, timestamp, object, old/new state and context.	Every critical MVP1 action is traceable end-to-end and no user can edit or delete audit records.
MVP1-FND-004	Notification and SLA Foundation	Notifications are event-driven, role-aware, deduplicated and auditable; SLA calculations use server timestamps and pause/resume only by approved rules.	Configured events produce the correct recipient notification and SLA state exactly once.
MVP1-FND-005	Secure Offline Package and Sync Integrity	Downloaded packages are version-locked, checksum-validated, encrypted on device, locally autosaved and synchronized without silent overwrite.	Inspector can complete permitted work offline, recover after interruption and sync without losing or silently overwriting evidence.
MVP1-FND-006	Idempotent Recovery and Failure Safety	Retry-sensitive actions such as publish, assignment, journey start, check-in, submission, review decision and resubmission are idempotent or protected by unique transaction rules.	Repeated client retry after timeout never creates duplicate visits, duplicate decisions, duplicate evidence or ambiguous states.
MVP1-FND-007	Factory Master Data and Source Provenance	Official source data is preserved; planner-selected location and field-observed location are stored separately with source, actor and timestamp.	Users can always identify the source and history of each mutable/observed factory value.
MVP1-FND-008	Evidence Chain of Custody	Evidence is linked to inspection, item/form, actor, timestamp and location when available; post-submission evidence is read-only unless a controlled returned section explicitly permits update.	Every evidence object can be traced from capture to submitted version and reviewer decision.
MVP1-FND-009	Privacy-Controlled Location Tracking	Live inspector location is visible only during active	No authorized screen receives live location outside

ID	Foundation Capability	MVP1 Rule	Acceptance Criteria
		journey/execution and only to authorized roles; retention and access are policy-controlled.	an active journey/execution state or beyond permitted retention.
MVP1-FND-010	Master Data and Lookup Governance	Shared lookup values are centrally governed, versioned where required and never duplicated as hard-coded per-screen lists.	The same controlled value has one canonical identifier across Admin, Web, Inspector Workspace and reports.
MVP1-FND-011	Accessibility, Responsive Layout and Readability	Web and admin screens must remain legible at standard enterprise resolutions; mobile/tablet screens must support field-safe touch targets, readable typography and non-color-only status cues.	No critical information requires zooming or relies only on color; core actions are accessible and readable on supported form factors.
MVP1-FND-012	Operational Fault Isolation	Failure of one widget, data source or optional panel must not break the entire Operations Center, Factory 360 or dashboard page.	Unavailable widgets show a local error/retry state while unaffected panels continue to operate.
MVP1-FND-013	Integration Boundary and Data Freshness	Where factory, licence, CR, product or other source data is synchronized, the UI exposes source and freshness timestamp; stale/unavailable data is clearly indicated.	Users can see when source data was last synchronized and the system never presents stale data as freshly verified.
MVP1-FND-014	Secure File, Media and Attachment Handling	All uploaded media and documents enforce configured type/size limits, malware scanning where available, access checks, storage encryption and audit events.	Unauthorized users cannot access files, and invalid or unsafe files are rejected with clear error feedback.
MVP1-FND-015	Build-Time Traceability and Non-Regression	Every spreadsheet row maps to a requirement ID, backlog item or explicit approved grouping, acceptance criteria, test case and evidence.	No baseline row is unaccounted for at build, SIT, UAT or release sign-off.

9. Canonical State Model and Lifecycle

MVP1 must keep business workflow status, operational journey state, inspection review status, virtual session state and synchronization/package state separate. Mixing these state types would corrupt reporting, SLA logic, permissions and audit history.

State Domain	Canonical Progression	Key Rules
Visit Planning Status	Draft -> Published -> Returned -> Published; terminal: Cancelled, Expired	Returned is allowed only before inspection starts. Cancelled and Expired are final. Expired is view-only.
Physical Operational State	New -> Prepared -> On the Way -> Arrived -> Executing -> Submitted	Operational state is separate from workflow status and is used for live Operations Center monitoring.
Inspection Review Status	Pending Review -> Approved Returned Rejected; Returned -> corrected resubmission -> Pending Review	Reviewer decisions are role-controlled. Returned sections alone become editable. Resubmission creates a new version.
Virtual Session State	Scheduled -> Session Started / Waiting -> Representative Joined -> Verified -> In Progress -> Closed	Cancellation is allowed only before inspection start where source rules permit. Identity and OTP checks gate

State Domain	Canonical Progression	Key Rules
		progress.
Package / Sync State	Not downloaded -> downloaded / integrity verified -> locked / cached -> local updates -> synchronized or recoverable conflict	No silent overwrite. Corrupted package is rejected. Offline work must recover safely.

10. Cross-Module Business Rules and Invariants

- All 478 spreadsheet requirements are MVP1 mandatory and traceable.
- Visit planning status, operational state, review status, virtual session state and sync state are distinct.
- Every generated operational Visit has its own Visit ID. Bulk and Single visits remain traceable to Visit Plan ID where applicable.
- Immediate Visits create a Visit directly and may support unregistered factories when permitted by source rules.
- Inspection execution cannot proceed with a corrupted package.
- Official source data, planner-adjusted location and field-observed location are stored with distinct provenance.
- Mandatory evidence and action forms can block submission.
- Submitted inspection versions are immutable and never silently overwritten.
- Reviewer comments become immutable after submission.
- Only explicitly returned sections unlock for correction.
- Every resubmission creates a new immutable version; the latest submitted version is used for active review.
- Cancelled and Expired planning states are final.
- Live inspector location is exposed only during authorized active journey/execution and according to policy.
- One failed optional widget or source must not break the whole Operations Center or Factory 360 page.
- Every critical action, transition and decision is captured in immutable audit history.

11. MVP1 Business Object and Data Model

Business Object	MVP1 Definition
Visit Plan	Container for Bulk or Single planning context where applicable; stores criteria/configuration/assignment method and links generated Visits.
Visit	Operational inspection visit with unique Visit ID, factory/location, schedule, assigned inspector, planning status and operational state.
Inspection Package	Version-locked execution bundle containing approved forms/checklists, factory context, configuration, reference documents and related content.
Journey Session	Active physical journey record with start timestamp, route/ETA context and telemetry.
Arrival / Check-In Event	Evidence of arrival and geofence check-in, including actual location and timestamp.
Virtual Session	Remote session record with appointment, participants, identity/OTP verification, state timeline and session outputs.
Inspection	Execution case linking visit, report, checklist, evidence, violations, penalties, action forms, notes and submission versions.
Inspection Report / Checklist Response	Structured responses created during execution under the active package/version.
Evidence Record	Photo, video, document, voice note or related artifact linked to inspection/item/form with actor, time and location metadata where available.

Business Object	MVP1 Definition
Violation	Configured compliance consequence triggered by inspection response or rule.
Penalty	Configured penalty linked to one violation; visibility/issuance follows approved business rules.
Action Form	Corrective or other configured form triggered by violation/rule and linked to the inspection.
Submission Version	Immutable snapshot created on submission/resubmission.
Review Decision	Approve, Return or Reject decision with reason/comments, affected sections, actor and timestamp.
Factory 360 Profile	Unified factory profile aggregating official identity, licenses, locations, history, compliance and authorized risk/health information.
Audit Event / Timeline Event	Immutable record of critical actions and business events.
Notification / SLA Item	Event-driven communication and timing record used across planning, execution, review and operations.
Regulation / Inspection Item / Package Version	Versioned compliance configuration controlling runtime inspection content and rules.

12. Integration and Dependency Model

Dependency / Service	MVP1 Responsibility
Identity / Role Service	Authentication, role-based access, organizational scope and least-privilege enforcement.
Factory Master / Source Systems	Factory identity, licence, CR, products, raw materials and synchronized master data used by planning and Factory 360.
Search and Repository Services	Search across factories, visits, inspections and review queues.
Assignment Engine	Automatic/manual inspector assignment, availability/capacity validation and reassignment.
GIS / Maps / Location	Factory coordinates, route/navigation, arrival, geofence, live map and authorized tracking.
Notification Service	Assignments, appointment reminders, return/republish, cancellation, review decisions, alerts and SLA notifications.
Workflow / State Engine	Valid transitions and guards across planning, operational, review and virtual session states.
Dynamic Form / Template / Compliance Rules	Inspection report, checklist, evidence rules, violations, penalties, packages and action forms.
Evidence / Media Service	Secure capture, storage, retrieval and traceability of photos, videos, documents and notes.
Offline Package / Sync Service	Package download, validation, local cache, autosave, recovery and synchronization without silent overwrite.
Audit / Timeline / Version Engine	Immutable event history, submission versions, reviewer decisions and version comparison.
Virtual Session / OTP	Remote meeting/session, participant join, identity verification and OTP.
Reporting / KPI Services	Planning KPIs, Factory 360 views, Operations Center metrics, alerts and exports.

13. Security, Audit, Privacy, Evidence and Offline Controls

Control Domain	MVP1 Requirement
Role-based access	Every action and data view is constrained by role, organizational scope and channel permission.
Immutable audit	Critical actions and transitions capture actor, timestamp, object, prior/new state and context. Users cannot edit or delete audit history.
Version control	Submitted inspection versions, reviewer decisions and published compliance configuration are protected from silent overwrite.
Evidence chain of custody	Evidence stays linked to inspection, item/form, actor, time and location metadata where available.
Location privacy	Live inspector location is exposed only during authorized active journey/execution and per policy.
Offline integrity	Packages are locked and verified; drafts autosave; retries and synchronization do not create duplicates or silent loss.
File/media security	Type/size validation, authorization, secure storage, encryption and audit are enforced.
Source provenance	Official, planner-adjusted and observed factory/location data remain distinguishable.
Failure safety	Retry-sensitive actions are idempotent or protected from duplicate side effects.
Partial failure isolation	Composite pages remain usable when one optional widget or source fails.

14. Non-Functional Requirements

NFR Domain	MVP1 Requirement
Availability	Critical operational services must be designed to avoid whole-page or whole-module failure from an optional widget/source failure.
Performance	Core lists, dashboards, inspection navigation and evidence actions must provide responsive enterprise performance under agreed load targets to be finalized in implementation planning.
Offline continuity	Physical field execution must support approved offline continuation for cached packages, local draft persistence and safe later synchronization.
Data integrity	No partial transition, silent overwrite, duplicate publish/submission or corrupted package may be accepted as successful.
Auditability	Every critical state change and decision must be traceable to actor, time, source and object.
Security	Least privilege, secure storage, encryption, file/media controls and channel-specific access are mandatory.
Privacy	Location and sensitive factory/user data access must be purpose-limited and policy-controlled.
Usability and readability	Critical data and actions must be readable at standard supported resolutions without reliance on tiny text or color-only cues.

NFR Domain	MVP1 Requirement
Accessibility	Supported experiences should use readable typography, sufficient contrast, keyboard-accessible web patterns where applicable and touch-safe field controls.
Observability	System, integration, sync and operational failures must produce actionable logs/alerts without exposing sensitive data.
Recoverability	Interrupted drafts, offline work and retry-sensitive actions must recover without data loss or duplicate side effects.
Scalability	Visit volumes, evidence/media growth, audit history and Factory 360 aggregation must be designed for future expansion without changing the MVP1 functional contract.

15. MVP1 Visual Storyboard Definition - 20 One-Page Boards

MVP1 requires exactly 20 separate storyboard pages/PNGs. Each storyboard is a self-contained visual definition and must remain readable at boardroom presentation size. No multiple storyboards may be compressed into a single page.

No.	Storyboard	Primary Channel	Coverage
01	Executive Storyboard - MVP1 End-to-End Inspection Platform Journey	All MVP1 channels	End-to-end scope from compliance configuration through planning, field/virtual execution, review, Factory 360 and operations visibility.
02	Persona Experience Atlas - Roles, Channels and Responsibilities	Cross-channel	Roles, handoffs, primary channels, responsibilities and governance points.
03	Compliance Configuration Admin - Rules, Items, Violations and Packages	Admin Portal	Regulations, inspection items, violations, penalties, evidence rules, report packages, triggers, versioning and publish.
04	Visit Planning - Planning Methods, Targeting and Publishing	Web Portal	Bulk, Single and Immediate planning paths, assignment methods, publication and resulting artifacts.
05	Visit Planning - Management Workspace and Operational Control	Web Portal	Search, KPI, detail, edit, reassign, return/republish, bulk actions, cancellation, calendar/map/list, expiry.
06	Inspector Pre-Start Workspace - Assignments, Preparation and Readiness	Inspector Workspace	Assigned visits, views, preparation, Factory 360 snapshot, execution mode, package resolution, notifications and return assignment.
07	Physical Inspection Start Journey - Travel, Check-In and Session Initiation	Inspector Workspace / Operations	Package integrity, journey start, device/network, navigation, live telemetry, arrival, geofence, inspection start and exceptions.
08	Physical Inspection Execution Workspace - Report, Checklist, Evidence and Submission	Inspector Workspace	Factory verification, dynamic report, checklist, violations, penalties, evidence, action forms, notes, review and submission.
09	Virtual Inspection Execution -	Virtual Session	Appointment, join, ID and

No.	Storyboard	Primary Channel	Coverage
	Identity Verification, Remote Session and Inspection Flow		OTP verification, readiness, remote inspection, evidence, closure and handoff.
10	Level 2 Review, Return and Version Control - Decision Workflow	Web Portal	Review queue, read-only review, decisions, returned-section unlock, resubmission, version comparison and immutable audit.
11	Factory 360 - Comprehensive Profile, History and Compliance View	Web Portal	Identity, licence, CR, location, products, raw materials, workforce, inspection history, violations, actions, scores, risk and timeline.
12	Operations Center - Command Dashboard, Live Map and Monitoring	Operations Center	Live operations map, visit/inspector states, SLA, risk, alerts, workload, cancellations, GPS overrides and tracking history.
13	Compliance Runtime - Package, Response, Evidence, Scoring and Trigger Semantics	Admin + Runtime	Required/optional items, response meanings, evidence override, scoring, violation/penalty mapping and action-form blocking.
14	Journey Telemetry, Location and Exception Control	Inspector + Operations	ETA, remaining distance, route deviation, arrival radius, GPS accuracy, check-in evidence, overrides and exception handling.
15	Evidence, Violations, Penalties and Action Forms	Inspector + Reviewer	Capture rules, chain of custody, auto-generated violations, penalty visibility, corrective/action forms and review traceability.
16	Inspection Submission, Locking, Version Creation and Handoff	Inspector + System	Pre-submit validation, signatures where applicable, immutable submitted version, audit and handoff to Level 2 review.
17	Returned Inspection Correction, Resubmission and Version Comparison	Inspector + Reviewer	Returned section targeting, selective unlock, immutable reviewer comments, new versions and before/after comparison.
18	MVP1 Admin Portal Information Architecture	Admin Portal	Navigation and ownership for compliance configuration, lookups, permissions, notification/SLA settings and supporting governance.
19	MVP1 Web Portal and Inspector Workspace Information Architecture	Web + Inspector	Navigation structure connecting planning, management, Factory 360, Operations Center, review, pre-start and execution.
20	MVP1 Architecture, Integrations, Security and Traceability Blueprint	Cross-platform	Channel architecture, shared services, source systems, audit, offline sync, media, notifications, GIS and non-regression traceability.

16. MVP1 Implementation Blueprint and Delivery Gates

16.1 Recommended Vertical Slice

Before scaling implementation across all teams, prove one complete end-to-end vertical slice that exercises the same object model, permissions, audit and versioning patterns that will be reused across MVP1.

- Compliance package configuration and publish.
- Factory target selection and visit creation.
- Inspector assignment and pre-start readiness.
- Package download and physical journey start.
- Arrival/geofence check-in and inspection execution.
- Checklist/report/evidence/violation/action-form completion.
- Submission version creation and Level 2 review.
- Return with selective unlock, resubmission and version comparison.
- Factory 360 and Operations Center visibility.
- End-to-end audit, notification and SLA evidence.

16.2 Delivery Gates

Gate	Definition
Gate 1 - Source Freeze	Freeze versioned copies of the 9-tab spreadsheet, MVP1 BRD, breakdown workbook and approved storyboard pack.
Gate 2 - Traceability	Every spreadsheet row has Requirement ID, source sheet/row, backlog mapping, acceptance criteria and test evidence target.
Gate 3 - State Model Lock	Planning, operational, review, virtual and sync states are finalized and not conflated.
Gate 4 - Data/Object Model Lock	Visit Plan, Visit, Inspection, Package, Evidence, Version, Review Decision and audit relationships are agreed.
Gate 5 - Vertical Slice Proof	One end-to-end slice passes functional, audit, offline/recovery and review/versioning checks.
Gate 6 - Module Build	Implement module-by-module while preserving shared services and canonical components.
Gate 7 - SIT and Non-Regression	All 478 baseline rows are covered by test mapping; critical error/retry paths are automated where feasible.
Gate 8 - UAT Evidence	Business users approve journey, data, rules, states and outputs with linked evidence/screenshots.
Gate 9 - Release Readiness	No unresolved P0/P1 scope gap, audit defect, data-loss risk or traceability hole remains.

17. Acceptance, SIT and UAT Strategy

Acceptance must prove not only that screens exist but that the full spreadsheet-defined business behavior, state changes, records, evidence, permissions, notifications and audit outcomes are correct.

Acceptance Dimension	Evidence Required
Requirement traceability	Every one of the 478 baseline rows maps to requirement ID, backlog/work item, acceptance criteria and test evidence.
Happy path	Each module proves the normal business journey end-to-end.
Validation path	Mandatory fields, eligibility, duplicate checks, evidence rules and publish/submit guards are tested.

Acceptance Dimension	Evidence Required
Error/retry path	Timeout, retry, reconnect, package corruption, GPS problems, sync recovery and partial failure are tested where applicable.
Permission path	Unauthorized actions and data access are blocked and audited.
State transition path	Invalid transitions are rejected; terminal states remain terminal.
Offline path	Approved physical execution behavior continues offline and syncs safely.
Versioning path	Submission, return, selective unlock, resubmission and version comparison preserve history.
Audit path	Critical actions and decisions appear in immutable timeline/audit with actor/time/context.
Cross-module path	Planning -> execution -> review -> Factory 360 -> Operations Center remains consistent.

18. MVP2 Boundary and Deferred Strategic Capability

The following capability families are intentionally kept out of MVP1 unless an approved decision later proves that a specific element is required to satisfy a mandatory spreadsheet row. This protects scope focus while preserving the strategic vision.

MVP2 ID	Capability	Deferred Scope	Source Reference
MVP2-001	Advanced Risk Studio	Model lifecycle, variable library, weights, thresholds, simulation, explainability and scheduled risk runs.	Baseline workbook: 07_Risk_Studio; 18_Admin_Modules
MVP2-002	Advanced Workflow Studio	No-code workflow designer, transition/guard catalog, workflow versioning and broader object orchestration.	Baseline workbook: 08_Workflow_Studio; 18_Admin_Modules
MVP2-003	General-Purpose No-Code Form Builder	Reusable drag/drop component catalogue, conditional logic and multilingual form design beyond the exact MVP1 compliance package needs.	Baseline workbook: 11_Form_Builder; 18_Admin_Modules
MVP2-004	Advanced AI Planning and Explainability	AI campaign summaries, recommendation rationales, advanced risk targeting and planning suggestions beyond mandatory spreadsheet behavior.	Strategic BRD/PDF; baseline workbook 47_Practical_AI_Use_Cases
MVP2-005	Executive National Health and Strategic Dashboards	National health index, heatmaps, strategic trends and executive intelligence not required for spreadsheet-aligned MVP1.	Baseline workbook: 16_Platform_Modules; 17_Web_Modules
MVP2-006	Advanced GIS/GMap Intelligence and Route Optimization	Multi-layer GIS, hotspots, route optimization and advanced planning intelligence beyond MVP1 navigation/check-in requirements.	Baseline workbook: 10_GIS_Map; 45_GIS_GMap_Infrastructure; 52_Map_UI_Opps
MVP2-007	External Portal Self-Assessment	Factory self-assessment submission, scoring, evidence and follow-up journeys beyond MVP1 inspection execution.	Strategic BRD/PDF; baseline workbook platform/web modules
MVP2-008	Correction and Re-Inspection Management	Full post-decision corrective action lifecycle and re-inspection orchestration beyond MVP1 Level 2 return/resubmit	Strategic BRD/PDF; prior storyboard 14

MVP2 ID	Capability	Deferred Scope	Source Reference
		loop.	
MVP2-009	Objection and Appeal Management	Formal objection submission, appeal review, committee/decision workflow and related communications.	Strategic BRD/PDF; prior storyboard 15
MVP2-010	Committee Decisioning and Digital Approval	Broader committee decision, approval conditions and digital approval capabilities not required by the 9-tab spreadsheet.	Strategic BRD/PDF; prior storyboards 09 and 11
MVP2-011	Advanced Digital Signature / PKI Integration	Enterprise e-signature, consent and non-repudiation integration beyond any MVP1 locally required acknowledgement/signature behavior.	Baseline workbook: 34_V4_Digital_Signature; Strategic BRD/PDF
MVP2-012	Audit Replay and Time-Travel Reconstruction	Advanced point-in-time reconstruction and replay views beyond mandatory immutable audit timeline.	Baseline workbook: 36_V4_Inspection_History; Strategic BRD/PDF
MVP2-013	Predictive SLA and Operations Intelligence	Predictive breach detection, advanced workload recommendations and proactive anomaly intelligence.	Strategic BRD/PDF; baseline workbook 47_Practical_AI_Use_Cases
MVP2-014	Advanced Device Administration	Device registration, policy controls, compliance monitoring and remote administrative controls beyond minimum MVP1 execution needs.	Baseline workbook: 19_iPad_Field; 18_Admin_Modules
MVP2-015	Expanded Integration Ecosystem	Broader enterprise integration endpoints, advanced API governance and future external data providers beyond MVP1 source dependencies.	Baseline workbook: 32_V4_Enterprise_Arch; Strategic BRD/PDF
MVP2-016	Bilingual / RTL Experience Expansion	Full Arabic/English authoring and translation-completeness tooling across advanced studios and future external experiences.	Baseline workbook: 11_Form_Builder; 41_V4_UIUX_Playbook
MVP2-017	Advanced Analytics and Regulatory Trend Intelligence	Cross-regulation trends, repeat violation analysis, predictive patterns and broader BI capabilities.	Baseline workbook: 17_Web_Modules; Strategic BRD/PDF
MVP2-018	Advanced Map UI Opportunities	Heatmaps, clustering, route comparison, smart overlays and advanced spatial analytics beyond MVP1 live map.	Baseline workbook: 52_Map_UI_Opps
MVP2-019	Advanced AI Evidence and Review Assistance	AI summarization, evidence quality flags, inconsistency detection and reviewer assistance beyond the spreadsheet mandatory workflow.	Inspection Project.xlsx AI Actions marked Phase 2; baseline workbook 47_Practical_AI_Use_Cases
MVP2-020	Strategic Platform Expansion Pack	Other approved strategic capabilities from the 61-sheet baseline and 734-page BRD not necessary for strict spreadsheet-first MVP1 delivery.	Strategic BRD/PDF and 61-sheet baseline workbook

19. Traceability and Change Governance

MVP1 implementation is governed by a no-drift contract. Any requirement change must preserve source lineage and show the effect on scope, backlog, test coverage, data/state model, storyboards and release acceptance.

Governance Item	Requirement
Baseline Change Request	Must identify affected spreadsheet rows and requirement IDs.
Scope Classification	Must state whether the change is MVP1 mandatory, MVP1 foundation, or MVP2 deferred.
Business Decision	Conflicts between sources require an explicit approved decision; no silent interpretation.
Impact Analysis	Must assess UI, workflow/state, data, integration, security, audit, offline, reporting and test impact.
Traceability Update	Must update breakdown workbook, BRD, backlog and test evidence mapping.
Versioning	Every approved baseline is versioned and date-stamped.

Appendix A. Detailed 478-Row MVP1 Requirement Catalogue

The following tables preserve every source row from Inspection Project.xlsx. Requirement IDs are stable within this MVP1 baseline. Source sheet and row references are included to prove non-regression.

A.1 Visit Planning - Planning - 52 Requirements

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M01-001 <i>Inspection Project.xlsx Visit Planning-Planning row 2</i>	Visit Creation Provide planners and inspectors with different methods to create inspection visits based on the business scenario.	Flow: Visit Planning → Visit Creation → Select Planning Method (Bulk / Single / Immediate). User: Select planning method. System: Load the selected planning workflow.	Three planning methods are supported: Bulk, Single and Immediate.	User can access only the planning methods permitted by their role.
MVP1-M01-002 <i>Inspection Project.xlsx Visit Planning-Planning row 3</i>	Bulk Planning Create multiple inspection visits using a single planning activity (Visit Plan).	Flow: Select Bulk Planning → Build Criteria → Retrieve Factories → Select Factories → Configure Visit → Assign Inspectors → Review → Publish. User: Build search criteria, search factories, select/unselect factories, configure visit, publish. System: Retrieve factories, validate duplicates, generate Visit Plan, generate Visit IDs, assign inspectors, notify inspectors, create audit logs.	One Visit Plan can generate multiple Visits. Every Visit receives a unique Visit ID while sharing the same Visit Plan ID.	Planner successfully publishes a Visit Plan and all selected factories receive individual Visits.
MVP1-M01-003 <i>Inspection Project.xlsx Visit Planning-Planning row 4</i>	Planning Criteria Builder Allow planners to build flexible search criteria to identify target factories.	Flow: Open Criteria Builder → Add Filter → Add Additional Filters → Search. User: Add, edit and remove criteria using AND / OR conditions. System: Validate criteria and execute factory search.	Multiple filters can be combined. Both AND and OR conditions are supported.	Planner can build one or multiple search criteria without limitation.
MVP1-M01-004 <i>Inspection Project.xlsx Visit Planning-Planning row 5</i>	Target Factory Identification Retrieve all factories matching the selected planning criteria.	Flow: Search → View Results. User: Review search results. System: Retrieve all matching factories.	Only factories matching all criteria are returned.	Matching factories are successfully retrieved.
MVP1-M01-005 <i>Inspection Project.xlsx Visit Planning-Planning row 6</i>	Target Factory Selection Allow planners to select the factories that should become inspection visits.	Flow: Review Results → Select / Unselect Factories → Confirm Selection. User: Select or remove factories individually or in bulk. System: Track selected factories and prepare Visit Plan.	Planner has full control over the selected factories before publishing.	Only selected factories proceed to Visit Configuration.
MVP1-M01-006 <i>Inspection Project.xlsx Visit Planning-Planning row 7</i>	Visit Configuration Configure the common information that will be applied to all selected visits.	Flow: Configure Visit → Continue. User: Select Business Visit Type, Visit Window, Assignment Method, Notes. System: Validate mandatory fields.	Configuration applies to every Visit generated from the same Visit Plan.	Planner successfully configures the Visit Plan.
MVP1-M01-007 <i>Inspection Project.xlsx Visit Planning-Planning row 8</i>	Automatic Inspector Assignment Automatically assign inspectors during planning.	Flow: Choose Auto Assignment → Review Assignment → Publish. User: Select Auto Assignment.	Assignment occurs before publishing.	Every Visit has an assigned inspector before publishing.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		System: Assign inspectors according to assignment strategy.		
MVP1-M01-008 <i>Inspection Project.xlsx Visit Planning-Planning row 9</i>	Manual Inspector Assignment Allow planners to manually assign inspectors.	Flow: Select Manual Assignment → Choose Inspector → Review → Publish. User: Select inspector for one or multiple visits. System: Validate inspector availability.	Planner may override automatic recommendations.	Planner successfully assigns inspectors manually.
MVP1-M01-009 <i>Inspection Project.xlsx Visit Planning-Planning row 10</i>	Review Visit Plan Provide a final review before publishing.	Flow: Review Visit Plan → Publish. User: Review all configuration and assignments. System: Validate all required information.	Publishing is blocked until all mandatory information is completed.	Planner reviews the complete Visit Plan before publishing.
MVP1-M01-010 <i>Inspection Project.xlsx Visit Planning-Planning row 11</i>	Publish Visit Plan Officially publish the Visit Plan and generate operational visits.	Flow: Publish → Confirmation. User: Confirm publishing. System: Create Visit Plan, create individual Visits, assign inspectors, update inspector calendars, generate audit records, send notifications.	Every generated Visit becomes an independent business object while remaining linked to the originating Visit Plan.	Individual Visits are successfully generated, assigned and available to inspectors.
MVP1-M01-011 <i>Inspection Project.xlsx Visit Planning-Planning row 12</i>	Select Planning Method Allow planner to choose how inspection visits will be created.	Flow: Visit Planning → Create Visit → Select Method User: Select Bulk, Single or Immediate. System: Load corresponding planning workflow.	Only one planning method can be selected per creation session.	Selected planning workflow opens successfully.
MVP1-M01-012 <i>Inspection Project.xlsx Visit Planning-Planning row 13</i>	Build Planning Criteria Define target factories using business filters.	Flow: Bulk Planning → Build Criteria User: Add/remove filters, combine using AND/OR. System: Validate criteria.	Unlimited filter combinations supported.	Planner can create valid search criteria.
MVP1-M01-013 <i>Inspection Project.xlsx Visit Planning-Planning row 14</i>	Retrieve Target Factories Retrieve all factories matching the criteria.	Flow: Search User: Click Search. System: Execute search and return matching factories.	Only matching factories are returned.	Matching factories displayed.
MVP1-M01-014 <i>Inspection Project.xlsx Visit Planning-Planning row 15</i>	Review Target Factories Allow planner to review retrieved factories.	Flow: Review Results User: Sort, filter, open factory profile. System: Display factory information.	Factories are read-only during review.	Planner can review every returned factory.
MVP1-M01-015 <i>Inspection Project.xlsx Visit Planning-Planning row 16</i>	Select Target Factories Build the inspection scope.	Flow: Review → Selection User: Select/unselect individual or multiple factories. System: Store selected factories.	Only selected factories proceed.	Selected factories are saved.
MVP1-M01-016 <i>Inspection Project.xlsx Visit Planning-Planning row 17</i>	AI Planning Summary Summarize the selected campaign before publishing.	Flow: Selection → Summary User: Review AI summary. System: Generate campaign summary.	Informational only.	Summary generated successfully.
MVP1-M01-017 <i>Inspection Project.xlsx Visit Planning-Planning row 18</i>	Configure Visit Details Define common visit configuration.	Flow: Configure Visit User: Select Visit Type, Visit Window, Assignment Method, Notes. System: Validate mandatory fields.	Applies to all selected visits.	Configuration saved successfully.
MVP1-M01-018	Auto Assignment	Flow: Assignment	Every visit must have an inspector.	Inspectors assigned successfully.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
<i>Inspection Project.xlsx Visit Planning-Planning row 19</i>	Automatically assign inspectors.	User: Choose Auto. System: Allocate inspectors.		
MVP1-M01-019 <i>Inspection Project.xlsx Visit Planning-Planning row 20</i>	Manual Assignment Override inspector assignment.	Flow: Assignment User: Select inspectors manually. System: Validate availability.	Manual assignment overrides auto assignment.	Manual assignment completed successfully.
MVP1-M01-020 <i>Inspection Project.xlsx Visit Planning-Planning row 21</i>	Review & Publish Final validation before publishing.	Flow: Review → Publish User: Review and confirm. System: Validate duplicates, create Visit Plan, create Visits, notify inspectors, update calendars, audit.	Visits become available to inspectors immediately.	Visit Plan successfully published.
MVP1-M01-021 <i>Inspection Project.xlsx Visit Planning-Planning row 22</i>	Select Planning Method Allow planner to choose how inspection visits will be created.	Flow: Visit Planning → Create Visit → Select Bulk Planning User: Select Bulk Planning. System: Load Bulk Planning workspace.	Planner must select one planning method before proceeding.	Bulk Planning workspace opens successfully.
MVP1-M01-022 <i>Inspection Project.xlsx Visit Planning-Planning row 23</i>	Build Planning Criteria Define which factories should be inspected.	Flow: Bulk Planning → Criteria Builder User: Add, remove and combine filter keys using AND / OR logic. System: Validate filters and prepare search query.	Unlimited filters are supported. Multiple AND/OR conditions are allowed.	Planner can successfully define one or more planning criteria.
MVP1-M01-023 <i>Inspection Project.xlsx Visit Planning-Planning row 24</i>	Search Target Factories Retrieve factories matching the planning criteria.	Flow: Build Criteria → Search User: Click Search. System: Execute search and retrieve all matching factories.	Only factories satisfying the selected criteria are returned.	Matching factories are displayed successfully.
MVP1-M01-024 <i>Inspection Project.xlsx Visit Planning-Planning row 25</i>	Review Target Factories Review retrieved factories before planning visits.	Flow: Search Results User: View factory details, sort list, filter results, open factory profile. System: Display complete factory information.	No visits are created during review.	Planner can review all returned factories.
MVP1-M01-025 <i>Inspection Project.xlsx Visit Planning-Planning row 26</i>	Select Target Factories Build the final inspection scope.	Flow: Review Results → Selection User: Select, unselect or select all factories. System: Store selected factories.	Only selected factories proceed to planning.	Only selected factories are included in the Visit Plan.
MVP1-M01-026 <i>Inspection Project.xlsx Visit Planning-Planning row 27</i>	AI Planning Summary Provide planning insights before creating visits.	Flow: Factory Selection → AI Summary User: Review AI recommendations. System: Generate campaign summary.	AI recommendations are advisory only and do not modify the plan automatically.	AI summary is generated successfully before publishing.
MVP1-M01-027 <i>Inspection Project.xlsx Visit Planning-Planning row 28</i>	Configure Visit Details Define the common visit configuration for all selected factories.	Flow: Planning Configuration User: Configure Business Visit Type, Visit Window, Assignment Method and Notes. System: Validate mandatory information.	Configuration applies to every generated visit.	Planner completes all mandatory visit configuration fields.
MVP1-M01-028 <i>Inspection Project.xlsx Visit Planning-Planning row 29</i>	Automatic Inspector Assignment Automatically distribute visits among inspectors.	Flow: Assignment → Auto Assignment User: Select Auto Assignment. System: Assign inspectors according to configured strategy.	Every generated visit must have one assigned inspector before publishing.	All visits receive inspector assignments automatically.
MVP1-M01-029 <i>Inspection Project.xlsx Visit Planning-Planning row 30</i>	Manual Inspector Assignment Allow planner to manually override inspector assignments.	Flow: Assignment → Manual Assignment User: Select inspector for one or multiple visits. System: Validate inspector eligibility and	Manual assignment overrides automatic assignment.	Planner successfully assigns inspectors manually.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		assignment conflicts.		
MVP1-M01-030 <i>Inspection Project.xlsx Visit Planning-Planning row 31</i>	Review Visit Plan Review the complete Visit Plan before publishing.	Flow: Review → Publish User: Review selected factories, assignments and visit configuration. System: Validate mandatory data, detect duplicate visits and highlight validation errors.	Publishing is blocked until all mandatory validations pass.	Planner successfully reviews the Visit Plan before publishing.
MVP1-M01-031 <i>Inspection Project.xlsx Visit Planning-Planning row 32</i>	Publish Visit Plan Generate operational inspection visits.	Flow: Review → Publish → Confirmation User: Confirm publishing. System: Create Visit Plan, generate individual Visit IDs, assign inspectors, update inspector calendars, send notifications, create audit records and move visits to Published status.	Every Visit receives a unique Visit ID. All Visits inherit the same Visit Plan ID. Inspectors receive only individual Visits, never the Visit Plan.	Visit Plan is published successfully. Individual visits are created, assigned, audited and visible to inspectors.
MVP1-M01-032 <i>Inspection Project.xlsx Visit Planning-Planning row 33</i>	Bulk Edit Visit Plan Allow planner to update multiple visits belonging to the same Visit Plan before execution starts.	Flow: Visit Management → Visit Plan → Bulk Edit User: Modify one or more fields and save changes. System: Apply updates to all selected child visits and record audit logs.	Bulk Edit is allowed only before any selected visit has started inspection. All editable fields are supported.	All selected visits are updated successfully.
MVP1-M01-033 <i>Inspection Project.xlsx Visit Planning-Planning row 34</i>	Bulk Cancel Visits Cancel one or multiple visits belonging to the same Visit Plan.	Flow: Visit Plan → Bulk Cancel User: Select visits and provide cancellation reason. System: Cancel selected visits, notify inspectors and record audit logs.	Only visits that have not started inspection can be cancelled.	Selected visits are successfully cancelled and inspectors are notified.
MVP1-M01-034 <i>Inspection Project.xlsx Visit Planning-Planning row 35</i>	Select Single Planning Allow the planner to create an individual planned inspection visit.	Flow: Visit Planning → Create Visit → Single Planning User: Select Single Planning. System: Load the Single Planning workspace.	Only one factory can be planned within a Single Visit Plan.	Single Planning workspace opens successfully.
MVP1-M01-035 <i>Inspection Project.xlsx Visit Planning-Planning row 36</i>	Search Factory Locate a factory using available identifiers.	Flow: Single Planning → Search User: Search using CR Number or Industrial License Number. System: Validate search input and retrieve matching records.	Search supports CR and Industrial License only.	Matching factory information is successfully retrieved.
MVP1-M01-036 <i>Inspection Project.xlsx Visit Planning-Planning row 37</i>	Select Industrial License Allow planner to choose the applicable Industrial License when multiple licenses exist under the same CR.	Flow: Search Result → License Selection User: Select one Industrial License. System: Retrieve selected license details.	If multiple licenses exist, one license must be selected before proceeding.	Planner successfully selects the intended Industrial License.
MVP1-M01-037 <i>Inspection Project.xlsx Visit Planning-Planning row 38</i>	Retrieve Factory Profile Display complete business information before planning the visit.	Flow: License Selection → Factory Profile User: Review retrieved information. System: Display factory information including CR, Industrial License, Factory Name, Region, City, License Stage and Status.	Factory information is read-only except location.	Factory profile is displayed successfully.
MVP1-M01-038 <i>Inspection Project.xlsx Visit Planning-Planning </i>	Verify Factory Location Ensure the inspection location is correct	Flow: Factory Profile → Location User: Confirm location, modify map pin or	Planner may override the stored location before publishing. System should	Verified location is successfully saved.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
row 39	before publishing.	manually pin a new location. System: Display existing location and save updates if modified.	distinguish between the official registered location and the planner-updated location.	
MVP1-M01-039 <i>Inspection Project.xlsx Visit Planning-Planning row 40</i>	Configure Visit Details Configure visit information for the selected factory.	Flow: Configure Visit User: Select Business Visit Type, Visit Window, Assignment Method and Notes. System: Validate mandatory fields.	Configuration applies only to the selected visit.	Planner completes all required fields successfully.
MVP1-M01-040 <i>Inspection Project.xlsx Visit Planning-Planning row 41</i>	Assign Inspector Assign the visit to an inspector.	Flow: Assignment User: Select Auto Assignment or Manual Assignment. System: Assign inspector and validate availability.	Every visit must have one assigned inspector before publishing.	Visit is successfully assigned.
MVP1-M01-041 <i>Inspection Project.xlsx Visit Planning-Planning row 42</i>	Review Single Visit Review the complete visit before publishing.	Flow: Review → Publish User: Review factory information, assignment and visit configuration. System: Validate duplicate visits, mandatory fields and planning rules.	Publishing is blocked until validation passes.	Planner successfully reviews the visit.
MVP1-M01-042 <i>Inspection Project.xlsx Visit Planning-Planning row 43</i>	Publish Single Visit Publish the visit and assign it to the inspector.	Flow: Publish → Confirmation User: Confirm publishing. System: Generate Visit ID, assign inspector, update calendar, notify inspector and record audit logs.	A Single Visit creates one Visit Plan containing one Visit. The inspector receives only the Visit.	Visit is successfully published and available in the inspector's work queue.
MVP1-M01-043 <i>Inspection Project.xlsx Visit Planning-Planning row 44</i>	Select Immediate Visit Allow planners or inspectors to immediately create an inspection without following the normal planning process.	Flow: Visit Planning → Create Visit → Immediate Visit User: Select Immediate Visit. System: Load Immediate Visit workspace.	Immediate Visits bypass Visit Plans and create a Visit directly.	Immediate Visit workspace opens successfully.
MVP1-M01-044 <i>Inspection Project.xlsx Visit Planning-Planning row 45</i>	Search Existing Factory Allow user to search for an existing factory before creating the visit.	Flow: Immediate Visit → Search User: Search using CR Number or Industrial License Number. System: Retrieve factory information if available.	Factory search is optional. Immediate Visits can continue even when no record is found.	Factory information is successfully retrieved when available.
MVP1-M01-045 <i>Inspection Project.xlsx Visit Planning-Planning row 46</i>	Manual Factory Information Allow creation of visits for unregistered factories.	Flow: Search → No Result / Skip Search User: Enter factory name (optional), CR (optional), Industrial License (optional) and any available business information. System: Store manually entered information with the visit.	Immediate Visits do not require a registered factory.	User can continue without a CR or Industrial License.
MVP1-M01-046 <i>Inspection Project.xlsx Visit Planning-Planning row 47</i>	Capture Visit Location Capture or verify the inspection location.	Flow: Factory Information → Location User: Confirm existing location, modify map pin or manually pin a new location. System: Save the selected location with the visit.	Location is mandatory before the visit can be created. If no registered location exists, planner or inspector must manually identify it.	Visit location is successfully captured.
MVP1-M01-047 <i>Inspection Project.xlsx Visit Planning-Planning row 48</i>	Configure Immediate Visit Configure the visit before starting or assigning it.	Flow: Configure Visit User: Select Business Visit Type, Visit Window (Planner only), Notes and Priority (Optional). System: Validate mandatory information.	Planner may schedule an Immediate Visit. Inspector-created Immediate Visits start immediately.	Required information is successfully captured.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M01-048 <i>Inspection Project.xlsx Visit Planning-Planning row 49</i>	Assign Inspector Assign the Immediate Visit when created by a planner.	Flow: Assignment User: Select Auto or Manual Assignment. System: Assign inspector and validate assignment.	Only Planner-created Immediate Visits require assignment.	Assigned inspector is successfully linked to the visit.
MVP1-M01-049 <i>Inspection Project.xlsx Visit Planning-Planning row 50</i>	Review Immediate Visit Review visit information before creation.	Flow: Review → Create User: Review factory information, location and visit configuration. System: Validate mandatory information and duplicate active visits.	Review step is required only for Planner-created Immediate Visits.	Planner successfully reviews the Immediate Visit before creation.
MVP1-M01-050 <i>Inspection Project.xlsx Visit Planning-Planning row 51</i>	Create Immediate Visit Create the operational visit.	Flow: Create → Confirmation User: Confirm creation. System: Generate Visit ID, create audit record and register the visit.	Immediate Visits generate a Visit directly without creating a Visit Plan.	Immediate Visit is successfully created.
MVP1-M01-051 <i>Inspection Project.xlsx Visit Planning-Planning row 52</i>	Start Immediate Inspection Allow inspectors to begin the inspection immediately after creating the visit.	Flow: Create Visit → Start Inspection User: Click Start Inspection. System: Change Visit Status to Inspection Started and transfer ownership to Visit Execution.	Available only for Inspector-created Immediate Visits. Once inspection starts, the visit follows the standard execution lifecycle.	Inspection starts successfully and the visit appears in the execution workspace.
MVP1-M01-052 <i>Inspection Project.xlsx Visit Planning-Planning row 53</i>	Notify Assigned Inspector Notify the assigned inspector when the planner creates an Immediate Visit.	Flow: Create Visit User: N/A System: Send notification and update inspector calendar/work queue.	Notifications are generated only when the visit is assigned to another inspector.	Assigned inspector receives the Immediate Visit in their work queue.

A.2 Visit Planning - Management - 46 Requirements

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M02-001 <i>Inspection Project.xlsx Visit Planning- Mangment row 2</i>	Visit Management Workspace Provide planners with a centralized workspace to monitor and manage all planned visits before inspection execution.	Flow: Visit Planning → Visit Management User: Open Visit Management. System: Load KPIs, search, filters and visit list.	Only visits within the planning lifecycle are displayed.	Planner can access all planned visits.
MVP1-M02-002 <i>Inspection Project.xlsx Visit Planning- Mangment row 3</i>	Visit KPIs Provide operational visibility of visit statuses.	Flow: Workspace → KPI Cards User: Select KPI. System: Display Draft, Published, Returned, Cancelled and Expired counts. Selecting a KPI filters the visit list automatically.	KPIs represent only planning statuses. Inspection execution statuses are excluded.	KPI values match the underlying visit records.
MVP1-M02-003 <i>Inspection Project.xlsx Visit Planning- Mangment row 4</i>	Search Visits Quickly locate a specific visit.	Flow: Search User: Search by Visit ID, Factory Name, CR Number, Industrial License or Inspector. System: Retrieve matching visits.	Partial matching is supported.	Matching visits are displayed.
MVP1-M02-004 <i>Inspection Project.xlsx Visit Planning- Mangment row 5</i>	Filter Visits Narrow the visit list using business filters.	Flow: Filter Panel User: Apply one or more filters. System: Refresh visit list.	Multiple filters may be combined.	Visit list reflects selected filters.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M02-005 <i>Inspection Project.xlsx Visit Planning- Mangment row 6</i>	View Visit Details Review all information related to a planned visit.	Flow: Open Visit User: View details. System: Display factory profile, location, assignment, visit information, timeline and audit history.	Information is read-only until Edit is selected.	Planner can access complete visit information.
MVP1-M02-006 <i>Inspection Project.xlsx Visit Planning- Mangment row 7</i>	Edit Visit Modify an individual visit before inspection starts.	Flow: Visit Details → Edit User: Update Business Visit Type, Visit Window, Inspector, Factory Location and Notes. System: Validate changes, save updates and record audit logs.	Edit is allowed only before the inspection has started.	Changes are successfully saved and audited.
MVP1-M02-007 <i>Inspection Project.xlsx Visit Planning- Mangment row 8</i>	Bulk Edit Visits Modify multiple visits belonging to the same Visit Plan.	Flow: Select Visits → Bulk Edit User: Select child visits and update shared fields. System: Apply updates to all selected visits and record audit logs.	Bulk Edit is only available for visits within the same Visit Plan and before inspection starts.	Selected visits are successfully updated.
MVP1-M02-008 <i>Inspection Project.xlsx Visit Planning- Mangment row 9</i>	Return Visit Handling Allow planners to manage visits returned by inspectors.	Flow: Returned KPI → Open Visit User: Review return reason, edit visit, republish or cancel. System: Display return reason and maintain audit history.	Returned visits are always managed as Single Visits, even if originally created through Bulk Planning.	Planner can successfully process returned visits.
MVP1-M02-009 <i>Inspection Project.xlsx Visit Planning- Mangment row 10</i>	Republish Returned Visit Return a corrected visit back to the inspector.	Flow: Returned Visit → Republish User: Confirm republishing. System: Change status to Published, notify assigned inspector and update audit history.	Same Visit ID and same Visit Plan ID are retained.	Returned visit is successfully republished.
MVP1-M02-010 <i>Inspection Project.xlsx Visit Planning- Mangment row 11</i>	Cancel Visit Cancel an individual visit before inspection starts.	Flow: Visit Details → Cancel User: Enter cancellation reason and confirm. System: Update status, notify inspector and record audit log.	Cancellation is only allowed before inspection starts. Cancelled is a final state.	Visit is cancelled successfully and removed from active planning.
MVP1-M02-011 <i>Inspection Project.xlsx Visit Planning- Mangment row 12</i>	Bulk Cancel Visits Cancel multiple visits under the same Visit Plan.	Flow: Select Visits → Bulk Cancel User: Select visits, enter cancellation reason and confirm. System: Cancel selected visits, notify inspectors and record audit logs.	Only visits that have not started inspection may be cancelled.	Selected visits are successfully cancelled.
MVP1-M02-012 <i>Inspection Project.xlsx Visit Planning- Mangment row 13</i>	Duplicate Visit Validation Prevent duplicate planning.	Flow: Publish / Edit / Republish User: N/A System: Detect active or overlapping visits for the same factory.	Duplicate active visits are not allowed.	Duplicate visits are successfully prevented.
MVP1-M02-013 <i>Inspection Project.xlsx Visit Planning- Mangment row 14</i>	Activity Timeline Display the chronological history of visit events.	Flow: Visit Details → Timeline User: Review timeline. System: Display all visit events in chronological order.	Timeline cannot be modified by users.	Timeline displays complete visit history.
MVP1-M02-014 <i>Inspection Project.xlsx Visit Planning- Mangment row 15</i>	Audit Trail Maintain a complete audit history for every visit.	Flow: View Audit User: Review audit records. System: Record every change with previous value, new value, user and timestamp.	All planning actions must be audited. Audit records cannot be edited or deleted.	Every planning action is traceable.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M02-015 <i>Inspection Project.xlsx Visit Planning- Mangment row 16</i>	Visit Status Management Control valid planning status transitions.	Flow: System Driven User: N/A System: Enforce lifecycle transitions based on business rules.	Valid planning statuses are Draft, Published, Returned, Cancelled and Expired. Cancelled and Expired are final states. Returned is only available before inspection starts.	Invalid status transitions are prevented automatically.
MVP1-M02-016 <i>Inspection Project.xlsx Visit Planning- Mangment row 17</i>	Expired Visit Management Automatically expire visits that were not started within the planned visit window.	Flow: System Scheduler User: N/A System: Update visit status to Expired and record audit history.	Expired is a final state. No edit, republish or cancel actions are allowed. View only.	Visits automatically expire after the configured visit window ends.
MVP1-M02-017 <i>Inspection Project.xlsx Visit Planning- Mangment row 18</i>	Visit Plan Details Allow planners to manage visits at the Visit Plan level.	Flow: Open Visit Plan User: View child visits, assignments and planning summary. System: Display all visits belonging to the selected Visit Plan.	Bulk operations are only available from the Visit Plan level.	Planner can successfully manage all visits within the selected Visit Plan.
MVP1-M02-018 <i>Inspection Project.xlsx Visit Planning- Mangment row 19</i>	Assignment Overview Provide planners with visibility of inspector workload before making assignment changes.	Flow: Visit Management → Assignment Overview User: View inspector workload and assigned visits. System: Display inspector capacity, assigned visits and available workload.	Read-only dashboard used to support planning decisions.	Planner can review inspector workload before reassigning visits.
MVP1-M02-019 <i>Inspection Project.xlsx Visit Planning- Mangment row 20</i>	Visit Management Workspace Provide a centralized operational workspace for planners to monitor and manage all planned visits.	Flow: Visit Planning → Visit Management Overview User: Open workspace. System: Load KPIs, filters, search, visit list and planner actions.	None	Visit Repository, User Roles, Dashboard Service
MVP1-M02-020 <i>Inspection Project.xlsx Visit Planning- Mangment row 21</i>	Planning KPI Summary Provide a high-level overview of planning workload.	Flow: Workspace User: View KPIs and drill into records. System: Calculate and display planning KPIs.	None	Visit Repository
MVP1-M02-021 <i>Inspection Project.xlsx Visit Planning- Mangment row 22</i>	Advanced Search Locate visits quickly using business identifiers.	Flow: Search User: Search by Visit ID, Visit Plan ID, CR, License Number, Factory Name, Inspector or Campaign. System: Retrieve matching records.	None	Search Engine, Visit Repository
MVP1-M02-022 <i>Inspection Project.xlsx Visit Planning- Mangment row 23</i>	Advanced Filters Filter visits using operational criteria.	Flow: Filters User: Apply one or more filters. System: Refresh visit list.	None	Visit Repository
MVP1-M02-023 <i>Inspection Project.xlsx Visit Planning- Mangment row 24</i>	Visit List Display all planned visits.	Flow: Workspace User: Sort, group, select and open visits. System: Display configurable visit grid.	None	Visit Repository
MVP1-M02-024 <i>Inspection Project.xlsx Visit Planning- Mangment row 25</i>	View Visit Details Display complete planning information for a selected visit.	Flow: Visit → Details User: View visit information. System: Display factory profile, assignment, planning information, location, timeline, attachments and audit.	None	Visit Repository
MVP1-M02-025 <i>Inspection Project.xlsx Visit Planning- Mangment </i>	Edit Visit Modify a planned visit before execution	Flow: Visit Details → Edit User: Update editable fields.	Status unchanged	Validation Engine, Assignment Engine

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
row 26	begins.	System: Validate, save changes and audit updates.		
MVP1-M02-026 <i>Inspection Project.xlsx Visit Planning- Mangment row 27</i>	Reassign Inspector Assign the visit to another inspector.	Flow: Visit → Reassign User: Select another inspector. System: Validate eligibility, workload and update assignment. Notify affected inspector(s).	Status unchanged	Assignment Engine, Notification Service
MVP1-M02-027 <i>Inspection Project.xlsx Visit Planning- Mangment row 28</i>	Reschedule Visit Modify the planned visit window.	Flow: Visit → Reschedule User: Select new visit window. System: Validate planning conflicts and update schedule.	Status unchanged	Calendar Engine
MVP1-M02-028 <i>Inspection Project.xlsx Visit Planning- Mangment row 29</i>	Cancel Visit Cancel a planned visit.	Flow: Visit → Cancel User: Enter cancellation reason and confirm. System: Cancel visit, notify inspector and audit the action.	Published/Returned → Cancelled	Notification Service, Audit Service
MVP1-M02-029 <i>Inspection Project.xlsx Visit Planning- Mangment row 30</i>	Process Returned Visit Review and manage visits returned by inspectors.	Flow: Returned → Open Visit User: Review return reason, update planning information. System: Display return reason and allow corrections.	Returned remains Returned until republished.	Visit Repository
MVP1-M02-030 <i>Inspection Project.xlsx Visit Planning- Mangment row 31</i>	Republish Visit Send a corrected visit back to the assigned inspector.	Flow: Returned Visit → Republish User: Confirm republishing. System: Validate updates, notify inspector and audit changes.	Returned → Published	Notification Service
MVP1-M02-031 <i>Inspection Project.xlsx Visit Planning- Mangment row 32</i>	Bulk Edit Visits Modify multiple child visits simultaneously.	Flow: Select Visits → Bulk Edit User: Update shared information. System: Apply changes across selected visits.	Status unchanged	Visit Plan Repository
MVP1-M02-032 <i>Inspection Project.xlsx Visit Planning- Mangment row 33</i>	Bulk Reassign Reassign multiple visits simultaneously.	Flow: Bulk Action User: Select inspector(s). System: Update assignments and notify inspectors.	Status unchanged	Assignment Engine
MVP1-M02-033 <i>Inspection Project.xlsx Visit Planning- Mangment row 34</i>	Bulk Reschedule Update the visit window for multiple visits.	Flow: Bulk Action User: Select new visit window. System: Validate schedule conflicts and update visits.	Status unchanged	Calendar Engine
MVP1-M02-034 <i>Inspection Project.xlsx Visit Planning- Mangment row 35</i>	Bulk Cancel Cancel multiple planned visits.	Flow: Bulk Action User: Select visits and confirm cancellation. System: Cancel selected visits and notify inspectors.	Published/Returned → Cancelled	Notification Service
MVP1-M02-035 <i>Inspection Project.xlsx Visit Planning- Mangment row 36</i>	Visit Plan Details Display parent Visit Plan information.	Flow: Open Visit Plan User: View summary and child visits. System: Display campaign information, progress and statistics.	None	Visit Plan Repository
MVP1-M02-036	Campaign Progress	Flow: Visit Plan	None	Visit Plan Repository

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
<i>Inspection Project.xlsx Visit Planning- Mangment row 37</i>	Monitor the execution progress of a Visit Plan.	User: Review progress. System: Calculate completed, published, returned, cancelled and expired child visits.		
MVP1-M02-037 <i>Inspection Project.xlsx Visit Planning- Mangment row 38</i>	Assignment Center Monitor inspector workload before reassignment.	Flow: Assignment Center User: Review inspector workload and capacity. System: Display inspector utilization and assignments.	None	Assignment Engine
MVP1-M02-038 <i>Inspection Project.xlsx Visit Planning- Mangment row 39</i>	Calendar View View visits on a calendar.	Flow: Calendar User: Switch between Day, Week or Month views. System: Display visits according to selected period.	None	Calendar Engine
MVP1-M02-039 <i>Inspection Project.xlsx Visit Planning- Mangment row 40</i>	Map View Visualize factories and inspectors geographically.	Flow: Map User: Navigate map, select regions and open visit locations. System: Display factory locations and inspector locations.	None	GIS Platform
MVP1-M02-040 <i>Inspection Project.xlsx Visit Planning- Mangment row 41</i>	Conflict Validation Center Detect planning conflicts.	Flow: Validation User: Review detected conflicts. System: Validate duplicate visits, overlapping schedules, inspector capacity, active visits and missing locations.	None	Validation Engine
MVP1-M02-041 <i>Inspection Project.xlsx Visit Planning- Mangment row 42</i>	Notifications Notify planners and inspectors of planning events.	Flow: System Events User: Review notifications. System: Send notifications for publish, return, cancel, reassignment, rescheduling and expiry.	None	Notification Service
MVP1-M02-042 <i>Inspection Project.xlsx Visit Planning- Mangment row 43</i>	Attachments Manage planning-related supporting documents.	Flow: Visit Details User: Upload, download or remove attachments. System: Store attachment metadata and files securely.	None	Document Management Service
MVP1-M02-043 <i>Inspection Project.xlsx Visit Planning- Mangment row 44</i>	Internal Notes Capture internal planning comments.	Flow: Visit Details User: Add or edit notes. System: Save notes and maintain audit history.	None	Notes Service
MVP1-M02-044 <i>Inspection Project.xlsx Visit Planning- Mangment row 45</i>	Activity Timeline Display chronological business events.	Flow: Timeline User: Review events. System: Record every planning activity chronologically.	None	Audit Service
MVP1-M02-045 <i>Inspection Project.xlsx Visit Planning- Mangment row 46</i>	Audit History Maintain complete traceability.	Flow: Audit User: Review audit records. System: Record every data modification with before/after values.	None	Audit Service
MVP1-M02-046 <i>Inspection Project.xlsx Visit Planning- Mangment </i>	Automatic Visit Expiry	Flow: Scheduled Job User: No user action.	Published → Expired	Scheduler Service

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
row 47	Automatically expire visits whose visit window has passed.	System: Update visit status and notify planner.		

A.3 Inspection Execution - Pre-Start - 15 Requirements

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M03-001 <i>Inspection Project.xlsx Inspection Execution - PreStart row 2</i>	Inspector Dashboard Provide inspectors with a centralized landing page to monitor workload, priorities and assigned inspections.	Flow: Login → Dashboard User: View workload, KPIs, quick actions, notifications. System: Load dashboard widgets and inspector summary.	Dashboard displays inspector-specific information only.	Inspector can access dashboard and view assigned workload.
MVP1-M03-002 <i>Inspection Project.xlsx Inspection Execution - PreStart row 3</i>	View Assigned Visits Allow inspectors to access all assigned visits before execution.	Flow: Dashboard → Assignment Pool User: View visits, open visit, switch between views. System: Load assigned visits and synchronize data.	Only assigned visits are displayed.	Inspector can access all assigned visits.
MVP1-M03-003 <i>Inspection Project.xlsx Inspection Execution - PreStart row 4</i>	Calendar, List & Map Views Provide multiple visualization options for assigned visits.	Flow: Assignment Pool User: Switch between Calendar, List and Map. System: Display selected view.	New visits appear only in Assignment Pool. Prepared visits appear in Calendar. Map displays all assigned visits.	Inspector can switch between all views.
MVP1-M03-004 <i>Inspection Project.xlsx Inspection Execution - PreStart row 5</i>	Search, Filter & Sort Quickly locate assigned visits.	Flow: Assignment Pool User: Search, filter, sort. System: Apply search and filtering.	Search applies across all assigned visits.	Accurate search and filtering results.
MVP1-M03-005 <i>Inspection Project.xlsx Inspection Execution - PreStart row 6</i>	Manage My Schedule Organize execution schedule using the prepared inspection dates.	Flow: Calendar User: Drag & drop prepared visits between eligible dates. System: Save updated schedule and refresh calendar.	Execution Date must remain within Planning Window.	Calendar updates successfully after changes.
MVP1-M03-006 <i>Inspection Project.xlsx Inspection Execution - PreStart row 7</i>	Return Assignment Return assigned visits back to planner/supervisor.	Flow: Assignment Pool → Return User: Select return reason and comments. System: Update assignment and notify planner.	Return reason is mandatory.	Assignment successfully returned.
MVP1-M03-007 <i>Inspection Project.xlsx Inspection Execution - PreStart row 8</i>	View Visit Card Provide operational visit information before preparation.	Flow: Open Visit User: Review visit details. System: Load visit information.	Visit information is read-only.	Visit information displayed correctly.
MVP1-M03-008 <i>Inspection Project.xlsx Inspection Execution - PreStart row 9</i>	View Factory 360° Provide complete factory context before execution.	Flow: Open Factory User: Review factory profile and history. System: Load factory information, history and location.	Latest synchronized factory data shall be displayed.	Factory profile loads successfully.
MVP1-M03-009 <i>Inspection Project.xlsx Inspection Execution - PreStart row 10</i>	AI Preparation Assistant Help inspectors prepare before execution.	Flow: Open Visit User: Review AI insights. System: Generate AI recommendations.	AI recommendations are advisory only.	AI recommendations generated successfully.
MVP1-M03-010	Prepare Inspection	Flow: Open Visit → Prepare Inspection	Preparation required before inspection	Inspection successfully prepared.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
<i>Inspection Project.xlsx Inspection Execution - PreStart row 11</i>	Configure the inspection before execution.	User: Select Execution Date, Report Type, Execution Mode, Notify Factory, Save. System: Validate inputs, resolve package, update status, populate calendar.	can start.	
MVP1-M03-011 <i>Inspection Project.xlsx Inspection Execution - PreStart row 12</i>	Execution Mode Eligibility Determine available execution modes.	Flow: During Preparation User: Select eligible execution mode. System: Evaluate eligibility rules.	Only eligible execution modes are displayed.	Ineligible modes cannot be selected.
MVP1-M03-012 <i>Inspection Project.xlsx Inspection Execution - PreStart row 13</i>	Inspection Package Resolution Automatically resolve and lock the inspection package.	Flow: Save Preparation User: Review package preview. System: Load Form, Checklist, Action Forms, Validation Rules, Required Evidence, Report Template and lock package.	Package regenerated after edits before execution and locked after save.	Correct inspection package generated.
MVP1-M03-013 <i>Inspection Project.xlsx Inspection Execution - PreStart row 14</i>	Notify Factory Optionally notify factory before execution.	Flow: During Preparation User: Enable/Disable notification. System: Send notification using configured channels.	Optional for Physical inspections. Virtual notifications follow appointment workflow.	Notification successfully sent when enabled.
MVP1-M03-014 <i>Inspection Project.xlsx Inspection Execution - PreStart row 15</i>	Virtual Appointment Management Manage virtual inspection scheduling and confirmation.	Flow: Virtual Preparation User: Schedule appointment, review confirmations, approve reschedule requests. System: Notify factory, receive confirmation, generate meeting, synchronize calendars.	Virtual inspection requires confirmed appointment before execution.	Virtual appointment confirmed successfully.
MVP1-M03-015 <i>Inspection Project.xlsx Inspection Execution - PreStart row 16</i>	Inspection Status Management Manage the inspection lifecycle before execution.	Flow: Throughout Preparation User: — System: Manage transitions between New, Ready and Expired.	Status lifecycle follows business rules and automatic expiration policies.	Status transitions occur correctly.

A.4 Physical Inspection Execution - 223 Requirements

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M04-001 <i>Inspection Project.xlsx Inspection execution-Start jou row 2</i>	Validate Assigned Visit Ensure the inspector can only start a visit assigned to them.	Flow: My Schedule → Start Journey User: Click Start Journey. System: Verify the visit is assigned to the logged-in inspector.	Only the assigned inspector can start the journey. Shared or reassigned visits shall follow the latest assignment.	Inspector cannot start a visit assigned to another inspector.
MVP1-M04-002 <i>Inspection Project.xlsx Inspection execution-Start jou row 3</i>	Validate Visit Status Ensure only eligible visits can be started.	Flow: Start Journey User: Click Start Journey. System: Validate visit is Published and not Cancelled, Completed or Expired.	Journey can only start for executable visits.	Invalid visit statuses are blocked with a clear error message.
MVP1-M04-003 <i>Inspection Project.xlsx Inspection execution-Start jou row 4</i>	Validate Execution Window Ensure execution starts within the planned visit window.	Flow: Start Journey User: Click Start Journey. System: Compare current date/time against planned execution window.	Journey cannot start after the visit has expired.	Inspector receives appropriate validation if outside execution window.
MVP1-M04-004 <i>Inspection Project.xlsx Inspection execution-Start jou row 5</i>	Validate Factory Location Ensure the visit contains valid destination	Flow: Start Journey User: Click Start Journey.	Journey cannot start without a destination.	Navigation starts using the correct destination.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
jou row 5	coordinates.	System: Verify that the factory has valid coordinates. If planner manually selected location, use planner location; otherwise use license location.		
MVP1-M04-005 <i>Inspection Project.xlsx Inspection excution-Start jou row 6</i>	Download Locked Inspection Package Download the execution package before leaving.	Flow: Start Journey → Loading User: Wait. System: Download the latest approved package including factory information, inspection report, inspection items, previous answers, and configuration. Lock the downloaded version.	Package version is frozen after download. Future changes by planners shall not affect the ongoing inspection.	Package downloads successfully before journey begins.
MVP1-M04-006 <i>Inspection Project.xlsx Inspection excution-Start jou row 7</i>	Verify Package Integrity Ensure downloaded package is complete.	Flow: Package Download User: None System: Validate package version, checksum, mandatory files and configuration.	Inspection cannot continue using a corrupted package.	Invalid packages are rejected and re-downloaded.
MVP1-M04-007 <i>Inspection Project.xlsx Inspection excution-Start jou row 8</i>	Cache Offline Package Prepare inspection for offline execution.	Flow: Package Download User: None System: Store package securely on the device.	Package remains available while offline until inspection is submitted.	Inspector can continue execution without network connectivity.
MVP1-M04-008 <i>Inspection Project.xlsx Inspection excution-Start jou row 9</i>	Create Journey Session Start journey lifecycle.	Flow: Journey Start User: None System: Create journey session linked to visit.	One active journey per visit.	Journey session created successfully.
MVP1-M04-009 <i>Inspection Project.xlsx Inspection excution-Start jou row 10</i>	Capture Journey Start Time Record official journey start.	Flow: Journey Start User: None System: Capture server timestamp and device timestamp.	Server time is the official audit time.	Journey start time recorded.
MVP1-M04-010 <i>Inspection Project.xlsx Inspection excution-Start jou row 11</i>	Capture Journey Start GPS Record inspector starting location.	Flow: Journey Start User: None System: Capture latitude, longitude and altitude.	Coordinates stored as audit evidence.	GPS stored successfully.
MVP1-M04-011 <i>Inspection Project.xlsx Inspection excution-Start jou row 12</i>	Capture GPS Accuracy Record GPS quality.	Flow: Journey Start User: None System: Capture GPS accuracy in meters.	Used later for audit and investigation.	GPS accuracy stored.
MVP1-M04-012 <i>Inspection Project.xlsx Inspection excution-Start jou row 13</i>	Capture Device Information Record execution device.	Flow: Journey Start User: None System: Capture device ID, OS version, application version.	Every inspection must be traceable to a device.	Device information stored successfully.
MVP1-M04-013 <i>Inspection Project.xlsx Inspection excution-Start jou row 14</i>	Capture Network Status Record connectivity at journey start.	Flow: Journey Start User: None System: Capture Online/Offline status and connection type.	Used for troubleshooting offline scenarios.	Initial connectivity stored.
MVP1-M04-014 <i>Inspection Project.xlsx Inspection excution-Start jou row 15</i>	Start Live Tracking Begin continuous inspector tracking.	Flow: Journey Active User: None System: Start background GPS tracking according to configured interval.	Tracking continues until inspection begins or journey is cancelled.	Operations Center receives live location updates.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M04-015 <i>Inspection Project.xlsx Inspection excution-Start jou row 16</i>	Initialize Journey Timeline Begin recording journey events.	Flow: Journey Active User: None System: Create timeline events starting with Journey Started.	Every operational event must appear in timeline.	Timeline initialized successfully.
MVP1-M04-016 <i>Inspection Project.xlsx Inspection excution-Start jou row 17</i>	Launch Navigation Open navigation toward factory.	Flow: Journey Active User: Open Navigation. System: Launch preferred navigation application using factory coordinates.	Navigation is optional but recommended.	Inspector navigates to correct destination.
MVP1-M04-017 <i>Inspection Project.xlsx Inspection excution-Start jou row 18</i>	Calculate Initial ETA Estimate arrival time.	Flow: Journey Active User: None System: Calculate ETA based on current location and destination.	ETA updates continuously during journey.	ETA displayed correctly.
MVP1-M04-018 <i>Inspection Project.xlsx Inspection excution-Start jou row 19</i>	Update Operational State Reflect current operational progress.	Flow: Journey Started User: None System: Change Operational State from Prepared to On the Way.	Workflow Status remains unchanged until inspection begins.	Operational State updated correctly.
MVP1-M04-019 <i>Inspection Project.xlsx Inspection excution-Start jou row 20</i>	Generate Audit Events Ensure traceability.	Flow: Throughout Journey User: None System: Log every significant event including validation, download, GPS capture, timeline creation and tracking initialization.	Every event must be auditable.	Complete audit trail available.
MVP1-M04-020 <i>Inspection Project.xlsx Inspection excution-Start jou row 21</i>	Error Handling Handle journey initialization failures gracefully.	Flow: Any Failure User: Retry / Cancel. System: Display clear error messages, retry transient failures, prevent journey start if critical validations fail.	No partial journey session shall remain active after critical failure.	User receives meaningful error messages and system remains in a consistent state.
MVP1-M04-021 <i>Inspection Project.xlsx Inspection excution-Start jou row 22</i>	Activate Live Journey Tracking Continuously monitor the inspector location during travel.	Flow: Journey Started → Journey Active User: None System: Start continuous GPS tracking based on configurable interval.	Tracking starts only after successful Start Journey.	Live tracking starts successfully.
MVP1-M04-022 <i>Inspection Project.xlsx Inspection excution-Start jou row 23</i>	Capture Live GPS Coordinates Continuously record inspector location.	Flow: Journey Active User: None System: Capture Latitude, Longitude, Altitude, Speed, Heading and GPS Accuracy at each tracking interval.	Every GPS point is linked to the journey session.	GPS history is stored successfully.
MVP1-M04-023 <i>Inspection Project.xlsx Inspection excution-Start jou row 24</i>	Update Inspector Location on Operations Map Display inspector movement in real time.	Flow: Journey Active User: None System: Update inspector marker on Operations Center map.	Map refresh interval shall be configurable.	Operations users can monitor inspector movement.
MVP1-M04-024 <i>Inspection Project.xlsx Inspection excution-Start jou row 25</i>	Calculate Estimated Time of Arrival (ETA) Continuously estimate arrival time.	Flow: Journey Active User: None System: Calculate ETA based on current location, road network and destination. Refresh ETA periodically.	ETA shall refresh automatically during travel.	ETA displayed accurately.
MVP1-M04-025 <i>Inspection Project.xlsx Inspection excution-Start jou row 26</i>	Calculate Remaining Distance Display remaining travel distance.	Flow: Journey Active User: None System: Calculate remaining travel distance	Distance refreshes automatically.	Remaining distance displayed correctly.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		using navigation route.		
MVP1-M04-026 <i>Inspection Project.xlsx Inspection excution-Start jou row 27</i>	Monitor Journey Progress Track overall journey completion.	Flow: Journey Active User: None System: Calculate journey progress percentage using travelled vs remaining distance.	Progress is informational only.	Progress updates correctly.
MVP1-M04-027 <i>Inspection Project.xlsx Inspection excution-Start jou row 28</i>	Monitor GPS Accuracy Ensure GPS quality remains acceptable.	Flow: Journey Active User: None System: Continuously monitor GPS accuracy and record significant degradation.	GPS quality shall be auditable.	GPS quality recorded correctly.
MVP1-M04-028 <i>Inspection Project.xlsx Inspection excution-Start jou row 29</i>	Monitor Network Connectivity Detect connectivity changes during travel.	Flow: Journey Active User: None System: Detect Online, Offline, Wi-Fi and Mobile Network transitions.	Every connectivity change shall be recorded.	Connectivity status updates correctly.
MVP1-M04-029 <i>Inspection Project.xlsx Inspection excution-Start jou row 30</i>	Handle Offline Mode Continue journey while offline.	Flow: Network Lost User: Continue travelling. System: Continue tracking locally, queue journey events, cache GPS updates until connectivity returns.	Journey shall continue without internet connectivity.	Inspector continues working without interruption.
MVP1-M04-030 <i>Inspection Project.xlsx Inspection excution-Start jou row 31</i>	Synchronize Offline Journey Data Upload queued data after reconnecting.	Flow: Network Restored User: None System: Synchronize queued GPS points, timeline events and audit logs in chronological order.	Duplicate synchronization shall be prevented.	Queued data synchronized successfully.
MVP1-M04-031 <i>Inspection Project.xlsx Inspection excution-Start jou row 32</i>	Monitor Route Deviation Detect significant deviation from planned route.	Flow: Journey Active User: None System: Compare current location against planned navigation route.	Route deviation does not stop the inspection.	Deviation events recorded.
MVP1-M04-032 <i>Inspection Project.xlsx Inspection excution-Start jou row 33</i>	Detect Arrival Radius Continuously evaluate proximity to destination.	Flow: Journey Active User: None System: Compare current location against configured arrival radius.	Arrival button becomes available only when within configured radius or GPS override is allowed.	Arrival eligibility evaluated correctly.
MVP1-M04-033 <i>Inspection Project.xlsx Inspection excution-Start jou row 34</i>	Record Journey Timeline Events Maintain chronological journey history.	Flow: Throughout Journey User: None System: Record Journey Started, Tracking Started, Offline, Online, ETA Updates, Route Deviations and Arrival Detection.	Timeline must remain immutable after submission.	Timeline contains all operational events.
MVP1-M04-034 <i>Inspection Project.xlsx Inspection excution-Start jou row 35</i>	Generate Operational Audit Logs Capture all journey actions.	Flow: Throughout Journey User: None System: Record GPS events, network changes, synchronization events and operational state changes.	All system-generated actions shall be auditable.	Complete audit trail available.
MVP1-M04-035 <i>Inspection Project.xlsx Inspection excution-Start jou row 36</i>	Display Journey Status Inform inspector of current journey state.	Flow: Journey Active User: View status. System: Display current Operational State, ETA, Distance Remaining, GPS Status, Connectivity Status and Progress.	Information refreshes automatically.	Journey dashboard displays current operational status.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M04-036 <i>Inspection Project.xlsx Inspection excution-Start jou row 37</i>	Handle Journey Exceptions Manage unexpected journey failures.	Flow: Any Journey Failure User: Retry if prompted. System: Handle GPS unavailable, navigation failure, synchronization failure, connectivity failure and mapping service errors. Maintain journey consistency and prevent duplicate sessions.	Critical failures shall never corrupt the active journey session.	Journey remains recoverable after unexpected failures.
MVP1-M04-037 <i>Inspection Project.xlsx Inspection excution-Start jou row 38</i>	Detect Arrival Radius Determine when the inspector is close enough to the factory to perform arrival validation.	Flow: Journey Active → Arrival Zone User: Continue travelling. System: Continuously compare inspector GPS against the planned factory location and determine whether the inspector is inside the configured arrival radius.	Arrival radius shall be configurable by system administration.	System correctly identifies when the inspector enters the allowed arrival radius.
MVP1-M04-038 <i>Inspection Project.xlsx Inspection excution-Start jou row 39</i>	Enable Arrival Action Allow the inspector to confirm arrival.	Flow: Arrival Zone User: Click Arrived. System: Enable the Arrived action only after arrival conditions are met or when GPS override is permitted.	Arrived button shall not be enabled before reaching the configured radius unless override is allowed.	Inspector can only continue when arrival conditions are satisfied.
MVP1-M04-039 <i>Inspection Project.xlsx Inspection excution-Start jou row 40</i>	Capture Arrival Timestamp Record the official arrival time.	Flow: Arrived User: Confirm Arrival. System: Capture both server timestamp and device timestamp as official arrival evidence.	Server timestamp shall be the official audit timestamp.	Arrival time is recorded successfully.
MVP1-M04-040 <i>Inspection Project.xlsx Inspection excution-Start jou row 41</i>	Capture Actual GPS Coordinates Capture the exact location where the inspector confirmed arrival.	Flow: Arrived User: Confirm Arrival. System: Record latitude, longitude, altitude and GPS accuracy at the moment of arrival.	Actual coordinates shall always be stored regardless of GPS validation outcome.	Actual coordinates are successfully stored.
MVP1-M04-041 <i>Inspection Project.xlsx Inspection excution-Start jou row 42</i>	Compare Planned vs Actual Location Compare actual arrival location with the planned factory location.	Flow: Arrived User: None System: Calculate the distance between the planned location and the inspector's actual location.	Planned location is the Planner-selected location if available; otherwise, the Industrial License location from Senaei.	System calculates the distance correctly.
MVP1-M04-042 <i>Inspection Project.xlsx Inspection excution-Start jou row 43</i>	Validate GPS Distance Determine whether the inspector is inside or outside the allowed inspection radius.	Flow: Location Comparison User: None System: Compare calculated distance against the configured tolerance radius.	Validation shall use configurable radius values.	Validation result is generated correctly.
MVP1-M04-043 <i>Inspection Project.xlsx Inspection excution-Start jou row 44</i>	GPS Override Confirmation Allow the inspector to continue when arriving outside the allowed radius.	Flow: GPS Validation Failed User: Confirm Override or Cancel. System: Display a confirmation dialog explaining that the inspector is outside the planned location. If confirmed, continue using the actual coordinates.	GPS override requires explicit inspector confirmation.	Override confirmation is recorded before continuing.
MVP1-M04-044 <i>Inspection Project.xlsx Inspection excution-Start jou row 45</i>	Store Actual Inspection Location Persist the confirmed inspection location for reporting and auditing.	Flow: Arrival Confirmed User: None System: Save the final inspection coordinates that will be associated with the inspection execution.	Final coordinates shall remain immutable after inspection starts.	Inspection location stored successfully.
MVP1-M04-045	Capture Arrival Evidence	Flow: Arrival Confirmed	Arrival evidence requirements shall be	Required evidence is successfully

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
<i>Inspection Project.xlsx Inspection excution-Start jou row 46</i>	Capture arrival evidence if configured by business rules.	User: Capture photo or comment (if required). System: Store arrival evidence and associate it with the arrival event.	configurable.	attached.
MVP1-M04-046 <i>Inspection Project.xlsx Inspection excution-Start jou row 47</i>	Update Operational State Reflect successful arrival.	Flow: Arrival Confirmed User: None System: Update Operational State from On the Way to Arrived while keeping Workflow Status unchanged.	Workflow Status remains unchanged until the inspection officially starts.	Operational State updated correctly.
MVP1-M04-047 <i>Inspection Project.xlsx Inspection excution-Start jou row 48</i>	Generate Arrival Timeline Events Maintain a complete operational timeline.	Flow: Arrival Completed User: None System: Record Arrived, GPS Validated, GPS Override (if applicable), Arrival Evidence and Arrival Confirmed events.	Timeline events shall be immutable after submission.	Timeline accurately reflects the arrival process.
MVP1-M04-048 <i>Inspection Project.xlsx Inspection excution-Start jou row 49</i>	Generate Audit Logs Capture all arrival activities for traceability.	Flow: Throughout Arrival User: None System: Log timestamps, coordinates, validation results, overrides, evidence uploads and operational state transitions.	Every arrival-related action shall be auditable.	Complete audit trail is available.
MVP1-M04-049 <i>Inspection Project.xlsx Inspection excution-Start jou row 50</i>	Handle Arrival Validation Errors Gracefully handle GPS and validation failures.	Flow: Any Failure User: Retry, Refresh GPS or Cancel. System: Handle GPS unavailable, inaccurate GPS, mapping service failures and validation exceptions without corrupting the active inspection session.	Critical failures shall never automatically cancel the visit. Inspector shall always receive a clear validation message and available recovery options.	Arrival validation errors are handled without data loss or workflow inconsistency.
MVP1-M04-050 <i>Inspection Project.xlsx Inspection excution-Start jou row 51</i>	Load Arrival Confirmation Screen Display the final confirmation screen after successful arrival validation.	Flow: Arrival Validated → Arrival Confirmation User: None System: Load Arrival Confirmation screen. Display Factory Card, Visit Card, Arrival Summary and available actions.	Arrival Confirmation is only accessible after successful arrival validation.	Screen loads successfully with all required information.
MVP1-M04-051 <i>Inspection Project.xlsx Inspection excution-Start jou row 52</i>	Load Factory Card Provide a quick overview of the factory without leaving the inspection.	Flow: Arrival Confirmation User: View Factory Card. System: Load Factory Card summary including Factory Name, CR Number, License Number, License Status, Factory Status, Activity, Risk Level and Factory Health Score (if available).	Factory Card is read-only during Arrival Confirmation.	Factory Card displays the latest synchronized information.
MVP1-M04-052 <i>Inspection Project.xlsx Inspection excution-Start jou row 53</i>	Load Visit Card Display visit-specific information.	Flow: Arrival Confirmation User: View Visit Card. System: Load Visit Type, Planned Window, Inspector Name, Branch, Planner, Visit Reason, Visit Priority and Report Type.	Visit Card reflects the locked visit package.	Visit Card displays correctly.
MVP1-M04-053 <i>Inspection Project.xlsx Inspection excution-Start jou row 54</i>	Display Journey Summary Provide a summary of the completed journey.	Flow: Arrival Confirmation User: Review information. System: Display Journey Start Time, Arrival Time, Journey Duration, Distance Travelled and GPS Validation Result.	Journey Summary is informational only.	Journey summary displays correctly.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M04-054 <i>Inspection Project.xlsx Inspection excution-Start jou row 55</i>	Display Context Panel Allow quick access to contextual information before inspection starts.	Flow: Arrival Confirmation User: Expand or collapse Factory Card and Visit Card. System: Provide quick access to Factory Card, Visit Card and map without leaving the confirmation screen.	Context panel remains available throughout execution.	Context panel functions correctly.
MVP1-M04-055 <i>Inspection Project.xlsx Inspection excution-Start jou row 56</i>	Proceed with Inspection Officially transition from journey into inspection execution.	Flow: Arrival Confirmation → Proceed with Inspection User: Click Proceed with Inspection. System: Change Workflow Status to In Progress. Change Operational State from Arrived to Executing. Create Inspection Session. Initialize Execution Workspace. Stop Journey Tracking. Start Inspection Timeline. Start Inspection SLA.	Inspection can only start after successful arrival confirmation.	Execution workspace opens successfully.
MVP1-M04-056 <i>Inspection Project.xlsx Inspection excution-Start jou row 57</i>	Cancel Visit Allow the inspector to cancel the visit before inspection begins.	Flow: Arrival Confirmation → Cancel Visit User: Click Cancel Visit. System: Display cancellation form and stop transition to execution.	Cancellation is only allowed before inspection starts.	Cancellation process starts correctly.
MVP1-M04-057 <i>Inspection Project.xlsx Inspection excution-Start jou row 58</i>	Capture Cancellation Reason Record the reason why the inspection could not be executed.	Flow: Cancel Visit User: Select reason and enter comments if required. System: Load configurable cancellation reasons. Save selected reason and comments.	Cancellation reason is mandatory. Comments may be mandatory depending on selected reason.	Cancellation cannot continue without mandatory information.
MVP1-M04-058 <i>Inspection Project.xlsx Inspection excution-Start jou row 59</i>	Capture Cancellation Evidence Collect supporting evidence for visit cancellation when required.	Flow: Cancel Visit User: Upload photo, video, document or comments. System: Store evidence and link it to the cancellation record.	Evidence requirements are configurable per cancellation reason.	Mandatory evidence is enforced correctly.
MVP1-M04-059 <i>Inspection Project.xlsx Inspection excution-Start jou row 60</i>	Update Visit Status After Cancellation Close the visit after successful cancellation.	Flow: Cancellation Completed User: None System: Update Workflow Status to Cancelled. Update Operational State to Cancelled. Close active journey. Stop SLA timers.	Cancelled visits cannot be resumed.	Visit status updates correctly.
MVP1-M04-060 <i>Inspection Project.xlsx Inspection excution-Start jou row 61</i>	Generate Arrival Audit Events Maintain complete traceability for the transition into execution or cancellation.	Flow: Throughout Arrival Confirmation User: None System: Log Factory Card viewed, Visit Card viewed, Proceed with Inspection, Cancel Visit, Cancellation Reason, Cancellation Evidence and Workflow Transition.	Every action shall be auditable.	Complete audit trail is generated.
MVP1-M04-061 <i>Inspection Project.xlsx Inspection excution-Start jou row 62</i>	Handle Arrival Confirmation Errors Prevent inconsistent transitions into execution.	Flow: Any Failure User: Retry or Return. System: Handle workflow failures, inspection session creation failures, package initialization failures and cancellation failures without leaving the visit in an inconsistent	The visit shall never be partially transitioned between Journey and Execution. Recovery must always preserve data integrity.	Errors are handled gracefully and no inconsistent workflow state exists.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		state.		
MVP1-M04-062 <i>Inspection Project.xlsx Inspection excution-Start jou row 63</i>	Create Inspection Session Create the official execution session that represents the inspection lifecycle.	Flow: Arrival Confirmation → Proceed with Inspection User: Click Proceed with Inspection. System: Create a unique Inspection Session linked to the Visit, Factory, Inspector and Package Version.	Only one active inspection session may exist per visit.	Inspection Session created successfully.
MVP1-M04-063 <i>Inspection Project.xlsx Inspection excution-Start jou row 64</i>	Lock Inspection Package Freeze the execution package for the duration of the inspection.	Flow: Proceed with Inspection User: None System: Lock the downloaded package including Factory Information, Report, Inspection Items, Configuration and Rules.	Planner changes after execution starts shall not affect the active inspection.	Package remains unchanged throughout execution.
MVP1-M04-064 <i>Inspection Project.xlsx Inspection excution-Start jou row 65</i>	Load Execution Workspace Display the execution workspace.	Flow: Inspection Session Created User: None System: Load the Execution Workspace and initialize all required components.	Workspace shall only open after successful initialization.	Workspace loads successfully.
MVP1-M04-065 <i>Inspection Project.xlsx Inspection excution-Start jou row 66</i>	Initialize Wizard Prepare the inspection wizard.	Flow: Workspace Loaded User: None System: Create wizard instance, calculate available steps and initialize navigation.	Wizard sequence shall follow the configured inspection flow.	Wizard initialized successfully.
MVP1-M04-066 <i>Inspection Project.xlsx Inspection excution-Start jou row 67</i>	Load Wizard Steps Display execution steps.	Flow: Wizard Initialization User: None System: Load Factory Information, Inspection Report, Inspection Items, Action Forms and Review steps. Hide Action Forms if no forms are generated later.	Wizard steps are configuration-driven.	Correct wizard sequence displayed.
MVP1-M04-067 <i>Inspection Project.xlsx Inspection excution-Start jou row 68</i>	Load Progress Engine Initialize inspection progress calculation.	Flow: Workspace Loaded User: None System: Calculate initial progress and display completion indicator.	Progress starts at 0% and updates automatically.	Progress displayed correctly.
MVP1-M04-068 <i>Inspection Project.xlsx Inspection excution-Start jou row 69</i>	Load Context Panel Make contextual information available throughout execution.	Flow: Workspace Loaded User: Open/Collapse Context Panel. System: Load Factory Card and Visit Card as a collapsible panel accessible from every wizard step.	Context panel remains available throughout execution.	Inspector can access context from any step.
MVP1-M04-069 <i>Inspection Project.xlsx Inspection excution-Start jou row 70</i>	Restore Draft Session Resume an existing draft inspection.	Flow: Open Draft Inspection User: Resume Draft. System: Restore the last completed wizard step, entered values, uploaded evidence and pending action forms.	Only the assigned inspector can resume the draft.	Draft restored successfully.
MVP1-M04-070 <i>Inspection Project.xlsx Inspection excution-Start jou row 71</i>	Initialize Auto Save Protect inspection progress.	Flow: Workspace Loaded User: None System: Start automatic background save based on configurable interval and significant user actions.	Auto Save shall not interrupt the inspector.	Inspection progress saved automatically.
MVP1-M04-071 <i>Inspection Project.xlsx Inspection excution-Start</i>	Initialize Offline Mode	Flow: Workspace Loaded User: None	Inspector shall continue working without	Offline execution initialized successfully.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
<i>jou row 72</i>	Ensure execution can continue without connectivity.	System: Verify offline package availability and initialize local storage for execution data.	network connectivity.	
MVP1-M04-072 <i>Inspection Project.xlsx Inspection excution-Start jou row 73</i>	Start Inspection Timeline Begin execution audit timeline.	Flow: Workspace Loaded User: None System: Create inspection timeline starting with Execution Started.	Timeline continues until inspection submission.	Timeline initialized correctly.
MVP1-M04-073 <i>Inspection Project.xlsx Inspection excution-Start jou row 74</i>	Start Inspection SLA Begin execution SLA measurement.	Flow: Workspace Loaded User: None System: Capture execution start time and start SLA timer.	SLA starts when execution begins, not when journey starts.	SLA timer started successfully.
MVP1-M04-074 <i>Inspection Project.xlsx Inspection excution-Start jou row 75</i>	Validate Workspace Initialization Ensure execution environment is ready.	Flow: Initialization Complete User: None System: Validate package integrity, wizard configuration, mandatory forms and dependencies before allowing execution.	Inspection cannot continue if initialization fails.	Workspace validation completed successfully.
MVP1-M04-075 <i>Inspection Project.xlsx Inspection excution-Start jou row 76</i>	Handle Workspace Initialization Errors Prevent inconsistent execution startup.	Flow: Initialization Failure User: Retry Initialization. System: Handle package loading failures, missing configurations, wizard initialization failures and dependency errors. Maintain session consistency.	Failed initialization shall never create a partial inspection session.	Execution either initializes completely or fails safely.
MVP1-M04-076 <i>Inspection Project.xlsx Inspection excution-Start jou row 77</i>	Load Wizard Structure Load the configured inspection wizard.	Flow: Workspace → Wizard User: None System: Load all configured wizard steps from the Dynamic Form Engine in the configured sequence.	Wizard sequence shall be configuration-driven.	Wizard displays the correct steps.
MVP1-M04-077 <i>Inspection Project.xlsx Inspection excution-Start jou row 78</i>	Display Current Step Identify the active execution step.	Flow: Wizard User: View current step. System: Highlight current step and display step title and description.	Only one active step can exist at a time.	Active step is always visible.
MVP1-M04-078 <i>Inspection Project.xlsx Inspection excution-Start jou row 79</i>	Navigate to Next Step Allow progression through the wizard.	Flow: Current Step → Next User: Click Next. System: Validate current step before moving to the next step.	Navigation only succeeds when validation passes.	User moves successfully to the next step.
MVP1-M04-079 <i>Inspection Project.xlsx Inspection excution-Start jou row 80</i>	Navigate to Previous Step Allow returning to previous steps.	Flow: Current Step → Previous User: Click Previous. System: Load previously entered data without data loss.	Previously entered data shall remain unchanged.	Previous step loads correctly.
MVP1-M04-080 <i>Inspection Project.xlsx Inspection excution-Start jou row 81</i>	Calculate Progress Display overall inspection completion percentage.	Flow: Throughout Wizard User: None System: Calculate completion based on Factory Information, Report, Inspection Items, Action Forms and Review.	Progress updates immediately after completing each section.	Progress reflects actual completion.
MVP1-M04-081 <i>Inspection Project.xlsx Inspection excution-Start jou row 82</i>	Display Progress Indicator Keep inspector informed of execution	Flow: Throughout Wizard User: View progress. System: Display percentage, completed	Progress is informational only.	Progress indicator updates continuously.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
	progress.	steps and remaining steps.		
MVP1-M04-082 <i>Inspection Project.xlsx Inspection excution-Start jou row 83</i>	Track Step Completion Determine when a step is complete.	Flow: Complete Step User: Complete required fields. System: Evaluate completion rules and mark the step as completed.	A step is complete only when mandatory requirements are satisfied.	Completed steps are clearly identified.
MVP1-M04-083 <i>Inspection Project.xlsx Inspection excution-Start jou row 84</i>	Validate Step Before Navigation Prevent incomplete steps from being skipped.	Flow: Click Next User: Click Next. System: Validate mandatory fields, mandatory evidence and mandatory forms.	Navigation shall be blocked when validation fails.	User receives validation message.
MVP1-M04-084 <i>Inspection Project.xlsx Inspection excution-Start jou row 85</i>	Skip Empty Action Forms Step Hide Action Forms when none are generated.	Flow: Wizard Initialization User: None System: Automatically remove Action Forms step if no forms are generated.	Action Forms step appears only when required.	Wizard hides unnecessary steps.
MVP1-M04-085 <i>Inspection Project.xlsx Inspection excution-Start jou row 86</i>	Display Change Counter Display number of modifications performed during execution.	Flow: Throughout Wizard User: View change summary. System: Count Factory Information updates, Inspection Item updates and generated Action Forms.	Counter updates immediately after every modification.	Change counter always reflects actual changes.
MVP1-M04-086 <i>Inspection Project.xlsx Inspection excution-Start jou row 87</i>	Preserve Wizard State Prevent loss of navigation context.	Flow: Throughout Wizard User: None System: Preserve active step, entered data and navigation history.	State shall survive refresh, reconnect and resume.	Wizard restores correctly after interruption.
MVP1-M04-087 <i>Inspection Project.xlsx Inspection excution-Start jou row 88</i>	Trigger Auto Save Automatically protect inspector work.	Flow: During Execution User: None System: Save progress automatically after configurable intervals and significant actions (field updates, evidence uploads, navigation, action form completion).	Auto Save shall run silently in the background.	No entered data is lost.
MVP1-M04-088 <i>Inspection Project.xlsx Inspection excution-Start jou row 89</i>	Save Draft Allow inspector to pause execution.	Flow: Any Step User: Click Save Draft. System: Save current wizard state, values, evidence, generated forms and navigation position.	Draft remains editable by the assigned inspector only.	Draft restored exactly as saved.
MVP1-M04-089 <i>Inspection Project.xlsx Inspection excution-Start jou row 90</i>	Restore Draft Navigation Resume from the last completed step.	Flow: Open Draft User: Resume Draft. System: Open the wizard on the last active step with all saved data restored.	Resume shall not restart the wizard from Step 1.	Draft resumes successfully.
MVP1-M04-090 <i>Inspection Project.xlsx Inspection excution-Start jou row 91</i>	Display Validation Summary Inform the inspector about outstanding issues.	Flow: Review or Navigation Failure User: View validation summary. System: Display grouped validation messages by wizard step.	Validation summary shall identify the affected step.	Inspector can quickly identify missing information.
MVP1-M04-091 <i>Inspection Project.xlsx Inspection excution-Start jou row 92</i>	Jump to Missing Section Allow quick navigation to incomplete sections.	Flow: Validation Summary User: Click validation message. System: Navigate directly to the corresponding wizard step and highlight the missing field.	Jump-to-Missing is available only for unresolved validations.	Inspector reaches the correct field immediately.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M04-092 <i>Inspection Project.xlsx Inspection execution-Start jou row 93</i>	Lock Completed Navigation After Submission Prevent modifications after submission.	Flow: Submitted Inspection User: View inspection. System: Disable wizard navigation and editing after successful submission.	Submitted inspections become permanently read-only.	Inspector cannot edit after submission.
MVP1-M04-093 <i>Inspection Project.xlsx Inspection execution-Start jou row 94</i>	Generate Wizard Audit Events Record all navigation activities.	Flow: Throughout Execution User: None System: Log step changes, draft saves, resumes, validation failures, navigation events and completion events.	Every wizard interaction shall be auditable.	Complete wizard audit history is available.
MVP1-M04-094 <i>Inspection Project.xlsx Inspection execution-Start jou row 95</i>	Handle Wizard Errors Maintain execution consistency when navigation fails.	Flow: Any Error User: Retry navigation. System: Handle navigation failures, validation failures, draft failures and restore failures without data loss.	Navigation failures shall never corrupt the inspection session.	Wizard remains recoverable after unexpected failures.
MVP1-M04-095 <i>Inspection Project.xlsx Inspection execution-Start jou row 96</i>	Load Factory Information Display the latest synchronized factory profile.	Flow: Wizard → Factory Information User: Open Factory Information. System: Load latest approved factory profile from Senaei.	Only synchronized Senaei data shall be displayed.	Factory information loads successfully.
MVP1-M04-096 <i>Inspection Project.xlsx Inspection execution-Start jou row 97</i>	Load Industrial License Information Display industrial license details.	Flow: Factory Information User: Review information. System: Load License Number, Status, Stage, Issue Date, Expiry Date, License Activity and License Holder.	License information is read-only.	License information displayed correctly.
MVP1-M04-097 <i>Inspection Project.xlsx Inspection execution-Start jou row 98</i>	Load Factory General Information Display factory profile.	Flow: Factory Information User: Review information. System: Display Factory Name, CR Number, Factory Status, Activity, Region, City and Address.	Data originates from Senaei only.	Factory profile displayed correctly.
MVP1-M04-098 <i>Inspection Project.xlsx Inspection execution-Start jou row 99</i>	Load Products Display registered factory products.	Flow: Factory Information User: Review products. System: Load all registered products with HS Codes and production details.	Products are loaded from the license package.	Products displayed successfully.
MVP1-M04-099 <i>Inspection Project.xlsx Inspection execution-Start jou row 100</i>	Load Raw Materials Display factory raw materials.	Flow: Factory Information User: Review raw materials. System: Load all synchronized raw materials.	Read-only until observation is recorded.	Raw materials displayed correctly.
MVP1-M04-100 <i>Inspection Project.xlsx Inspection execution-Start jou row 101</i>	Load Employees Display workforce information.	Flow: Factory Information User: Review employee numbers. System: Load employee statistics from Senaei.	Source values remain unchanged during inspection.	Employee information displayed correctly.
MVP1-M04-101 <i>Inspection Project.xlsx Inspection execution-Start jou row 102</i>	Load Investment Information Display investment profile.	Flow: Factory Information User: Review investment. System: Display investment size, production capacity and configured industrial indicators.	Read-only source information.	Investment information displayed correctly.
MVP1-M04-102 <i>Inspection Project.xlsx Inspection execution-Start jou row 103</i>	Display Source Value Clearly identify the official system value.	Flow: Factory Information User: Review value. System: Display every attribute as Source	Source values cannot be edited directly.	Source values clearly identified.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		Value (Senaei).		
MVP1-M04-103 <i>Inspection Project.xlsx Inspection excution-Start jou row 104</i>	Capture Observed Value Allow inspector to capture observed information.	Flow: Verify Field User: Enter observed value. System: Save inspector observation separately from Senaei data.	Observation never overwrites source value.	Observation saved successfully.
MVP1-M04-104 <i>Inspection Project.xlsx Inspection excution-Start jou row 105</i>	Mark Field as Verified Confirm that source information matches reality.	Flow: Verify Field User: Click Verified. System: Mark field verification status as Verified.	Verified fields require no observed value.	Verified status recorded.
MVP1-M04-105 <i>Inspection Project.xlsx Inspection excution-Start jou row 106</i>	Mark Field as Updated Identify fields where reality differs from Senaei.	Flow: Verify Field User: Enter new value. System: Mark verification status as Updated.	Updated fields require observed value.	Updated status recorded correctly.
MVP1-M04-106 <i>Inspection Project.xlsx Inspection excution-Start jou row 107</i>	Compare Before / After Values Show differences clearly.	Flow: Updated Field User: Review values. System: Display Source Value vs Observed Value side by side.	Every updated field shall display both values.	Before/After comparison available.
MVP1-M04-107 <i>Inspection Project.xlsx Inspection excution-Start jou row 108</i>	Highlight Updated Fields Visually distinguish modified information.	Flow: Throughout Factory Verification User: Review highlights. System: Highlight every updated field.	Highlights remain visible until submission.	Modified fields easily identifiable.
MVP1-M04-108 <i>Inspection Project.xlsx Inspection excution-Start jou row 109</i>	Attach Evidence to Factory Data Support observations with evidence.	Flow: Updated Field User: Upload Photo, Video, Document or Comment. System: Associate evidence with the specific updated field.	Evidence can be attached to any verified field.	Evidence linked successfully.
MVP1-M04-109 <i>Inspection Project.xlsx Inspection excution-Start jou row 110</i>	Annotate Evidence Improve evidence clarity.	Flow: Upload Evidence User: Draw annotations. System: Save annotated image together with the original file.	Original evidence shall never be overwritten.	Annotated evidence stored successfully.
MVP1-M04-110 <i>Inspection Project.xlsx Inspection excution-Start jou row 111</i>	Maintain Change Counter Track modified fields.	Flow: Throughout Verification User: Review change counter. System: Count all updated factory fields.	Counter updates immediately.	Counter always accurate.
MVP1-M04-111 <i>Inspection Project.xlsx Inspection excution-Start jou row 112</i>	Review Factory Changes Summarize all modifications.	Flow: Review Step User: Review changes. System: Display every updated field with Source Value, Observed Value and attached evidence.	Review is read-only.	Review summary complete.
MVP1-M04-112 <i>Inspection Project.xlsx Inspection excution-Start jou row 113</i>	Preserve Source Integrity Protect Senaei master data.	Flow: Throughout Verification User: None System: Prevent any direct update to Senaei during inspection.	Source data remains unchanged until future synchronization workflow.	Master data integrity maintained.
MVP1-M04-113 <i>Inspection Project.xlsx Inspection excution-Start jou row 114</i>	Generate Verification Audit Record every verification activity.	Flow: Throughout Verification User: None System: Log Verified, Updated, Evidence Added, Comments Added and Before/After values.	Every verification action shall be auditable.	Complete audit trail generated.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M04-114 <i>Inspection Project.xlsx Inspection execution-Start jou row 115</i>	Handle Verification Errors Protect inspection consistency.	Flow: Any Failure User: Retry. System: Handle synchronization failures, invalid observations and evidence failures without losing entered data.	Verification failures shall never remove inspector observations.	Errors handled without data loss.
MVP1-M04-115 <i>Inspection Project.xlsx Inspection execution-Start jou row 116</i>	Load Inspection Report Load the report assigned to the visit.	Flow: Factory Information → Inspection Report User: Open Report Step. System: Retrieve the report definition selected during Visit Preparation from the Dynamic Form Builder and render the latest locked version included in the inspection package.	Report definition is locked when the inspection starts and cannot change during execution.	Correct report loads successfully.
MVP1-M04-116 <i>Inspection Project.xlsx Inspection execution-Start jou row 117</i>	Load Report Metadata Display report information.	Flow: Report Loaded User: Review report details. System: Display Report Name, Version, Description, Inspection Type and Last Updated Date.	Report metadata is read-only.	Metadata displayed correctly.
MVP1-M04-117 <i>Inspection Project.xlsx Inspection execution-Start jou row 118</i>	Render Report Sections Display report sections dynamically.	Flow: Report Loaded User: Navigate between sections. System: Render report sections exactly as configured in the Form Builder.	Section order follows configuration.	All configured sections displayed correctly.
MVP1-M04-118 <i>Inspection Project.xlsx Inspection execution-Start jou row 119</i>	Render Dynamic Fields Display report fields.	Flow: Section Opened User: Fill field values. System: Render all configured field types including text, number, date, lookup, checkbox, radio button, attachment, image, signature and custom controls.	Field behavior is driven entirely by configuration.	Dynamic fields render successfully.
MVP1-M04-119 <i>Inspection Project.xlsx Inspection execution-Start jou row 120</i>	Apply Field Visibility Rules Display only applicable fields.	Flow: While Completing Report User: Complete report. System: Evaluate conditional visibility rules configured in the Form Builder.	Hidden fields are excluded from validation.	Visibility rules applied correctly.
MVP1-M04-120 <i>Inspection Project.xlsx Inspection execution-Start jou row 121</i>	Apply Mandatory Rules Validate mandatory fields.	Flow: Save / Next User: Complete mandatory fields. System: Validate mandatory fields according to Form Builder configuration.	Mandatory rules are configuration-driven.	Missing mandatory fields block progression.
MVP1-M04-121 <i>Inspection Project.xlsx Inspection execution-Start jou row 122</i>	Apply Conditional Validation Execute advanced field validation.	Flow: While Completing Report User: Enter values. System: Execute conditional validations, value ranges, dependencies and custom validation rules configured in the Form Builder.	Validation follows configured business rules only.	Conditional validations execute successfully.
MVP1-M04-122 <i>Inspection Project.xlsx Inspection execution-Start jou row 123</i>	Capture Report Responses Save report responses.	Flow: During Report Completion User: Enter values. System: Store responses continuously as part of the active inspection session.	Responses belong to the current inspection version only.	Responses saved correctly.
MVP1-M04-123	Attach Evidence to Report Fields	Flow: During Report Completion	Evidence remains attached to the	Evidence linked successfully.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
<i>Inspection Project.xlsx Inspection excution-Start jou row 124</i>	Support report responses with evidence.	User: Upload Photo, Video, Document or Comment. System: Link uploaded evidence to the corresponding report field.	originating field.	
MVP1-M04-124 <i>Inspection Project.xlsx Inspection excution-Start jou row 125</i>	Annotate Report Evidence Improve clarity of captured evidence.	Flow: Evidence Uploaded User: Annotate image. System: Store annotated version while preserving the original file.	Original image shall never be modified.	Annotation stored successfully.
MVP1-M04-125 <i>Inspection Project.xlsx Inspection excution-Start jou row 126</i>	Save Draft Report Preserve incomplete report progress.	Flow: Any Time User: Save Draft. System: Save current responses, uploaded evidence and completed sections.	Draft remains editable until submission.	Draft restored successfully.
MVP1-M04-126 <i>Inspection Project.xlsx Inspection excution-Start jou row 127</i>	Auto Save Report Prevent data loss.	Flow: During Completion User: Continue working. System: Automatically save report after configurable intervals and significant changes.	Auto Save runs silently in the background.	No entered data is lost.
MVP1-M04-127 <i>Inspection Project.xlsx Inspection excution-Start jou row 128</i>	Calculate Report Completion Measure report completion.	Flow: During Completion User: Complete report. System: Calculate completed vs pending report fields and update overall wizard progress.	Completion contributes to overall inspection progress.	Completion calculated accurately.
MVP1-M04-128 <i>Inspection Project.xlsx Inspection excution-Start jou row 129</i>	Review Report Summary Display report completion overview.	Flow: Leave Report Step User: Review summary. System: Display completed sections, pending fields and attached evidence summary.	Summary is informational before submission.	Summary generated successfully.
MVP1-M04-129 <i>Inspection Project.xlsx Inspection excution-Start jou row 130</i>	Lock Report After Submission Prevent further report modifications.	Flow: Inspection Submitted User: View Report. System: Render report in read-only mode after submission.	Report becomes immutable immediately after submission.	Report cannot be modified after submission.
MVP1-M04-130 <i>Inspection Project.xlsx Inspection excution-Start jou row 131</i>	Generate Report Audit Events Maintain complete report history.	Flow: Throughout Report Completion User: None System: Record report opened, section completed, field updated, evidence uploaded, draft saved, resumed and completed events.	Every report interaction shall be auditable.	Audit trail contains all report activities.
MVP1-M04-131 <i>Inspection Project.xlsx Inspection excution-Start jou row 132</i>	Handle Report Errors Prevent report data corruption.	Flow: Any Failure User: Retry. System: Handle rendering failures, validation failures, save failures and evidence upload failures while preserving entered information.	Report failures shall never cause data loss or inconsistent inspection state.	Report recovers gracefully after failures.
MVP1-M04-132 <i>Inspection Project.xlsx Inspection excution-Start jou row 133</i>	Load Inspection Checklist Load the inspection checklist configured for the selected inspection report.	Flow: Inspection Report → Inspection Checklist User: Open Checklist Step. System: Load all configured inspection	Checklist is loaded from the locked inspection package.	Correct checklist is displayed.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		items from Compliance Configuration according to the selected Report Type.		
MVP1-M04-133 <i>Inspection Project.xlsx Inspection excution-Start jou row 134</i>	Load Inspection Categories Organize checklist into logical sections.	Flow: Checklist Loaded User: Expand / Collapse Categories. System: Display checklist grouped by configured categories and subcategories.	Category sequence follows configuration.	Categories displayed correctly.
MVP1-M04-134 <i>Inspection Project.xlsx Inspection excution-Start jou row 135</i>	Load Required Inspection Items Display mandatory inspection items.	Flow: Category Opened User: Answer Item. System: Mark configured mandatory items.	Mandatory items cannot be skipped.	Mandatory items clearly identified.
MVP1-M04-135 <i>Inspection Project.xlsx Inspection excution-Start jou row 136</i>	Load Optional Inspection Items Display optional inspection items.	Flow: Category Opened User: Answer or Skip. System: Display optional items.	Optional items may remain unanswered.	Optional items identified correctly.
MVP1-M04-136 <i>Inspection Project.xlsx Inspection excution-Start jou row 137</i>	Load Previous Inspection Answers Display historical inspection responses.	Flow: Item Opened User: Review previous answer. System: Load latest approved answer from previous inspections for comparison.	Historical answers are read-only.	Previous answers displayed successfully.
MVP1-M04-137 <i>Inspection Project.xlsx Inspection excution-Start jou row 138</i>	Load Previous Evidence Display historical inspection evidence.	Flow: Item Opened User: Review evidence. System: Load previous inspection photos and attachments.	Historical evidence is read-only.	Historical evidence displayed correctly.
MVP1-M04-138 <i>Inspection Project.xlsx Inspection excution-Start jou row 139</i>	Display Inspection Item Details Present complete inspection requirement.	Flow: Item Opened User: Review item. System: Display Item Name, Description, Regulation Reference, Evidence Requirements, Guidance Notes and Response Type.	Item details are configuration-driven.	Inspector has complete inspection context.
MVP1-M04-139 <i>Inspection Project.xlsx Inspection excution-Start jou row 140</i>	Capture Inspection Response Record inspector answer.	Flow: Answer Item User: Select response. System: Save selected response for the inspection item.	Only configured response values are allowed.	Response saved successfully.
MVP1-M04-140 <i>Inspection Project.xlsx Inspection excution-Start jou row 141</i>	Apply Response Validation Validate response before saving.	Flow: Save Response User: Complete response. System: Validate response according to configured response type and business rules.	Invalid responses cannot be saved.	Validation executes correctly.
MVP1-M04-141 <i>Inspection Project.xlsx Inspection excution-Start jou row 142</i>	Evaluate Compliance Result Determine compliance outcome.	Flow: Response Saved User: None System: Evaluate whether response is Compliant or Non-Compliant based on configured rules.	Evaluation is automatic.	Compliance calculated correctly.
MVP1-M04-142 <i>Inspection Project.xlsx Inspection excution-Start jou row 143</i>	Generate Violation Automatically generate violation when applicable.	Flow: Non-Compliant Response User: None System: Retrieve linked violation from Compliance Configuration.	Inspector cannot modify generated violation.	Correct violation generated automatically.
MVP1-M04-143 <i>Inspection Project.xlsx Inspection excution-Start jou row 144</i>	Display Penalty Display applicable penalty.	Flow: Violation Generated User: Review penalty.	Penalty is informational during inspection.	Correct penalty displayed.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
<i>jou row 144</i>		System: Display configured penalty linked to the generated violation.		
MVP1-M04-144 <i>Inspection Project.xlsx Inspection excution-Start jou row 145</i>	Display Corrective Action Display required corrective action.	Flow: Violation Generated User: Review corrective action. System: Display configured corrective action associated with the generated violation.	Corrective action is read-only.	Correct corrective action displayed.
MVP1-M04-145 <i>Inspection Project.xlsx Inspection excution-Start jou row 146</i>	Capture Inspector Comments Record additional findings.	Flow: Item Completed User: Enter comments. System: Save inspector comments linked to the inspection item.	Comments remain editable until submission.	Comments stored successfully.
MVP1-M04-146 <i>Inspection Project.xlsx Inspection excution-Start jou row 147</i>	Attach Evidence to Inspection Item Support findings with evidence.	Flow: Item Completed User: Upload Photo, Video, Document or Comment. System: Link uploaded evidence to the inspection item.	Evidence remains attached to originating inspection item.	Evidence linked correctly.
MVP1-M04-147 <i>Inspection Project.xlsx Inspection excution-Start jou row 148</i>	Annotate Inspection Evidence Improve evidence quality.	Flow: Evidence Uploaded User: Annotate image. System: Save annotation while preserving original media.	Original evidence remains unchanged.	Annotation stored successfully.
MVP1-M04-148 <i>Inspection Project.xlsx Inspection excution-Start jou row 149</i>	Track Checklist Progress Display checklist completion.	Flow: Throughout Checklist User: View progress. System: Calculate completed items versus remaining items.	Progress contributes to overall inspection completion.	Progress displayed accurately.
MVP1-M04-149 <i>Inspection Project.xlsx Inspection excution-Start jou row 150</i>	Review Checklist Summary Summarize inspection findings.	Flow: Leave Checklist Step User: Review summary. System: Display total answered items, pending items, compliant items, non-compliant items, violations and evidence count.	Summary updates dynamically.	Summary reflects actual inspection state.
MVP1-M04-150 <i>Inspection Project.xlsx Inspection excution-Start jou row 151</i>	Save Checklist Draft Preserve checklist progress.	Flow: Any Time User: Save Draft. System: Save responses, comments and evidence.	Draft remains editable before submission.	Draft restored successfully.
MVP1-M04-151 <i>Inspection Project.xlsx Inspection excution-Start jou row 152</i>	Lock Checklist After Submission Protect completed inspection.	Flow: Submitted User: View checklist. System: Render checklist in read-only mode after submission.	Checklist becomes immutable after submission.	Checklist cannot be modified after submission.
MVP1-M04-152 <i>Inspection Project.xlsx Inspection excution-Start jou row 153</i>	Generate Checklist Audit Events Maintain complete inspection history.	Flow: Throughout Checklist User: None System: Record item opened, answer changed, violation generated, evidence uploaded, comments added, draft saved and completed events.	Every checklist action shall be auditable.	Audit history complete.
MVP1-M04-153 <i>Inspection Project.xlsx Inspection excution-Start jou row 154</i>	Handle Checklist Errors Prevent data loss during inspection.	Flow: Any Failure User: Retry. System: Handle validation failures, save	No checklist data shall be lost because of recoverable failures.	Checklist remains recoverable after failures.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		failures, evidence upload failures and synchronization failures while preserving entered information.		
MVP1-M04-154 <i>Inspection Project.xlsx Inspection excution-Start jou row 155</i>	Upload Evidence Allow inspector to upload inspection evidence.	Flow: Any Execution Step User: Upload Photo, Video or Document. System: Upload and associate evidence with the active inspection session.	Evidence can be uploaded from any execution step.	Evidence uploaded successfully.
MVP1-M04-155 <i>Inspection Project.xlsx Inspection excution-Start jou row 156</i>	Select Evidence Source Capture how evidence was obtained.	Flow: Upload Evidence User: Select Camera, Gallery or File. System: Display supported evidence sources.	Supported sources are configurable.	Selected source opened successfully.
MVP1-M04-156 <i>Inspection Project.xlsx Inspection excution-Start jou row 157</i>	Capture Photo Capture inspection photo.	Flow: Upload Evidence User: Take Photo. System: Launch device camera and capture image.	Original photo retained.	Photo stored successfully.
MVP1-M04-157 <i>Inspection Project.xlsx Inspection excution-Start jou row 158</i>	Capture Video Capture inspection video.	Flow: Upload Evidence User: Record Video. System: Launch video recorder and capture video.	Maximum recording duration configurable.	Video uploaded successfully.
MVP1-M04-158 <i>Inspection Project.xlsx Inspection excution-Start jou row 159</i>	Upload Document Attach supporting document.	Flow: Upload Evidence User: Select Document. System: Upload supported document types.	Allowed extensions configured centrally.	Document uploaded successfully.
MVP1-M04-159 <i>Inspection Project.xlsx Inspection excution-Start jou row 160</i>	Add Evidence Comment Describe the uploaded evidence.	Flow: Evidence Uploaded User: Enter Comment. System: Store comment with evidence record.	Comment length configurable.	Comment stored successfully.
MVP1-M04-160 <i>Inspection Project.xlsx Inspection excution-Start jou row 161</i>	Annotate Image Highlight important findings.	Flow: Photo Uploaded User: Draw Annotation. System: Save annotation layer while preserving original image.	Original evidence shall never be modified.	Annotation saved successfully.
MVP1-M04-161 <i>Inspection Project.xlsx Inspection excution-Start jou row 162</i>	Link Evidence Associate evidence with inspection context.	Flow: Evidence Uploaded User: None System: Link evidence to Factory Information, Report Field, Inspection Item, Violation or Action Form.	One evidence item may be linked to multiple entities if configured.	Evidence linked correctly.
MVP1-M04-162 <i>Inspection Project.xlsx Inspection excution-Start jou row 163</i>	Preview Evidence Allow inspector to review uploaded evidence.	Flow: Evidence List User: Open Evidence. System: Display preview according to file type.	Preview does not modify evidence.	Evidence preview available.
MVP1-M04-163 <i>Inspection Project.xlsx Inspection excution-Start jou row 164</i>	Replace Evidence Replace incorrect evidence before submission.	Flow: Evidence List User: Replace File. System: Archive previous version and upload replacement.	Replacement allowed only before submission.	Previous version retained in audit.
MVP1-M04-164 <i>Inspection Project.xlsx Inspection excution-Start jou row 165</i>	Delete Evidence Remove unnecessary evidence before submission.	Flow: Evidence List User: Delete Evidence. System: Remove evidence from inspection	Deletion allowed only before submission.	Evidence removed successfully.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		package while recording audit event.		
MVP1-M04-165 <i>Inspection Project.xlsx Inspection excution-Start jou row 166</i>	Validate Evidence Ensure evidence satisfies business rules.	Flow: Save / Submit User: None System: Validate mandatory evidence, file type, file size and supported formats.	Submission blocked if mandatory evidence is missing.	Validation performed successfully.
MVP1-M04-166 <i>Inspection Project.xlsx Inspection excution-Start jou row 167</i>	Compress Media Optimize uploaded media.	Flow: Upload Completed User: None System: Compress images and videos before synchronization without compromising required quality.	Original quality policy configurable.	Media optimized successfully.
MVP1-M04-167 <i>Inspection Project.xlsx Inspection excution-Start jou row 168</i>	Offline Evidence Storage Preserve evidence while offline.	Flow: Offline Mode User: Continue Upload. System: Store evidence securely on device until synchronization.	Evidence remains available after application restart.	Offline evidence retained successfully.
MVP1-M04-168 <i>Inspection Project.xlsx Inspection excution-Start jou row 169</i>	Synchronize Evidence Upload offline evidence after connectivity returns.	Flow: Online Restored User: None System: Synchronize queued evidence while preserving relationships.	Synchronization order shall be maintained.	Offline evidence synchronized successfully.
MVP1-M04-169 <i>Inspection Project.xlsx Inspection excution-Start jou row 170</i>	Generate Evidence Audit Record evidence lifecycle.	Flow: Throughout Inspection User: None System: Record upload, replace, delete, preview, annotation and synchronization events.	Every evidence action shall be auditable.	Complete evidence history available.
MVP1-M04-170 <i>Inspection Project.xlsx Inspection excution-Start jou row 171</i>	Handle Evidence Errors Prevent evidence loss.	Flow: Any Failure User: Retry Upload. System: Handle upload failures, synchronization failures, storage failures and unsupported formats without losing existing evidence.	Evidence integrity maintained after failures.	No uploaded evidence is lost because of recoverable failures.
MVP1-M04-171 <i>Inspection Project.xlsx Inspection excution-Start jou row 172</i>	Evaluate Action Form Triggers Determine whether an Action Form should be generated.	Flow: Inspection Item Completed User: None System: Evaluate configured trigger rules after each inspection response.	Trigger evaluation occurs immediately after each answer.	Action Form decision generated correctly.
MVP1-M04-172 <i>Inspection Project.xlsx Inspection excution-Start jou row 173</i>	Generate Action Form Automatically create Action Form instances.	Flow: Trigger Approved User: None System: Create Action Form from Dynamic Form Builder using configured template.	Generated forms belong only to the current inspection.	Correct Action Form generated.
MVP1-M04-173 <i>Inspection Project.xlsx Inspection excution-Start jou row 174</i>	Assign Action Form Type Identify the purpose of each generated form.	Flow: Form Generated User: None System: Assign configured form type (Corrective Action, Notice, Acknowledgment, Shutdown, etc.).	Form type is configuration-driven.	Correct form type assigned.
MVP1-M04-174 <i>Inspection Project.xlsx Inspection excution-Start jou row 175</i>	Load Action Form Display Action Form to the inspector.	Flow: Wizard → Action Forms User: Open Form. System: Load dynamic fields and sections according to configuration.	Forms are loaded from the locked package version.	Form displayed successfully.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M04-175 <i>Inspection Project.xlsx Inspection excution-Start jou row 176</i>	Render Dynamic Form Fields Display configurable fields.	Flow: Form Loaded User: Complete fields. System: Render text, number, lookup, date, attachment, signature and custom controls.	Field rendering follows Form Builder configuration.	Fields rendered correctly.
MVP1-M04-176 <i>Inspection Project.xlsx Inspection excution-Start jou row 177</i>	Apply Conditional Visibility Show only applicable fields.	Flow: Complete Form User: Fill data. System: Evaluate conditional display rules defined in the Form Builder.	Hidden fields are excluded from validation.	Visibility rules executed correctly.
MVP1-M04-177 <i>Inspection Project.xlsx Inspection excution-Start jou row 178</i>	Validate Mandatory Fields Ensure required information is completed.	Flow: Save / Next User: Complete required fields. System: Validate mandatory fields before allowing completion.	Mandatory rules are configuration-driven.	Missing required fields block completion.
MVP1-M04-178 <i>Inspection Project.xlsx Inspection excution-Start jou row 179</i>	Capture Action Form Responses Record inspector inputs.	Flow: During Completion User: Enter values. System: Save responses as part of the inspection session.	Responses remain editable until submission.	Responses stored successfully.
MVP1-M04-179 <i>Inspection Project.xlsx Inspection excution-Start jou row 180</i>	Attach Evidence to Action Form Support action forms with evidence.	Flow: Complete Form User: Upload evidence. System: Link uploaded evidence directly to the Action Form.	Evidence requirements depend on form configuration.	Evidence linked correctly.
MVP1-M04-180 <i>Inspection Project.xlsx Inspection excution-Start jou row 181</i>	Capture Digital Signature Collect signatures when required.	Flow: Complete Form User: Sign electronically. System: Capture inspector signature and, when configured, factory representative signature. If refused, record refusal reason.	Signature requirement is configurable.	Required signatures captured successfully.
MVP1-M04-181 <i>Inspection Project.xlsx Inspection excution-Start jou row 182</i>	Save Draft Action Form Preserve incomplete forms.	Flow: Any Time User: Save Draft. System: Save partially completed Action Form including responses and evidence.	Draft remains editable until submission.	Draft restored successfully.
MVP1-M04-182 <i>Inspection Project.xlsx Inspection excution-Start jou row 183</i>	Auto Save Action Form Prevent data loss.	Flow: During Completion User: Continue working. System: Save Action Form automatically after configurable intervals and major changes.	Auto Save runs silently.	Form progress preserved automatically.
MVP1-M04-183 <i>Inspection Project.xlsx Inspection excution-Start jou row 184</i>	Complete Action Form Mark Action Form as completed.	Flow: Finish Form User: Click Complete. System: Validate all mandatory requirements and mark Action Form as completed.	Form cannot be marked complete with validation errors.	Completed status assigned correctly.
MVP1-M04-184 <i>Inspection Project.xlsx Inspection excution-Start jou row 185</i>	Update Wizard Progress Reflect Action Form completion.	Flow: Form Completed User: None System: Update inspection progress based on completed Action Forms.	Progress updates automatically.	Wizard progress recalculated correctly.
MVP1-M04-185 <i>Inspection Project.xlsx Inspection excution-Start jou row 186</i>	Review Generated Action Forms Summarize all generated forms.	Flow: Review Step User: Review forms. System: Display generated forms, completion status, evidence count and	Summary is read-only before submission.	Summary generated successfully.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		signature status.		
MVP1-M04-186 <i>Inspection Project.xlsx Inspection excution-Start jou row 187</i>	Lock Action Forms After Submission Prevent post-submission modifications.	Flow: Inspection Submitted User: View forms. System: Render all Action Forms in read-only mode.	Forms become immutable after submission.	Action Forms cannot be edited.
MVP1-M04-187 <i>Inspection Project.xlsx Inspection excution-Start jou row 188</i>	Generate Action Form Audit Events Maintain complete history.	Flow: Throughout Action Form Lifecycle User: None System: Record generation, editing, evidence upload, signatures, completion, draft save, resume and submission events.	Every Action Form event is auditable.	Audit history complete.
MVP1-M04-188 <i>Inspection Project.xlsx Inspection excution-Start jou row 189</i>	Handle Action Form Errors Prevent incomplete compliance documentation.	Flow: Any Failure User: Retry. System: Handle generation failures, rendering failures, validation failures, signature failures and save failures while preserving entered data.	No completed Action Form data shall be lost due to recoverable failures.	Action Forms recover successfully after failures.
MVP1-M04-189 <i>Inspection Project.xlsx Inspection excution-Start jou row 190</i>	Load Review Workspace Display the complete inspection summary before submission.	Flow: Action Forms → Review User: Open Review. System: Load review dashboard containing all execution sections.	Review is always the last wizard step.	Review screen loads successfully.
MVP1-M04-190 <i>Inspection Project.xlsx Inspection excution-Start jou row 191</i>	Review Factory Information Display all verified and updated factory information.	Flow: Review User: Review changes. System: Display Source Value, Observed Value, Verification Status, Before/After values and attached evidence for every modified field.	Only modified fields are highlighted.	Factory verification summary displayed correctly.
MVP1-M04-191 <i>Inspection Project.xlsx Inspection excution-Start jou row 192</i>	Review Inspection Report Display completed inspection report.	Flow: Review User: Expand Report Section. System: Display report sections, completed fields, attachments and comments.	Report is read-only during review.	Report summary displayed successfully.
MVP1-M04-192 <i>Inspection Project.xlsx Inspection excution-Start jou row 193</i>	Review Inspection Checklist Display checklist execution summary.	Flow: Review User: Expand Checklist Section. System: Display answered items, pending items, compliant items, non-compliant items and inspector comments.	Checklist reflects the latest saved responses.	Checklist summary displayed correctly.
MVP1-M04-193 <i>Inspection Project.xlsx Inspection excution-Start jou row 194</i>	Review Violations Display all generated violations.	Flow: Review User: Expand Violations Section. System: Display violation classification, regulation, severity, corrective action and current status.	Violations are read-only and generated automatically.	Violations displayed correctly.
MVP1-M04-194 <i>Inspection Project.xlsx Inspection excution-Start jou row 195</i>	Review Penalties Display penalties linked to generated violations.	Flow: Review User: Review penalties. System: Display configured penalties associated with each generated violation.	Penalties cannot be modified by the inspector.	Penalties displayed correctly.
MVP1-M04-195 <i>Inspection Project.xlsx Inspection excution-Start jou row 196</i>	Review Action Forms Display all generated Action Forms.	Flow: Review User: Expand Action Forms. System: Display completion status,	Incomplete mandatory forms are highlighted.	Action Form summary displayed successfully.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		signatures, evidence count and validation status for every generated form.		
MVP1-M04-196 <i>Inspection Project.xlsx Inspection execution-Start jou row 197</i>	Review Evidence Display all uploaded evidence.	Flow: Review User: Preview Evidence. System: Display all evidence grouped by Factory Verification, Report, Checklist and Action Forms.	Deleted evidence shall not appear.	Evidence summary displayed correctly.
MVP1-M04-197 <i>Inspection Project.xlsx Inspection execution-Start jou row 198</i>	Review Signatures Verify digital signatures before submission.	Flow: Review User: Review Signatures. System: Display Inspector Signature, Factory Representative Signature or Refusal Reason where applicable.	Signature requirements depend on Action Form configuration.	Signature status displayed correctly.
MVP1-M04-198 <i>Inspection Project.xlsx Inspection execution-Start jou row 199</i>	Calculate Change Counter Display total number of modifications made during execution.	Flow: Review User: View summary. System: Count updated Factory Information, Report responses, Checklist responses, Evidence uploads and Action Forms.	Counter updates automatically until submission.	Counter reflects all changes.
MVP1-M04-199 <i>Inspection Project.xlsx Inspection execution-Start jou row 200</i>	Validate Mandatory Information Verify completion of mandatory information.	Flow: Review User: Click Validate. System: Validate mandatory fields, mandatory checklist items, mandatory Action Forms, signatures and evidence.	Submission blocked if any mandatory requirement is missing.	Validation completed successfully.
MVP1-M04-200 <i>Inspection Project.xlsx Inspection execution-Start jou row 201</i>	Display Validation Summary Present all validation issues.	Flow: Validation Completed User: Review issues. System: Display grouped validation results by wizard step with issue description and severity.	All validation failures are displayed together.	Validation summary generated correctly.
MVP1-M04-201 <i>Inspection Project.xlsx Inspection execution-Start jou row 202</i>	Jump to Missing Section Navigate directly to incomplete information.	Flow: Validation Summary User: Click Validation Issue. System: Navigate to the corresponding wizard step and highlight the missing field or section.	Navigation always opens the correct location.	Inspector reaches missing field directly.
MVP1-M04-202 <i>Inspection Project.xlsx Inspection execution-Start jou row 203</i>	Expand / Collapse Review Sections Improve review usability.	Flow: Review User: Expand or Collapse Sections. System: Allow review sections to be expanded or collapsed independently.	Expansion state does not affect data.	Sections expand and collapse correctly.
MVP1-M04-203 <i>Inspection Project.xlsx Inspection execution-Start jou row 204</i>	Save Review Draft Preserve review progress.	Flow: Review User: Save Draft. System: Save review position together with the inspection draft.	Draft remains editable until submission.	Review draft restored successfully.
MVP1-M04-204 <i>Inspection Project.xlsx Inspection execution-Start jou row 205</i>	Determine Submission Readiness Decide whether the inspection can be submitted.	Flow: Validation Passed User: None System: Evaluate overall inspection readiness based on validation results. Enable Submit only when all blocking validations pass.	Submit button remains disabled while blocking issues exist.	Submit button enabled only when inspection is ready.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M04-205 <i>Inspection Project.xlsx Inspection excution-Start jou row 206</i>	Generate Review Audit Events Maintain complete review history.	Flow: Throughout Review User: None System: Record review opened, validation executed, navigation events, draft saved and submission readiness evaluation.	Every review activity shall be auditable.	Audit history complete.
MVP1-M04-206 <i>Inspection Project.xlsx Inspection excution-Start jou row 207</i>	Handle Review Errors Prevent review failures from affecting the inspection session.	Flow: Any Failure User: Retry Review. System: Handle validation failures, summary generation failures and navigation failures while preserving inspection data.	Review errors shall never modify or remove inspection data.	Review remains recoverable without data loss.
MVP1-M04-207 <i>Inspection Project.xlsx Inspection excution-Start jou row 208</i>	Submit Inspection Officially complete the inspection.	Flow: Review → Submit User: Click Submit Inspection. System: Start final submission process.	Submit is only available after Review validation passes.	Submission process starts successfully.
MVP1-M04-208 <i>Inspection Project.xlsx Inspection excution-Start jou row 209</i>	Execute Final Validation Ensure the inspection package is complete before submission.	Flow: Submit User: None System: Revalidate mandatory fields, mandatory checklist items, Action Forms, evidence, signatures and business rules before committing submission.	Final validation always executes even if previous validation passed.	Submission blocked if validation fails.
MVP1-M04-209 <i>Inspection Project.xlsx Inspection excution-Start jou row 210</i>	Generate Inspection Reference Number Assign the official inspection identifier.	Flow: Validation Passed User: None System: Generate a unique Inspection Number according to configured numbering rules.	Inspection Number is immutable after generation.	Unique inspection number generated successfully.
MVP1-M04-210 <i>Inspection Project.xlsx Inspection excution-Start jou row 211</i>	Freeze Inspection Data Preserve inspection integrity.	Flow: Validation Passed User: None System: Freeze all responses, checklist answers, report data, factory observations, Action Forms and evidence.	No further editing is permitted after submission.	Inspection data permanently locked.
MVP1-M04-211 <i>Inspection Project.xlsx Inspection excution-Start jou row 212</i>	Lock Inspection Package Preserve the executed package version.	Flow: Validation Passed User: None System: Lock the inspection package version used during execution for future audit and review.	Package version shall remain available throughout the inspection lifecycle.	Package version preserved successfully.
MVP1-M04-212 <i>Inspection Project.xlsx Inspection excution-Start jou row 213</i>	Finalize Evidence Repository Close evidence collection.	Flow: Submission User: None System: Lock uploaded evidence, annotations and comments against further modification.	Evidence becomes read-only after submission.	Evidence repository finalized successfully.
MVP1-M04-213 <i>Inspection Project.xlsx Inspection excution-Start jou row 214</i>	Finalize Action Forms Close generated Action Forms.	Flow: Submission User: None System: Mark all completed Action Forms as closed and prevent further editing.	All mandatory Action Forms must be completed before submission.	Action Forms finalized successfully.
MVP1-M04-214 <i>Inspection Project.xlsx Inspection excution-Start jou row 215</i>	Generate Inspection Snapshot Preserve the exact inspection state submitted by the inspector.	Flow: Submission User: None System: Create a read-only snapshot including package version, responses,	Snapshot becomes the official inspection record.	Snapshot created successfully.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		observations, evidence, violations and Action Forms.		
MVP1-M04-215 <i>Inspection Project.xlsx Inspection excution-Start jou row 216</i>	Generate Inspection PDF Produce the official inspection report.	Flow: Submission Completed User: None System: Generate PDF containing factory information, inspection report, checklist, violations, penalties, Action Forms, evidence references and inspector information.	PDF is generated after successful submission and becomes the official inspection report for reviewers.	PDF generated successfully.
MVP1-M04-216 <i>Inspection Project.xlsx Inspection excution-Start jou row 217</i>	Update Workflow Status Move the inspection to the next workflow stage.	Flow: Submission Completed User: None System: Update Workflow Status from In Progress to Pending Review.	Workflow transition is automatic.	Workflow updated successfully.
MVP1-M04-217 <i>Inspection Project.xlsx Inspection excution-Start jou row 218</i>	Update Operational State Complete inspector execution lifecycle.	Flow: Submission Completed User: None System: Update Operational State from Executing to Submitted.	Operational State reflects execution completion.	Operational State updated successfully.
MVP1-M04-218 <i>Inspection Project.xlsx Inspection excution-Start jou row 219</i>	Assign Reviewer Create the next operational task.	Flow: Submission Completed User: None System: Create reviewer work item according to workflow configuration and assignment rules.	Assignment follows workflow configuration.	Reviewer task created successfully.
MVP1-M04-219 <i>Inspection Project.xlsx Inspection excution-Start jou row 220</i>	Notify Reviewer Inform reviewer about pending inspection.	Flow: Reviewer Assigned User: None System: Send system notification to assigned reviewer.	Notification templates are configurable.	Reviewer receives notification successfully.
MVP1-M04-220 <i>Inspection Project.xlsx Inspection excution-Start jou row 221</i>	Notify Inspector Confirm successful submission.	Flow: Submission Completed User: None System: Display confirmation message and record submission completion.	Confirmation displayed immediately after successful submission.	Inspector receives confirmation successfully.
MVP1-M04-221 <i>Inspection Project.xlsx Inspection excution-Start jou row 222</i>	Convert Inspection to Read-Only Prevent further modifications.	Flow: Submission Completed User: View Inspection. System: Disable editing across all execution screens while allowing viewing of submitted information.	Inspector can no longer modify submitted inspection.	Inspection becomes completely read-only.
MVP1-M04-222 <i>Inspection Project.xlsx Inspection excution-Start jou row 223</i>	Generate Submission Audit Events Maintain complete traceability of submission.	Flow: Throughout Submission User: None System: Record submission request, validation results, inspection number generation, package lock, PDF generation, workflow transition, reviewer assignment and notifications.	Every submission activity shall be permanently auditable.	Complete submission audit history available.
MVP1-M04-223 <i>Inspection Project.xlsx Inspection excution-Start jou row 224</i>	Handle Submission Failures Prevent inconsistent submission states.	Flow: Any Failure User: Retry Submission. System: Handle workflow failures, PDF failures, notification failures, repository failures and assignment failures while ensuring the inspection is either completely	Partial submission shall never occur. Data integrity shall always be maintained.	Submission failures recover safely without corrupting the inspection.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		submitted or completely rolled back.		

A.5 Virtual Inspection Execution - 20 Requirements

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M05-001 <i>Inspection Project.xlsx Inspection Excution - Virtual row 2</i>	Display Scheduled Visit Display today's confirmed virtual inspection.	Flow: My Schedule User: Open Visit System: Load confirmed virtual visit details including execution date, execution time, inspector, factory and report information.	Only confirmed virtual visits are displayed.	Visit displayed successfully.
MVP1-M05-002 <i>Inspection Project.xlsx Inspection Excution - Virtual row 3</i>	Start Virtual Session Initialize the virtual inspection session.	Flow: Scheduled Visit User: Click Start Session System: Validate visit status, execution window, inspector assignment and factory confirmation. Create Virtual Session.	Session may only start during the planned execution window.	Session created successfully.
MVP1-M05-003 <i>Inspection Project.xlsx Inspection Excution - Virtual row 4</i>	Create Session Timeline Start operational timeline.	Flow: Session Started User: None System: Create Virtual Session Timeline and capture session start timestamp.	Timeline starts before meeting connection.	Timeline created successfully.
MVP1-M05-004 <i>Inspection Project.xlsx Inspection Excution - Virtual row 5</i>	Update Operational State Reflect current operational progress.	Flow: Session Started User: None System: Update Operational State to Session Started while Workflow Status remains unchanged.	Workflow Status changes only after inspection starts.	Operational State updated successfully.
MVP1-M05-005 <i>Inspection Project.xlsx Inspection Excution - Virtual row 6</i>	Cancel Virtual Visit Cancel before inspection begins.	Flow: Session Started User: Click Cancel System: Display cancellation form.	Cancellation only allowed before inspection starts.	Cancellation initiated successfully.
MVP1-M05-006 <i>Inspection Project.xlsx Inspection Excution - Virtual row 7</i>	Capture Cancellation Reason Record why the virtual visit was cancelled.	Flow: Cancel Visit User: Select Reason System: Save cancellation reason and comments.	Reason mandatory.	Cancellation reason recorded.
MVP1-M05-007 <i>Inspection Project.xlsx Inspection Excution - Virtual row 8</i>	Generate Audit Events Capture all initialization activities.	Flow: Throughout Session User: None System: Record session creation, cancellation and operational state updates.	Every event shall be auditable.	Audit generated successfully.
MVP1-M05-008 <i>Inspection Project.xlsx Inspection Excution - Virtual row 9</i>	Join Session Connect inspector to the virtual session.	Flow: Session Started User: Click Join Session System: Open configured meeting provider and connect inspector.	Meeting provider is transparent to business users.	Inspector connected successfully.
MVP1-M05-009 <i>Inspection Project.xlsx Inspection Excution - Virtual row 10</i>	Wait for Factory Representative Wait until the factory representative joins.	Flow: Waiting Room User: None System: Monitor participant status.	Inspection cannot start until factory joins.	Waiting state displayed correctly.
MVP1-M05-010	Capture Participant Join	Flow: Meeting	Join times are auditable.	Join times stored successfully.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
<i>Inspection Project.xlsx Inspection Excution - Virtual row 11</i>	Record attendance.	User: None System: Capture Inspector Join Time and Factory Representative Join Time.		
MVP1-M05-011 <i>Inspection Project.xlsx Inspection Excution - Virtual row 12</i>	Monitor Session Status Monitor active meeting.	Flow: During Session User: None System: Track Connected, Disconnected, Reconnected and Session End events.	Every meeting event recorded.	Meeting lifecycle recorded successfully.
MVP1-M05-012 <i>Inspection Project.xlsx Inspection Excution - Virtual row 13</i>	Generate Session Audit Record session lifecycle.	Flow: Throughout Meeting User: None System: Record Join, Leave, Disconnect and Reconnect events.	Session history always available.	Complete meeting audit generated.
MVP1-M05-013 <i>Inspection Project.xlsx Inspection Excution - Virtual row 14</i>	Initiate Identity Verification Verify the factory representative before inspection starts.	Flow: Meeting Connected User: Click Verify Identity System: Display available verification method.	Inspection cannot proceed before verification.	Verification initiated successfully.
MVP1-M05-014 <i>Inspection Project.xlsx Inspection Excution - Virtual row 15</i>	Send OTP Generate verification code.	Flow: Verification User: Click Send OTP System: Generate OTP and send it to the registered representative.	OTP validity configurable.	OTP sent successfully.
MVP1-M05-015 <i>Inspection Project.xlsx Inspection Excution - Virtual row 16</i>	Verify OTP Verify representative identity.	Flow: Verification User: Enter OTP System: Validate OTP.	Only verified representatives may proceed.	OTP validated successfully.
MVP1-M05-016 <i>Inspection Project.xlsx Inspection Excution - Virtual row 17</i>	Handle Verification Failure Handle failed verification attempts.	Flow: OTP Failed User: Retry System: Allow configurable retry attempts. Block inspection after maximum attempts.	Inspection cannot start while verification fails.	Failure handled correctly.
MVP1-M05-017 <i>Inspection Project.xlsx Inspection Excution - Virtual row 18</i>	Record Verification Details Preserve verification evidence.	Flow: OTP Success User: None System: Capture verification time, verification method and representative details.	Verification becomes part of inspection audit.	Verification stored successfully.
MVP1-M05-018 <i>Inspection Project.xlsx Inspection Excution - Virtual row 19</i>	Update Operational State Reflect successful verification.	Flow: Identity Verified User: None System: Update Operational State from Session Started to Identity Verified.	Workflow Status unchanged.	Operational State updated successfully.
MVP1-M05-019 <i>Inspection Project.xlsx Inspection Excution - Virtual row 20</i>	Start Inspection Officially begin the inspection execution.	Flow: Identity Verified User: Click Start Inspection System: Update Workflow Status to In Progress, initialize Execution Workspace, create Inspection Session and start SLA timer.	Inspection cannot start before successful identity verification.	Execution Workspace opens successfully.
MVP1-M05-020 <i>Inspection Project.xlsx Inspection Excution - Virtual row 21</i>	Redirect to Common Execution Engine Reuse the standard inspection execution flow.	Flow: Inspection Started User: None System: Redirect inspector to the shared execution engine used by all inspection modes.	No virtual-specific logic exists after this point.	Inspector continues using the shared execution flow.

A.6 Level 2 Review & Resubmission - 53 Requirements

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M06-001 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 2</i>	Review Decision Panel Allow Level 2 reviewer to take the final review decision.	Flow: Pending Review → Open Inspection → Review → Decision Panel User: Select Approve, Return, or Reject. System: Display available actions based on reviewer permission and inspection status.	Only Level 2 reviewer can approve, return, or reject. Reviewer cannot edit inspection content.	Reviewer sees only valid actions for Pending Review inspection.
MVP1-M06-002 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 3</i>	Approve Confirmation Prevent accidental approval of high-impact inspection outcomes.	Flow: Review → Approve → Confirmation Modal User: Click Approve, review confirmation summary, confirm approval or cancel. System: Display inspection summary, violations, critical violations, action forms, evidence count, factory updates, version number, and compliance preview.	Approval is irreversible. Reviewer must confirm before approval is committed.	Approval confirmation appears before final approval.
MVP1-M06-003 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 4</i>	Compliance Preview Show reviewer the expected compliance consequences before approval.	Flow: Approve Confirmation User: Review preview only. System: Display expected penalties, official documents, corrective actions, and notifications that may be generated after approval.	Preview is read-only. Reviewer cannot modify penalties from this screen.	Reviewer can see consequences before approving.
MVP1-M06-004 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 5</i>	Approve Inspection Approve the submitted inspection and hand over to Compliance Management.	Flow: Approve Confirmation → Confirm Approve User: Click Confirm Approve. System: Permanently lock latest inspection version, update status to Approved, create approval timeline event, notify inspector, trigger Compliance Management.	Approved inspection is permanently read-only. Compliance Engine starts only after approval.	Inspection status becomes Approved and Compliance Management is triggered.
MVP1-M06-005 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 6</i>	Return Confirmation Confirm return decision and required correction scope.	Flow: Review → Return → Return Modal User: Select returned sections, enter mandatory reason, optional comments, confirm return or cancel. System: Display selected returned sections, reason field, comments field, and return impact summary.	Return reason is mandatory. Reviewer may identify one or more sections requiring correction.	Return cannot be submitted without reason.
MVP1-M06-006 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 7</i>	Return Inspection Return inspection to inspector for correction.	Flow: Return Confirmation → Confirm Return User: Confirm return. System: Update status to Returned, unlock returned inspection for assigned inspector, preserve submitted version, notify inspector, create timeline and audit events.	Returned inspection becomes editable for inspector. Previous submitted version remains locked for audit.	Inspection is returned and inspector can update it.
MVP1-M06-007 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 8</i>	Reject Confirmation Prevent accidental rejection of submitted inspection.	Flow: Review → Reject → Reject Modal User: Enter mandatory rejection reason, optional comments, confirm reject or cancel. System: Display rejection impact: status	Rejection reason is mandatory. Reject is final.	Reject cannot proceed without reason.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		becomes Rejected, no Compliance Management, inspection read-only forever, inspector notified.		
MVP1-M06-008 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 9</i>	Reject Inspection Invalidate submitted inspection and close review without compliance processing.	Flow: Reject Confirmation → Confirm Reject User: Confirm reject. System: Update status to Rejected, permanently lock inspection, stop workflow, prevent Compliance Management trigger, notify inspector, create timeline and audit events.	Rejected inspections cannot be reopened. If another inspection is required, a new visit must be created.	Inspection is rejected, read-only, and Compliance Engine is not triggered.
MVP1-M06-009 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 10</i>	Decision Audit Capture all reviewer decisions for traceability.	Flow: Any Review Decision User: None. System: Log reviewer ID, decision, reason, comments, previous status, new status, timestamp, version, and affected sections.	Every decision must be immutable and auditable.	Complete audit record exists for each decision.
MVP1-M06-010 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 11</i>	Decision Timeline Show decision history in the inspection timeline.	Flow: Decision Completed User: View timeline. System: Add timeline event for Approved, Returned, or Rejected decision.	Timeline is immutable.	Decision appears in inspection timeline.
MVP1-M06-011 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 12</i>	Version Handling on Return Preserve inspection history across return cycles.	Flow: Return → Inspector Update → Resubmit User: Inspector edits returned inspection and resubmits. System: Preserve previous submitted version and create a new version on resubmission.	No submitted version is overwritten. Latest submitted version is used for review.	Reviewer can compare previous and latest versions.
MVP1-M06-012 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 13</i>	Reviewer Read-Only Rule Protect inspector-owned inspection data.	Flow: Reviewer Opens Inspection User: Review only. System: Disable editing for report, checklist, evidence, factory observations, and action forms.	Reviewer cannot modify inspection content. Correction must be done by Return.	Reviewer cannot edit submitted inspection fields.
MVP1-M06-013 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 14</i>	Display Pending Review Queue Display all inspections awaiting review.	Flow: Reviewer Dashboard User: Open Pending Review Queue System: Load inspections assigned to the reviewer. Display priority, SLA, risk, inspection type, execution mode and submission date.	Reviewer shall only view assigned inspections unless granted supervisor permissions.	Queue loads successfully.
MVP1-M06-014 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 15</i>	Search & Filter Queue Quickly locate inspections.	Flow: Pending Review Queue User: Search and Filter System: Filter by Inspection Number, Factory, Region, Risk, Date, Inspector, Visit Type, Status and SLA.	Multiple filters may be combined.	Filters operate correctly.
MVP1-M06-015 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 16</i>	Open Submitted Inspection Load complete inspection package.	Flow: Queue → Open Inspection User: Open Inspection System: Load latest submitted inspection version including report, checklist, evidence, factory verification, action forms, timeline and audit history.	Latest submitted version shall always be opened.	Package loads successfully.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M06-016 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 17</i>	Display Inspection Summary Provide reviewer with an executive summary.	Flow: Inspection Opened User: Review Summary System: Display inspection number, factory, inspector, execution mode, visit type, submission date, total violations, critical violations, evidence count and generated action forms.	Summary is read-only.	Summary displayed successfully.
MVP1-M06-017 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 18</i>	Review Factory Verification Validate factory information updates.	Flow: Review User: Review Changes System: Display Source Value, Observed Value, Before/After comparison and attached evidence.	Reviewer cannot edit factory information.	Changes displayed correctly.
MVP1-M06-018 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 19</i>	Review Inspection Report Validate completed inspection report.	Flow: Review User: Open Report System: Display report responses, attachments and comments.	Report is read-only.	Report displayed successfully.
MVP1-M06-019 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 20</i>	Review Inspection Checklist Validate checklist execution.	Flow: Review User: Open Checklist System: Display inspection items, responses, violations and evidence.	Reviewer cannot modify responses.	Checklist displayed successfully.
MVP1-M06-020 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 21</i>	Review Evidence Validate inspection evidence.	Flow: Review User: Preview Evidence System: Display photos, videos, documents and annotations linked to each inspection item.	Evidence is read-only.	Evidence displayed successfully.
MVP1-M06-021 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 22</i>	Review Action Forms Validate generated action forms.	Flow: Review User: Open Action Forms System: Display completed action forms, signatures and attachments.	Reviewer cannot modify forms.	Action Forms displayed successfully.
MVP1-M06-022 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 23</i>	Review Timeline Display complete inspection lifecycle.	Flow: Review User: View Timeline System: Display chronological events from planning until submission.	Timeline is immutable.	Timeline displayed successfully.
MVP1-M06-023 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 24</i>	Review Version History Compare inspection versions.	Flow: Review User: Compare Versions System: Display previous submissions and highlight differences between versions.	All submitted versions remain available.	Version comparison works correctly.
MVP1-M06-024 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 25</i>	Return Inspection Return inspection for correction.	Flow: Review Decision User: Click Return System: Require return reason, allow section selection, create return event, unlock inspection, notify inspector and update workflow.	Return reason is mandatory.	Inspection successfully returned.
MVP1-M06-025 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 26</i>	Approve Inspection Approve inspection.	Flow: Review Decision User: Click Approve System: Validate inspection, permanently lock latest version, update status to	Approved inspections become permanently read-only.	Inspection approved successfully.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		Approved, trigger Compliance Management, notify inspector and update timeline.		
MVP1-M06-026 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 27</i>	Reject Inspection Reject inspection.	Flow: Review Decision User: Click Reject System: Require rejection reason, update workflow to Rejected, close inspection, notify inspector and update timeline.	Compliance Management shall not be triggered.	Inspection rejected successfully.
MVP1-M06-027 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 28</i>	Generate Audit Events Preserve reviewer actions.	Flow: Throughout Review User: None System: Record review opened, comments, approval, return, rejection, version viewed and timeline viewed.	Every reviewer action shall be auditable.	Audit events generated successfully.
MVP1-M06-028 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 29</i>	Handle Review Errors Prevent inconsistent review processing.	Flow: Any Failure User: Retry System: Handle workflow failures, repository failures and validation failures while preserving review integrity.	Partial review processing shall never occur.	Errors handled safely.
MVP1-M06-029 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 30</i>	Reviewer Queue Allow Level 2 reviewers to access inspections pending review.	Flow: Reviewer Dashboard → Pending Review Queue User: Open queue, view assigned inspections. System: Load inspections with status Pending Review assigned to the reviewer.	Reviewer sees only assigned inspections unless supervisor permission exists.	Reviewer can see assigned pending inspections.
MVP1-M06-030 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 31</i>	Queue Filters & Search Help reviewer locate inspections quickly.	Flow: Pending Review Queue User: Search/filter by inspection number, factory, inspector, risk, date, status, region. System: Apply filters and return matching inspections.	Multiple filters can be combined.	Filters return accurate results.
MVP1-M06-031 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 32</i>	SLA & Risk Indicators Highlight priority reviews.	Flow: Queue User: View SLA/risk badges. System: Display SLA status, overdue flag, risk level, critical violations count.	SLA indicator is calculated from submission time.	SLA and risk badges display correctly.
MVP1-M06-032 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 33</i>	Open Inspection From Queue Start review process.	Flow: Queue → Open Inspection User: Click inspection record. System: Load latest submitted version in read-only mode.	Latest submitted version is opened by default.	Reviewer can open inspection successfully.
MVP1-M06-033 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 34</i>	Review Workspace Provide read-only review view for submitted inspection.	Flow: Open Inspection → Review Workspace User: Review submitted package. System: Load report, checklist, evidence, factory observations, action forms, violations, timeline, audit, versions.	Reviewer cannot edit submitted content.	Workspace loads complete package.
MVP1-M06-034 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 35</i>	Review Factory Observations Review factory data changes captured by inspector.	Flow: Review Workspace → Factory Changes User: View source/observed values and evidence. System: Display Source Value, Observed	Factory master data is not updated in Phase 1.	Reviewer sees all inspector-touched factory fields.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		Value, Verified/Updated status, Before/After, evidence.		
MVP1-M06-035 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 36</i>	Review Inspection Report Review submitted report form.	Flow: Workspace → Report User: View report fields and attachments. System: Render report in read-only mode from submitted version.	Report cannot be modified by reviewer.	Report displays accurately.
MVP1-M06-036 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 37</i>	Review Checklist Review inspection items and responses.	Flow: Workspace → Checklist User: View answers, comments, violations, evidence. System: Display required/optional items, answers, generated violations, penalties, corrective actions.	Reviewer cannot override predefined violation/penalty.	Checklist displays full execution result.
MVP1-M06-037 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 38</i>	Review Evidence Review uploaded evidence.	Flow: Workspace → Evidence User: Preview photos, videos, documents, annotations. System: Display evidence grouped by source: factory data, report, item, action form.	Evidence is read-only after submission.	Reviewer can preview all evidence.
MVP1-M06-038 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 39</i>	Review Action Forms Review generated action forms.	Flow: Workspace → Action Forms User: Open generated forms. System: Display completed action forms, attachments, signatures/refusals.	Generated forms are read-only.	Action forms display correctly.
MVP1-M06-039 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 40</i>	Review Timeline & Audit Review full inspection history.	Flow: Workspace → Timeline/Audit User: View timeline and audit. System: Display immutable timeline and audit events from planning to submission.	Timeline and audit cannot be changed.	Reviewer can trace all events.
MVP1-M06-040 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 41</i>	Review Version History Compare submission versions.	Flow: Workspace → Versions User: Open/compare versions. System: Display all submitted versions and differences between them.	No version is overwritten.	Reviewer can compare resubmissions.
MVP1-M06-041 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 42</i>	Receive Returned Inspection Allow inspector to receive returned inspection.	Flow: Reviewer Return → Inspector Notification User: Open returned inspection. System: Notify inspector and show returned inspection in assigned work.	Only assigned inspector can update returned inspection.	Inspector receives returned inspection.
MVP1-M06-042 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 43</i>	Display Return Details Show what needs correction.	Flow: Returned Inspection → Return Summary User: Review reason, comments, returned sections. System: Display return reason, reviewer comments, returned sections, related fields/items/forms.	Return reason is mandatory.	Inspector understands required corrections.
MVP1-M06-043 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 44</i>	Unlock Returned Sections Allow correction of returned content.	Flow: Returned Inspection → Edit User: Edit returned sections only. System: Unlock returned sections and keep non-returned sections read-only.	Inspector can edit only returned sections.	Only returned sections are editable.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M06-044 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 45</i>	Save Returned Updates Preserve correction work.	Flow: Edit Returned Sections User: Save draft. System: Save edits, evidence changes, comments, and updated values.	Returned draft remains editable until resubmitted.	Returned updates are saved.
MVP1-M06-045 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 46</i>	Resubmit Returned Inspection Submit corrected version.	Flow: Returned Draft → Resubmit User: Click Resubmit. System: Validate returned sections, create new submission version, lock version, status → Pending Review, notify reviewer.	Every resubmission creates new version. Previous version remains locked.	Resubmitted inspection returns to reviewer.
MVP1-M06-046 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 47</i>	Compare Returned Versions Help reviewer see what changed.	Flow: Reviewer Opens Resubmission User: Compare previous vs latest. System: Highlight changes between previous submitted version and resubmitted version.	Reviewer reviews latest version while history remains accessible.	Reviewer can identify corrected sections.
MVP1-M06-047 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 48</i>	Create Submission Version Preserve submitted inspection state.	Flow: Inspector Submit → Pending Review User: None System: Create immutable version containing report, checklist, evidence, observations, action forms, comments, timeline snapshot.	Submitted versions are never overwritten.	Version created on every submission.
MVP1-M06-048 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 49</i>	Maintain Version History Keep complete resubmission history.	Flow: Return/Resubmit Cycles User: View versions. System: Store each submitted version with version number, timestamp, inspector, reviewer decision.	Latest submitted version is used for active review.	All versions remain accessible.
MVP1-M06-049 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 50</i>	Audit Reviewer Decision Capture approval/return/rejection.	Flow: Reviewer Decision User: None System: Log reviewer ID, decision, reason, comments, affected sections, previous status, new status, timestamp.	Audit record is immutable.	Every decision is fully auditable.
MVP1-M06-050 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 51</i>	Audit Returned Edits Track inspector corrections after return.	Flow: Returned → Edit → Resubmit User: None System: Log edited sections, changed fields, evidence updates, comments, resubmission timestamp.	Returned edits must be traceable to previous version.	Corrections are visible in audit.
MVP1-M06-051 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 52</i>	Timeline Event Generation Show business journey chronologically.	Flow: Throughout Review User: View timeline. System: Create timeline events: Submitted, Review Opened, Returned, Resubmitted, Approved, Rejected.	Timeline is the single source of truth for business events.	Timeline reflects full review journey.
MVP1-M06-052 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 53</i>	Reviewer Comments Immutability Preserve reviewer comments.	Flow: Return/Reject/Approve User: Add comment where allowed. System: Store reviewer comments as immutable records.	Comments cannot be edited or deleted after submission.	Reviewer comments are preserved.
MVP1-M06-053 <i>Inspection Project.xlsx Inspection Excution-Level2Flow row 54</i>	Version Comparison Support audit and review clarity.	Flow: Review Workspace → Versions User: Compare selected versions. System: Display before/after differences	Comparison is read-only.	Reviewer can compare versions accurately.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		between versions including changed fields, evidence, items, action forms.		

A.7 Factory 360 - 20 Requirements

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M07-001 <i>Inspection Project.xlsx Factory 360 row 2</i>	Factory Profile Page Provide a full centralized factory profile.	Flow: Search/Open Factory → Factory 360° User: Open factory profile. System: Load factory master profile, license, CR, visits, inspections, violations, penalties, scores, timeline.	Factory 360° is the full profile page, not the small Factory Card.	User can open complete factory profile.
MVP1-M07-002 <i>Inspection Project.xlsx Factory 360 row 3</i>	Factory Overview Show high-level factory identity.	Flow: Factory 360° → Overview User: View overview. System: Display factory name, CR, license, status, stage, activity, sector, region, city.	Data source is Senaei unless updated through approved future flow.	Overview displays correct synchronized data.
MVP1-M07-003 <i>Inspection Project.xlsx Factory 360 row 4</i>	License Information Show license details.	Flow: Factory 360° → License User: View license details. System: Display license number, status, stage, issue date, expiry date, activity, license holder.	License data is read-only in Factory 360°.	License details display correctly.
MVP1-M07-004 <i>Inspection Project.xlsx Factory 360 row 5</i>	CR Information Show commercial registration details.	Flow: Factory 360° → CR User: View CR information. System: Display CR number, legal name, CR status, owner details if available.	CR info follows latest synchronized source.	CR details display correctly.
MVP1-M07-005 <i>Inspection Project.xlsx Factory 360 row 6</i>	Location & Map Display official and observed locations.	Flow: Factory 360° → Location User: View map and pins. System: Show license pin, planner pin if available, actual observed locations from inspections, GPS override history.	Planner pin does not overwrite license pin. Actual observed location is stored separately.	All location points display correctly.
MVP1-M07-006 <i>Inspection Project.xlsx Factory 360 row 7</i>	Products Show registered products.	Flow: Factory 360° → Products User: View product list. System: Load products, HS codes, production details if available.	Product data is read-only unless future approved update flow exists.	Products display correctly.
MVP1-M07-007 <i>Inspection Project.xlsx Factory 360 row 8</i>	Raw Materials Show registered raw materials.	Flow: Factory 360° → Raw Materials User: View raw materials. System: Load raw material list from synchronized source.	Read-only.	Raw materials display correctly.
MVP1-M07-008 <i>Inspection Project.xlsx Factory 360 row 9</i>	Workforce Display employee information.	Flow: Factory 360° → Workforce User: View employee data. System: Display employee count and related workforce fields.	Inspector observations do not update source directly in Phase 1.	Workforce data and observations are visible.
MVP1-M07-009 <i>Inspection Project.xlsx Factory 360 row 10</i>	Investment & Capacity Show investment and production indicators.	Flow: Factory 360° → Investment User: View indicators. System: Display investment size, capacity,	Read-only.	Investment section loads correctly.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		industrial indicators.		
MVP1-M07-010 <i>Inspection Project.xlsx Factory 360 row 11</i>	Visit History Show all visits linked to the factory.	Flow: Factory 360° → Visits User: View visits, open visit. System: Display planned, cancelled, completed, expired visits with status and dates.	Visits are chronological and filterable.	User can view visit history.
MVP1-M07-011 <i>Inspection Project.xlsx Factory 360 row 12</i>	Inspection History Show executed inspections.	Flow: Factory 360° → Inspections User: Open inspection. System: Display submitted, approved, returned, rejected inspections with inspector, result, date.	Submitted/approved inspections remain read-only.	Inspection history displays correctly.
MVP1-M07-012 <i>Inspection Project.xlsx Factory 360 row 13</i>	Violations & Penalties Show compliance outcome history.	Flow: Factory 360° → Violations User: View violations/penalties. System: Display open/closed violations, penalties, corrective actions, issue dates, due dates.	Only approved inspection outcomes appear as official compliance records.	Violations and penalties display correctly.
MVP1-M07-013 <i>Inspection Project.xlsx Factory 360 row 14</i>	Corrective Actions Track required corrective actions.	Flow: Factory 360° → Corrective Actions User: View action status. System: Display corrective action, source violation, due date, status, evidence if any.	Corrective actions originate from approved compliance outcomes.	Corrective actions show status and due date.
MVP1-M07-014 <i>Inspection Project.xlsx Factory 360 row 15</i>	Factory Health Score Show current and historical factory health.	Flow: Factory 360° → Health Score User: View score details. System: Display current score, score history, score drivers, last recalculation date.	Score recalculation rules come from Risk/Health Engine.	Score and history display correctly.
MVP1-M07-015 <i>Inspection Project.xlsx Factory 360 row 16</i>	Risk Profile Show risk level and drivers.	Flow: Factory 360° → Risk User: View risk profile. System: Display current risk level, risk drivers, risk history, related violations.	Risk is read-only and calculated by Risk Engine.	Risk profile displays correctly.
MVP1-M07-016 <i>Inspection Project.xlsx Factory 360 row 17</i>	Documents & Evidence Centralize related documents.	Flow: Factory 360° → Documents User: Preview/download allowed documents. System: Display generated PDFs, inspection reports, penalty notices, evidence references.	Access controlled by permission.	Authorized users can view documents.
MVP1-M07-017 <i>Inspection Project.xlsx Factory 360 row 18</i>	Factory Timeline Show full chronological history.	Flow: Factory 360° → Timeline User: View timeline. System: Display events: sync, visit planned, inspection submitted, approved, penalty issued, score updated.	Timeline events are immutable.	Timeline accurately shows factory history.
MVP1-M07-018 <i>Inspection Project.xlsx Factory 360 row 19</i>	Factory Card Link Allow quick summary and deep dive.	Flow: Any screen → Factory Card → Open Factory 360° User: Click Open Factory 360°. System: Navigate to Factory 360° in new/detail view.	Factory Card is summary only; Factory 360° is full page.	User can open full profile from card.
MVP1-M07-019 <i>Inspection Project.xlsx Factory 360 row 20</i>	Access Control Protect sensitive factory data.	Flow: Open Factory 360° User: View authorized sections. System: Apply role-based visibility for tabs,	Users only see sections allowed by role.	Unauthorized sections are hidden/blocked.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		documents, evidence, penalties.		
MVP1-M07-020 <i>Inspection Project.xlsx Factory 360 row 21</i>	Error Handling Handle missing/incomplete data.	Flow: Load Factory 360° User: Retry or view partial data. System: Show partial data with warning if a source is unavailable.	Factory profile should not fully fail if one section fails.	User sees available data and clear error message.

A.8 Operations Center - 19 Requirements

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M08-001 <i>Inspection Project.xlsx Ops center row 2</i>	Command Center Dashboard Provide live operational monitoring for inspections.	Flow: Operations Center → Dashboard User: View live operations. System: Load live visits, inspectors, SLA, alerts, maps, risk indicators.	Operations Center is monitoring-only unless user has supervisor permissions.	Dashboard loads live inspection status.
MVP1-M08-002 <i>Inspection Project.xlsx Ops center row 3</i>	Live Operations Map Display factories, visits, and inspectors on map.	Flow: Operations Center → Map User: Pan, zoom, filter, open pins. System: Display factory pins, inspector pins, active journeys, execution locations.	Map refresh interval is configurable.	Live map shows accurate locations.
MVP1-M08-003 <i>Inspection Project.xlsx Ops center row 4</i>	Visit Monitoring Monitor visit lifecycle.	Flow: Dashboard → Visits User: Filter/open visit. System: Display visits by operational state: New, Prepared, On the Way, Arrived, Executing, Submitted, Cancelled, Expired.	Operational state is separate from workflow status.	Visits display correct current state.
MVP1-M08-004 <i>Inspection Project.xlsx Ops center row 5</i>	Inspector Monitoring Monitor inspector status.	Flow: Dashboard → Inspectors User: View inspector workload/location. System: Display inspector availability, active visit, live location, offline/online state, workload.	Inspector location visible only during active journey/execution and based on policy.	Supervisor can monitor inspector status.
MVP1-M08-005 <i>Inspection Project.xlsx Ops center row 6</i>	SLA Monitoring Track delayed visits/reviews.	Flow: Dashboard → SLA User: View overdue items. System: Calculate overdue journey, execution, submission, review based on SLA rules.	SLA uses server timestamps.	SLA breaches display correctly.
MVP1-M08-006 <i>Inspection Project.xlsx Ops center row 7</i>	Risk Monitoring Prioritize high-risk factories/visits.	Flow: Dashboard → Risk User: View risk list/map. System: Display high-risk factories, critical violations, high-priority inspections.	Risk indicators are read-only.	High-risk items are visible and filterable.
MVP1-M08-007 <i>Inspection Project.xlsx Ops center row 8</i>	Alert Management Surface operational alerts.	Flow: Dashboard → Alerts User: Open alert, acknowledge if allowed. System: Generate alerts for GPS override, missed visit, cancelled visit, offline inspector, stuck execution, overdue review.	Alert rules are configurable.	Alerts are generated for configured events.
MVP1-M08-008 <i>Inspection Project.xlsx Ops center row 9</i>	Drilldown to Visit Let operations inspect details.	Flow: Map/List → Visit User: Click visit. System: Open visit detail with status,	Drilldown is read-only unless user has action permission.	User can open visit detail.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		timeline, inspector, factory, execution mode.		
MVP1-M08-009 <i>Inspection Project.xlsx Ops center row 10</i>	Drilldown to Factory 360° Let operations open factory profile.	Flow: Map/List → Factory User: Click factory. System: Open Factory 360°.	Same access rules as Factory 360°.	User can open factory profile.
MVP1-M08-010 <i>Inspection Project.xlsx Ops center row 11</i>	Branch / Region Filtering Support regional supervision.	Flow: Dashboard User: Select branch/region/city. System: Filter all widgets, maps, lists, alerts by selected geography.	Users see only authorized regions.	Region filters work correctly.
MVP1-M08-011 <i>Inspection Project.xlsx Ops center row 12</i>	Workload Monitoring Show inspector and branch workload.	Flow: Dashboard → Workload User: View workload. System: Display assigned, active, completed, overdue visits by inspector/branch.	Workload is based on current and planned visits.	Workload metrics display correctly.
MVP1-M08-012 <i>Inspection Project.xlsx Ops center row 13</i>	Cancellation Monitoring Track cancelled visits and reasons.	Flow: Dashboard → Cancellations User: View reasons. System: Display cancelled visits by reason, inspector, factory, region, date.	Cancellation reason is mandatory in execution flow.	Cancellations are visible and categorized.
MVP1-M08-013 <i>Inspection Project.xlsx Ops center row 14</i>	GPS Override Monitoring Monitor location exceptions.	Flow: Dashboard → GPS Exceptions User: View override events. System: Display GPS override records with planned vs actual location and inspector confirmation.	Override does not block inspection if confirmed, but must be auditable.	GPS overrides are traceable.
MVP1-M08-014 <i>Inspection Project.xlsx Ops center row 15</i>	Live Tracking History Review movement history.	Flow: Visit Detail → Tracking User: View route history. System: Display journey path, timestamps, arrival point, actual location.	Tracking history is immutable.	Route history displays correctly.
MVP1-M08-015 <i>Inspection Project.xlsx Ops center row 16</i>	Operational Timeline Provide end-to-end traceability.	Flow: Visit Detail → Timeline User: View timeline. System: Display key events from planning to review/compliance.	Timeline is the single source of truth.	Timeline reflects all major events.
MVP1-M08-016 <i>Inspection Project.xlsx Ops center row 17</i>	Operations KPIs Display operational performance.	Flow: Dashboard → KPIs User: View KPIs. System: Calculate visits planned, completed, cancelled, overdue, active inspectors, avg duration, SLA breach rate.	KPI calculation period is configurable.	KPIs display accurately.
MVP1-M08-017 <i>Inspection Project.xlsx Ops center row 18</i>	Export Operational Data Support reporting.	Flow: Dashboard/List User: Export. System: Export filtered visits/alerts/KPIs according to permissions.	Export is permission-controlled and audited.	Authorized user can export data.
MVP1-M08-018 <i>Inspection Project.xlsx Ops center row 19</i>	Access Control Protect live operational data.	Flow: Open Operations Center User: View permitted scope. System: Apply role, region, branch and permission restrictions.	Users cannot view unauthorized inspectors/factories/regions.	Access restrictions apply correctly.
MVP1-M08-019 <i>Inspection Project.xlsx Ops center row 20</i>	Error Handling Keep monitoring reliable.	Flow: Any Load Failure User: Retry/refresh. System: Show partial dashboard if one data	One failed widget must not break the whole Operations Center.	Dashboard remains usable with clear error messages.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		source fails; log failure; allow refresh.		

A.9 Compliance Configuration - 30 Requirements

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M09-001 <i>Inspection Project.xlsx Compliance row 2</i>	Regulation Management Define the legal/regulatory source used to build inspection rules.	Flow: Admin → Compliance Config → Regulations User: Create, edit draft, deactivate, view regulation. System: Store regulation, status, effective date, attachments, issuing authority.	Regulation is the parent of inspection items. Deactivated regulation prevents future use but does not affect previous inspections.	Admin can create and manage regulation records.
MVP1-M09-002 <i>Inspection Project.xlsx Compliance row 3</i>	Inspection Item Management Define inspection questions/items used during execution.	Flow: Regulation → Inspection Items User: Create inspection item, link to regulation, define response type, evidence rule. System: Store item configuration and make it available for packages.	Item must belong to a regulation. Item can be reused in multiple packages.	Item can be configured and reused.
MVP1-M09-003 <i>Inspection Project.xlsx Compliance row 4</i>	Violation Management Define what violation is triggered by non-compliant inspection item response.	Flow: Inspection Item → Violation User: Create violation, define severity, corrective action, grace period. System: Link violation to inspection item.	Violation is generated automatically during inspection. Inspector cannot override predefined violation.	Violation is triggered correctly.
MVP1-M09-004 <i>Inspection Project.xlsx Compliance row 5</i>	Penalty Management Define the penalty linked to a violation.	Flow: Violation → Penalty User: Configure penalty type, amount if applicable, grace/due rules, linked template. System: Store one penalty against the violation.	One violation has only one penalty. Penalty is shown to inspector as information and issued only after approval.	Penalty is linked and displayed correctly.
MVP1-M09-005 <i>Inspection Project.xlsx Compliance row 6</i>	Evidence Rule Configuration Define required evidence for inspection items.	Flow: Inspection Item → Evidence Rules User: Select required evidence types: photo, video, document, comment. System: Enforce evidence requirements during inspection execution.	Evidence rules are configured per inspection item. Missing mandatory evidence blocks submission.	Evidence requirement is enforced correctly.
MVP1-M09-006 <i>Inspection Project.xlsx Compliance row 7</i>	Report Package Management Configure inspection packages used in visit preparation/execution.	Flow: Compliance Config → Report Packages User: Create package, select form/report from Template Builder, attach inspection items. System: Store package definition and make it selectable during preparation.	Package can contain one or more forms and inspection items. Visit can support one or multiple packages if configured.	Package can be created and used in execution.
MVP1-M09-007 <i>Inspection Project.xlsx Compliance row 8</i>	Package Item Assignment Link inspection items to report packages.	Flow: Report Package → Items User: Add/remove items, mark required/optional, define order/category. System: Store package-item relationship.	Same item can be reused across packages. Required items cannot be removed during execution. Optional items may be selected/unselected by inspector.	Package checklist renders correctly.
MVP1-M09-008 <i>Inspection Project.xlsx Compliance row 9</i>	Dynamic Template Assignment Link templates/forms to packages, action	Flow: Package / Penalty → Template Assignment	Template configuration is managed in Template Builder. Compliance only	Correct template is used at runtime.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
	forms, and penalties.	User: Select template from Dynamic Form/Template Builder. System: Store template reference and version.	consumes active templates.	
MVP1-M09-009 <i>Inspection Project.xlsx Compliance row 10</i>	Action Form Trigger Configuration Define when action forms are generated during inspection.	Flow: Violation/Penalty → Action Form User: Link action form template to violation/penalty where needed. System: Generate action form when configured trigger occurs.	Action forms are generated dynamically during inspection and must be completed if mandatory.	Correct action form is generated.
MVP1-M09-010 <i>Inspection Project.xlsx Compliance row 11</i>	Configuration Versioning Preserve configuration used at execution time.	Flow: Publish Package / Rule User: Publish new version. System: Create immutable version of regulation/items/violations/penalties/package.	Execution uses locked published version. Changes affect future inspections only.	Previous inspections remain traceable to old configuration.
MVP1-M09-011 <i>Inspection Project.xlsx Compliance row 12</i>	Draft / Publish Lifecycle Control configuration readiness.	Flow: Create Config → Draft → Publish User: Save draft, validate, publish, deactivate. System: Validate dependencies before publish.	Only published configurations can be used in planning/preparation. Draft cannot be used in live inspection.	Invalid configuration cannot be published.
MVP1-M09-012 <i>Inspection Project.xlsx Compliance row 13</i>	Dependency Validation Prevent broken inspection packages.	Flow: Publish Package User: Click Publish. System: Validate regulation, items, response types, violations, penalties, evidence rules, templates.	Package cannot be published if required dependencies are missing.	Admin receives clear validation errors.
MVP1-M09-013 <i>Inspection Project.xlsx Compliance row 14</i>	Impact Analysis Show where a change will affect future inspections.	Flow: Edit Config → Impact Analysis User: View affected packages/items/templates. System: Display packages, active visits, and future executions affected by the change.	Published changes affect future usage only, not locked inspections.	Admin can understand impact before publishing.
MVP1-M09-014 <i>Inspection Project.xlsx Compliance row 15</i>	Deactivation Rules Retire outdated configuration safely.	Flow: Config Record → Deactivate User: Deactivate with reason. System: Mark config inactive and prevent future use.	Deactivation does not delete historical data. Reason is mandatory.	Deactivated config no longer appears for new packages.
MVP1-M09-015 <i>Inspection Project.xlsx Compliance row 16</i>	Audit Trail Record all configuration changes.	Flow: Any Config Change User: None System: Log create, update, publish, deactivate, template link, item assignment.	All configuration changes are immutable and auditable.	Full history is available.
MVP1-M09-016 <i>Inspection Project.xlsx Compliance row 17</i>	Inspection Section / Group Management Organize inspection items into readable sections.	Flow: Compliance Config → Package → Sections User: Create section, name AR/EN, define order, assign items. System: Store section and render it in execution checklist.	Sections are configurable per package. Items must appear under a section or default group.	Sections appear correctly in execution.
MVP1-M09-017 <i>Inspection Project.xlsx Compliance row 18</i>	Item Display Order Control item sequence inside the checklist.	Flow: Package → Section → Items User: Set item order. System: Save sort order and render items	No hardcoded order. Order follows package configuration.	Items display in configured order.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
		accordingly.		
MVP1-M09-018 <i>Inspection Project.xlsx Compliance row 19</i>	Mandatory Rule Define whether an item is required, optional, or conditional.	Flow: Package Item → Mandatory Rule User: Select Required / Optional / Conditional. System: Store rule and enforce during execution.	Required items cannot be unselected. Optional items can be unselected. Conditional items appear only when conditions are met.	Execution respects required/optional/conditional behavior.
MVP1-M09-019 <i>Inspection Project.xlsx Compliance row 20</i>	Response Mapping Define what each answer means.	Flow: Inspection Item → Response Mapping User: Map each response to compliance result. System: Store mapping and use it during inspection execution.	Response outcome must be configurable, not hardcoded.	Selected response triggers correct result.
MVP1-M09-020 <i>Inspection Project.xlsx Compliance row 21</i>	Compliance Result Mapping Convert responses into business outcomes.	Flow: Response Mapping → Result User: Define Compliant / Non-Compliant / N/A / Needs Review. System: Evaluate response during execution and produce result.	Non-compliant may trigger violation. N/A may be excluded from scoring. Needs Review may be flagged for reviewer.	Correct compliance result appears during inspection.
MVP1-M09-021 <i>Inspection Project.xlsx Compliance row 22</i>	Conditional Item Logic Show/hide inspection items based on previous answers.	Flow: Package Item → Conditions User: Define condition rules. System: Evaluate condition at runtime and show/hide items.	Hidden conditional items are excluded from mandatory validation.	Conditional items appear only when rule is met.
MVP1-M09-022 <i>Inspection Project.xlsx Compliance row 23</i>	Conditional Mandatory Logic Make an item mandatory only under specific conditions.	Flow: Package Item → Mandatory Conditions User: Define when item becomes mandatory. System: Enforce mandatory rule only when condition applies.	Conditional mandatory items block submission only when active.	Submission validation respects conditional mandatory logic.
MVP1-M09-023 <i>Inspection Project.xlsx Compliance row 24</i>	Item Weight / Score Define item contribution to inspection score.	Flow: Inspection Item → Scoring User: Enter weight/score. System: Store score and pass it to health/risk calculation after approval.	Score does not replace violation logic. It supports analytics/health calculation.	Item score is stored and available for calculations.
MVP1-M09-024 <i>Inspection Project.xlsx Compliance row 25</i>	Score Exclusion Rule Exclude specific items from scoring.	Flow: Item Scoring → Exclude User: Enable/disable scoring. System: Mark item as excluded from score calculation.	N/A or excluded items do not affect score.	Excluded items are ignored in score.
MVP1-M09-025 <i>Inspection Project.xlsx Compliance row 26</i>	Response-Based Evidence Rule Configure evidence requirement based on item answer if needed.	Flow: Item → Evidence Rule User: Define evidence rule per response. System: Enforce evidence requirement at execution.	Base rule is per item; response-level evidence can override if configured.	Evidence validation applies correctly.
MVP1-M09-026 <i>Inspection Project.xlsx Compliance row 27</i>	Violation Trigger Rule Define when a violation is generated.	Flow: Response Mapping → Violation User: Link non-compliant result to violation. System: Generate violation when mapped response is selected.	Inspector cannot override generated violation.	Correct violation is generated.
MVP1-M09-027 <i>Inspection Project.xlsx Compliance row 28</i>	Action Form Requirement Rule Define whether generated action form is mandatory.	Flow: Violation/Penalty → Action Form User: Mark action form optional/mandatory. System: Enforce completion if mandatory.	Mandatory action forms block submission if incomplete.	Execution blocks submission when required form is incomplete.

Requirement ID	Capability and Intent	User / System Interaction	Business Rules	Acceptance Criteria
MVP1-M09-028 <i>Inspection Project.xlsx Compliance row 29</i>	Configuration Preview Let admin preview package before publishing.	Flow: Package → Preview User: Click Preview. System: Render package as it will appear to inspector.	Preview does not publish configuration.	Admin can preview checklist and rules.
MVP1-M09-029 <i>Inspection Project.xlsx Compliance row 30</i>	Publish Validation Validate full configuration before publishing.	Flow: Draft Package → Publish User: Click Publish. System: Validate sections, items, response mapping, violations, penalties, evidence, templates, action forms.	Package cannot be published with missing dependencies.	Admin sees clear validation errors before publish.
MVP1-M09-030 <i>Inspection Project.xlsx Compliance row 31</i>	Runtime Locking Ensure executed inspections use frozen configuration.	Flow: Inspection Preparation / Execution User: None System: Lock published package version when selected for visit.	Later configuration changes do not affect active/previous inspections.	Execution uses the locked version only.

Appendix B. Essential MVP1 Foundation Requirement Detail

Requirement ID	MVP1-FND-001
Capability	Identity, Authentication and Role-Based Access
MVP1 Rule	Users may access only the channels, data and actions granted by role and organizational scope; least privilege is mandatory.
Why Added	The spreadsheet assumes roles and permissions across modules but does not define the shared access foundation as one explicit requirement.
Acceptance Criteria	A user cannot view or execute any MVP1 action outside assigned role, branch/organizational scope or channel permission. <i>Source: Strategic BRD/PDF - cross-cutting platform security and role-based access; baseline workbook 18_Admin_Modules and 32_V4_Enterprise_Arch.</i>

Requirement ID	MVP1-FND-002
Capability	Canonical Status and Operational State Separation
MVP1 Rule	Visit planning status, journey operational state, inspection execution status, review status, virtual session state and sync state are separate controlled state models.
Why Added	The spreadsheet explicitly distinguishes operational state in multiple tabs, but a cross-module canonical rule is needed to prevent implementation drift.
Acceptance Criteria	No screen, API or report substitutes one state type for another; every transition is auditable and validated. <i>Source: Inspection Project.xlsx - Ops center and execution tabs; Strategic BRD/PDF workflow governance sections.</i>

Requirement ID	MVP1-FND-003
Capability	Immutable Audit and Timeline Service
MVP1 Rule	Every create, update, assignment, publish, return, cancel, check-in, evidence action, submission, review decision and version event records actor, timestamp, object, old/new state and context.
Why Added	Audit exists in individual spreadsheet modules; MVP1 needs one shared non-fragmented audit contract.
Acceptance Criteria	Every critical MVP1 action is traceable end-to-end and no user can edit or delete audit records. <i>Source: Inspection Project.xlsx - all modules with audit/timeline requirements; Strategic BRD/PDF immutable audit model.</i>

Requirement ID	MVP1-FND-004
Capability	Notification and SLA Foundation
MVP1 Rule	Notifications are event-driven, role-aware, deduplicated and auditable; SLA calculations use server timestamps and pause/resume only by approved rules.
Why Added	Notifications and SLAs appear in several spreadsheet modules but require a shared service contract.
Acceptance Criteria	Configured events produce the correct recipient notification

	and SLA state exactly once. <i>Source: Inspection Project.xlsx - planning, pre-start, execution, review and Ops center; Strategic BRD/PDF notification and SLA behavior.</i>
--	---

Requirement ID	MVP1-FND-005
Capability	Secure Offline Package and Sync Integrity
MVP1 Rule	Downloaded packages are version-locked, checksum-validated, encrypted on device, locally autosaved and synchronized without silent overwrite.
Why Added	The physical execution spreadsheet requires offline package handling; the strategic BRD adds the integrity and conflict safeguards needed for safe implementation.
Acceptance Criteria	Inspector can complete permitted work offline, recover after interruption and sync without losing or silently overwriting evidence. <i>Source: Inspection Project.xlsx - Physical execution package/offline rows; Strategic BRD/PDF offline sync and package integrity sections.</i>

Requirement ID	MVP1-FND-006
Capability	Idempotent Recovery and Failure Safety
MVP1 Rule	Retry-sensitive actions such as publish, assignment, journey start, check-in, submission, review decision and resubmission are idempotent or protected by unique transaction rules.
Why Added	The spreadsheet has many error-handling rows; a shared atomicity rule is required to make them implementation-safe.
Acceptance Criteria	Repeated client retry after timeout never creates duplicate visits, duplicate decisions, duplicate evidence or ambiguous states. <i>Source: Inspection Project.xlsx - repeated physical execution and review failure handling; Strategic BRD/PDF reliability controls.</i>

Requirement ID	MVP1-FND-007
Capability	Factory Master Data and Source Provenance
MVP1 Rule	Official source data is preserved; planner-selected location and field-observed location are stored separately with source, actor and timestamp.
Why Added	The spreadsheet contains this distinction in planning and Factory 360; a shared provenance rule prevents accidental overwrite.
Acceptance Criteria	Users can always identify the source and history of each mutable/observed factory value. <i>Source: Inspection Project.xlsx - Single Planning, Factory 360 and execution location rules; Strategic BRD/PDF data governance.</i>

Requirement ID	MVP1-FND-008
Capability	Evidence Chain of Custody
MVP1 Rule	Evidence is linked to inspection, item/form, actor, timestamp and location when available; post-submission evidence is read-only unless a controlled returned section explicitly permits update.
Why Added	Evidence rules are distributed across execution, review and

	compliance tabs and need one end-to-end chain-of-custody rule.
Acceptance Criteria	Every evidence object can be traced from capture to submitted version and reviewer decision. <i>Source: Inspection Project.xlsx - physical execution, review and compliance tabs; Strategic BRD/PDF evidence governance.</i>

Requirement ID	MVP1-FND-009
Capability	Privacy-Controlled Location Tracking
MVP1 Rule	Live inspector location is visible only during active journey/execution and only to authorized roles; retention and access are policy-controlled.
Why Added	The Ops center spreadsheet states this rule; the foundation makes it enforceable across GIS, mobile and operations.
Acceptance Criteria	No authorized screen receives live location outside an active journey/execution state or beyond permitted retention. <i>Source: Inspection Project.xlsx - Ops center Inspector Monitoring; Strategic BRD/PDF GIS/privacy controls.</i>

Requirement ID	MVP1-FND-010
Capability	Master Data and Lookup Governance
MVP1 Rule	Shared lookup values are centrally governed, versioned where required and never duplicated as hard-coded per-screen lists.
Why Added	The spreadsheet depends on many controlled values but does not define a single governance requirement.
Acceptance Criteria	The same controlled value has one canonical identifier across Admin, Web, Inspector Workspace and reports. <i>Source: Inspection Project.xlsx - all modules; Strategic BRD/PDF admin and lookup governance.</i>

Requirement ID	MVP1-FND-011
Capability	Accessibility, Responsive Layout and Readability
MVP1 Rule	Web and admin screens must remain legible at standard enterprise resolutions; mobile/tablet screens must support field-safe touch targets, readable typography and non-color-only status cues.
Why Added	The spreadsheet describes functionality but not presentation quality; the BRD must prevent unreadable or clumsy implementation.
Acceptance Criteria	No critical information requires zooming or relies only on color; core actions are accessible and readable on supported form factors. <i>Source: Strategic BRD/PDF UI/UX playbook and storyboard guidance; baseline workbook 41_V4_UIUX_Playbook.</i>

Requirement ID	MVP1-FND-012
Capability	Operational Fault Isolation
MVP1 Rule	Failure of one widget, data source or optional panel must not break the entire Operations Center, Factory 360 or dashboard page.
Why Added	The spreadsheet explicitly calls for widget-level resilience in

	Ops center and partial failure isolation in Factory 360.
Acceptance Criteria	Unavailable widgets show a local error/retry state while unaffected panels continue to operate. <i>Source: Inspection Project.xlsx - Ops center and Factory 360; Strategic BRD/PDF resilience architecture.</i>

Requirement ID	MVP1-FND-013
Capability	Integration Boundary and Data Freshness
MVP1 Rule	Where factory, licence, CR, product or other source data is synchronized, the UI exposes source and freshness timestamp; stale/unavailable data is clearly indicated.
Why Added	Spreadsheet modules depend on Senaei and related repositories but do not define one shared freshness behavior.
Acceptance Criteria	Users can see when source data was last synchronized and the system never presents stale data as freshly verified. <i>Source: Inspection Project.xlsx - Factory 360 and planning dependencies; Strategic BRD/PDF integration/data plan.</i>

Requirement ID	MVP1-FND-014
Capability	Secure File, Media and Attachment Handling
MVP1 Rule	All uploaded media and documents enforce configured type/size limits, malware scanning where available, access checks, storage encryption and audit events.
Why Added	The spreadsheet contains attachments and evidence in many places but needs a single shared security requirement.
Acceptance Criteria	Unauthorized users cannot access files, and invalid or unsafe files are rejected with clear error feedback. <i>Source: Inspection Project.xlsx - physical execution, management, review and Factory 360; Strategic BRD/PDF media/evidence infrastructure.</i>

Requirement ID	MVP1-FND-015
Capability	Build-Time Traceability and Non-Regression
MVP1 Rule	Every spreadsheet row maps to a requirement ID, backlog item or explicit approved grouping, acceptance criteria, test case and evidence.
Why Added	The delivery decision is 100% spreadsheet alignment; traceability is the enforcement mechanism.
Acceptance Criteria	No baseline row is unaccounted for at build, SIT, UAT or release sign-off. <i>Source: Inspection Project.xlsx - all 478 rows; Strategic BRD/PDF no-drift and build-readiness governance.</i>

Appendix C. Source Register and Evidence Rules

Source	Role	Verified Scope	MVP1 Authority Rule
Inspection Project.xlsx	Primary MVP1 functional baseline	9 tabs / 478 non-header rows	All source rows mandatory.
MIM_Inspection_Platform_End_to_End_Requirements_BT	Strategic BRD/PDF	734 pages	Use only for essential MVP1 gap-filling and MVP2

Source	Role	Verified Scope	MVP1 Authority Rule
RS_Final_Submission(1).pdf			preservation.
Inspection_Platform_Baseline_SOP_v6_Fixes_Requirements(1).xlsx	Strategic requirements reservoir	61 sheets	Use for foundations, strategic deltas and future scope.
03 Storyboard.zip	Visual evidence baseline	20 principal storyboard subjects	MVP1 has its own 20 one-page storyboard definitions.

FINAL MVP1 CONTROL STATEMENT

MVP1 is approved for implementation only when the 478-row spreadsheet baseline, the 15 essential foundations, the 20 MVP1 storyboards, the state/object model and the traceability/test mapping agree with one another. Any unresolved conflict must be visible and formally decided before release.