

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

MVP1 CLAUDE / FABLE MASTER BUILD CONTRACT

Authoritative goal, discovery, sequencing, loop, evidence, acceptance and stop conditions for Admin, Web and iPad implementation sessions.

Document code	Version	Date
MIM-INSP-MVP1-FABLE-CONTRACT	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE

MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Binding role and authority

Claude/Fable is the implementation agent, not the scope owner. It is forbidden to reinterpret requirements downward, silently simplify a difficult feature, replace runtime behavior with mock data, or declare completion because a page looks finished. The implementation source of truth is the enhanced MVP1 documentation pack and the 478-row acceptance workbook.

The agent must work until the documented acceptance conditions are achieved. When a requirement is ambiguous, it must log the ambiguity against the requirement ID and resolve it from the source hierarchy; it may not make a hidden assumption that reduces scope.

2. Mandatory inputs before coding

- Enhanced MVP1 BRD - read the executive lock, twenty storyboard narratives/pages, canonical states, acceptance closure and preserved baseline volume.
- MVP1 Breakdown and Acceptance Contract workbook - index all 478 source requirements and every contract sheet.
- Web Portal Functional Specification for web/review/Factory 360/Operations implementation sessions.
- Admin Portal Functional Specification for configuration engines and runtime-governance implementation session.
- iPad Functional Specification for field/offline/GIS/evidence implementation session.
- UI/UX Design Authority for Mobbin discovery, pattern synthesis and readability rules.
- Regression Ban and Evidence Contract for completion proof and re-certification.
- Existing repository, runtime, database/schema/migrations, design system, routes, permissions and integrations discovered from code before modification.

3. Execution order - non-negotiable

Order	Phase	Required outcome
0	Safety and repo state	Branch/worktree, clean status, existing changes, environment and secrets boundaries understood.
1	Source discovery	Index all docs, requirement IDs, storyboards, channels, engines, states and unresolved conflicts.
2	Current-state product discovery	Prove existing routes, components, services, schemas, data and runtime behavior.
3	Canonical contract freeze	Vocabulary, objects, states, channel ownership, API/data contracts and design primitives.
4	Shared foundation	Identity/RBAC, audit/version, notifications/SLA, source/version traceability and common data contracts.
5	Admin engines first	Regulatory, forms/packages, workflow, risk, GIS/geofence, assignment, violations/penalties, evidence, version/publish and related configuration.
6	Runtime vertical slice	Prove configured Admin output is consumed by planning -> assignment -> iPad -> submission -> review -> Factory 360/Operations.
7	Complete channel scope	Build all mapped Web, iPad, Virtual and Operations requirements.
8	Acceptance and negative paths	Run requirement-level, state, permissions, failure, offline/GIS and version tests.
9	UI/UX certification	Use Mobbin references under design authority; compare screenshots; remove generic AI UI and readability failures.
10	Zero-regression rerun	Reproduce previously accepted evidence after final integration.
11	Final release certification	Stop only when G10 passes and no P0/P1 blocker remains.

4. Goal and loop contract

GOAL: Build MVP1 exactly to the documented 478-row spreadsheet-first contract, the twenty native storyboard journeys, the channel functional specifications and the engine/state/evidence contracts.

Preserve every requirement. Use the existing product and design system where valid. Use Mobbin MCP to discover proven interaction patterns, then synthesize a consistent Inspection Platform experience. Implement real runtime behavior, data, permissions, audit, versioning, failure handling, offline/GIS behavior and evidence. Do not stop while any mandatory acceptance row is failed, untested, unmapped or missing evidence.

LOOP: Discover -> map requirements -> implement smallest coherent slice -> run tests -> navigate runtime -> capture screenshots/data/audit evidence -> compare against acceptance contract and UI/UX authority -> fix every failure -> rerun regression -> continue until all applicable gates pass. A failed gate forces another loop. No verbal claim can substitute for evidence.

5. Mandatory completion gates

Gate	Name	Hard exit condition	Evidence	Loop when	Stop?
G0	Source Intake & Discovery	All provided documents, 478 requirements, 20 storyboard contracts and channel/engine contracts are indexed and acknowledged.	Discovery report with file paths, counts, requirement IDs and unresolved ambiguities.	Any source is unread, unindexed or contradicted.	No
G1	Canonical Product Contract	Shared vocabulary, roles, objects, states, routes, design tokens and cross-channel APIs are frozen.	Canonical dictionary, state contract and dependency map.	Separate sessions use different terms/statuses/field meanings.	No
G2	Architecture & Engine Foundation	Mandatory MVP1 engines exist with clear admin ownership and runtime consumers.	Architecture evidence, schemas/services/routes, engine-specific runtime proof.	Engine is hard-coded, mocked or CRUD-only where configuration is required.	No
G3	Channel Scope Coverage	Admin, Web, iPad, Virtual and Ops surfaces cover every mapped requirement.	Requirement-to-route/screen matrix and screenshots.	Any 478-row requirement lacks implementation mapping.	No
G4	Functional Acceptance	Every acceptance row has Passed status and evidence.	Automated/manual tests, screenshots, API/data/audit proof.	Any P0/P1 acceptance criterion fails or lacks evidence.	No
G5	UI/UX Quality	Canonical design system is consistent; Mobbin-informed patterns are synthesized; no unreadable text or generic AI UI.	Viewport/device screenshots, design critique checklist, responsive/touch evidence.	Text is tiny, hierarchy poor, copied patterns conflict, or screens are inconsistent.	No
G6	Offline / Device / GIS Resilience	iPad offline, recovery, sync, GPS/geofence and exception paths pass.	Device runs, offline/reconnect evidence, location event evidence.	Data loss, duplicate, silent overwrite or location ambiguity exists.	No
G7	Review / Version / Audit Integrity	Submitted content is immutable; selective unlock and version comparison work; audit is complete.	Version IDs, diffs, locked sections, immutable comments and audit events.	Any submitted version can be mutated in place or audit is incomplete.	No
G8	Security / Permissions / Negative Paths	Least privilege and negative tests pass for sensitive actions.	Permission tests, unauthorized attempts, validation/error evidence.	Unauthorized actor can act or error path leaves ambiguous/partial state.	No
G9	Zero Regression	Previously accepted evidence reruns successfully after the final build.	Regression results and before/after evidence.	Any accepted scope, rule, state, permission, audit event, field or usability regresses.	No
G10	Final Release Certification	Zero unresolved P0/P1; all mandatory acceptance rows Passed; evidence links complete; build reproducible.	Final certification report and artifact manifest.	Any blocker remains or evidence is missing.	Yes, only if passed

6. Session-specific contracts

- ADMIN SESSION: own all configurable engines. A configuration surface without runtime consumption proof is incomplete.
- WEB SESSION: own planning, management, Factory 360, review and Operations Center. Preserve dense enterprise workflows, states, bulk actions and evidence/version semantics.
- IPAD SESSION: own field-first execution, offline cache/autosave/recovery, telemetry, geofence, evidence, inspection, submission and returned correction. A responsive web shrink is prohibited.
- VIRTUAL SESSION: own appointment, secure join, identity/OTP, readiness/failure, remote execution, evidence and handoff. Generic video-call mockup is prohibited.

- Every separate session must use the same canonical object IDs, field dictionary, states, engine outputs and design tokens.

7. Evidence discipline

Evidence ID	Scope	Required proof	Minimum proof
EV-001	All 478 source requirements	Requirement ID -> implementation -> test -> evidence -> sign-off	Every requirement has no blank implementation/evidence status before release
EV-002	Admin engines	Configuration screenshot + published version + runtime evidence consuming same version	At least one end-to-end runtime proof per engine
EV-003	Workflow transitions	Before state, action, guard outcome, target state, audit event	All critical transitions in State Transition Contract proven
EV-004	Risk engine	Inputs, formula/version, score, drivers, runtime consumption	Historical score can be recomputed exactly
EV-005	GIS/geofence	Official and observed coordinates, GPS accuracy, threshold, timestamp, check-in/override record	Journey event visible in both field and Ops surfaces
EV-006	Offline inspection	Offline start, autosave, restart/recovery, reconnect, sync, conflict if applicable	No data loss, duplicate or silent overwrite
EV-007	Evidence chain of custody	Capture metadata, item/finding link, content identity, submission version, reviewer view	Same evidence traceable from capture to review
EV-008	Return/resubmission	Returned sections, locked sections, new version, diff, immutable comments	Only returned sections editable; old version preserved
EV-009	Virtual verification	Join, ID, OTP attempts, verified participant, readiness, session timeline	Failure/retry and success paths proven
EV-010	Operations Center	Live map/list/state evidence plus one simulated failed widget/service	Other widgets remain usable and exception is visible
EV-011	Visual acceptance	High-resolution screenshots at canonical viewport/device sizes	No tiny text, clipping, broken hierarchy, generic AI UI, or inconsistent design system
EV-012	Regression baseline	Previously accepted evidence rerun after major changes	100% critical acceptance criteria still reproducible

No acceptance status may be set to Passed without an evidence reference. Screenshots alone are insufficient for hidden behavior such as permissions, audit, versioning, offline persistence, configuration consumption, conflict handling and data mutation.

8. Forbidden implementation shortcuts

- Do not hard-code workflow, risk, regulation, checklist, evidence, violation, penalty or action-form logic that the Admin Portal is required to govern.
- Do not use fake counts, fake KPIs, fake maps, fake telemetry or mock review states for acceptance.
- Do not merge operational journey state with business workflow state.
- Do not edit a submitted inspection version, published configuration or reviewer comment in place.
- Do not silently overwrite offline/local changes during sync conflict.
- Do not mark a requirement complete because a route, card, modal or button exists.
- Do not use Mobbin as a random screen-copy catalogue. References must be selected for a documented interaction problem and synthesized into one design system.
- Do not remove existing working scope to make a new implementation easier without explicit requirement-by-requirement approved change control.