

MINISTRY OF INDUSTRY AND MINERAL RESOURCES

MVP1 ZERO-REGRESSION AND EVIDENCE CONTRACT

Machine-checkable definition of regression, evidence requirements, change control and release re-certification.

Document code	Version	Date
MIM-INSP-MVP1-REGRESSION	2.0 - MVP1 Final Documentation Contract	10 July 2026

BINDING DELIVERY RULE

MVP1 is governed by the complete 9-tab, 478-row customer/auditor spreadsheet baseline. No requirement may be silently removed, weakened, generalized away, replaced by mock behavior, or deferred to MVP2. Strategic BRD content is used only to close implementation-critical gaps and strengthen integrity, auditability, security, offline resilience and operability.

Primary audience	Status
Business, Design, Engineering, QA and Fable/Claude implementation teams	Authoritative implementation input - use with the MVP1 acceptance workbook

1. Zero regression definition

Regression is banned. Any later build, refactor, redesign, engine change, data migration or integration change fails the release gate if it causes any previously accepted requirement, behavior, rule, state, field, permission, audit event, evidence chain, offline capability, design readability or proof artifact to become unavailable, weaker, inconsistent or non-reproducible.

Regression class	Failure condition
Scope regression	Requirement, field, action, state, route or channel removed or no longer reachable.
Behavior regression	User action no longer causes the accepted system reaction or output.
Rule regression	Validation, guard, cardinality, conditional logic, blocking rule or workflow rule is weakened/bypassed.
Permission regression	Unauthorized role gains action/data access or authorized role loses required access.
Audit regression	Actor/time/object/state/version/evidence lineage is missing or incomplete.
Version regression	Published/submitted/decision history can be overwritten or prior version cannot be reconstructed.
Offline regression	Local persistence, autosave, recovery, sync, retry or conflict behavior loses correctness.
GIS regression	Location evidence, accuracy, geofence, check-in, override or freshness semantics degrade.
UI/UX regression	Accepted screen becomes less readable, inconsistent, clipped, inaccessible or harder to operate.
Evidence regression	Previously accepted proof cannot be reproduced after change.

2. Protected baseline

- 478 spreadsheet requirement acceptance rows.
- 15 essential MVP1 foundation requirements.
- 20 native storyboard contracts and mapped journeys.
- Admin, Web, iPad, Virtual and Operations channel scope contracts.
- 12 mandatory engine/platform capability contracts.
- Canonical state and transition contract.
- Accepted screenshots, test results, data/API proof, audit evidence and version references.
- UI/UX design authority and canonical component rules.

3. Evidence contract

Evidence ID	Scope	Channel	Type	Required	Minimum proof
EV-001	All 478 source requirements	All	Traceability	Requirement ID -> implementation -> test -> evidence -> sign-off	Every requirement has no blank implementation/evidence status before release
EV-002	Admin engines	Admin	Runtime consumption proof	Configuration screenshot + published version + runtime evidence consuming same version	At least one end-to-end runtime proof per engine
EV-003	Workflow transitions	All	State transition evidence	Before state, action, guard outcome, target state, audit event	All critical transitions in State Transition Contract proven
EV-004	Risk engine	Admin/Web/Ops	Reproducibility	Inputs, formula/version, score, drivers, runtime consumption	Historical score can be recomputed exactly
EV-005	GIS/geofence	iPad/Ops	Location evidence	Official and observed coordinates, GPS accuracy, threshold, timestamp, check-in/override record	Journey event visible in both field and Ops surfaces
EV-006	Offline inspection	iPad	Resilience evidence	Offline start, autosave, restart/recovery, reconnect, sync, conflict if applicable	No data loss, duplicate or silent overwrite

Eviden ce ID	Scope	Channel	Type	Required	Minimum proof
EV-007	Evidence chain of custody	iPad/Virtual/Re view	Data integrity	Capture metadata, item/finding link, content identity, submission version, reviewer view	Same evidence traceable from capture to review
EV-008	Return/resubmission	Web/iPad	Version evidence	Returned sections, locked sections, new version, diff, immutable comments	Only returned sections editable; old version preserved
EV-009	Virtual verification	Virtual	Identity/session evidence	Join, ID, OTP attempts, verified participant, readiness, session timeline	Failure/retry and success paths proven
EV-010	Operations Center	Ops	Fault isolation/live behavior	Live map/list/state evidence plus one simulated failed widget/service	Other widgets remain usable and exception is visible
EV-011	Visual acceptance	All	UI/UX evidence	High-resolution screenshots at canonical viewport/device sizes	No tiny text, clipping, broken hierarchy, generic AI UI, or inconsistent design system
EV-012	Regression baseline	All	Before/after comparison	Previously accepted evidence rerun after major changes	100% critical acceptance criteria still reproducible

4. Change control protocol

Step	Mandatory action
1. Identify affected requirement IDs	No change starts from a vague module label. List exact requirements, storyboards, states, engines and evidence potentially affected.
2. Establish before baseline	Capture current accepted screenshots/tests/data/audit/version evidence before the change.
3. Implement smallest coherent change	Do not rewrite unrelated working areas without necessity and evidence.
4. Run targeted acceptance	Rerun directly affected acceptance criteria and negative paths.
5. Run cross-cutting regression	Rerun shared engine/state/channel dependencies and previously accepted critical journeys.
6. Compare UI/UX	Check readability, canonical components, data density, responsive/touch behavior and state visibility.
7. Update evidence matrix	Attach new evidence and record Pass/Fail.
8. Block release on regression	Any unresolved P0/P1 or failed protected evidence blocks release.

5. Release re-certification

Final release certification requires: all applicable acceptance rows Passed; evidence links complete; all mandatory engines have runtime proof; offline/GIS/version/permissions negative paths pass; no unresolved P0/P1; previously accepted critical evidence remains reproducible; and Gate G10 passes.

No verbal assurance, code diff, test count, screenshot collage or agent confidence statement can replace the acceptance and evidence contract.