

# Cucumber Report

Dec 29, 2022 12:45:00 PM

**Start : Dec 29, 12:44:52.766 PM**

**End : Dec 29, 12:44:58.208 PM**

**Duration : 5.442 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 9**

**SKIPPED - 0**

**PASSED - 0**




**FAILED - 12**


**SKIPPED - 0**

**PASSED - 0**


**FAILED - 0**

**SKIPPED - 40**





#	Feature Name	T	P	F	S	Duration
1	<u>AssetManagmenet</u>	1	0	1	0	3.401 s
2	<u>BAU Modeller test</u>	1	0	1	0	0.173 s
3	<u>Create OpenTicket In Servicenow BAU</u>	1	0	1	0	0.127 s
4	<u>verification of BTU creation and check existance</u>	1	0	1	0	0.130 s
5	<u>Home Page feature</u>	2	0	2	0	0.288 s
6	<u>Verify Integration Mesh</u>	1	0	1	0	0.146 s
7	<u>Integration Modeller test</u>	1	0	1	0	0.132 s
8	<u>login page Test</u>	3	0	3	0	0.615 s
9	<u>Security ManageMent</u>	1	0	1	0	0.100 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>AssetManagmenet</u>	<u>Go to assetmanagement and create assets</u>	3	0	0	3	3.391 s
2	<u>BAU Modeller test</u>	<u>Verification of BAU modeller.</u>	4	0	0	4	0.171 s
3	<u>Create OpenTicket In Servicenow BAU</u>	<u>verify creation of Open Servicenow Ticket BAU</u>	3	0	0	3	0.118 s
4	<u>verification of BTU creation and check existance</u>	<u>User creates BTU</u>	3	0	0	3	0.130 s
5	<u>Home Page feature</u>	<u>Home page title</u>	4	0	0	4	0.118 s
6	<u>Home Page feature</u>	<u>user checks Botprise lab name</u>	4	0	0	4	0.130 s
7	<u>Verify Integration Mesh</u>	<u>Integration Creation From Integration Mesh</u>	3	0	0	3	0.146 s
8	<u>Integration Modeller test</u>	<u>Verification of Integration modeller.</u>	3	0	0	3	0.131 s
9	<u>login page Test</u>	<u>get login page title</u>	3	0	0	3	0.124 s
10	<u>login page Test</u>	<u>check forgot password link is available</u>	2	0	0	2	0.148 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>login page Test</u>	<u>User Login with correct credentials</u>	4	0	0	4	0.289 s
12	<u>Security ManageMent</u>	<u>Verify Secret creation and Credential Profile creation</u>	4	0	0	4	0.099 s

**AssetManagmenet**

<b>FAILED</b>	<b>DURATION - 3.401 s</b>	<b>Scenarios</b>		<b>Steps</b>	
/ 12:44:52.766 PM // 12:44:56.167 PM /		Total - 1		Total - 3	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 3	



**Go to assetmanagement and create assets**

<div>FAILED</div> <div>DURATION - 3.391 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 12:44:52.775 PM // 12:44:56.166 PM /				
AssetManagmenet				



#	Step / Hook Details	Status	Duration
	<b>BEFORE - parallel.ApplicationHooks.launchBrowser()</b> org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ip-172-31-89-32.ec2.internal', ip: '172.31.89.32', os.name: 'Linux', os.arch: 'amd64', os.version: '5.10.157-139.675.amzn2.x86_64', java.version: '1.8.0_342' Driver info: driver.version: ChromeDriver remote stacktrace: #0 0x55c7f399c2a3 <unknown> #1 0x55c7f375af77 <unknown> #2 0x55c7f3781047 <unknown> #3 0x55c7f377f7d0 <unknown> #4 0x55c7f37c00b7 <unknown> #5 0x55c7f37bfa5f <unknown> #6 0x55c7f37b7903 <unknown> #7 0x55c7f378aece <unknown> #8 0x55c7f378bfde <unknown> #9 0x55c7f39ec63e <unknown> #10 0x55c7f39efb79 <unknown> #11 0x55c7f39d289e <unknown> #12 0x55c7f39f0a83 <unknown> #13 0x55c7f39c5505 <unknown> #14 0x55c7f3a11ca8 <unknown> #15 0x55c7f3a11e36 <unknown> #16 0x55c7f3a2d333 <unknown> #17 0x7f74ee92644b start_thread at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499)	<b>FAILED</b>	3.303 s

#	Step / Hook Details	Status	Duration
	at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:531) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at qa.factory.DriverFactory.init_driver(DriverFactory.java:31) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:38)		
1	Given loginn to stageapp	SKIPPED	0.009 s
2	When go to assetmanagement page	SKIPPED	0.003 s
3	Then create asset	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.quit()	FAILED	0.000 s
	java.lang.NullPointerException at parallel.ApplicationHooks.quit(ApplicationHooks.java:46)		

### BAU Modeller test

<b>FAILED</b> DURATION - 0.173 s / 12:44:56.219 PM // 12:44:56.392 PM /	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
---	--	---	--	---



Verification of BAU modeller.

<div>FAILED</div> <div>DURATION - 0.171 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	<div></div>
<div>/ 12:44:56.220 PM // 12:44:56.391 PM /</div>				
<div>BAU Modeller test</div>				



#	Step / Hook Details	Status	Duration
	<b>BEFORE - parallel.ApplicationHooks.launchBrowser()</b> <pre> org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ip-172-31-89-32.ec2.internal', ip: '172.31.89.32', os.name: 'Linux', os.arch: 'amd64', os.version: '5.10.157-139.675.amzn2.x86_64', java.version: '1.8.0_342' Driver info: driver.version: ChromeDriver remote stacktrace: #0 0x55bd69ff02a3 &lt;unknown&gt; #1 0x55bd69daef77 &lt;unknown&gt; #2 0x55bd69dd5047 &lt;unknown&gt; #3 0x55bd69dd37d0 &lt;unknown&gt; #4 0x55bd69e140b7 &lt;unknown&gt; #5 0x55bd69e13a5f &lt;unknown&gt; #6 0x55bd69e0b903 &lt;unknown&gt; #7 0x55bd69ddece &lt;unknown&gt; #8 0x55bd69ddffde &lt;unknown&gt; #9 0x55bd6a04063e &lt;unknown&gt; #10 0x55bd6a043b79 &lt;unknown&gt; #11 0x55bd6a02689e &lt;unknown&gt; #12 0x55bd6a044a83 &lt;unknown&gt; #13 0x55bd6a019505 &lt;unknown&gt; #14 0x55bd6a065ca8 &lt;unknown&gt; #15 0x55bd6a065e36 &lt;unknown&gt; #16 0x55bd6a081333 &lt;unknown&gt; #17 0x7f3d04cb044b start_thread at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:531) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:131) </pre>	<b>FAILED</b>	0.143 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at qa.factory.DriverFactory.init_driver(DriverFactory.java:31) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:38)		
1	Given login to stageapp	SKIPPED	0.000 s
2	When go to BAUmodeller page	SKIPPED	0.000 s
3	Then create BAU through modeller	SKIPPED	0.005 s
4	Then create ec2BAU through modeller	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.quit()	FAILED	0.001 s
	java.lang.NullPointerException at parallel.ApplicationHooks.quit(ApplicationHooks.java:46)		

### Create OpenTicket In Servicenow BAU

FAILED	DURATION - 0.127 s	Scenarios		Steps	
/ 12:44:56.427 PM // 12:44:56.554 PM /		Total - 1		Total - 3	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 3	

### verify creation of Open Servicenow Ticket BAU



FAILED	DURATION - 0.118 s		Steps	
/ 12:44:56.436 PM // 12:44:56.554 PM /			Total - 3	
Create OpenTicket In Servicenow BAU			Pass - 0	
			Fail - 0	
			Skip - 3	

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	0.106 s
	org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ip-172-31-89-32.ec2.internal', ip: '172.31.89.32', os.name: 'Linux', os.arch: 'amd64', os.version: '5.10.157-139.675.amzn2.x86_64', java.version: '1.8.0_342' Driver info: driver.version: ChromeDriver remote stacktrace: #0 0x560d3dd7e2a3		





#	Step / Hook Details	Status	Duration
	<p>&lt;unknown&gt; #1 0x560d3db3cf77 &lt;unknown&gt; #2 0x560d3db63047 &lt;unknown&gt; #3 0x560d3db617d0 &lt;unknown&gt; #4 0x560d3dba20b7          &lt;unknown&gt; #5 0x560d3dba1a5f &lt;unknown&gt; #6 0x560d3db99903 &lt;unknown&gt; #7 0x560d3db6cece &lt;unknown&gt; #8 0x560d3db6dfde          &lt;unknown&gt; #9 0x560d3ddce63e &lt;unknown&gt; #10 0x560d3ddd1b79 &lt;unknown&gt; #11 0x560d3ddb489e &lt;unknown&gt; #12 0x560d3ddd2a83          &lt;unknown&gt; #13 0x560d3dda7505 &lt;unknown&gt; #14 0x560d3ddf3ca8 &lt;unknown&gt; #15 0x560d3ddf3e36 &lt;unknown&gt; #16 0x560d3de0f333          &lt;unknown&gt; #17 0x7f38b7e8144b start_thread</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)          at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)          at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)          at java.lang.reflect.Constructor.newInstance(Constructor.java:423)          at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)          at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30)          at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126)          at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193)          at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958)          at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126)          at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499)          at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486)          at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472)          at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152)          at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)          at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:531)          at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128)          at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74)          at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)          at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213)          at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:131)          at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:181)          at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:168)          at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:123)          at qa.factory.DriverFactory.init_driver(DriverFactory.java:31)          at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:38)</p>		
1	Given User logs in to stageapp	SKIPPED	0.001 s
2	When User goes to BAUModeller	SKIPPED	0.000 s
3	Then User creates OpenTicketBAU	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.quit()	FAILED	0.001 s
	<p>java.lang.NullPointerException          at parallel.ApplicationHooks.quit(ApplicationHooks.java:46)</p>		

## verification of BTU creation and check existance

<b>FAILED</b>	DURATION - 0.130 s	Scenarios		Steps	
/ 12:44:56.590 PM // 12:44:56.720 PM /		Total - 1		Total - 3	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 3	



## User creates BTU

<div>FAILED</div> <div>DURATION - 0.130 s</div>		<div></div>	Steps	<div></div>
/ 12:44:56.590 PM // 12:44:56.720 PM /			Total - 3	
verification of BTU creation and check existance			Pass - 0	
			Fail - 0	
			Skip - 3	



#	Step / Hook Details	Status	Duration
	<b>BEFORE - parallel.ApplicationHooks.launchBrowser()</b> org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ip-172-31-89-32.ec2.internal', ip: '172.31.89.32', os.name: 'Linux', os.arch: 'amd64', os.version: '5.10.157-139.675.amzn2.x86_64', java.version: '1.8.0_342' Driver info: driver.version: ChromeDriver remote stacktrace: #0 0x556035cff2a3 <unknown> #1 0x556035abdf77 <unknown> #2 0x556035ae4047 <unknown> #3 0x556035ae27d0 <unknown> #4 0x556035b230b7 <unknown> #5 0x556035b22a5f <unknown> #6 0x556035b1a903 <unknown> #7 0x556035aedece <unknown> #8 0x556035aeefde <unknown> #9 0x556035d4f63e <unknown> #10 0x556035d52b79 <unknown> #11 0x556035d3589e <unknown> #12 0x556035d53a83 <unknown> #13 0x556035d28505 <unknown> #14 0x556035d74ca8 <unknown> #15 0x556035d74e36 <unknown> #16 0x556035d90333 <unknown> #17 0x7f3e1c0a344b start_thread at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486)	<b>FAILED</b>	0.119 s

#	Step / Hook Details	Status	Duration
	at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:531) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at qa.factory.DriverFactory.init_driver(DriverFactory.java:31) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:38)		
1	Given Userlogin to stageapp	SKIPPED	0.001 s
2	When user goes to eventhub page	SKIPPED	0.000 s
3	Then user creates BTU	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.quit()	FAILED	0.003 s
	java.lang.NullPointerException at parallel.ApplicationHooks.quit(ApplicationHooks.java:46)		

### Home Page feature

<b>FAILED</b> DURATION - 0.288 s / 12:44:56.801 PM // 12:44:57.089 PM /	<b>Scenarios</b> Total - 2 Pass - 0 Fail - 2 Skip - 0		<b>Steps</b> Total - 8 Pass - 0 Fail - 0 Skip - 8	
---	---	---	---	---

### Home page title

<div>FAILED</div> <div>DURATION - 0.118 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	<div></div>
/ 12:44:56.801 PM // 12:44:56.919 PM /				
Home Page feature				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - parallel.ApplicationHooks.launchBrowser()</b>  org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ip-172-31-89-32.ec2.internal', ip: '172.31.89.32', os.name: 'Linux', os.arch: 'amd64', os.version: '5.10.157-139.675.amzn2.x86_64', java.version: '1.8.0_342' Driver info: driver.version: ChromeDriver remote stacktrace: #0 0x562dae65b2a3 <unknown> #1 0x562dae419f77 <unknown> #2 0x562dae440047 <unknown> #3 0x562dae43e7d0 <unknown> #4 0x562dae47f0b7 <unknown> #5 0x562dae47ea5f <unknown> #6 0x562dae476903 <unknown> #7 0x562dae449ece <unknown> #8 0x562dae44afde <unknown> #9 0x562dae6ab63e <unknown> #10 0x562dae6aeb79 <unknown> #11 0x562dae69189e <unknown> #12 0x562dae6afa83 <unknown> #13 0x562dae684505 <unknown> #14 0x562dae6d0ca8 <unknown> #15 0x562dae6d0e36 <unknown> #16 0x562dae6ec333 <unknown> #17 0x7fb1ef40744b start_thread at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:531) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131)	<b>FAILED</b>	0.102 s

#	Step / Hook Details	Status	Duration		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at qa.factory.DriverFactory.init_driver(DriverFactory.java:31) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:38)				
1	Given user has already loggen to application	SKIPPED	0.008 s		
	<table><tr><td>username</td><td>password</td></tr><tr><td>admin@botprise.com</td><td>BotpriseTeam2021\$\$</td></tr></table>			username	password
username	password				
admin@botprise.com	BotpriseTeam2021\$\$				
2	Given user is on home page	SKIPPED	0.000 s		
3	When user gets title	SKIPPED	0.000 s		
4	Then title should be "Botprise Staging"	SKIPPED	0.000 s		
	AFTER - parallel.ApplicationHooks.quit()	FAILED	0.000 s		
	java.lang.NullPointerException at parallel.ApplicationHooks.quit(ApplicationHooks.java:46)				



## user checks Botprise lab name

FAILED	DURATION - 0.130 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 12:44:56.959 PM // 12:44:57.089 PM /				
Home Page feature				



#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	0.118 s
	org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ip-172-31-89-32.ec2.internal', ip: '172.31.89.32', os.name: 'Linux', os.arch: 'amd64', os.version: '5.10.157-139.675.amzn2.x86_64', java.version: '1.8.0_342' Driver info: driver.version: ChromeDriver remote stacktrace: #0 0x559df3dab2a3 <unknown> #1 0x559df3b69f77 <unknown> #2 0x559df3b90047 <unknown> #3 0x559df3b8e7d0 <unknown> #4 0x559df3bcf0b7 <unknown> #5 0x559df3bcea5f <unknown> #6 0x559df3bc6903 <unknown> #7 0x559df3b99ece <unknown> #8 0x559df3b9afde <unknown> #9 0x559df3dfb63e <unknown> #10 0x559df3dfef79 <unknown> #11 0x559df3de189e <unknown> #12 0x559df3dffa83 <unknown> #13 0x559df3dd4505 <unknown> #14 0x559df3e20ca8 <unknown> #15 0x559df3e20e36 <unknown> #16 0x559df3e3c333 <unknown> #17 0x7ff06daa044b start_thread at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration				
	<div>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</div> <div>at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)</div> <div>at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30)</div> <div>at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126)</div> <div>at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193)</div> <div>at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958)</div> <div>at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126)</div> <div>at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499)</div> <div>at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486)</div> <div>at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472)</div> <div>at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152)</div> <div>at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)</div> <div>at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:531)</div> <div>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128)</div> <div>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74)</div> <div>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:131)</div> <div>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:181)</div> <div>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:168)</div> <div>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:123)</div> <div>at qa.factory.DriverFactory.init_driver(DriverFactory.java:31)</div> <div>at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:38)</div>						
1	<div>Given user has already loggen to application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>admin@botprise.com</td><td>BotpriseTeam2021\$\$</td></tr></table>	username	password	admin@botprise.com	BotpriseTeam2021\$\$	SKIPPED	0.000 s
username	password						
admin@botprise.com	BotpriseTeam2021\$\$						
2	<div>Given user is on home page</div>	SKIPPED	0.000 s				
3	<div>Then user gets copany name</div> <table><tr><td>companynamet</td><td>no company Name</td></tr><tr><td>Botprise Lab</td><td>BotpriseTeam2021\$\$e</td></tr></table>	companynamet	no company Name	Botprise Lab	BotpriseTeam2021\$\$e	SKIPPED	0.000 s
companynamet	no company Name						
Botprise Lab	BotpriseTeam2021\$\$e						
4	<div>And company name should be "Botprise Lab"</div>	SKIPPED	0.000 s				
	<div>AFTER - parallel.ApplicationHooks.quit()</div> <div>java.lang.NullPointerException</div> <div>at parallel.ApplicationHooks.quit(ApplicationHooks.java:46)</div>	FAILED	0.001 s				

## Verify Integration Mesh

<b>FAILED</b>	DURATION - 0.146 s	Scenarios		Steps	
/ 12:44:57.127 PM // 12:44:57.273 PM /		Total - 1		Total - 3	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 3	

## Integration Creation From Integration Mesh

<div>FAILED</div> <div>DURATION - 0.146 s</div>		<div></div>	Steps	<div></div>
<div>/ 12:44:57.127 PM // 12:44:57.273 PM /</div>			Total - 3	
<div>Verify Integration Mesh</div>			Pass - 0	
			Fail - 0	
			Skip - 3	

#	Step / Hook Details	Status	Duration
	<b>BEFORE - parallel.ApplicationHooks.launchBrowser()</b> org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ip-172-31-89-32.ec2.internal', ip: '172.31.89.32', os.name: 'Linux', os.arch: 'amd64', os.version: '5.10.157-139.675.amzn2.x86_64', java.version: '1.8.0_342' Driver info: driver.version: ChromeDriver remote stacktrace: #0 0x56526f2862a3 <unknown> #1 0x56526f044f77 <unknown> #2 0x56526f06b047 <unknown> #3 0x56526f0697d0 <unknown> #4 0x56526f0aa0b7 <unknown> #5 0x56526f0a9a5f <unknown> #6 0x56526f0a1903 <unknown> #7 0x56526f074ece <unknown> #8 0x56526f075fde <unknown> #9 0x56526f2d663e <unknown> #10 0x56526f2d9b79 <unknown> #11 0x56526f2bc89e <unknown> #12 0x56526f2daa83 <unknown> #13 0x56526f2af505 <unknown> #14 0x56526f2fbca8 <unknown> #15 0x56526f2fbc36 <unknown> #16 0x56526f317333 <unknown> #17 0x7f1e7a48344b start_thread at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486)	<b>FAILED</b>	0.126 s



#	Step / Hook Details	Status	Duration
	at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:531) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at qa.factory.DriverFactory.init_driver(DriverFactory.java:31) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:38)		
1	Given User logs into stageapp	SKIPPED	0.003 s
2	When User goes to Integration Mesh Page	SKIPPED	0.000 s
3	Then User Creates Integration with username "admin" password "eh8+IZ%zZiU8" and url "dev59080.service-now.com"	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.quit()	FAILED	0.002 s
	java.lang.NullPointerException at parallel.ApplicationHooks.quit(ApplicationHooks.java:46)		

### Integration Modeller test

<b>FAILED</b>		DURATION - 0.132 s		Scenarios		Steps	
/ 12:44:57.301 PM // 12:44:57.433 PM /		Total - 1		Total - 3		Total - 3	
		Pass - 0		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0		Fail - 0	
		Skip - 0		Skip - 3		Skip - 3	

Verification of Integration modeller.





FAILED	DURATION - 0.131 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 12:44:57.302 PM // 12:44:57.433 PM /				
Integration Modeller test				



#	Step / Hook Details	Status	Duration
	<b>BEFORE - parallel.ApplicationHooks.launchBrowser()</b> <pre> org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ip-172-31-89-32.ec2.internal', ip: '172.31.89.32', os.name: 'Linux', os.arch: 'amd64', os.version: '5.10.157-139.675.amzn2.x86_64', java.version: '1.8.0_342' Driver info: driver.version: ChromeDriver remote stacktrace: #0 0x5648452132a3 &lt;unknown&gt; #1 0x564844fd1f77 &lt;unknown&gt; #2 0x564844ff8047 &lt;unknown&gt; #3 0x564844ff67d0 &lt;unknown&gt; #4 0x5648450370b7 &lt;unknown&gt; #5 0x564845036a5f &lt;unknown&gt; #6 0x56484502e903 &lt;unknown&gt; #7 0x564845001ece &lt;unknown&gt; #8 0x564845002fde &lt;unknown&gt; #9 0x56484526363e &lt;unknown&gt; #10 0x564845266b79 &lt;unknown&gt; #11 0x56484524989e &lt;unknown&gt; #12 0x564845267a83 &lt;unknown&gt; #13 0x56484523c505 &lt;unknown&gt; #14 0x564845288ca8 &lt;unknown&gt; #15 0x564845288e36 &lt;unknown&gt; #16 0x5648452a4333 &lt;unknown&gt; #17 0x7f0a07c7644b start_thread at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:531) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:131) </pre>	<b>FAILED</b>	0.124 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at qa.factory.DriverFactory.init_driver(DriverFactory.java:31) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:38)		
1	Given login to stageapp	SKIPPED	0.005 s
2	When go to integrations page	SKIPPED	0.000 s
3	Then create integration through modeller with curl "curl -XPOST -H "Content-type: application/json" -d '{"description":"Test Description"}' 'https://\$servicenow_instance/api/now/table/incident' -u \$username:\$password" username "admin" servicenow_instance "dev59080.service-now.com" password "eh8+IZ%zZiU8"	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.quit()	FAILED	0.000 s
	java.lang.NullPointerException at parallel.ApplicationHooks.quit(ApplicationHooks.java:46)		

## login page Test

FAILED	DURATION - 0.615 s	Scenarios		Steps	
/ 12:44:57.463 PM // 12:44:58.078 PM /		Total - 3		Total - 9	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 9	



## get login page title

FAILED	DURATION - 0.124 s		Steps	
/ 12:44:57.463 PM // 12:44:57.587 PM /			Total - 3	
login page Test			Pass - 0	
			Fail - 0	
			Skip - 3	

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	0.113 s
	org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ip-172-31-89-32.ec2.internal', ip: '172.31.89.32', os.name: 'Linux', os.arch: 'amd64', os.version:		

#	Step / Hook Details	Status	Duration
	'5.10.157-139.675.amzn2.x86_64', java.version: '1.8.0_342' Driver info: driver.version: ChromeDriver remote stacktrace: #0 0x557a053342a3 <unknown> #1 0x557a050f2f77 <unknown> #2 0x557a05119047 <unknown> #3 0x557a051177d0 <unknown> #4 0x557a051580b7 <unknown> #5 0x557a05157a5f <unknown> #6 0x557a0514f903 <unknown> #7 0x557a05122ece <unknown> #8 0x557a05123fde <unknown> #9 0x557a0538463e <unknown> #10 0x557a05387b79 <unknown> #11 0x557a0536a89e <unknown> #12 0x557a05388a83 <unknown> #13 0x557a0535d505 <unknown> #14 0x557a053a9ca8 <unknown> #15 0x557a053a9e36 <unknown> #16 0x557a053c5333 <unknown> #17 0x7f2318d9544b start_thread at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:531) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at qa.factory.DriverFactory.init_driver(DriverFactory.java:31) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:38)		
1	Given user is on login page	SKIPPED	0.000 s
2	When user gets title	SKIPPED	0.000 s
3	Then title should be "Botprise Staging"	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.quit()	FAILED	0.001 s
	java.lang.NullPointerException at parallel.ApplicationHooks.quit(ApplicationHooks.java:46)		



## check forgot password link is available

<div>FAILED</div> <div>DURATION - 0.148 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div>	
/ 12:44:57.611 PM // 12:44:57.759 PM /				
login page Test				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - parallel.ApplicationHooks.launchBrowser()</b> <pre> org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ip-172-31-89-32.ec2.internal', ip: '172.31.89.32', os.name: 'Linux', os.arch: 'amd64', os.version: '5.10.157-139.675.amzn2.x86_64', java.version: '1.8.0_342' Driver info: driver.version: ChromeDriver remote stacktrace: #0 0x5638c96c12a3 &lt;unknown&gt; #1 0x5638c947ff77 &lt;unknown&gt; #2 0x5638c94a6047 &lt;unknown&gt; #3 0x5638c94a47d0 &lt;unknown&gt; #4 0x5638c94e50b7 &lt;unknown&gt; #5 0x5638c94e4a5f &lt;unknown&gt; #6 0x5638c94dc903 &lt;unknown&gt; #7 0x5638c94afece &lt;unknown&gt; #8 0x5638c94b0fde &lt;unknown&gt; #9 0x5638c971163e &lt;unknown&gt; #10 0x5638c9714b79 &lt;unknown&gt; #11 0x5638c96f789e &lt;unknown&gt; #12 0x5638c9715a83 &lt;unknown&gt; #13 0x5638c96ea505 &lt;unknown&gt; #14 0x5638c9736ca8 &lt;unknown&gt; #15 0x5638c9736e36 &lt;unknown&gt; #16 0x5638c9752333 &lt;unknown&gt; #17 0x7f3e418c944b start_thread     at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)     at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30)     at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126)     at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193)     at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958)     at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126)     at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499)     at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486)     at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472)     at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152)     at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)     at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:531)     at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128)     at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)     at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) </pre>	<b>FAILED</b>	0.138 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:123) at qa.factory.DriverFactory.init_driver(DriverFactory.java:31) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:38) </pre>		
1	Given user is on login page	SKIPPED	0.000 s
2	When user check forgot password link is displayed	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.quit()	FAILED	0.001 s
	<pre> java.lang.NullPointerException at parallel.ApplicationHooks.quit(ApplicationHooks.java:46) </pre>		

### User Login with correct credentials

FAILED		DURATION - 0.289 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 12:44:57.789 PM // 12:44:58.078 PM /						
login page Test						



#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	0.281 s
	<pre> org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ip-172-31-89-32.ec2.internal', ip: '172.31.89.32', os.name: 'Linux', os.arch: 'amd64', os.version: '5.10.157-139.675.amzn2.x86_64', java.version: '1.8.0_342' Driver info: driver.version: ChromeDriver remote stacktrace: #0 0x55816291e2a3 &lt;unknown&gt; #1 0x5581626dcf77 &lt;unknown&gt; #2 0x558162703047 &lt;unknown&gt; #3 0x5581627017d0 &lt;unknown&gt; #4 0x5581627420b7 &lt;unknown&gt; #5 0x558162741a5f &lt;unknown&gt; #6 0x558162739903 &lt;unknown&gt; #7 0x55816270cece &lt;unknown&gt; #8 0x55816270dfde &lt;unknown&gt; #9 0x55816296e63e &lt;unknown&gt; #10 0x558162971b79 &lt;unknown&gt; #11 0x55816295489e &lt;unknown&gt; #12 0x558162972a83 &lt;unknown&gt; #13 0x558162947505 &lt;unknown&gt; #14 0x558162993ca8 &lt;unknown&gt; #15 0x558162993e36 &lt;unknown&gt; #16 0x5581629af333 &lt;unknown&gt; #17 0x7fbe1d0e644b start_thread at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) </pre>		

#	Step / Hook Details	Status	Duration
	at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:531) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at qa.factory.DriverFactory.init_driver(DriverFactory.java:31) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:38)		
1	Given user is on login page	SKIPPED	0.000 s
2	When user enters username "admin@botprise.com"	SKIPPED	0.000 s
3	And user enters pwd "BotpriseTeam2021\$\$"	SKIPPED	0.000 s
4	And user clicks on login button	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.quit()	FAILED	0.000 s
	java.lang.NullPointerException at parallel.ApplicationHooks.quit(ApplicationHooks.java:46)		

### Security Management

FAILED	DURATION - 0.100 s	Scenarios		Steps	
/ 12:44:58.108 PM // 12:44:58.208 PM /		Total - 1		Total - 4	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 4	

Verify Secret creation and Credential Profile creation

<div>FAILED</div> <div>DURATION - 0.099 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 12:44:58.109 PM // 12:44:58.208 PM /				
Security ManageMent				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - parallel.ApplicationHooks.launchBrowser()</b> <pre> org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ip-172-31-89-32.ec2.internal', ip: '172.31.89.32', os.name: 'Linux', os.arch: 'amd64', os.version: '5.10.157-139.675.amzn2.x86_64', java.version: '1.8.0_342' Driver info: driver.version: ChromeDriver remote stacktrace: #0 0x5646705782a3 &lt;unknown&gt; #1 0x564670336f77 &lt;unknown&gt; #2 0x56467035d047 &lt;unknown&gt; #3 0x56467035b7d0 &lt;unknown&gt; #4 0x56467039c0b7 &lt;unknown&gt; #5 0x56467039ba5f &lt;unknown&gt; #6 0x564670393903 &lt;unknown&gt; #7 0x564670366ece &lt;unknown&gt; #8 0x564670367fde &lt;unknown&gt; #9 0x5646705c863e &lt;unknown&gt; #10 0x5646705cbb79 &lt;unknown&gt; #11 0x5646705ae89e &lt;unknown&gt; #12 0x5646705cca83 &lt;unknown&gt; #13 0x5646705a1505 &lt;unknown&gt; #14 0x5646705edca8 &lt;unknown&gt; #15 0x5646705ede36 &lt;unknown&gt; #16 0x564670609333 &lt;unknown&gt; #17 0x7fd1e771844b start_thread at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:531) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:131) </pre>	<b>FAILED</b>	0.087 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at qa.factory.DriverFactory.init_driver(DriverFactory.java:31) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:38)		
1	Given user login to stageapp	SKIPPED	0.000 s
2	When user goes to security page	SKIPPED	0.000 s
3	Then user creates secret	SKIPPED	0.001 s
4	And User Crreates Creds profile	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.quit()	FAILED	0.001 s
	java.lang.NullPointerException at parallel.ApplicationHooks.quit(ApplicationHooks.java:46)		