
Cucumber Report



Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Login Page	1 m 4.843 s	3	0	3	0	6	3	3	0	


Tag Scenario Feature					ture			
Name	T	P	F	S	Т	P	F	S
@test	3	0	3	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration	
1	<u>Login Page</u>	3	0	3	0	1 m 4.843 s	

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Page	verify login	2	1	1	0	25.518 s
2	Login Page	verify login	2	1	1	0	19.007 s
3	Login Page	verify login	2	1	1	0	20.204 s

DETAILED SECTION -- 6 --

Login Page

FAILED	DURATION - 1 m 4.843 s	Scenarios		Steps	
		Total - 3		Total - 6	
/ 8:57:25.111 PM // 8	8:58:29.954 PM /	Pass - 0	3	Pass - 3	6
		Fail - 3	, , , , , , , , , , , , , , , , , , ,	Fail - 3	
		Skip - 0		Skip - 0	

verify login




#	Step / Hook Details	Status	Duration
1	Given user visits hrm website	PASSED	8.636 s
2	Then User logs in to app	FAILED	12.133 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"button[type="submitt"]"} (Session info: headless chrome=114.0.5735.199) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'VIKRAM-PC', ip: '192.168.225.141', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:Users\Deva\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:52525}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1b833fd2487836726fffbe5dde48220e *** Element info: {Using=css selector, value=button[type="submitt"]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByCssSelector(RemoteWebDriver.java:420)		
	at org.openqa.selenium.By\$ByCssSelector.findElement(By.java:431)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at com.sun.proxy.\$Proxy24.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:314)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:670)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:666)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)		
	at Pageclasses.FluentWaitHelper.fluentwait(FluentWaitHelper.java:25)		
	at Pageclasses.MavenLoginPage.doLogin(MavenLoginPage.java:55)		
	at parallel.StepsOfLoginPage.user_logs_in_to_app(StepsOfLoginPage.java:43)		
	at ?.User logs in to app(file:///C:/CodStudio/ParallelBlog/./src/test/resources/parallel/LoginFeature.feature:6)		
	* Not displayable characters are replaced by '?'.		
	AFTER - parallel.AppHoks.getScrenshotiffail(io.cucumber.java.Scenario)	PASSED	0.288 s
	verify-login		
	Comment Advance Advanc		

verify login

DETAILED SECTION -- 8 --




# Step / Hook Details	Status	Duration
1 Given user visits hrm website	PASSED	5.639 s
Then User logs in to app	FAILED	11.315 s
Then User logs in to app org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector":"button(type="submitt"]' (Session info: headless chrome=114.0.5735.199) For documentation on this error, ple: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: "3.141.59", revision: 'e82be7d358", time: '2018-11-14T08:17:03' System info: host: 'VIKRAM-PC', ip: '192.168.225.141', os.name: 'Windows 10', os.arch: 'amd64', os.version: version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities (acceptinsecureCerts: false, browserName: of browserVersion: '114.0.5735.199, chrome: (chromedriverVersion: 114.0.5735.99). userDatablr: C:Vlbsers\Devalvpf), goog:chromeOptions: {debuggerAddress: localhost:52554}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoad normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeou 0, pageLoad: 300000, script: 30000), unlandledPromptBehavior: dismiss and notify, webauthn:extension:rafelBob: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn:virtualAuthent true) Session ID: ba812abc07b4b2d3d6c45471231cea6d *** Element info: (Using=css selector, value=button[type="submitt"]) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor,190) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:127) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:129) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElement(R	ase visit: '10.0', java. nrome, Data\Local. dStrategy: ts: {implicit:	11.315 s

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:670)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:666)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)		
	at Pageclasses.FluentWaitHelper.fluentwait(FluentWaitHelper.java:25)		
	at Pageclasses.MavenLoginPage.doLogin(MavenLoginPage.java:55)		
	at parallel.StepsOfLoginPage.user_logs_in_to_app(StepsOfLoginPage.java:43)		
	at ?.User logs in to app(file:///C:/CodStudio/ParallelBlog/./src/test/resources/parallel/LoginFeature2.feature:6)		
	* Not displayable characters are replaced by '?'.		
	AFTER - parallel.AppHoks.getScrenshotiffail(io.cucumber.java.Scenario)	PASSED	0.142 s
	verify-login		
	Cogn Description Activity advisor(2.2) A concern Activity For Present Forget core presented From Fro		

verify login



#	Step / Hook Details	Status	Duration
1	Given user visits hrm website	PASSED	6.578 s
2	Then User logs in to app	FAILED	11.441 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"button[type="submitt"]"} (Session info: headless chrome=114.0.5735.199) For documentation on this error, please visit:		

DETAILED SECTION -- 10 --

	Step / Hook Details	Status	Duration
	https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time:	<u> </u>	
	2018-11-14T08:17:03' System info: host: 'VIKRAM-PC', ip: '192.168.225.141', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.		
	version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome,		
	prowserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\Deva\AppData\Local.		
	.}, goog:chromeOptions: {debuggerAddress: localhost:52578}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit:		
), pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	rue} Session ID: 00ea854299897ab9b69366d129d3a4fe *** Element info: {Using=css selector, value=button[type="submitt"]}		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByCssSelector(RemoteWebDriver.java:420)		
	at org.openqa.selenium.By\$ByCssSelector.findElement(By.java:431)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at com.sun.proxy.\$Proxy24.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:314)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:670)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:666)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)		
	at Pageclasses.FluentWaitHelper.fluentWait(FluentWaitHelper.java:25)		
	at Pageclasses.MavenLoginPage.doLogin(MavenLoginPage.java:55)		
	at parallel.StepsOfLoginPage.user_logs_in_to_app(StepsOfLoginPage.java:43)		
	at ?.User logs in to app(file:///C:/CodStudio/ParallelBlog/./src/test/resources/parallel/LoginFeature3.feature:6)		
₩	Not displayable characters are replaced by '?'.		
1	AFTER - parallel.AppHoks.getScrenshotiffail(io.cucumber.java.Scenario)	PASSED	0.138 s

#	Step / Hook Details	Status	Duration
	⊙ ranger®M Login		
	Login Umanter Adress Favorerer admits 23 A surrow		
	For Personal		