

Cucumber Report

Jul 12, 2023, 12:42:14 PM

Start : Jul 12, 12:41:02.585 PM

End : Jul 12, 12:42:10.371 PM

Duration : 1 m 7.786 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 3
FAILED - 3
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Page</u>	1 m 7.786 s	3	0	3	0	6	3	3	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@test	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login Page	3	0	3	0	1 m 7.786 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Page	verify login	2	1	1	0	25.807 s
2	Login Page	verify login	2	1	1	0	21.318 s
3	Login Page	verify login	2	1	1	0	20.509 s


Login Page

FAILED	DURATION - 1 m 7.786 s	Scenarios		Steps	
/ 12:41:02.585 PM // 12:42:10.371 PM /		Total - 3		Total - 6	
		Pass - 0		Pass - 3	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 0	



verify login

<div>FAILED</div> <div>DURATION - 25.807 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:41:02.595 PM // 12:41:28.402 PM /</div>				
<div>Login Page</div>				
<div>@test</div>				


#	Step / Hook Details	Status	Duration
1	Given user visits hrm website	PASSED	8.068 s
2	Then User logs in to app org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"button[type='submit']"} (Session info: headless chrome=114.0.5735.199) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'VIKRAM-PC', ip: '192.168.225.141', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Deva\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:51539}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 436def860cc77669fe4429d277d49394 *** Element info: {Using=css selector, value=button[type='submit']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)	FAILED	11.508 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByCssSelector(RemoteWebDriver.java:420) at org.openqa.selenium.By\$ByCssSelector.findElement(By.java:431) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy24.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:670) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:666) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at Pageclasses.FluentWaitHelper.fluentwait(FluentWaitHelper.java:25) at Pageclasses.MavenLoginPage.doLogin(MavenLoginPage.java:55) at parallel.StepsOfLoginPage.user_logs_in_to_app(StepsOfLoginPage.java:43) at ?.User logs in to app(file:///C:/CodStudio/ParallelBlog/.src/test/resources/parallel/LoginFeature.feature:6) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - parallel.AppHoks.getScreenshotiffail(io.cucumber.java.Scenario) verify-login	PASSED	0.171 s
			



verify login

<div>FAILED</div> <div>DURATION - 21.318 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:41:28.499 PM // 12:41:49.817 PM /</div>				
<div>Login Page</div>				
<div>@test</div>				

#	Step / Hook Details	Status	Duration
1	Given user visits hrm website	PASSED	6.890 s
2	Then User logs in to app org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"button[type='submit']"} (Session info: headless chrome=114.0.5735.199) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'VIKRAM-PC', ip: '192.168.225.141', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Deva\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:51561}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 55f723bbab301e35560f8a03888625fd *** Element info: {Using=css selector, value=button[type='submit']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByCssSelector(RemoteWebDriver.java:420) at org.openqa.selenium.By\$ByCssSelector.findElement(By.java:431) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy24.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314)	FAILED	11.726 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:670) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:666) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at Pageclasses.FluentWaitHelper.fluentwait(FluentWaitHelper.java:25) at Pageclasses.MavenLoginPage.doLogin(MavenLoginPage.java:55) at parallel.StepsOfLoginPage.user_logs_in_to_app(StepsOfLoginPage.java:43) at ?.User logs in to app(file:///C:/CodStudio/ParallelBlog/.src/test/resources/parallel/LoginFeature2.feature:6) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - parallel.AppHoks.getScreenshotiffail(io.cucumber.java.Scenario)	PASSED	0.188 s
	verify-login		
			

verify login

FAILED	DURATION - 20.509 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 12:41:49.862 PM // 12:42:10.371 PM /				
Login Page				
@test				

#	Step / Hook Details	Status	Duration
1	Given user visits hrm website	PASSED	6.656 s
2	Then User logs in to app	FAILED	11.790 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"button[type='submit']"} (Session info: headless chrome=114.0.5735.199) For documentation on this error, please visit:		

#	Step / Hook Details	Status	Duration
	<p>https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'VIKRAM-PC', ip: '192.168.225.141', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Deva\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:51583}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: efc05e03d6792a3f2a660c0e3b523bb6 *** Element info: {Using=css selector, value=button[type="submit"]}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByCssSelector(RemoteWebDriver.java:420) at org.openqa.selenium.By\$ByCssSelector.findElement(By.java:431) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy24.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:670) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:666) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at Pageclasses.FluentWaitHelper.fluentwait(FluentWaitHelper.java:25) at Pageclasses.MavenLoginPage.doLogin(MavenLoginPage.java:55) at parallel.StepsOfLoginPage.user_logs_in_to_app(StepsOfLoginPage.java:43) at ?.User logs in to app(file:///C:/CodStudio/ParallelBlog/.src/test/resources/parallel/LoginFeature3.feature:6)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - parallel.AppHoks.getScreenshotiffail(io.cucumber.java.Scenario)	PASSED	0.178 s
	verify-login		

#	Step / Hook Details	Status	Duration
	