Cucumber Report

| Start : Dec 30, 11:16:26.686 am	End : Dec 30, 11:32:18.958 am	Duration : 15 m 52.272 s
Features	Scenarios	Steps
PASSED - 5 FAILED - 4 SKIPPED - 0	PASSED - 8 FAILED - 4 SKIPPED - 0	PASSED - 35 FAILED - 4 SKIPPED - 1

Features: 9

Scenarios: 12

Steps: 40

Pass % — 55 %

Pass % — 66 %

Pass % — 87 %

#	Feature Name	T	P	F	S	Duration
1	AssetManagmenet	1	1	0	0	1 m 38.537 s
2	BAU Modeller test	1	0	1	0	2 m 11.788 s
3	Create OpenTicket In Servicenow BAU	1	0	1	0	2 m 33.585 s
4	verification of BTU creation and check existance	1	0	1	0	1 m 30.916 s
5	Home Page feature	2	2	0	0	42.065 s
6	Verify Integration Mesh	1	1	0	0	1 m 33.228 s
7	Integration Modeller test	1	1	0	0	2 m 18.681 s
8	login page Test	3	3	0	0	37.173 s
9	Security ManageMent	1	0	1	0	2 m 44.269 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AssetManagmenet	Go to assetmanagement and create assets	3	3	0	0	1 m 38.505 s
2	BAU Modeller test	Verification of BAU modeller.	4	2	1	1	2 m 11.788 s
3	Create OpenTicket In Servicenow BAU	verify creation of Open Servicenow Ticket BAU	3	2	1	0	2 m 33.585 s
4	verification of BTU creation and check existance	User creates BTU	3	2	1	0	1 m 30.916 s
5	Home Page feature	Home page title	4	4	0	0	26.067 s
6	Home Page feature	user checks Botprise lab name	4	4	0	0	15.987 s
7	Verify Integration Mesh	Integration Creation From Integration Mesh	3	3	0	0	1 m 33.228 s
8	Integration Modeller test	Verification of Integration modeller.	3	3	0	0	2 m 18.681 s
9	login page Test	get login page title	3	3	0	0	18.839 s
10	login page Test	check forgot password link is available	2	2	0	0	8.830 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	login page Test	User Login with correct credentials	4	4	0	0	9.483 s
12	Security ManageMent	Verify Secret creation and Credential Profile creation	4	3	1	0	2 m 44.269 s

AssetManagmenet

PASSED	DURATION - 1 m 38.537 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 11:16:26.686 am // 11:18:05.223 am /					

Go to assetmanagement and create assets

PASSED	DURATION - 1 m 38.505 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 11:16:26.718 am // 11:18:05.223 am /				
AssetManagmenet				

#	Step / Hook Details	Status	Duration
1	Given loginn to stageapp	PASSED	18.186 s
2	When go to assetmanagement page	PASSED	10.496 s
3	Then create asset	PASSED	46.510 s

BAU Modeller test

FAILED	DURATION - 2 m 11.788 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	4
/ 11:18:05.267 am // 11:20:17.055 am /					

Verification of BAU modeller.

FAILED	DURATION - 2 m 11.788 s
/ 11:18:05.267 am // 11:20:17.055 am /	
BAU Modeller test	

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given login to stageappp	PASSED	16.070 s
2	When go to BAUmodeller page	PASSED	17.045 s
3	Then create BAU through modeller	FAILED	1 m 28.543 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button class="MuiButtonBase-root MuiButton-root MuiButton-text jss570 jss653 jss571 Mui-disabled Mui-disabled" tabindex="-1" type="submit" disabled="">...</button> is not clickable at point (962, 492). Other element would receive the click: <div class="MuiGrid-root jss68 MuiGrid-container MuiGrid-spacing-xs-1 MuiGrid-justify-content-xs-flex-end">...</div>   (Session info: chrome=108.0.5359.125) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'GDT-NOC-LTP14', ip: '192.168.225.180', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\kvikram\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:55709}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 14a1538a1a8380e08c5361cd4caeca28
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)
   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)
   at qa.pages.BauModellerPage.CreateBAUThroughModeller(BauModellerPage.java:210)
   at parallel.BAuModellerSteps.create_bau_through_modeller(BAuModellerSteps.java:44)
   at ?.create BAU through modeller(file:///C:/Users/kvikram/newEclipse/CucumberProjectWithPom/./src/test/resources/parallel/BauModeller.feature:6)
* Not displayable characters are replaced by '?'.

| #	Step / Hook Details	Status	Duration
4	Then create ec2BAU through modeller	SKIPPED	0.003 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.360 s
	Verification_of_BAU__modeller.		

Create OpenTicket In Servicenow BAU

FAILED	DURATION - 2 m 33.585 s	Scenarios		Steps	
/ 11:20:18.934 am // 11:22:52.519 am /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 3 Pass - 2 Fail - 1 Skip - 0	

verify creation of Open Servicenow Ticket BAU

FAILED	DURATION - 2 m 33.585 s		Steps	
/ 11:20:18.934 am // 11:22:52.519 am / *Create OpenTicket In Servicenow BAU*			Total - 3 Pass - 2 Fail - 1 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User logs in to stageapp	PASSED	20.444 s
2	When User goes to BAUModeller	PASSED	14.544 s
3	Then User creates OpenTicketBAU	FAILED	1 m 39.110 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button class="MuiButtonBase-root MuiButton-root MuiButton-text jss1564 jss1648 jss1565 Mui-disabled Mui-disabled" tabindex="-1" type="submit" disabled="">...</button> is not clickable at point (962, 492). Other element would receive the click: <div class="MuiGrid-root jss109 MuiGrid-container MuiGrid-spacing-xs-1 MuiGrid-justify-content-xs-flex-end">...</div> (Session info: chrome=108.0.5359.125) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'GDT-NOC-LTP14', ip: '192.168.225.180', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome,		

#	Step / Hook Details	Status	Duration

	browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\kvikram\AppData\Lo. ..}, goog:chromeOptions: {debuggerAddress: localhost:55872}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 96c9ce6b1273bfc82e506ba7b6ea7da8
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)
	  at qa.pages.BauModellerPage.createOpenTicketBAU(BauModellerPage.java:411)
	  at parallel.OpenServicenowTicketBAuSteps.user_creates_open_ticket_bau(OpenServicenowTicketBAuSteps.java:37)
	  at ?.User creates OpenTicketBAU(file:///C:/Users/kvikram/newEclipse/CucumberProjectWithPom/./src/test/resources/parallel/CreateOpenBAUPage.feature:6)
	* Not displayable characters are replaced by '?'.		

	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) verify_creation_of_Open_Servicenow_Ticket_BAU 	PASSED	0.320 s

verification of BTU creation and check existance

FAILED	DURATION - 1 m 30.916 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 11:22:52.544 am // 11:24:23.460 am /					

User creates BTU

FAILED	DURATION - 1 m 30.916 s
/ 11:22:52.544 am // 11:24:23.460 am /	
verification of BTU creation and check existance	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Userlogin to stageapp	PASSED	23.252 s
2	When user goes to eventhub page	PASSED	12.831 s
3	Then user creates BTU	FAILED	45.393 s

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: /html[1]/body[1]/div[1]/div[1]/div[1]/div[2]/div[1]/div[3]/div[1]/div[1]/div[3]/table[1]/tbody[1]/tr[2]/td[1] (tried for 30 second(s) with 2000 milliseconds interval)
   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:304)
   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)
   at qa.pages.EventHubPage.fluentwaitt(EventHubPage.java:28)
   at qa.pages.EventHubPage.createBTU(EventHubPage.java:75)
   at parallel.EventHubPageSteps.user_creates_btu(EventHubPageSteps.java:52)
   at ?.user creates BTU(file:///C:/Users/kvikram/newEclipse/CucumberProjectWithPom/./src/test/resources/parallel/EventhubPage.feature:11)
Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html[1]/body[1]/div[1]/div[1]/div[1]/div[2]/div[1]/div[3]/div[1]/div[1]/div[3]/table[1]/tbody[1]/tr[2]/td[1]"}   (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'GDT-NOC-LTP14', ip: '192.168.225.180', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\kvikram\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:56018}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7717592203aa8055b85827453da33b7b *** Element info: {Using=xpath, value=/html[1]/body[1]/div[1]/div[1]/div[1]/div[2]/div[1]/div[3]/div[1]/div[1]/div[3]/table[1]/tbody[1]/tr[2]/td[1]}
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)		
	at org.openqa.selenium.By$ByXPath.findElement(By.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:205)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:201)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)		
	at qa.pages.EventHubPage.fluentwaitt(EventHubPage.java:28)		
	at qa.pages.EventHubPage.createBTU(EventHubPage.java:75)		
	at parallel.EventHubPageSteps.user_creates_btu(EventHubPageSteps.java:52)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:564)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		

| #	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:234) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:89) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:541) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:768) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:464) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'.		
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.358 s
	User_creates_BTU		

Home Page feature

PASSED	DURATION - 42.065 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 11:24:23.501 am // 11:25:05.566 am /					

Home page title

PASSED	DURATION - 26.067 s	
/ 11:24:23.501 am // 11:24:49.568 am /		
Home Page feature		

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given user has already loggen to application	PASSED	18.548 s
	username — password		
	admin@botprise.com — BotpriseTeam2021$$		
2	Given user is on home page	PASSED	0.008 s
3	When user gets title	PASSED	0.006 s
4	Then title should be "Botprise Staging"	PASSED	0.027 s

user checks Botprise lab name

PASSED	DURATION - 15.987 s	
/ 11:24:49.579 am // 11:25:05.566 am /		
Home Page feature		

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user has already loggen to application	PASSED	6.200 s
	username — password		
	admin@botprise.com — BotpriseTeam2021$$		
2	Given user is on home page	PASSED	0.009 s
3	Then user gets copany name	PASSED	0.001 s
	companynamet — no company Name		
	Botprise Lab — BotpriseTeam2021$$e		
4	And company name should be "Botprise Lab"	PASSED	5.108 s

Verify Integration Mesh

PASSED	DURATION - 1 m 33.228 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 11:25:05.578 am // 11:26:38.806 am /					

Integration Creation From Integration Mesh

PASSED	DURATION - 1 m 33.228 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 11:25:05.578 am // 11:26:38.806 am /				
Verify Integration Mesh				

#	Step / Hook Details	Status	Duration
1	Given User logs into stageapp	PASSED	19.097 s
2	When User goes to Integration Mesh Page	PASSED	10.503 s
3	Then User Creates Integration with username "admin" password "eh8+IZ%zZiU8" and url "dev59080.service-now.com"	PASSED	53.393 s

Integration Modeller test

PASSED	DURATION - 2 m 18.681 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 11:26:38.814 am // 11:28:57.495 am /					

Verification of Integration modeller.

PASSED	DURATION - 2 m 18.681 s
/ 11:26:38.814 am // 11:28:57.495 am /	
Integration Modeller test	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given login to stageapp	PASSED	19.969 s
2	When go to integrations page	PASSED	12.989 s
3	Then create integration through modeller with curl "curl -XPOST -H "Content-type: application/json" -d '{"description":"Test Description"}' 'https://$servicenow_instance/api/now/table/incident' -u $username:'$password'" username "admin" servicenow_instance "dev59080.service-now.com" password "eh8+IZ%zZiU8"	PASSED	1 m 32.819 s

login page Test

PASSED	DURATION - 37.173 s
/ 11:28:57.505 am // 11:29:34.678 am /	

Scenarios
Total - 3
Pass - 3
Fail - 0
Skip - 0

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

get login page title

PASSED	DURATION - 18.839 s
/ 11:28:57.505 am // 11:29:16.344 am /	
login page Test	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.584 s
2	When user gets title	PASSED	0.009 s

#	Step / Hook Details	Status	Duration
3	Then title should be "Botprise Staging"	PASSED	0.000 s

check forgot password link is available

PASSED	DURATION - 8.830 s		Steps

/ 11:29:16.355 am // 11:29:25.185 am /

login page Test

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

2

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	3.862 s
2	When user check forgot password link is displayed	PASSED	0.048 s

User Login with correct credentials

PASSED	DURATION - 9.483 s		Steps

/ 11:29:25.195 am // 11:29:34.678 am /

login page Test

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	4.238 s
2	When user enters username "admin@botprise.com"	PASSED	0.326 s
3	And user enters pwd "BotpriseTeam2021$$"	PASSED	0.291 s
4	And user clicks on login button	PASSED	0.090 s

Security ManageMent

FAILED	DURATION - 2 m 44.269 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	4
/ 11:29:34.689 am // 11:32:18.958 am /					

Verify Secret creation and Credential Profile creation

FAILED	DURATION - 2 m 44.269 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	4
/ 11:29:34.689 am // 11:32:18.958 am /				
Security ManageMent				

#	Step / Hook Details	Status	Duration
1	Given user login to stageapp	PASSED	16.608 s
2	When user goes to security page	PASSED	10.597 s
3	Then user creates secret	PASSED	59.037 s
4	And User Crreates Creds profile	FAILED	1 m 9.207 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //div[@id='secrets'] (tried for 30 second(s) with 2000 milliseconds interval)
	    at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:304)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)
	    at qa.pages.SecurityManageMentPage.fluentwaitt(SecurityManageMentPage.java:52)
	    at qa.pages.SecurityManageMentPage.createCreds(SecurityManageMentPage.java:138)
	    at parallel.SecurityManagementStpes.user_crreates_creds_profile(SecurityManagementStpes.java:37)
	    at ?.User Crreates Creds profile(file:///C:/Users/kvikram/newEclipse/CucumberProjectWithPom/./src/test/resources/parallel/ SecurityManageMent.feature:7)
	 Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='secrets']"} (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'GDT-NOC-LTP14', ip: '192.168.225.180', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\kvikram\AppData\Lo. ..}, goog:chromeOptions: {debuggerAddress: localhost:56579}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		

#	Step / Hook Details	Status	Duration
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 888a8ce22ea3144ce14e8a475ca5702e *** Element info: {Using=xpath, value=//div[@id='secrets']}		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)		
	at org.openqa.selenium.By$ByXPath.findElement(By.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:205)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:201)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)		
	at qa.pages.SecurityManageMentPage.fluentwaitt(SecurityManageMentPage.java:52)		
	at qa.pages.SecurityManageMentPage.createCreds(SecurityManageMentPage.java:138)		
	at parallel.SecurityManagementStpes.user_crreates_creds_profile(SecurityManagementStpes.java:37)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:564)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:234) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:89) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:541) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:768) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:464) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'.		
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.538 s
	Verify_Secret_creation_and_Credential_Profile_creation 		