

Cucumber Report




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>homePage</u>	6.090 s	1	0	1	0	3	0	0	3
Login Page	1.744 s	1	0	1	0	2	0	0	2
verify recruitment page	11.159 s	1	0	1	0	5	0	0	5
<u>TimePage</u>	2 m 14.644 s	1	0	1	0	6	0	0	6

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	<u>homePage</u>	1	0	1	0	6.090 s
2	Login Page	1	0	1	0	1.744 s
3	verify recruitment page	1	0	1	0	11.159 s
4	<u>TimePage</u>	1	0	1	0	2 m 14.644 s


SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	homePage	verify Homepage	3	0	0	3	6.079 s
2	Login Page	user login verification	2	0	0	2	1.743 s
3	verify recruitment page	Recruitment	5	0	0	5	11.158 s
4	TimePage	verify TimePage	6	0	0	6	2 m 14.644 s

DETAILED SECTION -- 5 --

homePage




verify Homepage




#	Step / Hook Details	Status	Duration
	BEFORE - Steps.AppHooks.launchapp()	FAILED	5.972 s
	java.lang.NullPointerException at qa.driverfactory.DriverFactory.init_driver(DriverFactory.java:43) at Steps.AppHooks.launchapp(AppHooks.java:36)		
1	Given user enters orange url as "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	SKIPPED	0.001 s
2	When User enters username as "Admin" and password as "admin123" and cliks on login button	SKIPPED	0.001 s
3	Then user verifies homepage title as "OrangeHRM"	SKIPPED	0.001 s
	AFTER - Steps.AppHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.009 s
	java.lang.NullPointerException at Steps.AppHooks.tearDown(AppHooks.java:48)		
	AFTER - Steps.AppHooks.quict()	FAILED	0.002 s
	java.lang.NullPointerException at Steps.AppHooks.quict(AppHooks.java:42)		

Login Page

DETAILED SECTION -- 6 --




user login verification




#	Step / Hook Details	Status	Duration
	BEFORE - Steps.AppHooks.launchapp()	FAILED	1.729 s
	java.lang.NullPointerException at qa.driverfactory.DriverFactory.init_driver(DriverFactory.java:43) at Steps.AppHooks.launchapp(AppHooks.java:36)		
1	Given user enters orange url as "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	SKIPPED	0.001 s
2	When User enters username as "Admin" and password as "admin123" and cliks on login button	SKIPPED	0.001 s
	AFTER - Steps.AppHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at Steps.AppHooks.tearDown(AppHooks.java:48)		
	AFTER - Steps.AppHooks.quict()	FAILED	0.002 s
	java.lang.NullPointerException at Steps.AppHooks.quict(AppHooks.java:42)		

verify recruitment page

DETAILED SECTION -- 7 --




Recruitment




#	Step / Hook Details	Status	Duration
	BEFORE - Steps.AppHooks.launchapp()	FAILED	11.138 s
	java.lang.NullPointerException at qa.driverfactory.DriverFactory.init_driver(DriverFactory.java:43) at Steps.AppHooks.launchapp(AppHooks.java:36)		
1	Given user enters orange url as "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	SKIPPED	0.002 s
2	When User enters username as "Admin" and password as "admin123" and cliks on login button	SKIPPED	0.000 s
3	Then user verifies homepage title as "OrangeHRM"	SKIPPED	0.001 s
4	And user goes to recruitment page	SKIPPED	0.000 s
5	Then create recruitement	SKIPPED	0.001 s
	AFTER - Steps.AppHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at Steps.AppHooks.tearDown(AppHooks.java:48)		
	AFTER - Steps.AppHooks.quict()	FAILED	0.002 s
	java.lang.NullPointerException at Steps.AppHooks.quict(AppHooks.java:42)		

TimePage



verify TimePage



#	Step / Hook Details	Status	Duration
	BEFORE - Steps.AppHooks.launchapp()	FAILED	2 m 14.626 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: DevToolsActivePort file doesn't exist Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'c50da356255d', ip: '172.17.0.2', os.name: 'Linux', os.arch: 'amd64', os.version: '4.14.296-222.539.amzn2.x86_64', java.version: '1.8.0_292' Driver info: driver.version: unknown remote stacktrace: #0 0x55bf99db78f3 <unknown> #1 0x55bf998cba8 <unknown> #2 0x55bf998c2a72 <unknown> #3 0x55bf998bf036 <unknown> #4 0x55bf998bb9ef <unknown> #5 0x55bf998f5995 <unknown> #6 0x55bf998ef63 <unknown> #1 0x55bf998c6144 <unknown> #8 0x55bf998c7135 <unknown> #9 0x55bf99de6c3e <unknown> #10 0x55bf99dfc6b7 <unknown> #11 0x55bf99de7b95 <unknown> #12 0x55bf99dfdb05 <unknown> #13 0x55bf99ddc2ab <unknown> #14 0x55bf99e18248 <unknown> #15 0x55bf99e183c8 <unknown> #16 0x55bf99e3333d <unknown> #17 0x7fc99a912609 start_thread Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'VIKRAM-PC', ip: '192.168.225.195', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: Chrome options: {args: Chr</unknown></unknown></unknown></unknown></unknown></unknown></unknown></unknown></unknown></unknown></unknown></unknown></unknown></unknown></unknown></unknown></unknown>		
	[], extensions: []}}] Capabilities {}		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:144)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:102)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)		
	at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:242)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:157)</init>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:139) at qa.driverfactory.DriverFactory.init_driver(DriverFactory.java:30) at Steps.AppHooks.launchapp(AppHooks.java:36)</init>		
1	Given user enters orange url as "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	SKIPPED	0.001 s
2	When User enters username as "Admin" and password as "admin123" and cliks on login button	SKIPPED	0.000 s
3	Then user verifies homepage title as "OrangeHRM"	SKIPPED	0.001 s
4	And user goes to time page	SKIPPED	0.001 s
5	Then user clicks on lisauser and view record	SKIPPED	0.001 s
6	And verifies timesheet as "My Records"	SKIPPED	0.000 s
	AFTER - Steps.AppHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at Steps.AppHooks.tearDown(AppHooks.java:48)		
	AFTER - Steps.AppHooks.quict()	FAILED	0.001 s
	java.lang.NullPointerException at Steps.AppHooks.quict(AppHooks.java:42)		