
PIZZA SALES ANALYSIS
By Vikrant Sharma

TOTAL NO OF ORDERS

```sql
-- total no of orders placed


select count(order_id) from orders;
```

Result Grid

count(order_id)
21350

TOTAL REVENUE GENERATED FROM PIZZA SALES

```sql
-- total revenue generated from pizza salesWITH revenuegen AS (
with revenuegen as(SELECT order_details.quantity, pizzas.price
  FROM pizzas
  JOIN order_details ON pizzas.pizza_id = order_details.pizza_id
)
SELECT round(SUM(quantity * price)) AS revenue
FROM revenuegen;
```

Result Grid

	revenue
▶	313020

HIGHEST PRICED PIZZA

```
-- highest priced pizza
select pizza_id, price from pizzas order by price desc limit 1;
```

Result Grid | Filter Rows

	pizza_id	price
▶	the_greek_xxl	35.95

```sql
with totalquanteachpizza as (select pizza_id , sum(quantity) as totalquantity_ordered from order_details group by pizza_id),
pricewise as (select totalquanteachpizza.pizza_id, totalquantity_ordered, price from totalquanteachpizza join pizzas on pizzas.pizza_id = totalquanteachpizza.pizza_id),
percenage as (select pizza_id,totalquantity_ordered*price as top3pizzaasrevenue from pricewise)
select pizza_id ,round((top3pizzaasrevenue / sum(top3pizzaasrevenue) over()) * 100,2) as revenue_percentage from percenage order by revenue_percentage desc;
```

PERCENTAGE CONTRIBUTION OF EACH PIZZA IN TOTAL REVENUE

Result Grid | Filter Rows:

pizza_id	revenue_percentage
bbq_ckn_l	5.75
big_meat_s	5.69
five_cheese_l	4.32
bbq_ckn_m	4.27
cali_ckn_l	3.84
four_cheese_l	3.66
cali_ckn_m	3.36
classic_dlx_m	3.23
brie_carre_s	2.52
ckn_alfredo_m	2.31
calabrese_m	2.04
hawaiian_l	2.01
ital_supr_l	1.92
ital_supr_m	1.9
ital_cpdlo_l	1.86
mexicana_l	1.71
classic_dlx_l	1.69
classic_dlx_s	1.62
ckn_pesto_l	1.6

COMMON SIZED PIZZA

```sql
-- common sized pizza
select quantity,count(order_details_id) from order_details group by quantity;
with commonpizza as (select pizza_id from order_details where quantity = 1),
pizz as (select  pizza_id,count(pizza_id) as commonsize from commonpizza group by pizza_id order by commonsize desc limit 1)
select size from pizzas join pizz on pizz.pizza_id = pizzas.pizza_id;
```

Result Grid

	size
▶	S

top 5 most ordered pizza with quantities

```sql
-- top 5 most ordered pizza with quantities
with top5 as (select pizza_id , sum(quantity) as quantity_ordered from order_details group by pizza_id order by quantity_ordered desc limit 5),
top5pizza as (select pizza_type_id , quantity_ordered from top5 join pizzas on top5.pizza_id = pizzas.pizza_id)
select name, quantity_ordered from pizza_types join top5pizza on pizza_types.pizza_type_id = top5pizza.pizza_type_id order by quantity_ordered desc limit 5;
```

Result Grid | Filter Rows: | Expo

name	quantity_ordered
The Big Meat Pizza	1483
The Barbecue Chicken Pizza	867
The Barbecue Chicken Pizza	798
The Five Cheese Pizza	731
The Four Cheese Pizza	639



TOTAL QUANTITY OF EACH PIZZA CATEGORY ORDERED

```sql
-- total quantity of each pizza category ordered
with cate as (select pizza_type_id, quantity from order_details join pizzas on order_details.pizza_id = pizzas.pizza_id),
categorywise as (select pizza_type_id, sum(quantity) as totalquantity from cate group by pizza_type_id order by totalquantity desc),
categorywisequantity  as (select pizza_types.pizza_type_id, category, totalquantity from pizza_types join categorywise on categorywise.pizza_type_id = pizza_types.pizza_type_id)
select category , sum(totalquantity) as sumofquantity from categorywisequantity group by category order by sumofquantity desc;
```

Result Grid | Filter Rows:

category	sumofquantity
Classic	6112
Chicken	5490
Veggie	3812
Supreme	3634

DETERMINE THE DISTRIBUTION OF ORDERS BY HOUR OF THE DAY

```
-- Determine the distribution of orders by hour of the day

select hour(order_time) as hour, count(order_id) as order_count from orders

group by hour(order_time);
```

Result Grid | Filter

hour	order_count
11	1231
12	2520
13	2455
14	1472
15	1468
16	1920
17	2336
18	2399
19	2009
20	1642
21	1198
22	663
23	28
10	8
9	1

average order per day

```
-- average order per day
with orderperday as (select order_date, count(date(order_date)) as totalorderaday from orders group by order_date)
select avg(totalorderaday) from orderperday;
```



TOP 3 PIZZA BASED ON REVENUE

```
-- top 3 pizza based on revenue
with totalquanteachpizza as (select pizza_id , sum(quantity) as totalquantity_ordered from order_details group by pizza_id),
pricewise as (select totalquanteachpizza.pizza_id, totalquantity_ordered, price from totalquanteachpizza join pizzas on pizzas.pizza_id = totalquanteachpizza.pizza_id)
select pizza_id, totalquantity_ordered*price as top3pizzaasrevenue from pricewise order by top3pizzaasrevenue desc limit 3;
```

Result Grid | Filter Rows:

pizza_id	top3pizzaasrevenue
bbq_ckn_l	17990.25
big_meat_s	17796
five_cheese_l	13523.5

ANALYZE THE CUMULATIVE REVENUE GENERATED OVER TIME

```sql
-- analyze the cumulative revenue generated over time
select orders.order_date,
sum(order_details.quantity * pizzas.price) as revenue
from order_details join pizzas
on order_details.pizza_id = pizzas.pizza_id
join orders
on orders.order_id = order_details.order_id
group by orders.order_date;
```

Result Grid | Filter Rows:

order_date	revenue
2015-01-01	1136.3500000000001
2015-01-02	1109.5
2015-01-03	1129.0000000000002
2015-01-04	885.3
2015-01-05	898.9499999999999
2015-01-06	1073.2
2015-01-07	962.95
2015-01-08	1157.15
2015-01-09	1034.45
2015-01-10	1114.3
2015-01-11	840.8000000000001
2015-01-12	881.8
2015-01-13	807.9
2015-01-14	1117
2015-01-15	978.0500000000001
2015-01-16	1131.2
2015-01-17	957.55
2015-01-18	848.95
2015-01-19	897.35