



SRI VENKATESWARA AEROSPACE (P) LTD.



TRUSTED PARTNER FOR
INDIA'S SPACE & DEFENCE
PROGRAMMES

PRECISION FROM EARTH TO ORBIT



Scan for Website



 www.svap.in

LVM3 CORE BASE SHROUD

FOR ISRO

DIAMETER: 4200 MM

HEIGHT: 3300 MM

MATERIAL: AA 7075,
AA2014, 15CDV6



THIS ASSEMBLY COMBINES ADVANCED SHEET METAL FORMING WITH ISOGRID PANEL MACHINING, STRUCTURAL RIVETING THROUGH FIXTURE AND INTEGRATION, ROLLING OF BRACKETS

STABILIZER FIN ASSY.

FOR DRDO

HEIGHT
500MM

LENGTH
800MM LONG

MATERIALS:
TI. GRADE-V,
INCONEL
13-8MO



CONSTRUCTED FROM 108 COMPONENTS, THE COMPLETE FIN ASSEMBLY SHOWCASES COMPLEX MACHINING AND RIVETING OF SPECIALIZED MATERIALS LIKE TITANIUM GRADE 5, INCONEL, AND 13-8 MO.


RCS & VTP

FOR DRDO

DIAMETER 1500 MM

HEIGHT 1000 MM

MATERIALS:
AL. ALLOY 2014,
SS316L & SS308L
GRAPHITE



PRODUCT IS AN INTEGRATION OF PROPELLANT TANKS WITH ADAPTORS, THRUSTERS AND PIPELINE ASSEMBLIES

METAL CANISTER

FOR DRDO

DIAMETER: 1300 MM

LENGTH: 9000 MM

MATERIALS: SA516,
15CDV6



SPECIALIZED MISSILE LAUNCH CANISTER UTILIZING WELDED SA516 AND 15CDV6 CONSTRUCTION. HYDRAULIC PRESSURE TESTING UP TO 10 BAR AND PNEUMATIC LEAK TESTING UP TO 0.3 BAR.

NOSE CAP

FOR DRDO

DIAMETER: 1,400 MM

HEIGHT: 2,000 MM

MATERIALS: 15CDV6,
AA2219, TITANIUM
GRADE V



NOSE CAP IS A COMBINATION OF HONEYCOMB MACHINING, WELDING AA2219 HONEYCOMB SECTIONS AND FINAL ASSEMBLY WITH LOCK RING, INNER RING, DOME AND PACKAGE FITTING BRACKETS.

PAY LOAD

FOR DRDO

DIAMETER: 600 MM

HEIGHT: 1500 MM

MATERIAL: 15CDV6,
AA2014



COMBINATION OF MACHINING, RIVETING, AND ASSEMBLY


SMF

FOR HSFC

DIAMETER: 4200 MM

HEIGHT: 4000 MM

MATERIAL: AA7075



PRODUCT FEATURES SOPHISTICATED BLEND OF PRECISION-MACHINED ISOGRID PANELS AND HIGH-STRENGTH RIVETED ASSEMBLY.

AIR FRAME STRUCTURE

FOR DRDO

DIAMETER: 740MM

HEIGHT: 3200 MM

MATERIAL: 15CDV6,
TUNGSTEN



ASSEMBLY INTEGRATES SECTIONS WITH PRECISION MILLING, TURNING AND WELDING TECHNIQUES FOR FINAL STRUCTURE REALISATION

NOZZLE ASSY.

FOR ISRO

DIAMETER:
2500 MM

HEIGHT:
1500MM

MATERIAL:
15CDV6



PRECISION - ENGINEERED FABRICATION, ROLLING OF GRADE 70 PLATES, RT QUALITY WELD AND MACHINING TO FINAL STAGE MAINTAINING THICKNESS VERY ACCURATELY TO AVOID WEIGHT PENALTIES FOR LAUNCH VEHICLE

LEM MOTOR CASE

FOR ISRO

DIAMETER:
800MM

HEIGHT:
4000MM

MATERIAL:
15CDV6



FABRICATED FROM SHEET ROLLING TO MACHINING TO WELDING: FEATURING COMPLEX MACHINING OF CANT ANGLE NOZZLE CONVERGENTS, WITH CERTIFICATED PROOF PRESSURE TESTING UPTO 132 KG/CM2

SAGARIKA MOTOR CASE

FOR DRDO

DIAMETER: 800 MM

HEIGHT: 1500 MM

MATERIAL:
MARAGING STEEL M250



FABRICATED FROM SHEET ROLLING TO FINAL ASSEMBLY: FEATURING HIGH-PRECISION MACHINING, SPECIALIZED HEAT TREATMENT & RIGOROUS 125 KG/CM² PRESSURE VALIDATION.

MANDREL

FOR ISRO

DIAMETER:
3200 MM

HEIGHT:
5000 MM

MATERIAL:
GRADE 70



ONE OF ITS KIND 13 FIN MANDREL FOR S200 BOOSTERS IS EXECUTED BY WELDING OF GRADE 70 MATERIAL, MACHINING OF FINS TO HIGHEST ACCURACY, FINAL ASSEMBLY CERTIFICATE BY LASER INSPECTION FOLLOWED BY TEFLON COATING

TBSL


FOR ISRO

DIAMETER: 2000 MM

INCLUDING FINS:
3200 MM

HEIGHT: 1800 MM

MATERIAL: AA7075



PRODUCT FEATURES PRECISION MACHINING OF ISOGRID PANELS AND HIGH STRENGTH RIVETED ASSEMBLY

ASTRA ROCKET MOTOR CASING

FOR DRDO

DIAMETER: 190 MM

LENGTH: 2000 MM

MATERIAL:
MARAGING STEEL
M250



THE PRODUCT IS A COMBINATION OF FLOWFORM TUBE WELDING, MACHINING, RT, DP, AND PROOF PRESSURE TESTING UP TO 210 BAR.


CONTROL SURFACE

FOR DRDO

HEIGHT: 400MM

LENGTH: 500MM

MATERIAL:
TITANIUM GRADE
V, INCONEL 718,
13-8MO,
CUSTOM 465



CONSTRUCTED FROM 95 COMPONENTS, THE CONTROL SURFACE FIN ASSEMBLY SHOWCASES COMPLEX MACHINING AND RIVETING OF SPECIALIZED MATERIALS LIKE TITANIUM GRADE 5, CUSTOM 465, INCONEL 718 AND 13-8 MO

L110 EGC ACTUATOR SYSTEM COMPONENTS

FOR ISRO

MATERIAL:
15CDV6,
INCONEL 718,
15-5PH, 17-4PH,
AA7075



HIGH-PRECISION ACTUATOR SYSTEMS ENGINEERED TO TOLERANCES OF 15-25 MICRONS, FEATURING A SOPHISTICATED INTEGRATION OF 56 INDIVIDUAL COMPONENTS

SBS ASSY.

FOR ISRO

DIAMETER:
2160 MM

HEIGHT:
2000MM

MATERIAL:
15CDV6,
AL. ALLOY
2014



PRODUCT FEATURE IS ASSEMBLY OF ENGINE MOUNTING ADAPTOR WITH IN 2° ANGULAR ACCURACY IN INTERNAL SECTION OF STRUCTURE ALONG WITH RINGS, SHEET METAL FORMATION OF SKINS AND STIFFENERS. ASSEMBLED TOGETHER BY REVITING, JO-BOLT FIXING, SHEAR BOLT FIXING AND QUALITY CHECKED BY LASER MEASUREMENT.

SLANT NOSE CONE ASSY.

FOR ISRO

DIAMETER:
2160MM

HEIGHT:
3800MM

MATERIAL:
AL. ALLOY2014,
15CD V6



PRECISION-ENGINEERED ASSEMBLY- A COMBINATION OF SHEET ROLLING AND RING MACHINING, FINALISED WITH HIGH-STRENGTH RIVETING AND SPECIALISED JOBOLT FASTENING.

REACTION CONTROL STRUCTURE ASSY.

FOR ISRO

DIAMETER: 700 MM

HEIGHT: 2700 MM

MATERIAL:
AL. ALLOY 2014, 15CDV6,
EN24, AISI304



ITS A UNIQUE STRUCTURE 700MM DIA AND HEIGHT 2700MM THE ASSEMBLY FROM TOP TO BOTTOM CONCENTRICITY SHALL BE MAINTAINED WITH IN 0.4MM, COULD BE ACHIEVED BY PRECISION FIXTURING AND ASSEMBLY SEQUENCE TECHNIQUES


THRUST FRAME

FOR ISRO

DIAMETER:
3000MM

HEIGHT:
1500 MM

MATERIAL:
AL. ALLOY 2014,
15CD V6



PRODUCT IS A COMBINATION OF SHEET ROLLING, RIVETING, RING MACHINING, AND JO-BOLT FIXING

STRAP ON NOSE CONE ASSY.

FOR ISRO

DIAMETER: Ø 1000

HEIGHT: 1387 MM

MATERIAL:
AL. ALLOY 2014, 15CD
V6,MDN 250 & EN24.



PRODUCT IS A COMBINATION OF SHEET ROLLING, RIVETING, RING MACHINING, AND JO-BOLT FIXING

ITS ASSY.

FOR ISRO

DIAMETER: Ø 2160MM

HEIGHT: 2000 MM

MATERIAL:
AL. ALLOY2014, 15CD V6
AND AISI 304



PRODUCT FEATURES PRECISION MACHINING OF RINGS, SHEET METAL FORMATION OF SKINS AND STIFFENERS, ASSEMBLED TOGETHER BY REVITING, JO-BOLT FIXING, SHEAR BOLT FIXING AND QUALITY CHECKED BY LASER MEASUREMENT

PROPELLANT TANK ASSY.

FOR DRDO

OVERALL SIZE :
80, 48, 36, 32, 21, 7
LTS

MATERIAL :
AL. ALLOY 65032,
19500, & AISI 321



PRODUCT IS A COMBINATION OF MACHINING OF TOP DISH AND BOTTOM DISH WELDING, HYDRAULIC PRESSURE TEST UPTO 60 BAR AND PNEUMATIC PRESSURE TEST UPTO 45 BAR

AIRFRAMES SECTION 1A & II ASSY. (AKASH)

FOR DRDO

DIAMETER:300MM


HEIGHT: 1200MM

MATERIAL:
AL.ALLOY AA 2014
& FRP



THE PRODUCT IS A COMBINATION OF MACHINING, RIVETING, AND ASSEMBLY OF SECTION I & II.

OUR JOURNEY



ABOUT US

Established in 2000 under the leadership of C.S.N. Reddy, SVAPL has evolved as one of the leading suppliers for motor casings, canisters, riveted structures, auxiliary separation systems for Aerospace (ISRO) and Defence (DRDO Missile Programmes).

We design, develop and manufacture high precision toolings, fixtures and critical jigs for components using advanced manufacturing technologies with stringent quality.

Approved vendor for welding of MDN250, INCONEL 718, AA2219, AA65032, 15CDV6 and many other steels & alloys for DRDO and ISRO.

OUR CLIENTELE



ISRO



DRDO



HAL



BEL



BDL

& Many
More..

FACILITIES & CAPABILITIES



MACHINING

- CNC- VTL'S UPTO Ø 4200mm
- CNC MILLING GANTRY UPTO Ø 3200 x 6000 mm (6 AXIS)
- CNC LATHES UPTO Ø 700 x 3000 mm
- JIG BORERS, HORIZONTAL BORERS AND OTHER GPM's.
- NC LATHES Ø 3200mm X 10 MTR. LONG



WELDING

- CNC AUTO TIG WELDING FACILITY OF ISO 8 CLEAN ROOM (4000 sq. ft), WELDING FERROUS AND NON-FERROUS METALS UPTO 40MM (THICK) x Ø 3500 x 8000 mm.



INSPECTION

- 3D CMM 600x600x500 mm
- 3D ARM A6-2500
- X- RAY 350KVA MACHINE
- UT, DP, RT, TT
- PRESSURE TESTING UPTO 220 ATA



HEAT TREATMENT

- ELECTRICAL BOGIE TYPE FURNACE WITH WATER QUENCHING (1700 x 1700 x 2200 mm.)
- AGING FURNACE Ø3500 x 4500 mm and Ø1000 x 6000 mm

INFRASTRUCTURE



1,20,000 SQ. FT
Manufacturing
Facility



CRANE CAPACITY
Up to 25 TON

CERTIFICATIONS & APPROVALS



AS 9100D : 2016
ISO 9001: 2015
ISO 14001: 2015
ISO 45001: 2018

Sri Venkateswara Aerospace Pvt. Ltd.

Sy.No. 1/1, Imarat Kancha, Ravirala (V),
Maheshwaram (M), Opp. RCI Gate,
HYDERABAD- 501510



Scan for Location



+91-40-23026683
+91-93909 78255



svapl1@yahoo.com



www.svapli.in