



SRI VENKATESWARA AEROSPACE PVT LTD

***(An AS 9100D & ISO 9001: 2015,
ISO 14001: 2015 & ISO45001:2018 Certified Company)***

HYDERABAD

OVERVIEW

- COMPANY PROFILE
 - INTRODUCTION
 - TECHNOLOGIES ESTABLISHED
 - INFRASTRUCTURE
- EXPERIENCE WITH MAJOR CUSTOMERS
- QUALITY IMPROVEMENT EFFORTS
- PROJECTS EXECUTED
- FUTURE PLANS

1. GENERAL PLANT AND SHOP-FLOOR FACILITY

2. Land & building

Plant 01:

Total Plot Area : 20,370 Sq.yards

Total Covered Area : 60,000 Sft

Covered Area of Buildings:	50' x 210' (with 8.5 mtrs lift) -1	crane capacity 20T
	50' x 210' (with 8.5 mtrs lift) -1	crane capacity 15T
	45' x 200' (with 7.5 mtrs lift) -1	crane capacity 5T
	45' x 180' (with 7.5 mtrs lift) -1	crane capacity 15T
	45' x 180' (with 7.5 mtrs lift) -1	crane capacity 10T
	45' x 200' (with 7.0 mtrs lift) -1	crane capacity 5T

Plant 02:

Total Plot Area: 14800 Sq Yards

Covered Area of Buildings	200' x 225' (45000 Sft)
	(with 9.5 mtrs lift) -2 crane capacity 10T
	(with 8.5 mtrs lift) -1 crane capacity 10T

INTRODUCTION

Sri Venkateswara Aerosapce Private Limited was established by Shri C.S.N. Reddy in 1998.

From past two and half decades the the company has been involved in various prestigious projects to **Agni-1, 2, 3, 4, 5, B-05, K-4, K-5** and **Akash missiles** for **DRDO**.

From 2009 on wards company has started working in various **ISRO** projects like **PSLV, GSLV & MRK-III** and Gaganyaan has become one of the major suppliers in satellite launch vehicles.

SRI VENKATESWARA AEROSPACE PVT LTD

Activities:

- Motor cases, Light Alloy structures, Machining, Integration, Testing of assemblies & sub-systems

Facilities:

- Clean room of 5000 sq.ft with handling facilities for rocket precision fabrication.
- Hydro & Pneumatic testing.
- Welding (Arc, TIG, MIG & Auto) Riveting, Machining capacity up to Ø5000mm.
- 4-axis,3-axis machines and turning machines which can handle up to Ø4000mm jobs.
- In house destructive and non destructive testing facilities

SRI VENKATESWARA AEROSPACE

PRIVATE LIMITED

Facilities with our supporting units:

➤ Precision Machining, chromic acid anodizing, chemical milling, Integration, Testing.

Facilities :

- 6- axis,4-axis,3-axis machines and turning machines which can handle up to Ø4000mm jobs.
- In house destructive and non destructive testing facilities

TECHNOLOGIES **ESTABLISHED**

- Design & Manufacture of Critical Tooling
- Aero-space Components
- Riveted / Welded Airframes
- Pressure Vessels
- Rings with profile sections up to 5000 mm
- Power Generation Equipment
- Welding of Al Alloys, 15CDV6, SS, Ti6Al4V and MDN 250

INFRASTRUCTURE

- High Precision Equipments
- Inspection & Testing Facilities
- Skilled & Qualified Manpower
- Out Sourcing

EQUIPMENTS

Sl.No	DESCRIPTION	No's
01	CNC Jig Boring	2
02	CNC Lathes	5
03	CNC Milling (5 axis, 4 axis & 3 axis)	11
04	CNC Plano milling 4500x2300x1850 mm	4
05	CNC VTLS(Ø1200, Ø2000, Ø2800, Ø4200 and Ø5400)	4
06	CNC Horizontal Boring (Machines 4-axis) Ø130, Ø120	4
07	CNC SPM machine for contour milling with capacity up to Ø2600mm	1
08	Conventional center lathe with capacity up to Ø1200X 7200mm	2
09	Ø3500X9000mm	1

EQUIPMENTS (contd.)

Sl.No	DESCRIPTION	No's
10	TIG Welding & MIG Welding M/c's	6
11	Auto TIG Welding Machine (with humidity control room)	1
12	Plate Bending (25mm & 40mm)	1
13	Other Conventional Machines	10
14	H.T.Furnaces (upto1700 x 1700 x 2000 mm) (1000 x 1000 x 6000 mm for Ageing of MDN250 motors)	4
15	Cranes (up to 20 T)	9
16	Captive Power upto160 KVA D.G Sets	3
17	VIRAT-1520	2
18	Central Lathe Ø3400X8000mm	1

INSPECTION FACILITIES

DESCRIPTION	
TRIMOS 3D MEASURING ARM	
CMM (Hexagon Make 700X700X500 MM)	
TRIMOS DIGITAL (Height Gauge)	
HARDNESS TESTING	
SURFACE PLATES 1000mm X 2000MM	
CONV.MEASURING INSTRUMENTS (UPTO 3000 mm) & Gauges	
<u>NDT</u> D.P Kit (RDP & FLOROCENT)	
RADIOGRAPHY	
PROFILE PROJECTOR – Dynascan	
UNIVERSAL TENSILE TESTING MACHINE	
ULTRASONIC TESTING MACHINE	

SPECIAL FACILITIES

- STRAIN GAUGE EQUIPMENT
- HUMIDITY CONTROL ROOM FOR TIG WELDING
- HYDRAULIC & PNEUMATIC TEST RIG
 - HYDRAULIC UPTO -- 700 ata.
 - PNEUMATIC UPTO -- 150 ata.
- CADMIUM PLATING / ANODISING (With sister concerns).

MANPOWER

Qualific ation.	No's	Quality	Tech.	Prod.	Admins
PG.	2	-	1	1	-
Engineers	35	10	7	18	-
S W	80	10	-	70	-
Semi.S W	15	3	-	12	-
OTHERS	31	6	-	25	-
ADMN.	17	-	-	-	17
TOTAL	180	29	08	126	17

ORDER EXECUTION

- RECEIPT & VERIFICATION OF RAW MATERIALS
- PREPARATION OF MANUFACTURING PROCESS AND Q.A PLAN WITH INSPECTION STAGES
- REVIEW & APPROVAL
- MANUFACTURE AS PER APPROVED PROCESS
- SAMPLE APPROVAL,BULK PRODUCTION
- INSPECTION & TESTING
- NON CONFORMANCES REFERED TO CUSTOMERS
- QUALITY DOCUMENTS
- PACKING & DISPATCH

PERIODIC QUALITY AUDIT

- Annual Internal and customer Audit
- Areas covered
 - Storage , distribution system for materials
 - Document & Data Control
 - Traceability of Materials & Parts
 - Metrology & Calibration
 - Tooling
 - Control of Process
 - Materials & Parts Control
 - Vendor & Subcontract Management
 - Quality Records
 - Inspection & Testing
 - Non-conformance Control
 - Handling Storage & Preservation
- Audit Report
- Review & implementation of Audit Observations

PSLV CORE BASE SHROUD **ASSY**



CBS

Customer : VSSC

Qty. Supplied : 04

Size : Ø 2860 X 2600 mm

Materials:

**Al.Alloys, 15CDV6,
Stainless Steels.**

PSLV (1/2U) ASSEMBLY



(1-2U)PSLV

Customer : VSSC

Qty. Supplied : 10

Size : Ø 2860 X 1690 mm

Materials:

**Al.Alloys, 15CDV6,
Stainless Steels.**

STRAPON BASE SHROUD ASSEMBLY GSLV(L40)



Customer : VSSC

Qty. Supplied : 31

**Overall Size : Ø 2160 X 2000
mm**

**Material : Al. Alloy 2014,
15CD V6 ,AISI 304**

INTER TANK STRUCTURE(GSLVL40)



Customer : VSSC


Qty. Supplied : 26

**Overall Size: Ø 2160X 2000
mm**

**Material : Al. Alloy 2014,
15CD V6 and AISI 304**

STRAPON NOSECONE ASSY (GSLV L40)

GSLV SONC



Customer : VSSC


Qty. Supplied : 26

Overall Size :

Ø 2160x3800mm

**Material : Al. Alloy 2014,
15CD V6**

THRUST FRAME



Customer : VSSC Overall Size: Ø 3000mmx1500mm

Material : Al. Alloy 2014, 15CD V6

QTY: 16 Sets

REACTION CONTROL STRUCTURE ASSLY. FOR PSLV

REACTION CONTROL STRUCTURE ASSY. FOR PSLV




Customer : VSSC

Qty. Supplied : 62

**Overall Size : Ø 700 X 2700
mm**

**Material : Al. Alloy 2014,
15CDV6 , EN24 , AISI304**

STRAPON NOSE CONE ASSLY. FOR PSLV



Customer : VSSC

Qty. Supplied : 130

Overall Size: Ø 1000 X 1387 mm

Material : Al. Alloy 2014, 15CD V6,MDN 250 & EN24.

SEPARATION SYSTEM COMPONENTS FOR PSLV/GSLV




Customer : VSSC

Qty. Supplied : 60 sets

**Material : Al. Alloy
2014,15CD V6, MDN 250,
Spring Steel & SS304.**

L110 ACTUATOR ASSEMBLY



Customer : VSSC

Qty. Supplied : 70 sets

Material : Al. Alloy 7075 & 7016, MDN 250 & EN24.

RCS & VTP FOR AGNI-III(20 SETS)



ASTRA AIR FRAME



Customer : DRDL

Qty. Supplied : 40

Overall Size : Ø170 x 1650mm

**Material : Al. Alloy 2014 ,
SS304, SS420**

BOOSTER MOTOR (MK II)




Customer : DRDL (K15)

Qty. Supplied : 10

Overall Size : Ø 600 X 800 mm

Material : 15CDV6

LEG (LH & RH)



- ▶ Customer : HAL - Bangalore
- ▶ Qty. Supplied : 5 SET's
- ▶ Overall Size : 1046 x 492 x 320 mm
- ▶ Material : Maraging Steel

STRUT LH & RH




**Customer: HAL –
Bangalore**

Qty. Supplied :4SET's

**Overall Size : 1140 x 326
x 300 mm**

Material: Maraging Steel

PROPELLANT TANK **ASSEMBLY**



Qty. Supplied : 320no's

**Overall Size : 80, 48, 36,
32, 21, 7 Lts**

**Material : Al. Alloy 65032,
19500, & AISI 321**

RS1 & RS2 ROCKET MOTORS

RS1& RS2




**Qty. Supplied :
200no's**

**Overall Size :
Ø200mmX1100mmX2.
5mm thickness**

Material : 15cdv6

PSOXL MOTOR CASE



- ▶ Customer :VSSC
- ▶ Qty. Supplied : 60 motors
- ▶ Overall Size : Ø 1000 X 12600 mm(full segment length)
- ▶ Material : 15CDV6

NOSE CAP SHELL FOR K4




**Customer : DRDL
(K15)**

Qty. Supplied : 20 sets

**Overall Size : Ø 1500 X
1900 mm**

**Material : AA 2219 &
Titanium**

**Scope of work : Welding of
AA2219 and machining of
Titanium**



S200 MANDREL 13 FIN



Airframes Section I & II

Assembly



Customer : DRDL (K15)

Qty. Supplied : 20 sets

**Overall Size : Ø 740 X
2300 mm**

Material : 15CD V6

AIRFRAMES SECTION 1A & II **ASSY. (AKASH)**



Customer : DRDL

Qty. Supplied : 500sets

**Overall Size : Ø 300 X
1200 mm**

**Material : Al.Alloy
AA 2014 & FRP**



Description: Metal Canister –A1P
Customer : ASL (DRDO)
Qty. Supplied : 15 NOS
Size : Ø 1400 X 8500 mm
Materials: 15CDV6,
SA516 GR 70, SA105, EN24.



Description: Metal

Canister-A1P

Customer : ASL

(DRDO)

Qty. Supplied : 3 NOS

Size : Ø 1400 X 8500
mm

Materials: 15CDV6,

SA516 GR

70, SA105, EN24.



Description: Dummy Article
Customer : RCI (DRDO)
Qty. Supplied : 10 NOS
Materials: SA516 GR70



Accur Press: 316032 Absolute
Force: 160 Tonnes
Bed: 3200mmx90mm



Description: Laser Testing

Accuracy : 0.03mm

Service Partner : Simple Tech Aerospace
Pvt. Ltd. & Ripple Engg. Services.

Bengaluru.

LVM 3 CBS,CTS & LFS ASSEMBLY



CUSTOMER : VSSC

Qty. Supplied : 03 Nos

Size : Ø 4060 X 4000

Materials :
Al.Alloys,15CDV6

Ø 3.1 M IADT STRUCTURE



CUSTOMER : HSFC

Qty. Supplied : 02

Size: : Ø 4060 X 4000

Materials : 15CDV6,
AL ALLOY

AIR BOOSTER MOTOR CASE



CUSTOMER : ANSP/DRDL
QTY SUPPLIED : 17 NOS
SIZE : Ø 750 X 4000
MATERIALS : MDN 250



CERTIFICATE

Certificate Registration No: 951 24 5947

The Certification Body of
TÜV SÜD AMERICA INC.

Certifies that the organization



Sri Venkateswara Aerospace Pvt Ltd

Sy. No. 1/1, Imarat Kancha, Ravirala (V), Maheswaram (M),
Opp RCI Gate, Near Pahadishareef P.S., Hyderabad,
Telangana 501510 India

for the scope

**Manufacture and Supply of Machined Components,
Sub-Assemblies for Space and Defence Applications**

has established and applies a Quality Management System.
An audit was performed and has furnished proof that the requirements according to

AS 9100D and ISO 9001:2015

(technically equivalent to prEN 9100 :2016 and JISO 9100 – 2016)
The assessment was performed in accordance with the requirements of AS9104/1:2012-1. TÜV SÜD America Inc.
is accredited under the International Aerospace Quality Group Industry Controlled Other Party Management System

are fulfilled.

The certificate is valid from March 28, 2024 until March 27, 2027
With a re-issue date on N/A

Michael Fernald
Centralized Certification Body Manager



TÜV SÜD America Inc • 401 Edgewater Place, Suite 500 • Wakefield, MA 01880 USA • www.TUVSUD.com

The validity of this certificate is contingent on the company maintaining its management system to the requirements
of the indicated standard and is subject to regular monitoring by TÜV SÜD America.

TUV®

*Thank
you*

