The IT3 Paradigm: A Unified Geometric Framework for Cosmology and Fundamental Physics

Paper X – Final Synthesis of the IT3 Cosmological Series

Victor Logvinovich*
M.Sc. in Physical and Mathematical Sciences
Independent Researcher in Cosmological Sciences
Kobrin, Belarus

April 10, 2026

Abstract

We present the complete synthesis of the Flat Irrational Torus (IT3) paradigm, demonstrating how a finite universe with topology scale $L_x = 28.57$ Gpc and irrational aspect ratios $(1, \sqrt{2}, \sqrt{3})$ resolves all major puzzles of modern cosmology and fundamental physics through pure geometry and topology. Building on nine preceding papers, we establish three core principles: (1) **Shape**—the compact toroidal topology imposes an infrared cutoff that explains the low-ℓ CMB anomaly and determines the spectral index $n_s \approx 0.965$; (2) **Flow**—a topological energy sink mechanism, $P_{\text{sink}} = -\kappa\rho_m^2$, replaces dark energy and drives accelerated expansion without fine-tuning; (3) **Structure**—the cosmic void-filament network ("Cosmic Sponge", $\phi \approx 0.75$) acts as a percolating waveguide that amplifies sink efficiency by $\xi \approx 3.8$, resolving the Hubble and S_8 tensions. We further demonstrate that the same percolation mathematics governs collective flow in quark-gluon plasma (ALICE/LHC) and cosmic topology, revealing a universal principle: *energy transport in compact spaces is universally governed by connectivity thresholds.* The IT3 paradigm requires zero new particles, zero modifications to General Relativity, and only one free parameter (L_x). All predictions are falsifiable by upcoming surveys (CMB-S4, Euclid, DESI Year 5). We conclude that the universe is finite, sponge-structured, and dynamically stabilized by topological energy dissipation—a coherent, predictive, and complete framework for cosmology.

1 Introduction: From Puzzles to Principles

Modern cosmology faces a crisis of complexity: to preserve the assumption of infinite, simply-connected space, we have added invisible components (dark matter, dark energy),

*Email: lomakez@icloud.com

invoked untested mechanisms (inflation), and accepted fine-tuning problems (10^{120} vacuum energy). The result is a phenomenologically successful but theoretically fragmented model.

The IT3 paradigm asks a simpler question: *What if the universe is finite, and its geometry determines its dynamics?*

Over nine preceding papers, we have built a complete alternative:

- **Paper I** (Logvinovich, 2026a): Constrained topology scale $L_x = 28.57^{+0.73}_{-0.87}$ Gpc from CMB low-ℓ anomaly.
- **Paper II** (Logvinovich, 2026b): Derived topological energy sink $P_{\text{sink}} = -\kappa\rho_m^2$ from compact geometry.
- **Paper III** (Logvinovich, 2026c): Synthesized topology + sink + structure into the Cosmic Sponge framework.
- **Paper IV** (Logvinovich, 2026d): Resolved Hubble tension via late-time sponge activation.
- **Paper V** (Logvinovich, 2026e): Resolved S_8 tension via topological damping of structure growth.
- **Paper VI** (Logvinovich, 2026f): Explained flat rotation curves via geometric acceleration scale $a_0 = c^2/L_x$.
- **Paper VII** (Logvinovich, 2026g): Resolved 10^{120} problem via holographic vacuum energy $\rho_\Lambda \propto 1/L_x^2$.
- **Paper VIII** (Logvinovich, 2026h): Replaced inflation with topological genesis of perturbations.
- **Paper IX** (Logvinovich, 2026i): Demonstrated cross-scale universality between QGP flow and cosmic sponge activation.

In this final synthesis (Paper X), we distill these results into three foundational principles and present IT3 as a unified, predictive, and falsifiable framework.

2 The Three Pillars of IT3

2.1 Pillar 1: Shape—Compact Topology

The universe is a flat 3-torus $\mathbb{T}^3$ with side lengths:

$$(L_x, L_y, L_z) = L_x\left(1, \sqrt{2}, \sqrt{3}\right), \quad L_x = 28.57^{+0.73}_{-0.87}\ \text{Gpc}. \tag{1}$$

Consequences:

- **Infrared cutoff:** Wavelengths $\lambda > \sqrt{3}L_x$ cannot exist, suppressing low-ℓ CMB power.
- **Discrete mode spectrum:** $k_{\mathbf{n}} = 2\pi(n_x/L_x, n_y/L_y, n_z/L_z)$ yields spectral index $n_s - 1 = -2/\ln(k_{\max}/k_{\min}) \approx -0.035$.

- **Matched circles:** Predicts circle pairs in CMB with $\alpha \approx 30°$–$60°$ (direct observational test).
- **Intrinsic flatness:** $\Omega_k \equiv 0$ by construction—no fine-tuning required.

2.2 Pillar 2: Flow—Topological Energy Sink

In a compact space, energy released by structure formation does not disperse to infinity. It interferes with itself, forming standing waves that focus toward symmetric points. We model this as a macroscopic negative pressure:

$$P_{\text{sink}} = -\kappa\rho_m^2, \qquad \kappa = \eta G L_x^2. \tag{2}$$

This modifies energy conservation:

$$\dot{\rho}_m + 3H\rho_m = -\Gamma_{\text{sink}}\rho_m^2, \qquad \Gamma_{\text{sink}} = \eta' \frac{GL_x}{c}. \tag{3}$$

Consequences:

- **Effective dark energy:** $\Lambda_{\text{eff}} = 8\pi G\kappa\langle\rho^2\rangle/c^2$ drives acceleration without new fields.
- **Thermodynamic stability:** Universe avoids Big Crunch and Heat Death via continuous dissipation.
- **Holographic vacuum:** $\rho_\Lambda^{\text{IT3}} = 3c^4/(8\pi G L_x^2) \approx 1.86 \times 10^{-10}$ J/m^3, resolving 10^{120} problem.

2.3 Pillar 3: Structure—Cosmic Sponge Amplification

The observed void-filament network is not noise—it is a functional percolating structure. With void fraction $\phi \approx 0.75$, it acts as a low-impedance waveguide for topological energy flux.

The amplification factor is derived from percolation theory:

$$\xi(\phi) = \left(\frac{\phi}{1-\phi}\right)^{1.2} \approx 3.8 \quad \text{for } \phi_0 = 0.75. \tag{4}$$

Consequences:

- **Late-time activation:** Sponge activates at $z \lesssim 1$, boosting local H_0 to 73.0 km/s/Mpc while preserving CMB.
- **Topological damping:** Extra friction suppresses structure growth by $\sim 10\%$, resolving S_8 tension.
- **Cross-scale universality:** Same percolation mathematics describes QGP flow at LHC and cosmic sponge activation.

3 Resolved Puzzles: A Summary

All solutions emerge from three principles (Shape, Flow, Structure) and one parameter (L_x).

Table 1: Major cosmological puzzles resolved by IT3.

Puzzle	**IT3 Solution**	**Status**
Low-ℓ CMB anomaly	Infrared cutoff $k_{\min} = 2\pi/(\sqrt{3}L_x)$	✓ $\Delta\chi^2 = -5.33$
Hubble tension	Late-time sponge activation	✓ $H_0^{\text{local}} = 73.0$ km/s/Mpc
S_8 tension	Topological damping of growth	✓ $S_8 = 0.774 \pm 0.015$
Dark matter	Geometric acceleration $a_0 = c^2/L_x$	✓ BTFR, flat rotation curves
Dark energy (10^{120})	Holographic vacuum $\rho_\Lambda \propto 1/L_x^2$	✓ 15.9% agreement
Inflation / initial conditions	Topological genesis, ergodicity	✓ $n_s \approx 0.965$, $r < 0.01$
Flatness problem	Intrinsic to $\mathbb{T}^3$ topology	✓ $\Omega_k \equiv 0$
Horizon problem	Finite topology + matched circles	✓ Causal connection via identification

4 Cross-Scale Universality: Percolation as Fundamental Principle

A profound insight emerges from comparing IT3 with high-energy nuclear physics: the same percolation mathematics describes both quark-gluon plasma formation at the LHC and cosmic sponge activation.

4.1 Universal Percolation Scaling

Both systems exhibit sigmoidal activation curves:

- **ALICE (QGP):** $v_2(N_{\text{part}}) = v_2^{\max}[1 - \exp(-(N_{\text{part}}/N_0)^\alpha)]$
- **IT3 (Sponge):** $\xi(\phi) = [\phi/(1-\phi)]^{1.2}$

While these represent distinct physical observables (order parameter vs. susceptibility), their shared functional form reveals a deeper truth: **collective behavior emerges universally when connectivity exceeds a critical threshold**.

4.2 Implications for Fundamental Physics

This universality suggests that:

1. Energy transport in compact spaces is governed by geometric connectivity, not microscopic details.
2. The same statistical mechanics of networks applies from 10^{-15} m (QGP) to 10^{26} m (cosmic web).
3. The IT3 topology may be a fundamental property of spacetime itself, not merely a cosmological boundary condition.

5 Falsifiable Predictions

The IT3 paradigm makes sharp, testable predictions for upcoming surveys:

1. **Matched circles:** CMB-S4 should detect circle pairs with $\alpha \approx 30°$–$60°$ and correlation $\rho > 0.85$.
2. **Tensor suppression:** $r < 0.01$ (CMB-S4, LiteBIRD)—distinct from inflationary predictions $r \gtrsim 0.01$.
3. $H_0(z)$ **evolution:** Inferred H_0 should rise monotonically for $z < 1$, tracking $f_{\text{active}}(z) = \exp[-(z/0.5)^2]$.
4. **ISW in super-voids:** $\Delta T/T \sim 10^{-6}$ in voids with $R > 100$ Mpc, $\sim 2\times$ ΛCDM prediction.
5. **Void size function:** $\sim 15\%$ suppression of $R > 50$ Mpc voids compared to ΛCDM.
6. **Cross-scale fractality:** Flow fluctuations in high-multiplicity pp collisions should exhibit fractal dimension $D_f \approx 2.6$, matching the cosmic web.

Failure to detect these signatures would falsify the IT3 framework.

6 Philosophical Implications: Simplicity, Finitude, Predictability

The IT3 paradigm represents a return to geometric reasoning in cosmology:

- **No new particles:** Dark matter and dark energy are effective descriptions of topological energy flow.
- **No fine-tuning:** All scales emerge from L_x and fundamental constants.
- **No multiverse:** A single, finite universe with well-defined topology.
- **Predictive power:** Sharp, falsifiable predictions replace phenomenological flexibility.

This is not a retreat from complexity, but an advance in understanding: the universe is not mysterious because it is infinite and fine-tuned, but comprehensible because it is finite and geometrically constrained.

7 Conclusion: A Complete Framework

We have demonstrated that the Flat Irrational Torus paradigm provides a unified, self-consistent, and predictive framework for cosmology and fundamental physics. By treating the universe as a finite, multiply-connected space with scale $L_x = 28.57$ Gpc, we resolve all major observational tensions through three principles:

$$\textbf{SHAPE} \rightarrow \textbf{FLOW} \rightarrow \textbf{STRUCTURE}$$

The mathematics is complete. The physics is consistent. The predictions are sharp. The framework is falsifiable.

The next generation of surveys—CMB-S4, Euclid, DESI Year 5, LSST—will deliver the verdict. If the data align, cosmology will shift from a paradigm of invisible substances to one of visible geometry. If they do not, the model will be refined or replaced. That is how science proceeds.

But for now, the IT3 paradigm stands as a coherent alternative: a finite, sponge-structured universe, dynamically stabilized by topological energy dissipation. The puzzle pieces lock together. The tensions dissolve. The universe makes sense.

Acknowledgments

We thank the Planck, ALICE, DESI, and Pantheon+ collaborations for open data access. This research utilized CLASS, NumPy, SciPy, and Matplotlib. Computations were performed on a local Apple Intel-based MacBook Pro workstation. The author acknowledges the pioneering work on cosmic topology by Jean-Pierre Luminet, on percolation theory by Dietrich Stauffer, and on ergodic theory by Vladimir Arnold and André Avez.

References

Logvinovich V., 2026a, Zenodo, DOI:10.5281/zenodo.19431323 (Paper I)

Logvinovich V., 2026b, Zenodo, DOI:10.5281/zenodo.19473353 (Paper II)

Logvinovich V., 2026c, Zenodo, DOI:10.5281/zenodo.19479551 (Paper III)

Logvinovich V., 2026d, Zenodo, DOI:10.5281/zenodo.19489307 (Paper IV)

Logvinovich V., 2026e, Zenodo, DOI:10.5281/zenodo.19489122 (Paper V)

Logvinovich V., 2026f, Zenodo, DOI:10.5281/zenodo.19489307 (Paper VI)

Logvinovich V., 2026g, Zenodo, DOI:10.5281/zenodo.19489438 (Paper VII)

Logvinovich V., 2026h, Zenodo, DOI:10.5281/zenodo.19489594 (Paper VIII)

Logvinovich V., 2026i, Zenodo, DOI:10.5281/zenodo.19492202 (Paper IX)

Luminet J.-P., 2008, Classical and Quantum Gravity, 25, 103001

Stauffer D., Aharony A., 1994, Introduction to Percolation Theory. Taylor & Francis