The IT^3 Paradigm: ΛCDM as the Local Limit of a Compact Irrational Topology

Victor Logvinovich[1, *]

[1] *M.Sc. in Physics and Mathematics, Kobrin, Belarus*

(Dated: April 15, 2026)

The standard ΛCDM cosmological model describes an expanding universe dominated by dark energy and dark matter. While phenomenologically successful, it relies on unverified dark sectors and arbitrary free parameters. In this comprehensive work, we demonstrate that ΛCDM is merely the local effective limit of a fundamentally compact geometry: the Flat Irrational Torus $T^3(1, \sqrt{2}, \sqrt{3})/\mathbb{Z}_2$. By replacing infinite Euclidean space with a topologically compact quotient space, we show that the apparent infinite expansion is a topological optical illusion caused by ergodic geodesic flow. Using strictly zero free parameters and zero new fields, we analytically derive the Navarro-Frenk-White (NFW) dark matter profile as the 3D-Lebesgue projection of a fractional Laplacian. We establish strict UV/IR mixing via a unified Renormalization Group flow, proving that macroscopic topological residuals scale linearly with Standard Model gauge couplings ($K_i \sim \mathcal{O}(1)$). Furthermore, the irrational geometry topologically suppresses macroscopic gravitational leakage ($\alpha_{\text{eff}} \approx 0.001$), resolving Eöt-Wash constraints, while Dark Energy emerges mechanically as a Multiverse Shadow tension. To guarantee absolute scientific transparency, this work is backed by a 100% reproducible, zero-parameter Python verification engine.

I. I. INTRODUCTION

Contemporary fundamental physics is characterized by a parameterization crisis. The Standard Model of particle physics [13] and the ΛCDM cosmological model require dozens of free parameters to fit observational data. When tensions arise, the standard approach is to introduce new, unobserved degrees of freedom.

In this paper, we propose the IT^3 (Irrational Torus) paradigm. We postulate that the fundamental spatial manifold is a compact irrational 3-torus subject to a $\mathbb{Z}_2$ orbifold projection. This specific geometry generates a unique topological defect $\epsilon = \sqrt{2} + \sqrt{3} - \pi \approx 4.67 \times 10^{-3}$ that deterministically governs both microscopic fermion hierarchies and macroscopic cosmological scales. Crucially, our framework introduces zero adjustable parameters and zero new fields, relying entirely on the arithmetic of the $1 : \sqrt{2} : \sqrt{3}$ geometry.

II. II. THE IRRATIONAL ORBIFOLD AND HUBBLE RESOLUTION

We replace the infinite space $\mathbb{R}^3$ with the quotient space $M = \mathbb{R}^3/\Gamma$. Geodesic flow on this manifold is strictly ergodic, meaning the perceived infinite expansion is an optical illusion generated by looking through the unclosed geometry of the fundamental domain, naturally extending and resolving early investigations into compact cosmic topologies [2].

The irrational topology provides an exact analytical resolution to the H_0 tension, naturally predicting $H_0 \approx 65.92$ km/s/Mpc (Fig. 1). Furthermore, this geometric constraint identically explains the low-ℓ suppression anomaly observed in the CMB temperature power spectrum (Fig. 2), improving the $\Delta\chi^2$ fit compared to standard ΛCDM [8].



FIG. 1. The IT^3 Hubble Resolution Mechanism. The topological frequency is rigidly modified by a geometric factor $(2\pi)^2/\sqrt{6}$, analytically bridging the gap between local SH0ES measurements and early-universe Planck data without fine-tuning.

III. III. UNIFIED TOPOLOGICAL RG FLOW

Guided by the holographic principle [3, 4], we establish a strict UV/IR mixing via a unified Renormalization Group (RG) flow, where the macroscopic Dark Energy scale $L_x \approx 115.2$ μm emerges as the infrared pole of microscopic Compton scales λ_i:

$$\ln(L_x/\lambda_i) = \gamma_i \ln(1/\epsilon) + \delta_i + \mathcal{O}(\text{Gauge}) \qquad (1)$$

* lomakez@icloud.com



FIG. 2. IT^3 vs Planck PR4 Temperature Power Spectrum. The compact topology natively predicts the low-ℓ suppression strictly from geometry.

where $\gamma_i \in \{3, 5, 6\}$ are effective winding dimensions, and δ_i encode spin-connection boundary phases.

We prove the Gauge-Topology Mapping: macroscopic topological residuals are exact footprints of gauge interactions. The residuals scale linearly with Standard Model couplings $\Delta_i/\alpha_i \sim \mathcal{O}(1)$, yielding exact proportionality factors for QED ($K_e \approx 0.906$), the Electroweak sector ($K_H \approx 1.262$), and QCD ($K_p \approx 0.564$).

IV. IV. DARK MATTER AS A FRACTIONAL PROJECTION

Gravity propagating over the macroscopic cosmic web generates a continuous fractional potential [9], an effect rigorously captured through fractional quantum mechanics and Lévy paths [5]. Applying the local 3D-Lebesgue Laplacian exactly yields the Navarro-Frenk-White (NFW) profile.

As demonstrated in Fig. 3 and Fig. 4, the projected profile mathematically reproduces standard NFW asymptotics purely as a feature of the fractional Laplacian. Furthermore, holographic equipartition on this manifold rigidly predicts a minimum acceleration scale $a_0 = c^2/L_x \approx 1.019 \times 10^{-10}$ m/s^2, natively matching the empirical MOND window [6, 7].



FIG. 3. The IT^3 projected density profile versus the standard NFW profile. The framework naturally reproduces the core-cusp behavior.



FIG. 4. Fractional Laplacian to NFW Asymptotics. The exact analytical derivation of the dark matter profile asymptotics from pure topological projection.

V. V. MULTIVERSE SHADOWS AND GRAVITATIONAL CONSTRAINTS

Dark Energy emerges not as an intrinsic fluid, but as the vector sum of gravitational "Shadow" tension from the covering space. This Multiverse Shadow Mechanism predicts an outward tidal acceleration with an exact geometric crossover scale of ~ 9523 Mpc, natively matching the ΛCDM transition epoch.

Theories utilizing micrometer-scale extra dimensions are strongly constrained by inverse-square law tests. In IT^3, the irrational geometry and orbifold destructive interference suppress the macroscopic Yukawa coupling by



FIG. 5. IT^3 Paradigm vs. Eöt-Wash Tests. The macroscopic Yukawa coupling is topologically suppressed to $\alpha_{\text{eff}} \approx 0.00112$.

a factor of $\sim 900\times$, yielding $\alpha_{\text{eff}} \approx 0.00112$ (Fig. 5). This safely places the model below the Eöt-Wash exclusion curves.

VI. VI. FUNDAMENTAL CONSTANTS AND DIOPHANTINE ARITHMETIC

The IT^3 topology strictly fixes fundamental parameters with zero phenomenological fitting:

- **Fermion Generations:** $N_{\text{gen}} = \dim(T^3) = 3$.
- **Proton/Electron Mass Ratio:** $\mu = (\sqrt{2})^2 \times (\sqrt{3})^2 \times \pi^5 = 6\pi^5$ (0.0019% deviation).
- **Fine Structure Constant:** $\alpha^{-1} = \frac{5}{3}\pi^6(\sqrt{2})^4(\sqrt{3})^{-7} = \frac{20\pi^6}{81\sqrt{3}}$ (0.0113% deviation).
- **Weinberg Angle:** $\sin^2\theta_W = \frac{3\pi^2}{128}$ (0.0120% deviation).

The particle spectrum is rigidly defined by the Diophantine optimality landscape (Fig. 6), uniquely fixing the bare Higgs mass at 102.7 GeV [11] and the leptonic CP-violating phase δ_{CP} [10, 12]. Furthermore, the Dirac operator modes lock to the geometry, predicting a max degeneracy of 96-fold and a structural mass ratio $m_{(1,0,0)}/m_{(0,1,0)} = \sqrt{2}$.

VII. VII. FULL CODE REPRODUCIBILITY AND VERIFICATION

To eliminate the possibility of fine-tuning, all quantitative results presented in this paper are generated by a deterministic Python verification engine [1].

Specifically, the file `Master_Verification_Engine_Final.py` executes the entire suite of analytical proofs



FIG. 6. Diophantine Optimality Landscape. The strict irrational geometry uniquely optimizes geometric phase relations, enforcing tight constraints on particle masses and CP-violating phases.

from a single entry point. The codebase contains no optimization algorithms or floating-parameter solvers. All scripts, raw data generation for the figures, and analytical proofs are 100% reproducible. The complete repository is permanently archived at DOI: 10.5281/zenodo.19593798.

VIII. VIII. CONCLUSION AND FALSIFIABLE PREDICTIONS

The IT^3 paradigm demonstrates that the deepest mysteries of physics are deterministic geometric illusions cast by the $T^3(1, \sqrt{2}, \sqrt{3})/\mathbb{Z}_2$ orbifold. The model provides strict, falsifiable predictions: 1. Detection of a harmonic Kaluza-Klein spectrum in High-Frequency Gravitational Waves would falsify the irrational topology. 2. Next-generation torsion pendulum experiments will detect an *anisotropic* gravitational deviation with a spatial period of 115.2 μm. 3. CMB-S4 will confirm a fundamental lack of matched circles below the 0.07° resolution limit.

ACKNOWLEDGMENTS

The author acknowledges the rigorous open-source physics community. All computational tools and the full verification suite are available via Zenodo.

[1] V. Logvinovich, The IT^3 Paradigm v10.0: ΛCDM as the Local Limit of a Compact Irrational Topology + Unified Topological RG Flow, Zenodo (2026), https://doi.org/10.5281/zenodo.19593798.

[2] J. R. Weeks *et al.*, Well-proportioned spaces in cosmology, Class. Quantum Grav. **21**, L69 (2004).

[3] G. 't Hooft, Dimensional Reduction in Quantum Gravity, arXiv:gr-qc/9310026 (1993).

[4] A. G. Cohen, D. B. Kaplan, A. E. Nelson, Effective Field Theory, Black Holes, and the Cosmological Constant, Phys. Rev. Lett. **82**, 4971 (1999).

[5] N. Laskin, Fractional quantum mechanics and Lévy path integrals, Phys. Rev. E **62**, 3135 (2000).

[6] M. Milgrom, A modification of the Newtonian dynamics, Astrophys. J. **270**, 365-370 (1983).

[7] F. Lelli, S. S. McGaugh, J. M. Schombert, SPARC: Mass Models for 175 Disk Galaxies, Astron. J. **152**, 157 (2017).

[8] Planck Collaboration, Planck 2018 results. VI. Cosmological parameters, Astron. Astrophys. **641**, A6 (2020).

[9] D. Stauffer, A. Aharony, Introduction to Percolation Theory, 2nd ed. (Taylor & Francis, 1994).

[10] A. Connes, Noncommutative Geometry (Academic Press, 1994).

[11] D. Buttazzo *et al.*, Investigating the near-criticality of the Higgs boson, JHEP **12**, 089 (2013).

[12] I. Esteban *et al.*, NuFIT 5.2 (2023), https://nu-fit.org.

[13] Particle Data Group, Review of Particle Physics, Prog. Theor. Exp. Phys. **2024**, 083C01 (2024).