

Visoka škola strukovnih studija za informacione i komunikacione tehnologije



DOKUMENTACIJA

Predmet: Web programiranje PHP2

Student: Viktor Ćirić 36/17

Beograd, mart 2020

Uvod	5
Korišćeni programski jezici.....	5
Baza	6
Kratak opis stranica	7
Pocetna	7
Proizvodi	8
Kontakt.....	9
Prijava	10
Proizvod	11
Korpa.....	12
Izmeni korisnik	13
Porudzbine	14
Admin.....	15
View.....	16
Layouts	16
Layout.blade.php.....	16
Admin.blade.php	16
Fixed	17
Head.blade.php	17
Iznad.blade.php	17
Nav.blade.php	18
Header.blade.php.....	18
Futer.blade.php	19
Pages.....	19
Pocetna.blade.php.....	19
Proizvodi.blade.php	21
Proizvod.blade.php.....	23
Prijava.blade.php.....	26
Porudzbine.blade.php.....	29
Korpa.blade.php	30
Kontaktporuka.blade.php	31
Kontakt.blade.php	32
Autor.blade.php	33

IzmeniKorisnik.blade.php.....	33
adminPanel.....	35
fixed.....	35
head.blade.php.....	35
Nav.blade.php	35
Side.blade.php.....	36
Futer.blade.php	37
Pages.....	38
Pocetna.blade.php.....	38
Proizvodi.blade.php	43
Korisnici.blade.php	45
Komentari.blade.php	46
formaZaAzuriranjeKorisnika.blade.php	47
formaZaAzuriranjeProizvoda.blade.php	48
ubacivanjeKorisnika.blade.php.....	49
ubacivanjeProizvoda.blade.php	50
Web.php	52
Models.....	53
Korisnici.php.....	53
Komentari.php	55
Korpa.php.....	56
Marke.php.....	56
Ocene.....	57
Pol.php.....	57
Uloge.php.....	58
Proizvodi.php	58
Requests	60
AzurirajProizvodAdmin.php	60
IzmeniProfil.php	61
KontaktProvera.php	62
ProveraRegistracija.php.....	63
ProveraMarka.php.....	64
ProveraPrijava.php	65

UbaciKorisnikaAdmin.php.....	66
UbaciProizvodAdmin.php	67
Mail	68
KontaktMail.php.....	68
Middleware	69
ZapisPristupStranici.php	69
DaLiJeAdmin.php.....	70
DaLiJeUlogovan.php	71
DaLiNijeUlogovan.php	71
Controllers.....	72
ProizvodController.php.....	72
ProizvodiController.php.....	73
PrijavaiRegistracijaController.php.....	75
MojController.php.....	76
KorpaController.php.....	78
FrontEndController.php.....	78
IzmeniProfilController.php.....	79
Admin	80
KorisniciAdminController.php	80
KomentariController.php	83
PocetnaAdminController.php	85
ProizvodiAdminController.php.....	86
MarkeController.php	90
JavaScript.....	92
Program.js.....	92
Korpa.js	104
Registracija.js.....	108
Admin.....	110
Admin.js	110
CSS.....	115
Style.css.....	115
Admin	146
Admin.css	146

Uvod

Korišćeni programski jezici

Za izradu sajta korišćeni su jezici HTML,CSS,JQuery,javascript,AJAX,PHP

1.3.Template

Template nije kosrišćen iz drugih izvora,napisan je samostalno.


1.4.Korišćeni CSS

Tuđi CSS nije korišćen.

1.5. Korišćeni javaScript

Plugin Ibslider.js.

Baza



Kratak opis stranica

Pocetna



Početna



Kompanija Satovi Čirić nastavlja sa novinama u svom poslovanju. U želji da svoj assortiman proizvoda još više približi potrošačima, u Beogradu je 25. aprila 2013. godine otvorila svoj novi maloprodajni objekat u TC Stadion. Novi radnji sa velikim izborom satova i nakita možete posetiti na Voždovcu, u ulici Zaplanjska br. 32. Satovi Čirić baš na ovoj lokaciji, svakome pored ljubavi ka satovima pridodaje još po jednu. Kod dama se ljubav ka satovima spaja sa ljubavlju ka kupovini, a kod gospode sa fudbalom. Time se može reći da je odabir pomenute lokacije odlično mesto za ljubitelje satova, shopinga i fudbala.

Najprodavaniji proizvodi



Instagram Facebook Google+ Twitter
Dokumentacija / Autor

Na pocetnoj strani se nalaze dinamicki ispisani najprodavaniji proizvodi i informacije o radnji.

Proizvodi

The screenshot shows a website for 'Satovi Cirić'. At the top, there's a navigation bar with links for 'POČETNA', 'PROIZVODI', 'KONTAKT', 'PRIJAVA', and a shopping cart icon. A large banner image features a close-up of a blue and gold watch with a complex dial. Overlaid on the banner is the text 'Nova kolekcija satova'. Below the banner, the word 'Proizvodi' is underlined. A search/filter bar includes fields for 'Marka' (Brand), 'Pol' (Gender), 'Pretraga' (Search), and dropdowns for 'Sortiraj' (Sort by) and 'Cena do:' (Price up to) with a value of '50000'. Below the filter bar, there are six watch products displayed in a grid:

Marka	Model	Cena
SEIKO	SSH045J1	18000,00 RSD
SEIKO	SNP159P1	21000,00 RSD
CASIO	W-S210H	32000,00 RSD
SEIKO	TH178Z126	13000,00 RSD
CASIO	CS172353	22000,00 RSD
FESTINA	FE-454JDH	34000,00 RSD

Each product card includes a small image of the watch, its brand and model name, and its price. Below the grid, there's a page navigation bar with numbers 1, 2, and 3, indicating multiple pages of results. At the bottom, there are social media icons for Instagram, Facebook, Google+, and Twitter, along with a link to 'Dokumentacija / Autor'.

Na strani proizvodi, nalazi se dinamicki napisani filteri za marku i polove kao i proizvodi. Klikom na paginaciju ili na dugme, ajaxom se ispisuju proizvodi koji zadovoljavaju kriterijume i odgovarajuci broj strana u paginaciji.

Kontakt



Kontakt

Ako imate neka pitanja ili nedoumice obratite se putem E-maila.

INFORMACIJE:

Adresa:
Zaplanjska broj 32.

Email:
viktorciric31@gmail.com

Telefon:
064-1212-121

Tekst poruke

Posaljte



Dokumentacija / Autor

Kontakt stranica sluzi za prikaz informacija i kada se forma popuni i ako je dobro popunjena salje se u vidu mail-a na mailtrapu.

Prijava



Nova kolekcija satova

Prijava

email

Lozinka

Prijava

Registracija

Ime

Prezime

Email

Lozinka

Ponovite lozinku

Registracija

[Dokumentacija / Autor](#)

Strana namenjena neautorizovanim korisnicima, gde ako provera registracije obavlja i na klijentu i na serveru, dok kod logovanja samo na serveru.

Proizvod



SEIKO - SSH045J1



Boja brojčanika	Bela
Boja narukvice:	Siva
Dubljava kućišta:	16 mm
Materijal kućišta:	Resin
Garancija na mehanizam:	2 godine
Precnik kucista	49 mm
Vodootpornost	200 metara
Tip mehanizma	Kvarcni
Tip narukvice	Resin

Cena: 18000 RSD

(Prosečna ocena: 0, broj glasova: 0)

[Dodaj u korpu](#)

Komentari

Komentarisi...

[Posalji](#)

Morate biti prijavljeni da biste komentarisali.

Ovaj proizvod nema komentara.

Povezani proizvodi



[Instagram](#) [Facebook](#) [G+](#) [Twitter](#)
Dokumentacija / Autor

Na stranici proizvod moze da se oceni ,komentarise i doda u korpu proizvod,ocenjivanje i komentarisanje mogu samo autorizovani korisnici .

Korpa



Korpa

Vaša korpa je prazna!



Stranica sluzi da se naruci proizvod ali tek kad se upise adresa isporuke.Samo autorizovani korisnici mogu da naruce proizvod i to koji nisu admini.

Izmeni korisnik

Zdravo: Viktor

[Porudzbine](#) | [Izmeni profil](#)

Satovi
Ćirić

POČETNA

PROIZVODI

KONTAKT

ODJAVA

ADMIN



Izmena naloga

-Ime-

-Prezime-

-E-mail-

-Lozinka-----

Izmeni



Dokumentacija / Autor

Stranica namenjena samo autorizovanim korisnicima i sluzi da se promene licni podaci korisnika.

Porudzbine

Zdravo: Viktor

[Porudzbine](#) | [Izmeni profil](#)

Satovi
Ćirić

POČETNA

PROIZVODI

KONTAKT

ODJAVA

ADMIN



Nova kolekcija satova



Ocenjeni proizvodi

Niste ocenili proizvod!

Naručeni proizvodi

Niste izvršili porudzbinu!



Dokumentacija / Autor

Stranica namenjena samo autorizovanim korisnicima i sluzi da se prikaze sta je sve korisnik narucio i ocenio

Admin

The screenshot displays the AdminLTE 3 dashboard interface. On the left, a sidebar menu includes 'Upravljanje sajtom' (selected), 'Pocetna', 'Proizvodi', 'Korisnici', and 'Odjavise'. The main content area is divided into three sections: 'Informacije o korisnicima', 'Korpa-kupljeni proizvodi', and 'Pristup stranicama'.

Informacije o korisnicima: A table showing user information with columns: Ime, Prezime, E-mail, Uloga, and Status aktivnosti. Data includes:

Ime	Prezime	E-mail	Uloga	Status aktivnosti
Viktor	Ciric	viktorciric31@gmail.com	Admin	Aktivan
Luka	Lukic	lukalukic@gmail.com	Korisnik	Nije aktivran
Luka	Lukic	lukalukic1@gmail.com	Admin	Nije aktivran

Korpa-kupljeni proizvodi: A table showing purchased products with columns: Marka, Model, Ukupna cena, Kolicina, Ime i prezime, and Adresa. Data includes:

Marka	Model	Ukupna cena	Kolicina	Ime i prezime	Adresa
Casio	CA-K7OP	396000	9	Viktor Ciric	Beograd,Vojvod stepe 411E
Festina	FE-454JDH	170000	5	Viktor Ciric	Beograd,Vojvod stepe 411E
Tissot	TI-Z432	102000	3	Viktor Ciric	Beograd,Vojvod stepe 411E
Seiko	SSH045J1	90000	5	Viktor Ciric	Beograd,Vojvod stepe 411E

Pristup stranicama: A table showing access logs with columns: Datum, IP adresa, Autorizovan, and Stranica. Data includes:

Datum,IP adresa,Autorizovan,Stranica
22-03-2020 23:05:23 ,127.0.0.1 Nije autorizovan ,http://127.0.0.1:8000
22-03-2020 23:05:28 ,127.0.0.1 Nije autorizovan ,http://127.0.0.1:8000/adminPanel
22-03-2020 23:05:29 ,127.0.0.1 Nije autorizovan ,http://127.0.0.1:8000
22-03-2020 23:05:31 ,127.0.0.1 Nije autorizovan ,http://127.0.0.1:8000/prijava
22-03-2020 23:05:41 ,127.0.0.1 Autorizovan:lukalukic@gmail.com ,http://127.0.0.1:8000
22-03-2020 23:05:47 ,127.0.0.1 Autorizovan:lukalukic@gmail.com ,http://127.0.0.1:8000/adminPanel
22-03-2020 23:05:47 ,127.0.0.1 Autorizovan:lukalukic@gmail.com ,http://127.0.0.1:8000/pocetna
22-03-2020 23:05:53 ,127.0.0.1 Autorizovan:lukalukic@gmail.com ,http://127.0.0.1:8000/prijava
22-03-2020 23:05:53 ,127.0.0.1 Autorizovan:lukalukic@gmail.com ,http://127.0.0.1:8000/pocetna
22-03-2020 23:06:04 ,127.0.0.1 Autorizovan:lukalukic@gmail.com ,http://127.0.0.1:8000/adminPanel/proizvodi
22-03-2020 23:06:04 ,127.0.0.1 Autorizovan:lukalukic@gmail.com ,http://127.0.0.1:8000/pocetna
22-03-2020 23:06:14 ,127.0.0.1 Nije autorizovan ,http://127.0.0.1:8000
23-03-2020 10:57:05 ,127.0.0.1 Nije autorizovan ,http://127.0.0.1:8000

Stranica namenjena samo korisnicima sa ulogom admina. Na ovoj stranici se radi ceo crud za korisnike i proizvode, marke se dodaju i brisu i komentari se brisu. Na pocetnoj strani se nalaze kupljeni proizvodi i svi registrovani korisnici kao i pristup stranicama.

View

Layouts

Layout.blade.php

```
@include('fixed.head')
@include('fixed.iznad')
@include('fixed.nav')
@include('fixed.header')

@yield('sredina')

@include('fixed.futer')
```

Admin.blade.php

```
@include('adminPanel.fixed.head')
<body class="hold-transition sidebar-mini layout-fixed layout-navbar-
fixed layout-footer-fixed">
<div class="wrapper w">
@include('adminPanel.fixed.nav')
@include('adminPanel.fixed.side')

@yield('sredina')
@include('adminPanel.fixed.futer')
</div>
```

Fixed

Head.blade.php

```
<!DOCTYPE html>
<html>
<head>

    <link rel="stylesheet" type="text/css" href="{{asset('css/style.css')}}" />
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.5.0/css/all.css" integrity="sha384-B4dIYHKNBt8Bc12p+WXckhzCICo0wtJAoU8YZTY5qE0Id1GSseTk6S+L3BlXeVIU" crossorigin="anonymous">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="language" content="serbian"/>
    <meta name="keywords" content="auto kuca ciric,bmw,bmw auto kuca"/>
    <meta name="csrf-token" content="{{ csrf_token() }}"/>
    <meta name="description" content="Kompanija Satovi Ćirić nastavlja sa novinama u svom poslovanju. U želji da svoj assortiman proizvoda još više približi potrošačima, u Beogradu je 25. aprila 2013. godine otvorila svoj novi maloprodajni objekat u TC Stadion."/>
    <link rel="shortcut icon" href="{{asset('slike/ikona.ico')}}" />
    @yield('title')
</head>
<body>
```

Iznad.blade.php

```
<div id="ceo">

    @if(session()->has('korisnik'))
<div id="goreskroz">

    <div id="zajedno">
    <div id="skorisnika"><span id="zakori">Zdravo: {{session()->get('korisnik')->ime}}</span></div>
    <div id="okorisnika">

        <span id="linkk"><a href='{{url('/porudzbine')}}'>Porudzbine| </a><a href='{{url('/izmeniProfil')}}'> |Izmeni profil</a></li></span>
    </div>
    </div>
    </div>
    @endif
```

Nav.blade.php

```
<div id="navigacija">
    <div id="navbar">
<div id="logo">
    <a href="index.html" id="logolink" > <h1 id="logo1">
        Satovi
    </h1>
    <h2 id="logo2">Ćirić</h2></a>
</div>
<div id="meni">
    <div id="X"><i class="fas fa-times izadji"></i>

        <span id="zatvori">Zatvori</span></div>
    <i class="fas fa-bars navdugme"></i>

    <ul class="snip1226">
        <li><a href="{{url('/pocetna')}}">Početna</a></li>
        <li><a href="{{url('/proizvodi')}}">Proizvodi</a></li>
            <li><a href="{{url('/kontakt')}}">Kontakt</a></li>
        @if(!session()->has('korisnik'))
        <li><a href="{{url('/prijava')}}">Prijava</a></li>
        @else
            <li><a href="{{url('/odjava')}}">Odjava</a></li>
        @endif
        @if(session()->has('korisnik'))
        @if(session()->get('korisnik')->iduloga==4)
            <li><a href="{{url('/adminPanel')}}">Admin</a></li>
        @endif
        @endif
        <li><a href="{{url('/korpa')}}"><i class="fa fa-shopping-cart" aria-hidden="true"></i></a></li>
            <span class='badge badge-warning' id='lblCartCount'>0</span>
    </ul>
</div>
</div></div>
```

Header.blade.php

```
<div id="header">
    <div id="slevo">
        <p id="pslajd">Nova kolekcija satova</p>
        <div id="slajder">
            
        </div>
    </div></div>
```

Futer.blade.php

```
<div id="futer">
<div id="ikonice">
    <a href=""> <i class="fab fa-instagram"></i></a>
    <a href=""> <i class="fab fa-facebook-f"></i></a>
    <a href=""><i class="fab fa-google-plus-g"></i></a>
    <a href=""> <i class="fab fa-twitter"></i></a>
</div>
<div id="linkautor">
<a href="{{url('dokumentacija.pdf')}}">Dokumentacija /</a><a href="{{ url('/autor') }}"> Autor</a>
</div>
</div>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"
></script>
<script src="{{asset('js/jquery.lbslider.js')}}" type="text/javascript"></script>
@yield('skriptovi')
    <script type="text/javascript" src="{{asset('js/korpa.js')}}"></script>
    <script type="text/javascript" src="{{asset('js/program.js')}}"></script>
```

Pages

Pocetna.blade.php

```
@extends('layouts.layout')
@section('title')
<title>Satovi Cirić-Pocetna</title>
@endsection
@section('sredina')

    <h1 id="pojnaslov">Početna</h1>
    <hr id="pojlinija">
    <div id="sredina">

        <div class="slika prva">

        </div>
        <div class="slika">
<p id="tekstpocetna">Kompanija Satovi Ćirić nastavlja sa novinama u svom poslovanju. U želji da svoj asortiman proizvoda još više približi potrošačima, u Beogradu je 25. aprila 2013. godine otvorila svoj novi maloprodajni objekat u TC
```

Stadion. Novu radnju sa velikim izborom satova i nakita možete posetiti na Voždovcu, u ulici Zaplanjska br. 32. Satovi Ćirić baš na ovoj lokaciji, svakome pored ljubavi ka satovima pridodaje još po jednu. Kod dama se ljubav ka satovima spaja sa ljubavlju ka kupovini, a kod gospode sa fudbalom. Time se može reć i da je odabir pomenute lokacije odlično mesto za ljubitelje satova, shopinga i fudbala.</p>

```

    </div>

</div>

<div id="sr2">
<h2>Najprodavaniji proizvodi</h2>
<hr id="pojlinija">
<div class="slider">

  <ul id="listapr">
    @foreach ($proizvod as $proiz )

    <li><div class="proizvod pocetna">
      
      <p id="marka">{{ strtoupper( $proiz-
>nazivMarka ) }}</p>
      <p id="model">{{$proiz->model}}</p>
      <p id="cena">{{ $proiz->cena }},00 RSD</p>

      <a href="/proizvod/{{$proiz-
>idproizvod}}" class="lopsirno">Opsirnije</a>
    </div>
    @endforeach
  </li>
</ul>
<a href="#" class="slider-arrow sa-left"><i class="fas fa-angle-
left"></i></a>

<a href="#" class="slider-arrow sa-right"><i class="fas fa-angle-
right"></i></a>
</div>

```

@endsection

Proizvodi.blade.php

```
@extends('layouts.layout')
@section('title')
<title>Satovi Cric-Proizvodi</title>
@endsection
@section('sredina')

<h1 id="pojnaslov">Proizvodi</h1>
    <hr id="pojlinija">

    <div id="psredina">

        <button type="button" id="filterdugme"><i class="fas fa-filter"></i> | <i class="fas fa-sort-alpha-down"></i></button>
            <!-- <input type="button" value="Filteri" id="filterdugme"/> -->
        <div id="filteri">
            <form name="forma" action="#" method="get">
                <div id="ide">
                    <div class="prvi">
<span class="tekstfilter">Marka:</span><select name="marke" class="liste" id="markal">
                    <option value="0">Izaberite...</option>
                    @foreach ($marke as $mar )
<option value="{{ $mar->idmarka}}">{{ $mar->nazivMarka}}</option>
@endforeach
</select></div>
</select>
<div class="prvi">
    <span class="tekstfilter">Pol:</span><select name="pol" class="liste" id="pollista">
        <option value="0">Izaberite...</option>
        @foreach ($pol as $po )
<option value="{{ $po->idpol}}">{{ $po->naziv}}</option>
@endforeach
</select>
</div>
<input type="text" id="trazi" name="trazi" placeholder="Pretraga..."/>
</div>
<div id="ide2">
    <div class="prvi">
        <span class="tekstfilter">Sortiraj:</span><select name="sortiraj" id="sort" class="liste">
            <option value="0">Izaberite...</option>
<option value="1">Po nazivu od A-Z</option>
```

```

<option value="2">Po nazivu od Z-A</option>
<option value="3">Po ceni opadajuce</option>
<option value="4">Po ceni rastuce</option>

</select>

</div>
<div class="prvi cenakl">
    <span class="tekstfilter">Cena do:</span><input type="range" name="cena" id="cenas" min="10000" max="50000" value="90000"/><i id="tekstc">50000</i>
</div>
<!-- <input type="button" id="dugme" value="Trazi"/> -->
<button type="button" id="dugme"><i class="fa fa-search"></i>Trazi</button>
</form>

<div id="izabrani">
</div>
</div>
        <div id="brojevi">
</div>
        </div>

        <div id="proizvodi">
            @foreach ($proizvodi as $proiz )
            <div class="proizvod">
                
                <p id="marka">{{ strtoupper( $proiz->nazivMarka ) }}</p>
                <p id="model">{{$proiz->model}}</p>
                <p id="cena">{{ $proiz->cena }},00 RSD</p>

                <a href="/proizvod/{{$proiz->idproizvod}}" class="lopsirno">Opsirnije</a>
            </div>
            @endforeach

        </div>
        <div class="pag">
{{ $proizvodi->links() }}
        </div>
</div>
@endsection

```

Proizvod.blade.php

```
@extends('layouts.layout')
@section('title')
<title>Satovi Cric-Proizvod</title>
@endsection
@section('sredina')
{{-- Modal --}}
<div id="myModal3" class="modal">
<div class="modal-content">
<span class="close">&times;</span>
<i class="fas fa-times-circle"></i>
<p id="tekstkorpa">Morate biti prijavljeni da ocenili proizvod.</p>
</div>

</div>
<div id="myModal8" class="modal">
<div class="modal-content">
<span class="close">&times;</span>
<i class="fas fa-times-circle"></i>
<p id="tekstkorpa">Morate biti prijavljeni da biste glasali!</p>
</div>
</div>
<div id="myModal9" class="modal">
<div class="modal-content">
<span class="close">&times;</span>
<i class="fas fa-times-circle"></i>
<p id="tekstkorpa">Za ovaj proizvod ste vec glasali ranije!</p>
</div>
</div>

{{-- kraj modala --}}
<div id="pojsredina">

<h1 id="pojnaslov">{{ strtoupper($proizvod->nazivMarka) }} - {{ $proizvod->model }}</h1>
<hr id="pojlinija">
<div class="prsredina">
<div class="pojslika"></div>
<div id="pojopis">
<table id='proiztabla'>
@php
$karakteristike=$proizvod->karakteristike;
$kar=explode(", ",$karakteristike);

@endphp
```

```

<tr><td>Boja brojčanika</td><th>{$kar[0]}</th></tr>
<tr><td>Boja narukvice:</td><th>{$kar[1]}</th></tr>
<tr><td>Debljina kućišta:</td><th>{$kar[2]}</th></tr>
<tr><td>Materijal kućišta:</td><th>{$kar[3]}</th></tr>
<tr><td>Garancija na mehanizam:</td><th>{$kar[4]}</td></tr>
<tr><td>Prečnik kucista</td><th>{$kar[5]}</th></tr>
<tr><td>Vodootpornost</td><th>{$kar[6]}</th></tr>
<tr><td>Tip mehanizma</td><th>{$kar[7]}</th></tr>
<tr><td>Tip narukvice</td><th>{$kar[8]}</th></tr>

</table>

Cena: {{ $proizvod->cena }} RSD  

Dodaj u korpu
<section class='rating-widget'>

    <!-- Rating Stars Box -->
    <div class='rating-stars text-center'>
        <ul id='stars'>
            @for($i=1;$i<6;$i++)
                <li class='star' title="{{ $i }}" data-pro="{{ $proizvod->idproizvod }} data-value='@=$i'><i class='fa fa-star fa-fw'></i></li>
            @endfor
        </ul>
    </div>
    <div id="ocenaproizvoda">
        <p id="pocena">(Prosečna ocena:@round($ocena,2) ), broj glasova:{{ $glasovi }}</p>
    </div>

</div>

</div>
<div id="loader"></div>
<div class="prsredina druga">
    <div id="komentari">
        <h2 class="podpoj">Komentari</h2>
        <hr id="pojlinija">
        <div class="content">

            <form action="#" method="post" id="formkom">
                <textarea placeholder="Komentarisi..." rows="20" name="comment[text]" id="komentartext" cols="40" class="ui-autocomplete-"

```

```

</textarea><br/>
@if(session()->has('korisnik'))
<input type="button" data-idProizvod="{{$proizvod->idproizvod}} data-
idkorisnik="{{$ session()->get('korisnik')-
>idkorisnik}} id="dugmekom" class="kkgdugme" value="Posalji"/>
@else
<input type="button" id="dugmekom2" class="kkgdugme2" value="Posalji"/><br/>
<span class="prikazi">Morate biti prijavljeni da biste komentarisali.</span>
@endif
</form>

<div id="boxovi">

@if(count($komentari)!=0)
@foreach ($komentari as $k )

<div id="reader">
<ol>
<li>
<div class="comment_box">
<div class="inside_comment">
<div class="comment-meta">
<div class="commentsuser">{{$k->ime }}</div>
@php
$datum=strtotime($k->vreme);
$datum2=date("F d, Y g:H:i", $datum);

@endphp
<div class="comment_date">{{$datum2 }}</div>
</div>
</div>
<div class="comment-body">
<p>{{$k->komentar }}</p>
</div>

</div>
@if(session()->has('korisnik'))
@if(session()->get('korisnik')->idologa=="1")


```

```

        </li>
    </ol>
</div>
@endforeach

@else
<span id="nema">
<h3 class="podpoj">Ovaj proizvod nema komentara.</h3></span>
@endif
        </div>
</div>
</div>
<div id="slicni">
<h2 class="podpoj">Povezani proizvodi</h2>
<hr id="pojlinija">
<div id="povezani">
@foreach ($slicni as $proiz )
<div class="proizvod poseban">
    
        <p id="marka">{{ strtoupper( $proiz-
>nazivMarka )}}</p>
        <p id="model">{{$proiz->model}}</p>
        <p id="cena">{{ $proiz->cena }},00 RSD</p>
        <a href="/proizvod/{{$proiz-
>idproizvod}}" class="lopsirno">Opsirnije</a>
    </div>
@endforeach
        </div>
</div>
</div>
        </div>
@endsection

```

Prijava.blade.php

```

@extends('layouts.layout')
@section('title')
<title>Satovi Cric-Prijava i registracija</title>
@endsection
@section('sredina')

<div id="sredinak">
    <div class="login">

```

```
<h1 id="prnaslov">Prijava</h1>
<form action="{{ url('/prijava/provera') }}" method="post">
@csrf
<input type="text" placeholder="email" name="email" id="lemejl
" class="polje"/>
<input type="password" placeholder="Lozinka" name="lozinka" id=
"llozinka" class="polje"/>
<div id="prijavagreske">
@if(session('poruka'))
{{session('poruka')}}
@endif
@if ($errors->any())
<div class="alert alert-danger">
<ul>
@foreach ($errors->all() as $error)
<li>{{ $error }}</li>
@endforeach
</ul>
</div>
@endif
<div id="myModal4" class="modal">
<div class="modal-content">
<span class="close">&times;</span>
<i class="fas fa-check-circle"></i>
<p id="tekstkorpa">Uspešno ste napravili nalog.</p>
</div>
</div>

<div id="myModal5" class="modal">
<div class="modal-content">
<span class="close">&times;</span>
<i class="fas fa-times-circle"></i>
<p id="tekstkorpa">E-mail vec postoji!</p>
</div>
</div>
<div id="myModal6" class="modal">
<div class="modal-content">
<span class="close">&times;</span>
<i class="fas fa-times-circle"></i>
<p id="tekstkorpa">Morate prvo napraviti nalog!</p>
</div>

</div>
</div>
```

```

        <input type="submit" value="Prijava" name="pass" id="ldugme" class="kdugme"/>
    </form>
</div>

<div class="login">
    <h1 id="prnaslov">Registracija</h1>
    <form action="#" method="post">
        @csrf
        <input type="text" placeholder="Ime" id="rime" class="polje"/>
        <div class="skriven">
            <i class="fas fa-question-circle">
            </i> <p id="aa"> Ime mora pocinjati velikim slovom, osoba moze imati vise imena</p></div>

        <input type="text" placeholder="prezime" id="rprezime" class="polje"/>
        <div class="skriven">
            <i class="fas fa-question-circle s2">
            </i> <p id="aa"> Prezime mora pocinjati velikim slovom, osoba moze imati vise prezimena</p></div>
        <input type="email" placeholder="email" id="remejl" class="polje"/>
        <div class="skriven">
            <i class="fas fa-question-circle s3">
            </i> <p id="aa"> Molimo vas ostavite Vas e-mail</p></div>
        <input type="password" placeholder="Lozinka" id="rlozinka" class="polje"/>
        <div class="skriven">
            <i class="fas fa-question-circle s4">
            </i> <p id="aa"> Lozinika mora biti kombinacija samo slova i brojeva i prva tri karaktera moraju biti slova</p></div>
        <input type="password" placeholder="Ponovite lozinku" id="rponlozinka" class="polje" />
        <div class="skriven">
            <i class="fas fa-question-circle s5">
            </i> <p id="aa"> Lozinke moraju da se poklapaju.</p></div>
    >
    <div id="greske">
        @if(session('poruka2'))
        {{ session('poruka2') }}
        @endif
    </div>
    <input type="button" value="Registracija" id="rdugme" class="kdugme"/>
</form>

```

```

        </div>
    </div>
@endsection
@section('skriptovi')
<script src="{{asset('js/registracija.js')}}" type="text/javascript"></script>
@endsection

```

Porudzbine.blade.php

```

@extends('layouts.layout')
@section('title')
<title>Satovi Cric-Porudzbine</title>
@endsection
@section('sredina')
<div id="sredinapor">

<div class="oceneproiz">
<h1 class="pornaslov">Ocenjeni proizvodi</h1>
@if(count($upit1)==0)
<h2 class="porudzbinaois">Niste ocenili proizvod!</h2>

@else

<table class="ocene">
<tr id="red">
    <th>Redni broj</th>
    <th>Slika</th>
    <th>Marka</th>
    <th>Model</th>
    <th>Cena</th>
    <th>Ocena</th>

```

Redni broj	Slika	Marka	Model	Cena	Ocena

```

</tr>
@php $rb=1 @endphp
@foreach($upit1 as $upit)
<tr><td>{{$rb}}</td><td></td><td>{{$upit->nazivMarka}}</td><td>{{$upit->model}}</td><td>{{$upit->cena}}</td><td>{{$upit->ocena}}</td>
```


```

@php $rb++ @endphp
@endforeach
</table>

```

```

@endif
</div>
<div class="oceneproiz">
<h1 class="pornaslov">Naručeni proizvodi</h1>
@if(count($upit2)==0)
    <h2 class="porudzbinaois">Niste izvršili porudžbinu!</h2>
@else
<table class="ocene oc" cellspacing="0" cellpadding="0">
<tr id="red">
    <th>Redni broj</th>
    <th>Slika</th>
    <th>Marka</th>
    <th>Model</th>
    <th>Cena</th>
    <th>Kolicina</th>
    <th>Datum porudžbine</th>
</tr>
@php $rb=1 @endphp
@foreach($upit2 as $upit3)
<tr><td>{{$rb}}</td><td>
    <!-- modal za uspesno narucivanje-->
    <div id="myModal" class="modal">
        <div class="modal-content">

```

```

        <span class="close">&times;</span>
        <i class="fas fa-check-circle"></i>
        <p id="tekstkorpa">Uspesno ste porucili proizvod.</p>
    >
        </div>
    </div>
<!-- Modal content -->
<!-- modal za pokusaj kupovine-->
<div id="myModal2" class="modal">
    <div class="modal-content">
        <span class="close">&times;</span>
        <i class="fas fa-times-circle"></i>
        <p id="tekstkorpa">Morate biti prijavljeni da biste potvrdili kupovinu.</p>
    </div>

    </div>
<!-- Modal content -->
<h1 id="pojnaslov">Korpa</h1>
<hr id="pojlinija">
<div id="korpa">
</div>
<div id="naruci"> <input type="text" placeholder="Upisi adresu i grad isporuke" id="adresa"/></div>
    </div>
    </div>
@endsection
@section('skriptovi')
@endsection

```

Kontaktporuka.blade.php

```

<html>
<head></head>
<body>

<p>Sa email-a:{{ $data['email'] }}</p>
<p>Naslov poruke je:{{ $data['naslov'] }}</p>
<p>Tekst poruke je:{{ $data['text'] }}</p>
</body>
</html>

```

Kontakt.blade.php

```
@extends('layouts.layout')
@section('title')
<title>Satovi Ciric-Kontakt</title>
@endsection
@section('sredina')


# Kontakt



---



Ako imate neka pitanja ili nedoumice obratite se putem E-maila.



## INFORMACIJE:



Adresa:



Zaplanjska br  
oj 32.



Email:



viktorcirimic31@gmail.com



Telefon:



064-1212-121



@csrf
@if(session()->has('korisnik'))

@else

@endif


@if(session('poruka'))


- {{ session('poruka') }}


@endif
@if ($errors->any())


@foreach ($errors->all() as $error)


@endif


```

```

        <li>{{ $error }}</li>
    @endforeach
</ul>
</div>
@endif

<input type="submit" value="Posaljite" id="kondugme"/>
</form>

        </div>
    </div>
@endsection

```

Autor.blade.php

```

@extends('layouts.layout')
@section('title')
<title>Satovi Cirim-Autor</title>
@endsection
@section('sredina')
<div id="ausredina">
    <div id="pojnaslov">
        <h1>Autor</h1>
        <hr id="pojlinija">
    </div>
<div id="autor">
    <div id="autslika">
        <p>Moje ime je Viktor Ćirić, imam 22 godine, student sam Visoke ICT škole, na smeru internet tehnologije, sa brojem indeksa 36/17</p>
    </div>
<div class="cleaner"></div>
    </div>
</div>
@endsection

```

IzmeniKorisnik.blade.php

```

@extends('layouts.layout')
@section('title')
<title>Satovi Cirim-Izmena naloga</title>
@endsection
@section('sredina')
<div id="sredinak">
    <div class="promena">
        <h1 id="izmenan">Izmena naloga</h1>
        <form action="{{ url('/izmeniProfil') }}" method="post">
            @csrf
            @method('PATCH')
            <fieldset class="izmenakor">

```

```

        <legend id="opiskor">Ime</legend>
        <input type="text" value="{{session()->get('korisnik')-
>ime}}" id="izime" name="ime" class="polje"/>
        <input type="hidden" value="{{session()->get('korisnik')-
>idkorisnik}}" id="izid" name="id" class="polje"/>
    </fieldset>
    <fieldset class="izmenakor">
        <legend id="opiskor">Prezime</legend>
        <input type="text" value="{{session()->get('korisnik')-
>prezime}}" id="izprezime" name="prezime" class="polje"/>
    </fieldset>
    <fieldset class="izmenakor">
        <legend id="opiskor">E-mail</legend>
        <input type="email" value="{{session()->get('korisnik')-
>email}}" id="imail" name="email" class="polje"/>
    </fieldset>
    <fieldset class="izmenakor">
        <legend id="opiskor">Lozinka</legend>
        <input type="password" value="{{session()->get('korisnik')-
>lozinka}}" id="izlozinka" name="lozinka" class="polje"/>
    </fieldset>
    @if(session()->has('poruka'))
    <p> {{ session('poruka') }} </p>
    @endif
    @if ($errors->any())


@endif
        <input type="submit" value="Izmeni" id="dugmeiz"/>
</div></div>
@endsection


```

adminPanel

fixed

head.blade.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="x-ua-compatible" content="ie=edge">

    <title>AdminLTE 3 | Dashboard 2</title>
    <meta name="csrf-token" content="{{ csrf_token() }}>
<link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css" integrity="sha384-Vkoo8x4CGs03+Hhxv8T/Q5PaXtkKtu6ug5T0eNV6gBiFeWPGFN9MuhOf23Q9Ifjh" crossorigin="anonymous">
    <!-- Font Awesome Icons -->
        <link rel="stylesheet" href="{{asset('admin/css/admin.css')}}">
        <link rel="stylesheet" href="{{asset('admin/css/all.min.css')}}">
    <!-- overlayScrollbars -->
        <link rel="stylesheet" href="{{asset('admin/css/OverlayScrollbars.min.css')}}"
    </head>
```

Nav.blade.php

```
<!-- Navbar -->
<nav class="main-header navbar navbar-expand navbar-white navbar-light">
    <!-- Left navbar links -->
    <ul class="navbar-nav">
        <li class="nav-item">
            <a class="nav-link" data-widget="pushmenu" href="#"><i class="fas fa-bars"></i></a>
        </li>
        <li class="nav-item d-none d-sm-inline-block">
            <a href="{{url('/pocetna')}}" class="nav-link">Nazad na sajt</a>
        </li>
    </ul>
```

```

<!-- SEARCH FORM -->
<form class="form-inline ml-3" method="get">
  <div class="input-group input-group-sm">

    <div class="input-group-append">

      </div>
    </div>
  </form>
  <!-- Right navbar links -->
</nav>
<!-- /.navbar -->

```

Side.blade.php

```

<!-- Main Sidebar Container -->
<aside class="main-sidebar sidebar-dark-primary elevation-4">
  <!-- Brand Logo -->
  <a href="index3.html" class="brand-link">

    <span class="brand-text font-weight-light">AdminLTE 3</span>
  </a>

  <!-- Sidebar -->
  <div class="sidebar">
    <!-- Sidebar user panel (optional) -->
    <div class="user-panel mt-3 pb-3 mb-3 d-flex">

      <div class="info">
        <a href="#" class="d-block">{{ session()->get('korisnik')->ime }} {{ session()->get('korisnik')->prezime }}</a>
      </div>
    </div>

    <!-- Sidebar Menu -->
    <nav class="mt-2">
      <ul class="nav nav-pills nav-sidebar flex-column" data-widget="treeview" role="menu" data-accordion="false">
        <!-- Add icons to the links using the .nav-icon class
             with font-awesome or any other icon font library -->
        <li class="nav-item has-treeview menu-open">
          <a href="#" class="nav-link active">
            <i class="nav-icon fas fa-tachometer-alt"></i>
            <p>
              Upravljanje sajtom
              <i class="right fas fa-angle-left"></i>
            </p>
          </a>
          <ul class="nav nav-treeview">

```

```

<li class="nav-item">
    <a href="{{ url('adminPanel') }}" class="nav-link">
        <i class="far fa-circle nav-icon"></i>
        <p>Pocetna</p>
    </a>
</li>
<li class="nav-item">
    <a href="{{ url('adminPanel/proizvodi') }}" class="nav-link">
        <i class="far fa-circle nav-icon"></i>
        <p>Proizvodi</p>
    </a>
</li>
<li class="nav-item">
    <a href="{{ url('adminPanel/korisnici') }}" class="nav-link">
        <i class="far fa-circle nav-icon"></i>
        <p>Korisnici</p>
    </a>
</li>
<li class="nav-item">
    <a href="{{ url('/odjava') }}" class="nav-link">
        <i class="far fa-circle nav-icon"></i>
        <p>Odjavi se</p>
    </a>
</li>
</ul>
</li>

```

Futer.blade.php

```

<!-- ./wrapper -->

<!-- REQUIRED SCRIPTS -->
<!-- jQuery -->
<script src="{{asset('admin/js/jquery.min.js')}}"></script>
<!-- Bootstrap -->
<script src="{{asset('admin/js/bootstrap.bundle.min.js')}}"></script>
<!-- overlayScrollbars -->
<script src="{{asset('admin/js/jquery.overlayScrollbars.min.js')}}"></script>
<!-- AdminLTE App -->
<script src="{{asset('admin/js/adminlte.js')}}"></script>
<script src="{{asset('admin/js/admin.js')}}"></script>
</body>
</html>

```

Pages

Pocetna.blade.php

```
@extends('layouts.admin')

@section('sredina')
    <div class="content-wrapper">
        <!-- Content Header (Page header) -->
        <div class="content-header">
            <div class="container-fluid">
                <div class="row mb-2">
                    <div class="col-sm-6">
                        <h1 class="m-0 text-dark">Dashboard v3</h1>
                    </div><!-- /.col -->
                    <div class="col-sm-6">
                        <ol class="breadcrumb float-sm-right">
                            <li class="breadcrumb-item"><a href="#">Home</a></li>
                            <li class="breadcrumb-item active">Dashboard v3</li>
                        </ol>
                    </div><!-- /.col -->
                </div><!-- /.row -->
            </div><!-- /.container-fluid -->
        </div>
        <!-- /.content-header -->
<div id="informacijek"><ul class="navbar-nav ml-auto">
    <!-- Messages Dropdown Menu -->
    <li class="nav-item dropdown">
        <span>Broj: Aktivni({{ $brojAktivnih }}), Neaktivni({{$brojNeAktivnih}}), Nikad prijavljeni({{$nikadPrijavljen}}) , Registrovani({{$brojRegistrovanih}}) Korisnici</span>
    </li></ul></div>
    <!-- Main content -->
    <div class="content">
        <div class="container-fluid">
            <div class="row">
                <div class="col-lg-6">
                    <div class="card ub">
                        <div class="card-header border-0">
                            <h3 class="card-title">Informacije o korisnicima</h3>
                            <div class="card-tools">
                                <input class="form-control form-control-navbar" name="trazi" id="trazi" type="search" placeholder="Search" aria-label="Search">
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```

```

<div class="card-body table-responsive p-0" id="ide">
    <table class="table table-striped table-valign-middle">
        <thead>
            <tr>
                <th>Ime</th>
                <th>Prezime</th>
                <th>E-mail</th>
                <th>Uloga</th>
                <th>Status aktivnosti</th>
                <th>Vreme prijave</th>
                <th>Vreme odjave</th>
                <th>Datum Azuriranja </th>
                <th>Datum kreiranja</th>
                <th>ID korisnik</th>
            </tr>
        </thead>
        <tbody>
            @foreach ($korisnici as $nar )
            <tr>

                <td>
                    {{ $nar->ime }}
                </td>
                <td>{{ $nar->prezime }}</td>
                <td>
                    {{ $nar->email }}
                </td>
                <td>
                    {{ $nar->naziv }}
                </td>
                <td>
                    @if($nar->aktivvan==0)
                    Nije aktivvan
                    @else
                    Aktivan
                    @endif
                </td>

                <td>
                    @if($nar->poslednjaAktivnost==null)
                    Nije se nikada prijavio
                    @else
                    {{ $nar->poslednjaAktivnost }}
                    @endif
                </td>
            
```

```

<td>
@if($nar->poslednjeOdjavljivanje==null)
/
@else
{{ $nar->poslednjeOdjavljivanje }}
@endif
</td>
<td>
{{ $nar->datumAzuriranja }}

</td>
<td>
{{ $nar->datumKreiranja }}
</td>
<td>
{{ $nar->idkorisnik }}

</td>

</tr>
@endforeach

</tbody>
</table>
</div></div>
<!-- /.card -->

<div class="card">
<div class="card-header border-0">
<h3 class="card-title">Korpa-kupljeni proizvodi</h3>
<div class="card-tools">
<a href="#" class="btn btn-tool btn-sm">

</a>

{{ $narudzbe->links() }}

</div>
</div>
<div class="card-body table-responsive p-0">
<table class="table table-striped table-valign-middle">
<thead>
<tr>
<th>Marka</th>
<th>Model</th>
<th>Ukupna cena</th>

```

```

<th>Ime i prezime</th>
<th>Adresa</th>
<th>Datum porudzbe</th>
<th>ID korisnika</th>
</tr>
</thead>
<tbody>
    @foreach ($narudzbe as $nar )
    <tr>
        <td>
            {{ $nar->nazivMarka }}
        </td>
        <td>
            {{ $nar->model }}
        </td>
        <td>{{ $nar->kolicina*$nar->cena }}</td>
        <td>
            {{ $nar->ime }} {{ $nar->prezime }}
        </td>
        <td>
            {{ $nar->adresaIsporuke }}
        </td>
        <td>
            {{ $nar->datumKupovine }}
        </td>
        <td>
            {{ $nar->idkorisnik }}
        </td>
    </tr>
    @endforeach
</tbody>
</table>
</div>
</div>

</div>

<div class="col-lg-6 aktivnost">
    <div class="card">
        <div class="card-header border-0">
            <h3 class="card-title">Pristup stranicama </h3>
            <div class="card-tools">
                <a href="#" class="btn btn-tool btn-sm">

```

```

        </a>
    </div>
</div>
<div class="card-body table-responsive p-0">
    <table class="table table-striped table-valign-middle">
        <thead>
            <tr>
                <th>Datum,IP adresa,Autorizovan,Stranica</th>
            </tr>
        </thead>
        <tbody>
            @foreach($logovi as $key=>$value)
            @php
                @endphp

            <tr>
                <td>

                    {{ $value }}

                </td>
            </tr>
            @endforeach

        </tbody>
    </table>
</div>
<!-- /.card -->
</div>
<!-- /.card -->
<!-- /.col-md-6 -->
</div>
<!-- /.row -->
</div>
<!-- /.container-fluid -->
</div>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">
    <!-- Control sidebar content goes here -->
</aside>
@endsection

```

Proizvodi.blade.php

```
@extends('layouts.admin')
@section('sredina')


##### Marke



|                       |                                                                                              |
|-----------------------|----------------------------------------------------------------------------------------------|
| Marka                 | Obrisi                                                                                       |
| {{ \$m->nazivMarka }} | <button class="btn btn-danger" data-id="{{ \$m-&gt;idmarka }}" type="button">Obrisi</button> |



```
<form action="{{ route('proizvodi.create') }}" method="get">
<button type="submit" class="btn btn-success dodaj">Dodaj proizvod</button>
<button type="button" class="btn btn-success marke">Marke</button>
</form>
```


```

```


#	Marka	Model	Cena	Slika	Karakteristike	Pol	Darum Postavljanja	Azuriraj	Obrisni	Komentari
{{ \$br++ }}	{{ \$kor->nazivMarka }}	{{ \$kor->model }}	{{ \$kor->cena }}		{{ \$kor->karakteristike }}	{{ \$kor->naziv }}	{{ \$kor->datumpostavljanja }}	<form> <td><a href="{{ url('/adminPanel/proizvodi/'.\$kor->idproizvod) }}/edit" class="btn btn-primary">Azuriraj</a></td> <td><button type="button" data-id={{ \$kor->idproizvod }} class="btn btn-danger obrisiProizvod">Obrisni</button></td> <td><a href="{{ url('/adminPanel/komentari/'.\$kor->idproizvod) }}" data-id={{ \$kor->idproizvod }} class="btn btn-warning">Komentari</a></td> </form>		


{{ $proizvodi->links() }}

```

Korisnici.blade.php

```
@extends('layouts.admin')
@section('sredina')


<form action="{{route('korisnici.create')}}" method="get">
<button type="submit" class="btn btn-success dodaj">Dodaj korisnika</button>
</form>
<table class="table" id="tabela">
<thead>
<tr>
<th scope="col">#</th>
<th scope="col">Ime</th>
<th scope="col">Prezime</th>
<th scope="col">E-mail</th>
<th scope="col">Uloga</th>
<th scope="col">Datum Kreiranja</th>
<th scope="col">Azuriraj</th>
<th scope="col">Obrisи</th>
</tr>
</thead>
<tbody>
@php
$br=1 @endphp
@foreach ($korisnici as $kor )
<tr>
<th scope="row">{{{$br++}}}</th>
<td>{{ $kor->ime }}</td>
<td>{{ $kor->prezime }}</td>
<td>{{ $kor->email }}</td>
<td>{{ $kor->naziv }}</td>
<td>{{ $kor->datumKreiranja }}</td>
<td><form>
<a href="{{ url('/adminPanel/korisnici/'.$kor->idkorisnik) }}/edit" class="btn btn-primary">Azuriraj</button></td>
<td><button type="button" data-id={{ $kor->idkorisnik }} class="btn btn-danger obrisiKorisnika">Obrisи</button></td>
</form>
</td>
@endforeach
</tbody>
</table>
</div>
@endsection


```

Komentari.blade.php

```
@extends('layouts.admin')

@section('sredina')
<div id="ceo">
<form action="#" method="get">
@csrf
@method('DELETE')
<table class="table kom">
<thead>
<tr>
<th scope="col">#</th>
<th scope="col">Id osobe</th>
<th scope="col">Komentar</th>
<th scope="col">Obrisi</th>
</tr>
</thead>
<tbody>
@php $br=1;@endphp
@if(count($komentari)==0)
<tr>
<th scope="row"></th>
<td></td>
<td>Ovaj proizvod nema komentara!</td>
<td></td>
</tr>
@endif
@foreach ($komentari as $kom )
<tr>
<th scope="row">{{$br++}}</th>
<td>{{ $kom->idkorisnik }}</td>
<td>{{ $kom->komentar }}</td>
<td><button type="button" data-pr="{{$kom->idproizvod}} data-id="{{$kom->idkomentar }}" class="btn btn-danger obrisiKomentar">Obrisi</button></td>
</tr>

@endforeach
</tbody>
</table>
</div>
@endsection
```

formaZaAzuriranjeKorisnika.blade.php

```
@extends('layouts.admin')
@section('sredina')


<form action="{{ url('/adminPanel/korisnici/'.$kor->idkorisnik) }}" method="post" id="forme">
@csrf
@method('PATCH')
    <div class="form-group">
        <label for="formGroupExampleInput">Ime</label>
        <input type="text" class="form-control" value="{{ $kor->ime }} name="ime" id="formGroupExampleInput" placeholder="Ime">
        <input type="hidden" class="form-control" value="{{ $kor->idkorisnik }} name="skriveno" id="formGroupExampleInput" placeholder="Ime">
    </div>
    <div class="form-group">
        <label for="formGroupExampleInput2">Prezime</label>
        <input type="text" class="form-control" value="{{ $kor->prezime }} name="prezime" id="formGroupExampleInput2" placeholder="Prezime">
    </div>
    <div class="form-group">
        <label for="formGroupExampleInput2">E-mail</label>
        <input type="text" class="form-control" value="{{ $kor->email }} name="email" id="formGroupExampleInput2" placeholder="E-mail">
    </div>
    <div class="form-group">
        <label for="formGroupExampleInput2">Lozinka</label>
        <input type="password" class="form-control" value="{{ $kor->lozinka }} name=lozinka id="formGroupExampleInput2" placeholder="Lozinka">
    </div>
    <div class="form-group col-md-4">
        <label for="inputState">State</label>
        <select id="inputState" name="uloga" class="form-control">
            @foreach ($uloge as $u )
            @if($u->iduloga== $kor->iduloga)
                <option value="{{ $u->iduloga }}" selected>{{ $u->naziv }}</option>
            @else
                <option value="{{ $u->iduloga }}>{{ $u->naziv }}</option>
            @endif
            @endforeach
        </select>
    <button type="submit" id="ubacidugme" class="btn btn-primary">Azuriraj</button>
    @if ($errors->any())
        <div class="alert alert-danger pr">
            <ul>
                @foreach ($errors->all() as $error)
                    <li>{{ $error }}</li>
                @endforeach
            </ul>
        </div>
    @endif


```

```

        @endforeach
    </ul>
</div>
@endif
</div>
</form>
</div>
@endsection

```

formaZaAzuriranjeProizvoda.blade.php

```

@extends('layouts.admin')
@section('sredina')


<form action="{{ url('/adminPanel/proizvodi/'.$proiz->idproizvod) }}" method="post" id="forme" enctype="multipart/form-data">
@csrf
@method('PATCH')
<div class="form-group">
    <label for="formGroupExampleInput">Model</label>
    <input type="text" class="form-control" name="model" value="{{ $proiz->model }}" id="formGroupExampleInput" placeholder="Model">
</div>
<div class="form-group">
    <label for="formGroupExampleInput2">Cena</label>
    <input type="text" class="form-control" name="cena" value="{{ $proiz->cena }}" id="formGroupExampleInput2" placeholder="Cena">
</div>
<div class="form-group">
    <label for="exampleFormControlTextarea1">Karakteristike</label>
    <textarea class="form-control" name="karakteristike" id="exampleFormControlTextarea1" rows="3">
{{ $proiz->karakteristike }}
</textarea>
</div>
<div class="form-group">
    <label for="exampleFormControlFile1"></label>
    
    <input type="file" class="form-control-file" name="slika" id="exampleFormControlFile1">
</div>
<div class="form-group col-md-4">
    <label for="inputState">Marka</label>
    <select id="inputState" name="marka" class="form-control">
        @foreach ($marke as $m )
        @if($m->idmarka==$proiz->idmarka)
            <option value="{{{$m->idmarka}}}" selected>{{$m->nazivMarka}}</option>
        @else
            <option value="{{{$m->idmarka}}}">{{$m->nazivMarka}}</option>


```

```

        @endif
        @endforeach
    </select>
</div>
<div class="form-group col-md-4">
    <label for="inputState">Pol</label>
    <select id="inputState" name="pol" class="form-control">
        @foreach ($pol as $p )
        @if($p->idpol==$proiz->idpol)
            <option value="{{ $p->idpol}}" selected>{{$p->naziv}}</option>
        @else
            <option value="{{ $p->idpol}}>{{$p->naziv}}</option>
        @endif
        @endforeach
    </select>
</div>

<button type="submit" id="ubacidugme" class="btn btn-primary">Ubaci</button>
@if ($errors->any())
    <div class="alert alert-danger pr">
        <ul>
            @foreach ($errors->all() as $error)
                <li>{{ $error }}</li>
            @endforeach
        </ul>
    </div>
@endif
</div>
</form>
</div>
@endsection

```

ubacivanjeKorisnika.blade.php

```

@extends('layouts.admin')

@section('sredina')
<div id="ceo">
<form action="{{route('korisnici.store')}}" method="post" id="forme">
@csrf
<div class="form-group">
    <label for="formGroupExampleInput">Ime</label>
    <input type="text" class="form-
control" name="ime" id="formGroupExampleInput" placeholder="Ime">
</div>
<div class="form-group">
    <label for="formGroupExampleInput2">Prezime</label>

```

```

<input type="text" class="form-control" name="prezime" id="formGroupExampleInput2" placeholder="Prezime">
</div>
<div class="form-group">
    <label for="formGroupExampleInput2">E-mail</label>
    <input type="text" class="form-control" name="email" id="formGroupExampleInput2" placeholder="E-mail">
</div>
<div class="form-group">
    <label for="formGroupExampleInput2">Lozinka</label>
    <input type="text" class="form-control" name="lozinka" id="formGroupExampleInput2" placeholder="Lozinka">
</div>
<div class="form-group col-md-4">
    <label for="inputState">Uloga</label>
    <select id="inputState" name="uloga" class="form-control">
        @foreach ($uloge as $u )
            <option value="{{ $u->iduloga}}>{{ $u->naziv}}</option>
        @endforeach
    </select>
<button type="submit" id="ubacidugme" class="btn btn-primary">Ubaci</button>
@if ($errors->any())
    <div class="alert alert-danger pr">
        <ul>
            @foreach ($errors->all() as $error)
                <li>{{ $error }}</li>
            @endforeach
        </ul>
    </div>
@endif
</div>
</form>
</div>
@endsection

```

ubacivanjeProizvoda.blade.php

```

@extends('layouts.admin')
@section('sredina')
<div id="ceo">
<form action="{{route('proizvodi.store')}}" method="post" id="forme" enctype="multipart/form-data">
@csrf
<div class="form-group">
    <label for="formGroupExampleInput">Model</label>

```

```

<input type="text" class="form-control" name="model" id="formGroupExampleInput" placeholder="Model">
</div>
<div class="form-group">
    <label for="formGroupExampleInput2">Cena</label>
    <input type="text" class="form-control" name="cena" id="formGroupExampleInput2" placeholder="Cena">
</div>
<div class="form-group">
    <label for="exampleFormControlTextarea1">Karakteristike</label>
    <textarea class="form-control" name="karakteristike" placeholder="Boja brojčanika,Boja narukvice,Debljina kucista,materijal kucista,garancija,precnik kucista,vodootpornost,tip mehanizma,tip narukvice" id="exampleFormControlTextarea1" rows="3"></textarea>
</div>
<div class="form-group">
    <label for="exampleFormControlFile1"></label>
    <input type="file" class="form-control-file" name="slika" id="exampleFormControlFile1">
</div>
<div class="form-group col-md-4">
    <label for="inputState">Marka</label>
    <select id="inputState" name="marka" class="form-control">
        @foreach ($marke as $m)
            <option value="{{ $m->idmarka }}>{{ $m->nazivMarka }}</option>
        @endforeach
    </select></div>
<div class="form-group col-md-4">
    <label for="inputState">Pol</label>
    <select id="inputState" name="pol" class="form-control">
        @foreach ($pol as $p)
            <option value="{{ $p->idpol }}>{{ $p->naziv }}</option>
        @endforeach
    </select></div>
<button type="submit" id="ubacidugme" class="btn btn-primary">Ubaci</button>
@if ($errors->any())
    <div class="alert alert-danger pr">
        <ul>
            @foreach ($errors->all() as $error)
                <li>{{ $error }}</li>
            @endforeach
        </ul></div>@endif
    </div>
</form>
</div>
@endsection

```

Web.php

```
<?php
Route::pattern('id', '[0-9]+');
Route::get('/', "FrontEndController@vratiPocetneProizvode")-
>middleware('ZapisiParametri');
Route::get('/pocetna', "FrontEndController@vratiPocetneProizvode")-
>middleware('ZapisiParametri');

//admin
Route::get('/adminPanel', "Admin\PocetnaAdminController@priKaziStatistike")-
>middleware('ZapisiParametri','DaLiJeUlogovan','DaLiJeAdmin');
Route::get('/adminPanel/filtriraj', "Admin\PocetnaAdminController@filtriranjePoDatumu")->name('proba');
Route::group(['middleware' => ['ZapisiParametri','DaLiJeUlogovan','DaLiJeAdmin']], function () {
Route::resource('/adminPanel/korisnici',"Admin\KorisniciAdminController");
Route::resource('/adminPanel/proizvodi',"Admin\ProizvodiAdminController");
Route::resource('/adminPanel/komentari',"Admin\KomentariController");
Route::resource('/adminPanel/marke',"Admin\MarkeController");
});
// prijava i registracija
Route::get('/prijava',"PrijavaController@vratiFormu")-
>middleware('ZapisiParametri','DaLiJeUlogovan');
Route::post('/prijava/provera',"PrijavaController@proveriPrijavu");
Route::get('/odjava',"PrijavaController@odjavi");
Route::post('/registracija',"PrijavaController@registruj");
// korpa
Route::get('/korpa',"KorpaController@vratiKorpu")-
>middleware('ZapisiParametri');
Route::get('/korpa/prikaziProizvode',"KorpaController@dohvatiProizvodeZaKorpu");
Route::post('/korpa',"KorpaController@ubaciUkorpu");

//proizvodi
Route::get('/proizvodi',"ProizvodiController@vratiProizvode")-
>middleware('ZapisiParametri');
Route::get('/proizvodi/prikazi',"ProizvodiController@filtriraj")->name('ide');
//proizvod
Route::get('/proizvod/{id}',"ProizvodController@dohvatiJedan")-
>middleware('ZapisiParametri');
Route::post('/proizvod',"ProizvodController@ubaciKomentar");
Route::get('/proizvod/{id}/dohvatiKomentareSve',"ProizvodController@dohvatiKomentareSve");
Route::delete('/proizvod/{id}',"ProizvodController@obrisiKomentar");
Route::get('/proizvod/{id}/proveriGlasanje',"ProizvodController@proveriGlasanje");
```

```

Route::post('/proizvod/glasaj',"ProizvodController@oceni");
//izmena profil i porudzbine
Route::get('/izmeniProfil',"IzmeniProfilController@vratiJednog")-
>middleware('ZapisiParametar','DaLiNijeUlogovan');
Route::patch('/izmeniProfil',"IzmeniProfilController@azurirajInf");
Route::get('/porudzbine',"FrontEndController@vratiOceneIProizvode")-
>middleware('ZapisiParametar','DaLiNijeUlogovan');;
//kontakt
Route::get('/kontakt',"FrontEndController@vratiKontakt")-
>middleware('ZapisiParametar');
Route::post('/kontakt',"FrontEndController@posaljiPorukuAdminu");
//autor
Route::get('/autor',"FrontEndController@vratiAutora")-
>middleware('ZapisiParametar');

```

Models

Korisnici.php

```

<?php
namespace App\Models;
class Korisnici{

    public function login($email,$password){
        $upit=\DB::table('korisnici')-
        >where(['email','=',$email],["lozinka","=", $password])->first();
        return $upit; }

    public function registruj($ime,$prezime,$email,$lozinka,$lozinkaponovo,$uloga,
    $datum,$aktivranje){
        $upit=\DB::table('korisnici')-
        >insert(['ime'=>$ime,'prezime'=>$prezime,'email'=>$email,'lozinka'=>$lozinka,
        'lozinkaponovo'=>$lozinka,"aktivranje"=>$aktivranje,'iduloga'=>$uloga,"datumKreiranja"
        "=>$datum]);}
        return $upit;
    }

    public function prikaziJednog($id){

        $upit=\DB::table('korisnici')->where('idkorisnik',$id)->first();
        return $upit;
    }

    public function azurirajKorisnik($id,$ime,$prezime,$email,$pass,$datum){}

}

```

```
$upit=\DB::table('korisnici')->where("idkorisnik",$id)->update(["ime"=>$ime," prezime"=>$prezime,"email"=>$email,"lozinka"=>$pass,"datumAzuriranja"=>$datum]);  
return $upit;  
}  
public function azurirajAktivnost($id,$aktivnost,$vreme){  
  
$upit=\DB::table('korisnici')->where("idkorisnik",$id)->update(["aktivan"=>$aktivnost,"poslednjaAktivnost"=>$vreme]);  
return $upit;  
}  
public function azurirajOdjavljen($id,$aktivnost,$vreme){  
  
$upit=\DB::table('korisnici')->where("idkorisnik",$id)->update(["aktivan"=>$aktivnost,"poslednjeOdjavljivanje"=>$vreme]);  
return $upit;  
}  
/// admin deo  
public function prikaziSveKorisnike(){  
  
$upit=\DB::table('korisnici AS k')->join('uloge AS u','k.iduloga','=','u.iduloga')->get();  
return $upit;  
}  
public function ubaciKorisnika($ime,$prezime,$email,$lozinka,$uloga,$vreme,$aktivan){  
$upit=\DB::table('korisnici')->insert(['ime'=>$ime,'prezime'=>$prezime,'email'=>$email,'lozinka'=>$lozinka,'lozinkaponovo'=>$lozinka,'iduloga'=>$uloga,'datumKreiranja'=>$vreme,'aktivan'=>$aktivan]);  
return $upit;  
}  
public function izbrisikorisnika($id){  
$upit=\DB::table('korisnici')->where('idkorisnik',$id)->delete();  
return $upit;  
}  
public function azururajKorisnika($id,$ime,$prezime,$email,$lozinka,$uloga,$vreme,$aktivan){  
$upit=\DB::table('korisnici')->where('idkorisnik',$id)->update(['ime'=>$ime,'prezime'=>$prezime,'email'=>$email,'lozinka'=>$lozinka,'lozinkaponovo'=>$lozinka,'iduloga'=>$uloga,'datumAzuriranja'=>$vreme,'aktivan'=>$aktivan]);  
return $upit;  
}  
public function brojAktivnihKorisnika(){  
$upit=\DB::table('korisnici')->where('aktivan',1)->count();  
return $upit;
```

```

}

public function brojNeAktivnihKorisnika(){
$upit=\DB::table('korisnici')->where('aktivan',0)->count();
return $upit;
}

public function brojRegistrovanih(){
$upit=\DB::table('korisnici')->count();
return $upit;
}

public function nikadPrijavljen(){
$upit=\DB::table('korisnici')->where('poslednjaAktivnost',null)->count();
return $upit;
}

public function filtriranje($trazi){
$upit=\DB::table('korisnici AS k')-
>join('uloge AS u','u.iduloga','=','k.iduloga')-
>where('k.datumKreiranja','like','%'.$trazi.'%')
->orWhere('k.poslednjaAktivnost','like','%'.$trazi.'%')
->orWhere('k.poslednjeOdgjavljivanje','like','%'.$trazi.'%')->get();
return $upit;

}

```

Komentari.php

```

<?php
namespace App\Models;
class Komentari{
    public function dohvatiKomentare($id){
        $upit=\DB::table('komentari AS kom')-
>join("proizvodi AS pr","kom.idproizvod","=","pr.idproizvod")-
>join("korisnici AS k","kom.idkorisnik","=", "k.idkorisnik")-
>where("kom.idproizvod",$id)->orderBy("vreme","DESC")->get();
        return $upit;
    }

    public function ubaciKomentar($idproizvod,$idKorisnik,$polje){
        $upit=\DB::table('komentari')-
>insert(['komentar'=>$polje,'idkorisnik'=>$idKorisnik,'idproizvod'=>$idproizvod]);
        return $upit;
    }

    public function obrisiKomentar($id){
        $upit=\DB::table('komentari')->where("idkomentar",$id)->delete();
        return $upit;
    }
}

```

Korpa.php

```
<?php
namespace App\Models;
class Korpa{
public function ubaciUkorpu($idk,$idp,$kolicina,$adresa){
$upit=\DB::table('korpa')-
>insert(['idkorisnik'=>$idk,"idproizvod"=>$idp,"kolicina"=>$kolicina,"adresaIs
poruke"=>$adresa]);
return $upit;}
public function izlistajKupljene($idk){
$upit=\DB::table('korpa AS ko')-
>join('korisnici AS k',"k.idkorisnik",'="',"ko.idkorisnik")-
>join("proizvodi AS pr","pr.idproizvod",'="',"ko.idproizvod")-
>join("marke AS m","m.idmarka",'="',"pr.idmarka")
->where('k.idkorisnik',$idk)->get();
return $upit;}
public function izlistajNarudzbine(){
$upit=\DB::table('korpa AS ko')-
>join('korisnici AS k',"k.idkorisnik",'="',"ko.idkorisnik")-
>join("proizvodi AS pr","pr.idproizvod",'="',"ko.idproizvod")-
>join("marke AS m","m.idmarka",'="',"pr.idmarka")
-
>select('k.idkorisnik','m.nazivMarka','pr.model','pr.cena','ko.kolicina','k.im
e','k.prezime','ko.adresaIsporuke','ko.datumKupovine')
->orderBy('datumKupovine','desc')->simplePaginate(1);
return $upit; }

}
```

Marke.php

```
<?php
namespace App\Models;
class Marke{
public function dohvatiMarke(){
    $upit=\DB::table('marke')->get();
    return $upit;
}
public function obrisiMarku($id){
    $upit=\DB::table('marke')->where('idmarka',$id)->delete();
    return $upit;}
public function ubaciMarku($naziv){
    $upit=\DB::table('marke')->insert(['nazivMarka'=>$naziv]);
    return $upit;}}
```

Ocene

```
<?php
namespace App\Models;
class Ocene{

    public function proveriGlasanje($idk,$idp){
        $upit=\DB::table('ocenjivanje')-
>where(['idproizvod','=',$idp],['idkorisnik','=',$idk])->count();
        return $upit;}
    public function glasaj($idk,$idp,$ocena){
        try{
            $upit=\DB::table('ocenjivanje')-
>insert(['idkorisnik'=>$idk,"idproizvod"=>$idp,"ocena"=>$ocena]);
            return $upit;}
        catch(PDOException $e){
            echo $e->getMessage();
            return response(null,401);
        }
    }
    public function prikaziBrojOcena($id){
        $upit=\DB::table('ocenjivanje')->where("idproizvod",$id)->count();
        return $upit;
    }
    public function prikaziProsekOcena($id){
        $upit=\DB::table('ocenjivanje')->where("idproizvod",$id)-
>avg('ocena');
        return $upit;
    }
    public function prikaziOcenjene($id){
        $upit=\DB::table('ocenjivanje AS o')-
>join('proizvodi AS pr','pr.idproizvod','=','o.idproizvod')-
>join('korisnici AS ko','ko.idkorisnik','=','o.idkorisnik')-
>join('marke AS m','m.idmarka','=','pr.idmarka')->where('ko.idkorisnik',$id)-
>get();
        return $upit;}}
```

Pol.php

```
<?php
namespace App\Models;
class Pol{
public function dohvatiPolove(){
    $upit=\DB::table('pol')->get();
    return $upit;
}}
```

Uloge.php

```
<?php
namespace App\Models;
class Uloge{
public function dohvatiUloge(){
    $upit=\DB::table('uloge')->get();
    return $upit;}}
```

Proizvodi.php

```
<?php
namespace App\Models;
class Proizvodi{

public function dohvatiProizvode(){
$upit=\DB::table('proizvodi AS p')-
>join('marke AS m','p.idmarka','=','m.idmarka')-
>join('pol AS pp','p.idpol','=',$pp.idpol")->paginate(6);
return $upit;
}
public function dohvatiJedan($id){
$upit=\DB::table('proizvodi AS p')-
>join('marke AS m','p.idmarka','=','m.idmarka')-
>join('pol AS pp','p.idpol','=',$pp.idpol")->where("idproizvod",$id)->first();
return $upit;}

public function dohvatiSveProizvode(){
$upit=\DB::table('proizvodi AS p')-
>join('marke AS m','p.idmarka','=','m.idmarka')-
>join('pol AS pp','p.idpol','=',$pp.idpol")->get();
return $upit;
}
public function filtriranje($marka,$pol,$sort,$cena,$trazi){
$upit=\DB::table('proizvodi AS p')-
>join('marke AS m','p.idmarka','=','m.idmarka')-
>join('pol AS pp','p.idpol','=',$pp.idpol")->where('cena','<=', $cena);
if($marka!=0){
$upit->where("p.idmarka",$marka);}
if($pol!=0){
$upit->where("p.idpol",$pol);}
if($trazi!=''){
$upit->where("m.nazivMarka",'like',%" . $trazi . "%")-
>orWhere('p.model','like',%" . $trazi . "%")
;}
if($sort=="0"){
$upit->orderBy('p.datumpostavljanja','asc');}
if($sort=="1"){


```

```

$upit->orderBy('p.model','asc');}
if($sort=="2"){
$upit->orderBy('p.model','desc');}
if($sort=="3"){
$upit->orderBy('p.cena','desc');}
if($sort=="4"){
$upit->orderBy('p.cena','asc');}
$sve= $upit->paginate(6);
return $sve;}

public function prikaziNajprodavaniJeProizvode(){
$upit=\DB::table('korpa AS ko')-
>join("proizvodi AS pr","pr.idproizvod","=","ko.idproizvod")-
>join("marke AS m","m.idmarka","=","pr.idmarka")-
>orderBy('ko.kolicina','desc')->limit(4)->get();
return $upit;}

public function dohvatiSlicneProizvode($id){
$upit=\DB::select("SELECT * FROM proizvodi p inner join marke m on p.idmarka=m
.idmarka inner join pol pp on pp.idpol=p.idpol where p.idpol=(SELECT po.idpol
from proizvodi ppp inner join pol po on ppp.idpol=po.idpol WHERE ppp.idproizvod=$id) and
p.idmarka =(SELECT mm.idmarka from proizvodi ppp inner join marke mm on ppp.id
marka=mm.idmarka WHERE ppp.idproizvod=$id) and p.idproizvod!=$id order by pp.n
aziv limit 2");
return $upit;

}

//admin
public function ubaciProizvod($marka,$model,$cena,$karakteristike,$mslika,$vsli
ika,$pol){
$upit=\DB::table('proizvodi')-
>insert(['model'=>$model,'cena'=>$cena,'karakteristike'=>$karakteristike,'idma
rka'=>$marka,'idpol'=>$pol,'slikamala'=>$mslika,'slikavelika'=>$vslika]);
return $upit;
}
public function izbrisipiProizvod($id){
$upit=\DB::table('proizvodi')->where('idproizvod',$id)->delete();
return $upit;
}
public function azurirajProizvodBezSlike($id,$marka,$model,$karakteristike,$ce
na,$pol){
$upit=\DB::table('proizvodi')->where('idproizvod',$id)-
>update(['model'=>$model,'cena'=>$cena,'karakteristike'=>$karakteristike,'idma
rka'=>$marka,'idpol'=>$pol]);
return $upit;
}

```

```

}

public function azurirajProizvodSaSlikom($id,$marka,$model,$cena,$karakteristike,$mslika,$vslika,$pol){
    $upit=\DB::table('proizvodi')->where('idproizvod',$id)->update(['model'=>$model,'cena'=>$cena,'karakteristike'=>$karakteristike,'idmarka'=>$marka,'idpol'=>$pol,'slikamala'=>$mslika,'slikavelika'=>$vslika]);
    return $upit;
}

public function dohvatiSveProizvodeSaPag(){
    $upit=\DB::table('proizvodi AS p')->join('marke AS m','p.idmarka','=','m.idmarka')->join('pol AS pp','p.idpol','=',$pp.idpol")->simplePaginate(6);
    return $upit;
}
}

```

Requests

AzurirajProizvodAdmin.php

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class azurirajProizvodAdmin extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
    }
}

```

```

        'karakteristike'=>'regex:[([A-đčćž0-9\s]+,[A-zćčđž0-9\s]+){8}]',
        'model'=>'regex:[[A-z0-9\s]+]',
        'cena'=>'regex:[[0-9]+]'

    ];
}
public function messages()
{
    return [
        'karakteristike.regex' => 'Karakteristike nisu u dobrom formatu!',
        'model.regex' => 'Model nije u dobrom formatu!',
        'cena.regex' => 'Cena nije u dobrom formatu!',
        'image.regex' => 'Slika nije u dobrom formatu!',

    ];
}
}

```

IzmeniProfil.php

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class IzmeniProfil extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [

```

```

        "ime"=>'required|regex:/^A-ZČĆŠĐŽ][a-zććšđž]{2,9}(\s[A-ZČĆŠĐŽ][a-
zććšđž]{2,14})*$/',
        " prezime"=>'required|regex:/^A-ZČĆŠĐŽ][a-zććšđž]{2,9}(\s[A-
ZČĆŠĐŽ][a-zććšđž]{2,14})*$/',
        "email"=>'required|email',
        "lozinka"=>'required|regex:/^A-z]{3,}[0-9]{1,}/'

    ];
}
public function messages()
{
    return [
        'ime.required' => 'Ime je obavezno',
        'ime.regex' => 'Ime nije u dobrom formatu',
        'prezime.required' => 'Prezime je obavezno',
        'prezime.regex' => 'Prezime nije u dobrom formatu',
        'email.required'=>'E-mail je obavezan',
        'lozinka.required'=>'Lozinka je obavezna',
        'lozinka.regex'=>'Lozinka nije u dobrom formatu',
    ];
}
}

```

KontaktProvera.php

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class KontaktProvera extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */

```

```

/*
public function rules()
{
    return [
        "email"=>"required",
        "naslov"=>"required|regex:/[A-z0-9]+/",
        "text"=>"required|regex:/[A-z0-9]+/",
    ];
}

public function messages()
{
    return [
        'email.required' => 'E-mail je obavezan!',
        'email.regex' => 'E-mail nije u dobrom formatu!',
        'naslov.required' => 'Nalov je obavezan!',
        'naslov.regex' => 'Nalov nije u dobrom formatu!',
        'text.required'=>'Poruka je obavezna!',
        'text.regex'=>'Poruka nije u dobrom formatu!',
    ];
}
}

```

ProveraRegistracija.php

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class ProveraRegistracija extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     */

```

```

/*
 * @return array
 */
public function rules()
{
    return [
        "ime"=>'required|regex:[^A-ZČĆŠĐŽ][a-zććšđž]{2,9}(\s[A-ZČĆŠĐŽ][a-zććšđž]{2,14})*$]',
        " prezime"=>'required|regex:[^A-ZČĆŠĐŽ][a-zććšđž]{2,9}(\s[A-ZČĆŠĐŽ][a-zććšđž]{2,14})*$]',
        "email"=>'required|email',
        'lozinka'=>'required|regex:[^A-z]{3,}[0-9]{1,}]'
    ];
}
public function messages()
{
    return [
        'ime.required' => 'Ime nije u dobrom formatu!',
        'prezime.required' => 'Prezime nije u dobrom formatu!',
        'email.required' => 'E-mail je obavezan!',
        'email.email' => 'E-mail nije u dobrom formatu!',
        'lozinka.required' => 'Lozinka je obavezna!',
        'lozinka.regex' => 'Lozinka nije u dobrom formatu!',
    ];
}
}

```

ProveraMarka.php

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class ProveraMarka extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {

```

```

        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'marka' => 'required|regex: [[A-z0-9\s]+]|unique:marke,nazivMarka'
        ];
    }
    public function messages()
    {
        return [
            'marka.required' => 'Marka je obavezana!',
            'marka.regex' => 'Marka nije u dobrom formatu!',
            'marka.unique' => 'Vec postoji ta marka'

        ];
    }
}

```

ProveraPrijava.php

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class ProveraPrijava extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     */

```

```

    *
    * @return array
    */
public function rules()
{
    return [
        'email'=>'required|email',
        'lozinka' =>'required|regex:[^A-z]{3,}[0-9]{1,}]'

    ];
}
public function messages()
{
    return [
        'email.required' => 'E-mail je obavezan!',
        'email.email' => 'E-mail nije u dobrom formatu!',
        'lozinka.required' => 'Lozinka je obavezna!',
        'lozinka.regex' => 'Lozinka nije u dobrom formatu!',
    ];
}
}

```

UbaciKorisnikaAdmin.php

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class ubaciKorisnikaAdmin extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()

```

```

    {
        return [
            "ime"=>'required|regex:[^A-ZĆĆŠĐŽ][a-zććšđž]{2,9}(\s[A-ZĆĆŠĐŽ][a-
zććšđž]{2,14})*$]',
            " prezime"=>'required|regex:[^A-ZĆĆŠĐŽ][a-zććšđž]{2,9}(\s[A-
ZĆĆŠĐŽ][a-zććšđž]{2,14})*$]',
            "email"=>'required|email',
            'lozinka'=>'required|regex:[^A-z]{3,}[0-9]{1,}]'
        ];
    }
    public function messages()
    {
        return [
            'ime.required' => 'Ime nije u dobrom formatu!',
            'prezime.required' => 'Prezime nije u dobrom formatu!',
            'email.required' => 'E-mail je obavezan!',
            'email.email' => 'E-mail nije u dobrom formatu!',
            'lozinka.required' => 'Lozinka je obavezna!',
            'lozinka.regex' => 'Lozinka nije u dobrom formatu!',
        ];
    }
}

```

UbaciProizvodAdmin.php

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class ubaciProizvodAdmin extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
}

```

```

/*
public function rules()
{
    return [
        'karakteristike'=>'regex:[([A-đććž0-9\s]+,[A-žććšđž0-9\s]+){8}]',
        'model'=>'regex:[[A-z0-9\s]+]',
        'cena'=>'regex:[[0-9]+]',
        'slika'=>'required|image|mimes:jpeg,png,jpg,svg|max:2048'
    ];
}
public function messages()
{
    return [
        'karakteristike.regex' => 'Karakteristike nisu u dobrom formatu!',
        'model.regex' => 'Model nije u dobrom formatu!',
        'cena.regex' => 'Cena nije u dobrom formatu!',
        'image.regex' => 'Slika nije u dobrom formatu!',
        'slika.required' => 'Slika je obavezna!',
        'slika.max' => 'Slika je velikog formata!'
    ];
}
}

```

Mail

KontaktMail.php

```

<?php

namespace App\Mail;

use Illuminate\Bus\Queueable;
use Illuminate\Contracts\Queue\ShouldQueue;
use Illuminate\Mail\Mailable;
use Illuminate\Queue\SerializesModels;

class Kontaktmail extends Mailable
{
    use Queueable, SerializesModels;
    public $data;
    /**
     * Create a new message instance.
     *
     * @return void
     */

```

```
public function __construct($data)
{
    $this->data=$data;
}

/**
 * Build the message.
 *
 * @return $this
 */
public function build()
{
    return $this->view('pages.kontaktporukaposlata')->with('data',$this-
>data);
}
```

Middleware

ZapisPristupStranici.php

```
<?php

namespace App\Http\Middleware;

use Closure;

class ZapisPristupStranici
{
    /**
     * Handle an incoming request.
     *

```

```

 * @param \Illuminate\Http\Request $request
 * @param \Closure $next
 * @return mixed
 */
public function handle($request, Closure $next)
{
    $date = date('d-m-Y H:i:s');
    if(session()->has('korisnik')){
        $upisi=($date."\t ".$request->ip()."\t". 'Autorizovan:'.session()-
>get('korisnik')->email."\t ".$request->url()."\\n");
        $open = fopen(storage_path().'/app/file.txt', "a");
        if($open){
            $date = date('d-m-Y H:s');
            fwrite($open, "$upisi");
            fclose($open);}}
    else{
        $upisi=($date."\t ".$request-
>ip()."\\t". 'Nije autorizovan'."\t ".$request->url()."\\n");
        $open = fopen(storage_path().'/app/file.txt', "a");
        if($open){
            fwrite($open, "$upisi");
            fclose($open);}}
    return $next($request);
}

```

DaLiJeAdmin.php

```

<?php

namespace App\Http\Middleware;

use Closure;

class DaLiJeAdmin
{
    /**
     * Handle an incoming request.
     *
     * @param \Illuminate\Http\Request $request
     * @param \Closure $next
     * @return mixed
     */
    public function handle($request, Closure $next)

```

```
{  
  
    if(session()->get('korisnik')->iduloga!=4){  
  
        return redirect('pocetna');  
    }  
    return $next($request);}}  

```

DaLiJeUlogovan.php

```
<?php  
  
namespace App\Http\Middleware;  
  
use Closure;  
  
class DaLiJeUlogovan  
{  
    /**  
     * Handle an incoming request.  
     *  
     * @param  \Illuminate\Http\Request  $request  
     * @param  \Closure  $next  
     * @return mixed  
     */  
    public function handle($request, Closure $next)  
    {  
        if(session()->has('korisnik')){  
            return redirect('/pocetna');  
        }  
        return $next($request);  
    }  
}  

```

DaLiNijeUlogovan.php

```
<?php  
  
namespace App\Http\Middleware;  
use Closure;  
class DaLiNijeUlogovan  
{  
    /**  * Handle an incoming request.  
     *  
     */  
}
```

```

    * @param \Illuminate\Http\Request $request
    * @param Closure $next
    * @return mixed
    */
public function handle($request, Closure $next)
{
    if(!session()->has('korisnik')){
        return redirect('/');
    }
    return $next($request);}}
```

Controllers

ProizvodController.php

```

<?php

namespace App\Http\Controllers;
use App\Models\Proizvodi;
use App\Models\Komentari;
use App\Models\Ocene;
use Illuminate\Http\Request;
use App\Http\Controllers\MojController;

use Eastwest\Json\Facades\Json;
class ProizvodController extends MojController
{

    public function __construct(){
        $this->proizvod=new Proizvodi();
        $this->komentari=new Komentari();
        $this->ocene=new Ocene();
    }

    public function dohvatiJedan($id){

        $jedan=$this->proizvod->dohvatiJedan($id);
        $komentar=$this->komentari->dohvatiKomentare($id);
        $prosecnaOcena=$this->ocene->prikaziProsekOcena($id);
        $brojGlasova=$this->ocene->prikaziBrojOcena($id);
        $slicni=$this->proizvod->dohvatiSlicneProizvode($id);
        return view("pages/proizvod",["proizvod"=>$jedan,"komentari"=>$komentar,"ocena"=>$prosecnaOcena,"glasovi"=>$brojGlasova,"slicni"=>$slicni]);

    }

    public function dohvatiKomentareSve($id){
        $komentarr=$this->komentari->dohvatiKomentare($id);
        return response()->json($komentarr);
    }
}
```

```

public function ubaciKomentar(Request $request){
    $greske=0;
    $idP=$request->input('idproiz');
    $idK=$request->input('idkorisnik');
    $polje=$request->input('polje');
    if($polje==""){
        $greske=1;
    }
    if($greske==0){
        try{
            $ubaci=$this->komentari->ubaciKomentar($idP,$idK,$polje);
            return response(null,204);
        } catch(PDOException $e){
            Log::error($e->getMessage());
        }
    }
}

public function obrisiKomentar($idKom){
    $id=$idKom;
    $ubaci=$this->komentari->obrisiKomentar($id);
    return response(null,204);
}

public function proveriGlasanje($idp){
    $idpp=$idp;
    $idko=session()->get('korisnik')->idkorisnik;
    try{
        $ubaci= $this->ocene->proveriGlasanje($idko,$idpp);
        return response()->json($ubaci);
    } catch(PDOException $e){
        Log::error($e->getMessage());
    }
}

public function oceni(Request $request){
    $idp=$request->input('idproizvod');
    $idko=session()->get('korisnik')->idkorisnik;
    $vrednost=$request->input('vr');
    try{
        $ubaci= $this->ocene->glasaj($idko,$idp,$vrednost);
        return response(null,204);
    } catch(PDOException $e){
        Log::error($e->getMessage());
    }
}

```

ProizvodiController.php

```

<?php

namespace App\Http\Controllers;
use App\Models\Proizvodi;
use App\Models\Marke;
use App\Models\Pol;
use Illuminate\Http\Request;

```

```
use App\Http\Controllers\MojController;

class ProizvodiController extends MojController
{
    public function __construct(){
        $this->proizvodi=new Proizvodi();
        $this->marke=new Marke();
        $this->pol=new Pol();
    }

    public function vratiProizvode(){
        $dohvati=$this->proizvodi->dohvatiProizvode();
        $marke=$this->marke->dohvatiMarke();
        $pol=$this->pol->dohvatiPolove();
        try{
            return view("pages/proizvodi",["proizvodi"=>$dohvati,"marke"=>$marke,"pol"=>$pol]);
        } catch(PDOException $e){
            Log::error($e->getMessage());
        }
    }
    public function vratiAjax($page){
        try{
            $dohvati=$this->proizvodi->dohvatiProizvode();
            return response()->json($dohvati);
        } catch(PDOException $e){
            Log::error($e->getMessage());
        }
    }
    public function filtriraj(Request $request){
        $marka=$request->input('marke');
        $pol=$request->input('pol');
        $sort=$request->input('sortiraj');
        $cena=$request->input('cena');
        $trazi=$request->input('trazi');
        $pag=$request->input('pag');
        try{
            $dohvati=$this->proizvodi->filtriranje($marka,$pol,$sort,$cena,$trazi);
            return response()->json($dohvati);
        } catch(PDOException $e){
            Log::error($e->getMessage());
        }
    }
    public function broj(Request $request){
        try{
            $dohvati=$this->proizvodi->dohvatiProizvode();
            return response()->json($dohvati);
        } catch(PDOException $e){
            Log::error($e->getMessage());
        }
    }
}
```

Prijava i Registracija Controller.php

```
<?php
namespace App\Http\Controllers;
use App\Models\Korisnici;
use Illuminate\Http\Request;
use App\Http\Requests\ProveraPrijava;
use App\Http\Requests\ProveraRegistracija;
use Symfony\Component\HttpFoundation\Response;
use App\Http\Controllers\MojController;
class PrijavaiRegistracijaController extends MojController
{
    public function __construct(){
        $this->korisnik=new Korisnici();
    }
    public function vratiFormu(){
        return view('/pages/prijava');
    }
    public function proveriPrijavu(Request $request,ProveraPrijava $provera){
        $email=$request->input('email');
        $lozinka=$request->input('lozinka');
        $korisnik=$this->korisnik->login($email,$lozinka);
        try{
            if($korisnik){
                $request->session()->put("korisnik",$korisnik);
                $vreme=$this->vratiVreme();
                $this->korisnik->azurirajAktivnost(session()->get('korisnik')->idkorisnik,1,$vreme);
                return redirect("/");
            }else{
                return redirect("/prijava");
            }
        }catch(PDOException $e){
            \Log::error($e->getMessage());
        }
    }
    public function odjavi(Request $request){
        if($request->session()->has('korisnik')){
            $vreme=$this->vratiVreme();
            $request->session()->forget('korisnik');
            $request->session()->regenerate();
        }
    }
}
```

```

        try{
            $this->korisnik->azurirajOdjavljen(session()->get('korisnik')-
>idkorisnik,0,$vreme);
            $request->session()->forget('korisnik');
            return redirect("/");
        } catch(PDOException $e){
            Log::error($e->getMessage());
        }
    }

    public function registruj(Request $request,ProveraRegistracija $r){
        $ime=$request->input('ime');
        $prezime=$request->input('prezime');
        $email=$request->input('email');
        $lozinka=$request->input('lozinka');
        $ponovo=$request->input('ponovo');
        $uloga=5;
        $vreme=$this->vratiVreme();
        $aktivran=0;
        try{
            $this->korisnik-
>registruj($ime,$prezime,$email,$lozinka,$ponovo,$uloga,$vreme,$aktivran);
            return response(null,204);
        } catch(PDOException $e){
            Log::error($e->getMessage());
        }
    }
}

```

MojController.php

```

<?php

namespace App\Http\Controllers;
use App\Models\Proizvodi;
use App\Models\Marke;
use App\Models\Pol;
use Illuminate\Http\Request;
use Intervention\Image\ImageManager;
class MojController extends Controller
{
    protected $proizvodi;
    protected $marke;
    protected $pol;
    protected $proizvod;
    protected $komentari;
    protected $ocene;
}

```

```

protected $korisnik;
protected $uloge;
protected $korpa;

public function __construct(){
    $this->proizvodi=new Proizvodi();
    $this->marke=new Marke();
    $this->pol=new Pol();

}

public function ucitajFajl(){

$fn = fopen(storage_path().'/app/file.txt',"r");
$pr=[];
while(!feof($fn)) {
    $result = fgets($fn);
    $pr[]=$result;
}
return $pr;
fclose($fn);
}

public function vratiVreme(){
$t=time();
$vreme=date("Y-m-d H:i:s",$t);
return $vreme;
}

public function ubaciSliku($slika){
$drekiva=public_path() . "/slike/";
$slikaime1=time()."mala".$slika->getClientOriginalName();
$slika->move($drekiva,$slikaime1);
$img=\Image::make($drekiva.$slikaime1);
$img->backup();
$img->resize(400, null, function ($constraint) {
    $constraint->aspectRatio();});
$img->save($drekiva.$slikaime1);
$img->reset();
$img=\Image::make($drekiva.$slikaime1);
$img->resize(750, null, function ($constraint) {
    $constraint->aspectRatio();});
$vel="velika".$slikaime1;
$img->save($drekiva.$vel);
return [$slikaime1,$vel];
}
}

```

KorpaController.php

```
<?php
namespace App\Http\Controllers;
use App\Models\Proizvodi;
use App\Models\Korpa;
use Illuminate\Http\Request;
use App\Http\Controllers\MojController;
class KorpaController extends MojController
{
    public function __construct(){
        $this->proizvod=new Proizvodi();
        $this->korpa=new Korpa();}
    public function vradiKorpu(){
        return view('pages/korpa');
    }
    public function dohvatiProizvodeZaKorpu(){
        try{
            $pr=$this->proizvod->dohvatiSveProizvode();
            return response()->json($pr);}
        catch(PDOException $e){
            Log::error($e->getMessage());}}
    public function ubaciUkorpu(Request $request){
        $idk=session()->get('korisnik')->idkorisnik;
        $idp=$request->input('id');
        $kol=$request->input('kol');
        $isporuka=$request->input('isporuka');
        if(session()->get('korisnik')->iduloga==4){

            return response(null,401);
        }
        else{

            try{
                $pr=$this->korpa->ubaciUkorpu($idk,$idp,$kol,$isporuka);
                return response()->json($pr);}
            catch(PDOException $e){
                Log::error($e->getMessage());}}}}
```

FrontEndController.php

```
<?php

namespace App\Http\Controllers;
use App\Models\Ocene;
use App\Models\Korpa;
use App\Models\Proizvodi;
use Illuminate\Http\Request;
use App\Http\Controllers\MojController;
```

```

use App\Models\Proizvod;
use Illuminate\Support\Facades\Mail;
use App\Mail\Kontaktmail;
use App\Http\Requests\KontaktProvera;
class FrontEndController extends MojController
{
private $proba;
public function __construct(){
$this->proizvodi=new Proizvodi();
$this->proizvod=new Ocene();
$this->korpa=new Korpa();
}
public function vratiPocetneProizvode(Request $request){
$proizvod=$this->proizvodi->prikaziNajprodavanijeProizvode();
return view('pages/pocetna',[ 'proizvod'=>$proizvod]);
}
public function vratiAutora(){
return view('pages/autor');
}
public function vratiOceneIProizvode(){
$id=session()->get('korisnik')->idkorisnik;
$upit1=$this->proizvod->prikaziOcenjene($id);
$upit2=$this->korpa->izlistajKupljene($id);
return view('pages/porudzbine',[ "upit1"=>$upit1,"upit2"=>$upit2]);
}
public function vratiKontakt(){
return view("pages/kontakt");}
public function posaljiPorukuAdminu(Request $request,KontaktProvera $kon){
$email=$request->input('email');
$data=array(
'email' => $request->email,
'naslov' => $request->naslov,
'text' =>$request->text );
Mail::to("SajtSatovi@gmail.com")->send(new Kontaktmail($data));
return back()->with("poruka","Poruka je poslata administratoru.");
}
}

```

IzmeniProfilController.php

```

<?php

namespace App\Http\Controllers;
use App\Models\Korisnici;
use App\Http\Controllers\MojController;
use Illuminate\Http\Request;
use App\Http\Requests\IzmeniProfil;

```

```

class IzmeniProfilController extends MojController
{

    public function __construct(){
        $this->korisnik=new Korisnici();
    }
    public function vratiJednog(){
        $id=session()->get('korisnik')->idkorisnik;
        $sve=$this->korisnik->prikaziJednog($id);
        return view("pages/izmeniKorisnik",["inf"=>$sve]);
    }
    public function azurirajInf(Request $request,IzmeniProfil $iz){
        $id=$request->input('id');
        $ime=$request->input('ime');
        $prezime=$request->input('prezime');
        $email=$request->input('email');
        $lozinka=$request->input('lozinka');
        $t=time();
        $vreme=date("Y-m-d H:i:s",$t);
        try{
            $sve=$this->korisnik-
>azurirajKorisnik($id,$ime,$prezime,$email,$lozinka,$vreme);
            return redirect('/izmeniProfil')-
>with('poruka',"Vasi podaci su izmenjeni.Ulogujte se ponovo da bi ste videli.");
        }catch(PDOException $e){
            \Log::error($e->getMessage());
        }
    }
}

```

Admin

KorisniciAdminController.php

```

<?php

namespace App\Http\Controllers\Admin;
use App\Models\Korisnici;
use App\Models\Uloge;
use App\Http\Controllers\MojController;
use App\Http\Controllers\Controller;
use Illuminate\Http\Request;
use App\Http\Requests\ubaciKorisnikaAdmin;
class KorisniciAdminController extends MojController
{
    /**
     * Display a listing of the resource.

```

```

/*
 * @return \Illuminate\Http\Response
 */

public function __construct(){
    $this->korisnik=new Korisnici();
    $this->uloge=new Uloge();
}
public function index()
{
    $this->korisnik=new Korisnici();
    $kor=$this->korisnik->prikaziSveKorisnike();
    try{
        return view("adminPanel/pages/korisnici",["korisnici"=>$kor]);
    }catch(PDOException $e){
        Log::error($e->getMessage());
    }
}

/**
 * Show the form for creating a new resource.
 *
 * @return \Illuminate\Http\Response
 */
public function create(){
    $ul=$this->uloge->dohvatiUloge();
    try{
        return view('adminPanel/pages/ubaciKorisnika',[ "uloge"=>$ul]);
    }catch(PDOException $e){
        Log::error($e->getMessage());
    }
}

/**
 * Store a newly created resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @return \Illuminate\Http\Response
 */
public function store(Request $request,ubaciKorisnikaAdmin $admin)
{
    $ime=$request->input('ime');
    $prezime=$request->input('prezime');
    $email=$request->input('email');
    $lozinka=$request->input('lozinka');
    $uloga=$request->input('uloga');
    $t=time();
}

```

```

$aktivAn=0;
$vreme=date("Y-m-d H:i:s",$t);
try{
    $kor=$this->korisnik-
>ubaciKorisnika($ime,$prezime,$email,$lozinka,$uloga,$vreme,$aktivAn);
    return redirect('/adminPanel/korisnici')-
>with('poruka',"Korisnik je dodat.");
}
catch(PDOException $e){
    Log::error($e->getMessage());
}

/**
 * Display the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function show($id)
{
    //
}

/**
 * Show the form for editing the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function edit($id)
{
    $kor=$this->korisnik->prikaziJednog($id);
    $ul=$this->uloga->dohvatiUlogu();
    try{
        return view("adminPanel/pages/formaZaAzuriranjeKorisnika",['kor'=>$kor,
uloga'=>$ul]);
    }
    catch(PDOException $e){
        Log::error($e->getMessage());
    }
}

/**
 * Update the specified resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @param int $id
 */

```

```

    * @return \Illuminate\Http\Response
    */
public function update(Request $request, ubaciKorisnikaAdmin $admin, $id)
{
    $ime=$request->input('ime');
    $prezime=$request->input('prezime');
    $email=$request->input('email');
    $lozinka=$request->input('lozinka');
    $uloga=$request->input('uloga');
    $t=time();
    $aktivvan=0;
    $vreme=date("Y-m-d H:i:s",$t);
    try{
        $kor=$this->korisnik-
>azururajKorisnika($id,$ime,$prezime,$email,$lozinka,$uloga,$vreme,$aktivvan);
        return redirect('/adminPanel/korisnici');}
    catch(PDOException $e){
        Log::error($e->getMessage());}
}

/**
 * Remove the specified resource from storage.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function destroy($id)
{
    try{
        $kor=$this->korisnik->izbrisikorisnika($id);
        return response(null,204);
    }
    catch(PDOException $e){
        Log::error($e->getMessage());}
}
}

```

KomentariController.php

```

<?php

namespace App\Http\Controllers\Admin;
use App\Models\Komentari;
use App\Http\Controllers\MojController;
use App\Http\Controllers\Controller;
use Illuminate\Http\Request;

```

```
use App\Http\Controllers\ProizvodController;
class KomentariController extends MojController
{
    public function __construct(){
        $this->komentari=new Komentari();

    }
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        //
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        //
    }

    /**
     * Store a newly created resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     * @return \Illuminate\Http\Response
     */
    public function store(Request $request)
    {
        //
    }

    /**
     * Display the specified resource.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function show($id)
    {
        $komentarr=$this->komentari->dohvatiKomentare($id);
    }
}
```

```

        return view("adminPanel/pages/komentari", ['komentari'=>$komentarr]);
    }

    /**
     * Show the form for editing the specified resource.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function edit($id)
    {
        //
    }

    /**
     * Update the specified resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function update(Request $request, $id)
    {
        //
    }

    /**
     * Remove the specified resource from storage.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function destroy($id)
    {
        try{
            $komentarr=$this->komentari->obrisiKomentar($id);
            return response()->json($komentarr);
        catch(PDOException $e){
            Log::error($e->getMessage());}}
    }

```

PocetnaAdminController.php

```

<?php

namespace App\Http\Controllers\Admin;
use App\Http\Controllers\MojController;
use App\Models\Korisnici;

```

```

use App\Http\Controllers\Controller;
use Illuminate\Http\Request;
use App\Models\Korpa;
class PocetnaAdminController extends MojController
{
    public function __construct(){
        $this->korpa=new Korpa();
        $this->korisnik=new Korisnici();
    }

    public function prikaziStatistike(){
        $narudzbe=$this->korpa->izlistajNarudzbine();
        $korisnici=$this->korisnik->prikaziSveKorisnike();
        $brojAktivnih=$this->korisnik->brojAktivnihKorisnika();
        $brojNeAktivnih=$this->korisnik->brojNeAktivnihKorisnika();
        $brojRegistrovanih=$this->korisnik->brojRegistrovanih();
        $brojNikadPrijavljenih=$this->korisnik->nikadPrijavljen();
        $log=$this->ucitajFajl();
        return view('adminPanel/pages/pocetna',[ 'narudzbe'=>$narudzbe, 'korisnici'=>$korisnici, "logovi"=>$log,
            'brojAktivnih'=>$brojAktivnih, 'brojNeAktivnih'=>$brojNeAktivnih, 'brojRegistrovanih'=>$brojRegistrovanih,
            'nikadPrijavljen'=>$brojNikadPrijavljenih
        ]);
    }
    public function filtriranjePoDatumu(Request $request){
        $datum=$request->input('trazi');
        $korisnici=$this->korisnik->filtriranje($datum);
        return response()->json($korisnici);
    }
}

```

ProizvodiAdminController.php

```

<?php

namespace App\Http\Controllers\Admin;
use App\Http\Controllers\MojController;
use App\Http\Controllers\Controller;
use Illuminate\Http\Request;
use App\Models\Proizvodi;

```

```
use App\Models\Marke;
use App\Models\Pol;
use Intervention\Image\ImageManager;
use App\Http\Requests\ubaciProizvodAdmin;
use App\Http\Requests\azurirajProizvodAdmin;
class ProizvodiAdminController extends MojController
{
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function __construct(){
        $this->proizvodi=new Proizvodi();
        $this->marke=new Marke();
        $this->pol=new Pol();

    }
    public function index()
    {

        return view("adminPanel/pages/proizvodi",["proizvodi"=> $this->proizvodi->dohvatiSveProizvodeSaPag(),'marke'=> $this->marke->dohvatiMarke()]);
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        $poll= $this->pol->dohvatiPolove();
        $marka=$this->marke->dohvatiMarke();

        return view("adminPanel/pages/ubacivanjeProizvoda",['pol'=>$poll,'marke'=>$marka]);
    }

    /**
     * Store a newly created resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     * @return \Illuminate\Http\Response
     */
    public function store(Request $request,ubaciProizvodAdmin $pr)
    {
```

```

$marka=$request->input('marka');
$model=$request->input('model');
$cena=$request->input('cena');
$karakteristike=$request->input('karakteristike');
$pol=$request->input('pol');
$slika=$request->file('slika');
$novaslika=$this->ubaciSliku($slika);
try{
    $sve=$this->proizvodi-
>ubaciProizvod($marka,$model,$cena,$karakteristike,$novaslika[0],$novaslika[1]
,$pol);
    return redirect("adminPanel/proizvodi");
}
catch(PDOException $e){
    Log::error($e->getMessage());
}
}

/**
 * Display the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function show($id)
{
    //
}

/**
 * Show the form for editing the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function edit($id)
{
    $poll= $this->pol->dohvatiPolove();
    $marka=$this->marke->dohvatiMarke();
    $proizvodi=$this->proizvodi->dohvatiJedan($id);
    try{
        return view("adminPanel/pages/formaZaAzuriranjeProizvoda",["proiz"=> $proizvodi,'pol'=>$poll,'marke'=>$marka]);}
    catch(PDOException $e){
        Log::error($e->getMessage());
    }
}

```

```

/**
 * Update the specified resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function update(Request $request, azurirajProizvodAdmin $pr, $id)
{
    $marka=$request->input('marka');
    $model=$request->input('model');
    $cena=$request->input('cena');
    $karakteristike=$request->input('karakteristike');
    $pol=$request->input('pol');
    $slika=$request->file('slika');

    if($slika!=null){
        $novaslika=$this->ubaciSliku($slika);
        try{
            $sve=$this->proizvodi-
>azurirajProizvodSaSlikom($id,$marka,$model,$cena,$karakteristike,$novaslika[0]
,$novaslika[1],$pol);
            return redirect("adminPanel/proizvodi");
        }
        catch(PDOException $e){
            Log::error($e->getMessage());
        }
    }else{
        try{
            $sve=$this->proizvodi-
>azurirajProizvodBezSlike($id,$marka,$model,$karakteristike,$cena,$pol);
            return redirect("adminPanel/proizvodi");
        }
        catch(PDOException $e){
            Log::error($e->getMessage());
        }
    }
}

/**
 * Remove the specified resource from storage.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function destroy($id)
{
    try{
        $this->proizvodi->izbrisiproizvod($id);
    }
}

```

```
        catch(PDOException $e){
            Log::error($e->getMessage());
        }
    }
```

MarkeController.php

```
<?php

namespace App\Http\Controllers\Admin;
use App\Http\Controllers\MojController;
use App\Http\Requests\ProveraMarka;
use App\Http\Controllers\Controller;
use Illuminate\Http\Request;
use App\Models\Marke;
class MarkeController extends MojController
{
    public function __construct(){

        $this->marke=new Marke();
    }
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    { }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        //
    }

    /**
     * Store a newly created resource in storage.
     *
     * @param  \Illuminate\Http\Request  $request
     * @return \Illuminate\Http\Response
     */
    public function store(Request $request,ProveraMarka $pr)
    {
```

```
$markee=$request->input('marka');

try{
    $this->marke->ubaciMarku($markee);
    return response(null,204);
}
catch(PDOException $e){
    Log::error($e->getMessage());
}

/***
 * Display the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function show($id)
{
    //
}

/***
 * Show the form for editing the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function edit($id)
{
    //
}

/***
 * Update the specified resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function update(Request $request, $id)
{
    //
}

/***
 * Remove the specified resource from storage.
 */
```

```

*
* @param int $id
* @return \Illuminate\Http\Response
*/
public function destroy($id)
{
    $this->marke->obrisiMarku($id);
}
}

```

JavaScript

Program.js

```

$('.slider').lbSlider({
    leftBtn: '.sa-left', // left button selector
    rightBtn: '.sa-right', // right button selector
    visible: 3, // visible elements quantity
    autoPlay: false, // autoscroll
    autoPlayDelay: 3 // delay of autoscroll in seconds
})
$(document).ready(function(){
    function proizvodUKorpi() {
        return JSON.parse(localStorage.getItem("products"));
    }

    $(".gg").click(function(){
        izvrsi($(this).data("id"))
    })
    function izvrsi(id){
        var id= id
        var products = proizvodUKorpi();
        if(products) {
            if(productIsAlreadyInCart()) {
                updateQuantity();
            } else {
                addToLocalStorage()
            }
        }
    }
})

```

```

        }
    } else {
        addFirstItemToLocalStorage();
        alert("Proizvod ste dodali u korpu! Potvrdite kupovinu klikom na korpu!");
    );
}

function productIsAlreadyInCart() {
    return products.filter(p => p.id == id).length;
}

function addToLocalStorage() {
    let products = proizvodUKorpi();
    products.push({
        id : id,
        quantity : 1,
    });
    localStorage.setItem("products", JSON.stringify(products));
}

function updateQuantity() {
    let products = proizvodUKorpi();
    for(let i in products)
    {
        if(products[i].id == id){
            products.push({
                id : id,
                quantity : 1,
            });
            console.log("ubacuje")
        }
        localStorage.setItem("products", JSON.stringify(products));
    }
}

function addFirstItemToLocalStorage() {
    let products = [];
    products[0] = {
        id : id,
        quantity : 1, }

    localStorage.setItem("products", JSON.stringify(products));}}})

$(document).ready(function(){
    slideShow();
});

function slideShow() {
    var trenutni = $('#slajder .aktivna');
    var next = trenutni.next().length ? trenutni.next() :trenutni.parent()
    .children(':first');
}

```

```

trenutni.hide().removeClass('aktivna');
next.fadeIn().addClass('aktivna');

setTimeout(slideshow, 4000);
}

$(document).ready(function(){

$.ajaxSetup({
  headers: {
    'X-CSRF-TOKEN': $('meta[name="csrf-token"]').attr('content')
  }
});
// komentariiiii
$("#dugmekom").click(function(){

  var idproiz=$(this).data('idproizvod');
  var idkorisnik=$(this).data('idkorisnik');

  var polje=$("#komentartext").val();
  var greske=0;
  if(polje==""){
    $("#komentartext").css("border-color","red");
    greske=1;
  }
  if(greske==0){
    $.ajax({
      url:"/proizvod",
      method:"post",
      data:{idproiz:idproiz,idkorisnik:idkorisnik,polje:polje},
      success:function(x){

        $("#komentartext").val("");
        dohvatiKomentare(idproiz);
      },error:function(xhr,status,error){
        console.log(xhr,status,error)
      }
    })
  }
})

$("#dugme").click(function(){
  let marke=$("#markal").val();
  let pol=$("#pollista").val();
  let trazi=$("#trazi").val();
  let sort=$("#sort").val();

```

```

let cena=$("#cenas").val();

$.ajax({
    url:"/proizvodi/prikazi?marke="+marke+"&pol="+pol+"&trazi="+trazi+
"&sortiraj="+sort+"&cena="+cena,
    type:"get",
    dataType:"json",
    success:function(x){
        ispisiProizvode(x.data)
        ispisiPaginaciju(x)

        if(x.data.length!=0){
            $("#brojevi").html("Strana "+x.current_page+" "+ "od "+x.la-
st_page)

        }
        else{
            $("#brojevi").html("")
        }

    },error:function(xhr,status){
        console.log(xhr,status)
    }
})
})

function ispisiPaginaciju(x){
    if(x.data.length!=""){
let ispis=`<ul class="pagination">` 
if(x.from==1){
    ispis+=`<li class="page-item disabled" aria-disabled="true"  aria-
label="» Next">
<</span>
</li>`}
else{
    ispis+=`<li class="page-item">
<a class="page-link" href="${x.first_page_url}" rel="prev" aria-
label="« Previous"><</a>
</li>`}
var totalno=Math.ceil(x.total/6);
for(let i=1;i<=totalno;i++){
ispis+=`<li class="page-item"><a class="page-
link" href="http://127.0.0.1:8000/proizvodi?page=${i}">${i}</a></li>`}
ispis+=`<li class="page-item">
if(x.next_page_url==null){`
```

```

ispis+=`<li class="page-item disabled" aria-disabled="true" aria-
label=""> Next">
    <span class="page-link" aria-hidden="true"></span>
</li>`}
else{
    ispis+=``></a>`}
ispis+=`</li>
</ul>`  

\$\(".pag"\).html\(ispis\)

}
else{ \$\(".pag"\).html\(""\)}
}

function ispisiproizvode\(x\){
if\(x.length!=""\){
let ispis=""
for\(var proiz of x\){
    ispis+=` <div class="proizvod">
        
        <p id="marka">\${proiz.nazivMarka.toUpperCase\(\)}</p>
        <p id="model">\${proiz.model}</p>
        <p id="cena">\${proiz.cena },00 RSD</p>

        <a href="/proizvod/\${proiz.idproizvod}" class="lopsirno">Opsirnij
e</a>

    </div>`
}

\$\("#proizvodi"\).html\(ispis\)
}
else{ \$\("#proizvodi"\).html\("<h2>Nema proizvoda po traženom kriterijumu!</h
2>"\)}

\$\(document\).on\("click",".pagination a",function\(e\){
    e.preventDefault\(\);

    var page=\$\(this\).attr\('href'\).split\('page='\)\[1\];
    dohvatiProizvode\(page\)

}\)
}

```

```

function dohvatiProizvode(page){
    let marke=$("#markal").val();
    let pol=$("#pollista").val();
    let trazi=$("#trazi").val();
    let sort=$("#sort").val();
    let cena=$("#cenas").val();
    $.ajax({
        url:"/proizvodi/prikazi?page="+page+"&marke="+marke+"&pol="+pol+"&
trazi="+trazi+"&sortiraj="+sort+"&cena="+cena,
        type:"get",
        dataType:"json",
        success:function(c){
            ispisiProizvode(c.data)
            ispisiPaginaciju(c)

            if(c.data.length!=0){
                $("#brojevi").html("Strana "+c.current_page+" "+"od "+c.last_p
age)

            }
            else{
                $("#brojevi").html("")
            }

        }
    )})

// ucitavanje bez osvezavanja strane
function dohvatiKomentare(id){
    let idd=id

    $.ajax({
        url:"/proizvod/"+idd+"/dohvatiKomentareSve",
        method:"get",
        dataType:"json",
        success:function(x){
            console.log(x)

            let ispis=""
            let ispis2=""
            for(var k of x){

                ispis+=`<div id="reader">
<ol>
<li>
<div class="comment_box">

```

```

<div class="inside_comment">
<div class="comment-meta">
<div class="commentsuser">${k.ime}</div>`  

    let prom=k.vreme;  

    let niz=["January","February","March","April","M  
ay","June","July","August","September","October","November","December"];  

    let datum=new Date(k.vreme);  

    let mesec=niz[datum.getMonth()];  

        ispis+=`<div class="comment_date">${mesec+" "+(d  
atum.getDate())+", "+datum.getFullYear()+" "+datum.getHours()+":"+datum.getMinutes()  
+": "+datum.getSeconds()}</div>  

    </div>
    <div class="comment-body">
        <p>${k.komentar}</p>
    </div>
</div></div>`  

if(k.iduloga=="1"){
    ispis+=`  

    <span id="upisi">  

<span class="obrisiKom" data-id=${k.idproizvod } data-  
idkom=${k.idkomentar}>X</span></span>` }
    ispis+=`  

    </li>
    </ol>
    </div>`  

}
if(x.length==0){
    ispis+=`<h3 class="podpoj">Ovaj proizvod nema komentara.</h3>`  

}
$("#boxovi").html(ispis)
if(x.length==0){

}
},error:function(xhr,status,error){
    console.log(xhr,status,error)
}}}

//brisanje komentara
$("#boxovi").on("click",".obrisiKom",function(){
    var idKom=$(this).data('idkom')
    let idPr=$(this).data("id");
    $.ajax({
```

```

url:"/proizvod/"+idKom,
method:"delete",
success:function(x){
    dohvatiKomentare(idPr)
},error:function(xhr,status,error){
    console.log(xhr,status,error)
}}))

function vratiModel(promenjiva){
    var modal2 = promenjiva;
    var span = $(".close");
    modal2.css("display","block");
    span.click (function() {
        modal2.css("display","none");
    })
    window.onclick = function(event) {
        if (event.target == modal2) {
            modal2.css("display","none");}
    }
}

// glasanje
$(".star").click(function(){
    $(".rating-widget").css("pointer-events","none")
    $(".rating-widget ul li").css("opacity","0.8")
    var id=$(this).data("pro");
    var vr=$(this).data("value");

    $.ajax({
        url:"/proizvod/"+id+"/proveriGlasanje",
        type:"get",
        dataType:"json",
        success:function(x){
            console.log(x)
            if(x<1){
                upisi(id,vr)

            }
            if(x>=1){
                vratiModel(promenjiva=$("#myModal9"))

            }
        },
        error:function(xhr,status,error){
            vratiModel(promenjiva=$("#myModal8"))

        }
    })
}

```

```

        }})
        function upisi(idpr,vr){
let idproizvod=idpr;
let vre=vr
$.ajax({
url:"/proizvod/glasaj",
type:"post",
data:{vr:vre,idproizvod:idproizvod},
success:function(x){
console.log("uneto")

},
error:function(xhr,status,error){
console.log(xhr.status)
if(xhr.status==401){
vratiModel(promenjiva=$("#myModal8"))
}
}
})
})

$("#cenas").change(function(){
$("#tekstc").html($("#this").val())


})




$("#proiztabla tr:odd").css("background-color", "#e4e1e1");
$("#proiztabla tr:even").css("background-color", "#232e58");
$("#proiztabla tr:even td").css("color", "white");
$("#proiztabla tr:even th").css("color", "white");




// $(".navdugme").css("display","none");
$(".navdugme").click(function(){
$(this).css("display","none")
$("#lblCartCount").toggle("slow");
$(".snip1226").slideDown("slow");
$("#X").css("display","flex")

})
$("#X").click(function(){
$(this).css("display","none")
$("#lblCartCount").toggle("slow");
$(".snip1226").slideUp("fast");
$(".navdugme").css("display","block")

})
$("#filterdugme").click(function(){


```

```
$("#filteri").slideToggle();

})})
/////////////////////////////// modal za uspesnu kupovinu
var modal =$("#myModal");
var span = $(".close");
// if(1==1){
//   modal.css("display","block");

// }

// When the user clicks on <span> (x), close the modal
span.click (function() {
  modal.css("display","none");
})
// When the user clicks anywhere outside of the modal, close it
$(window).click(function(event) {

  if (event.target != modal) {

    modal.css("display","none");
  }
})
/////////////////////////////// modal za neuspesno ocenjivanje
var modal3 =$("#myModal3");
var span = $(".close");
// if(1==1){
//   modal3.css("display","block");

// }

// When the user clicks on <span> (x), close the modal
span.click (function() {
  modal3.css("display","none");
})
// When the user clicks anywhere outside of the modal, close it
window.onclick = function(event) {
  if (event.target == modal3) {
    modal3.css("display","none");
  }
}
///////////////////////////////
```

```

/////////////////////////////// modal za neuspesnu kupovinu
var modal2 =$("#myModal2");
var span = $(".close");
// if(1==1){
//   modal2.css("display","block");

// }

// When the user clicks on <span> (x), close the modal
span.click (function() {
  modal2.css("display","none");
})

// When the user clicks anywhere outside of the modal, close it
window.onclick = function(event) {
  if (event.target == modal2) {
    modal2.css("display","none");
  }
}

/////////////////////////////// zvezde
$(document).ready(function(){

  /* 1. Visualizing things on Hover - See next part for action on click */
  $('#stars li').on('mouseover', function(){
    var onStar = parseInt($(this).data('value'), 10); // The star currently mouse on

    // Now highlight all the stars that's not after the current hovered star
    $(this).parent().children('li.star').each(function(e){
      if (e < onStar) {
        $(this).addClass('hover');
      }
      else {
        $(this).removeClass('hover');
      }
    });

  }).on('mouseout', function(){
    $(this).parent().children('li.star').each(function(e){
      $(this).removeClass('hover');
    });
  });

  $(".ocene tr:odd").css("background-color", "#232e58");
})

```

```

$(".ocene tr:even").css("background-color","gray");
$(".oc tr:odd").css("background-color","#232e58");
$(".oc tr:even").css("background-color","gray");
/* 2. Action to perform on click */
$('#stars li').on('click', function(){
    var onStar = parseInt($(this).data('value'), 10); // The star currently selected
    var stars = $(this).parent().children('li.star');

    for (i = 0; i < stars.length; i++) {
        $(stars[i]).removeClass('selected');
    }

    for (i = 0; i < onStar; i++) {
        $(stars[i]).addClass('selected');
    }
})

$(".star").click(function(){

var vr=$(this).data("value");
console.log(vr);
$(".rating-widget").css("pointer-events","none")
$(".rating-widget ul li").css("opacity","0.8")
})

$(".proizvod").hover(
function() {
$( this ).css( "box-shadow","0px 0px 5px");
}, function() {
$( this ).css( "box-shadow","1px 3px 12px");
}
);

$(".proizvod").children().hover(
function() {
$( this ).css( "opacity","0.9");
}, function() {
$( this ).css( "opacity","1");
}
);

```

Korpa.js

```
$(document).ready(function () {  
  
    let products = proizvodUKorpi();  
  
    displayCartData();  
  
});  
  
function displayCartData() {  
  
    let products = proizvodUKorpi();  
  
    $.ajax({  
        url :"/korpa/prikaziProizvode",  
        dataType:"json",  
        success : function(data) {  
  
            let products = proizvodUKorpi();  
            if(products==null){  
                $("#adresa").css("display","none")  
                $("#korpa").html("<h2 id='korpaprazna'>Vaša korpa je prazna!</h2>")  
;  
            }  
            else{  
  
                data = data.filter(p => {  
                    for(let prod of products)  
                    {  
                        if(p.idproizvod == prod.id) {  
                            p.quantity = prod.quantity;  
                        }  
                    }  
                })  
                let cartHTML = "<table border='1'>  
                    <thead>  
                        <tr>  
                            <th>Produkt</th>  
                            <th>Kolicina</th>  
                        </tr>  
                    </thead>  
                    <tbody>";  
                data.forEach(item => {  
                    cartHTML += "<tr>  
                        <td>" + item.naziv + "</td>  
                        <td>" + item.quantity + "</td>  
                    </tr>";  
                })  
                cartHTML += "</tbody></table>";  
                $("#korpa").html(cartHTML);  
            }  
        }  
    });  
};
```

```

        return true;
    }

}

return false;
});

generateTable(data)
},error:function(xhr,status,error){

}

})

}

function generateTable(data){
if(data.length==0){
$("#adresa").css("display","none")
$("#korpa").html("<h2 id='korpaprazna'>Vaša korpa je prazna!</h2>");

}
else{

var ispis=`<form method="post">

<table id='korpatab'>
<tr id="red">
    <th>Redni broj</th>
    <th>Slika</th>
    <th>Marka</th>
    <th>Model</th>
    <th>Pol</th>
    <th>Cena</th>
    <th>Kolicina</th>
    <th>Odustani</th>
    <th>Kupi</th>
</tr>`


var br=1

for(let i of data){
ispis+=`<tr class="redk"><td>${br}</td><td><img src='slike/${i.slikamala}' class='slikakorpa' /></td><td>${i.nazivMarka}</td><td>${i.model}</td><td>
${i.naziv}</td><td><span id="ckorpa">${i.cena}</span></td><td class='kolicin'data-
id=${i.idproizvod}><input type="number" min="0" value="1" name="br" class="brpo

```

```

rudzbina"/></td><td><a href="#" onclick='removeFromCart(${i.idproizvod})' id='k
bris'i><i class="fas fa-
times"></i></a></td><td><a href="javascript:void(0)" id='kkupi' class="naruci"
data-id=${i.idproizvod} data-ids="1"><i class="fas fa-
check"></i></a></td></tr>`;
br++;
}

ispis+="</table>

$("#korpa").html(ispis);
$("#adresa").css("display","block")
}
$("#lblCartCount").html(data.length)

}

$("#korpa").on("click",".naruci",function(){

    var x= document.getElementsByClassName("kolicin")
var ccc=JSON.parse(localStorage.getItem("products"))

var id=$(this).data("id");

var kol=$(this).closest("tr.redk").find("input[name='br']").val();

var isporuka=$("#adresa").val();
var poljeisporka=$("#adresa");
var reisporka=/[A-Za-z0-9'\.\-\s\,\,]/
var greske=0;

if(isporuka==""){
    console.log("go")
    poljeisporka.css("border-color","red");
    greske=1;
}
if(greske==0){
    poljeisporka.css("border-color","green");
$.ajax({

    url:"/korpa",
    type:"post",
    data:{
        id:id,
        kol:kol,
        isporuka:isporuka

```

```

    },
    success:function(sve){

        var modal =$("#myModal");
        var span = $(".close");
        modal.css("display","block");
        span.click (function() {
            modal.css("display","none");
        })
        $(window).click(function(event) {
            if (event.target != modal) {
                modal.css("display","none");
            }
        })
        removeFromCart(id)
    },error:function(xhr,error,status){
        console.log(xhr,status)
        var modal2 =$("#myModal2");
        var span = $(".close");
        modal2.css("display","block");
        span.click (function() {
            modal2.css("display","none");
        })
        window.onclick = function(event) {
            if (event.target != modal2) {
                modal2.css("display","none");
            }}})})
    })
    function proizvodUKorpi() {
        return JSON.parse(localStorage.getItem("products"));
    }

    function removeFromCart(id) {
        let products = proizvodUKorpi();
        let filtered = products.filter(p => p.id != id);
        localStorage.setItem("products", JSON.stringify(filtered));

        displayCartData();
    }
    $(document).ready(function () {
        $("#korpa").on("change",".brporudzbina",function(){
            var br=document.getElementsByClassName("brporudzbina");
            for(var a of br){
                if(a.value<=0){
                    a.value='1';}}}))
```

Registracija.js

```
$(document).ready(function(){
    //provera registracije
    $.ajaxSetup({
        headers: {
            'X-CSRF-TOKEN': $('meta[name="csrf-token"]').attr('content')
        }
    });
    function vratiModel(promenjiva){
        var modal2 = promenjiva;
        var span = $(".close");
        modal2.css("display","block");
        span.click (function() {
            modal2.css("display","none");
        })
        window.onclick = function(event) {
            if (event.target == modal2) {
                modal2.css("display","none");}
        }
    }
    $("#rdugme").click(function(){
        var reime = /^[A-ZČĆŠĐŽ][a-zććšđž]{2,9}(\s[A-ZČĆŠĐŽ][a-zććšđž]{2,14})*/$;
        var reprezime = /^[A-ZČĆŠĐŽ][a-zććšđž]{2,9}(\s[A-ZČĆŠĐŽ][a-zććšđž]{2,14})*/$;
        var reemail = /^[^\w]+[\.\_\-\w]*[0-9]{0,3}\@[^\w]+([\.\.][\w]+)+$/;
        var resifra=/^[\w]{3,}[0-9]{1,}/;
        let ime=$("#rime");
        let prezime=$("#rprezime")
        let email=$("#remejl")
        let lozinka=$("#rlozinka")
        let ponovo=$("#rponlozinka")
        var greske=[];
        if(ime.val()==""){
            greske.push("Niste uneli ime")
            ime.css("border-color","red");
        }
        else if(!reime.test(ime.val())){
            greske.push("Ime nije u dobrom formatu")
            ime.css("border-color","red");
        }
        else{
            ime.css("border-color","green");
        }

        if(prezime.val()==""){
            greske.push("Niste uneli prezime")
            prezime.css("border-color","red");
        }
    })
})
```

```
}

else if(!reprezime.test(prezime.val())){
    greske.push("Prezime nije u dobrom formatu")
    prezime.css("border-color","red");

}

else{
    prezime.css("border-color","green");
}

if(email.val()==""){
    greske.push("Niste uneli E-mail")
    email.css("border-color","red");
}

else if(!reemail.test(email.val())){
    greske.push("E-mail nije u dobrom formatu")
    email.css("border-color","red");

}

else{
    email.css("border-color","green");
}

if(lozinka.val()==""){
    greske.push("Niste uneli lozinku")
    lozinka.css("border-color","red");
}

else if(!resifra.test(lozinka.val())){
    greske.push("Lozinka nije u dobrom formatu")
    lozinka.css("border-color","red");

}

else{
    lozinka.css("border-color","green");
}

if(ponovo.val()==""){
    greske.push("Niste ponovili lozinku")
    ponovo.css("border-color","red");
}

else if(ponovo.val()!=lozinka.val()){
    greske.push("Lozinke se ne poklapaju")
    ponovo.css("border-color","red");
}

else{
```

```

ponovo.css("border-color","green");
}
if(greske.length==0){
$.ajax({
    url:"/registracija",
    type:'post',
    data:{ime:ime.val(),prezime:prezime.val(),email:email.val(),lozinka:lozinka.val(),ponovo:ponovo.val()},
    success:function(x){
        vratiModel(promenjiva=$("#myModal4"))
        ime.val("")
        prezime.val("")
        email.val("")
        lozinka.val("")
        ponovo.val("")
    },
    error:function(xhr,status,error){
        if(xhr.status==500){
            vratiModel(promenjiva=$("#myModal5"))
        }
    }
})
}
else{
    var ispis=<ul>

    for(var i=0;i<greske.length;i++){
    ispis+=`<li>${greske[i]}</li>`
    }
    ispis+="</ul>"
    $("#greske").html(ispis)
    })
})
$(".fa-question-circle").click(function(){
    $(this).next().toggle();
})
})
}

```

Admin

Admin.js

```

$(document).ready(function(){
    $.ajaxSetup({

```

```

        headers: {
            'X-CSRF-TOKEN': $('meta[name="csrf-token"]').attr('content')
        }
    });
$(".obrisiKorisnika").click(function(){
let id=$(this).data('id');

$.ajax({
    url:"/adminPanel/korisnici/"+id,
    type:"DELETE",
    success:function(x){
        window.location.href = "http://127.0.0.1:8000/adminPanel/korisnici";

    },
    error:function(xhr,status,error){
        console.log(xhr,status)
    }
});

}))})
$(".obrisiProizvod").click(function(){
let id=$(this).data('id');

$.ajax({
    url:"/adminPanel/proizvodi/"+id,
    type:"DELETE",
    success:function(x){
        window.location.href = "http://127.0.0.1:8000/adminPanel/proizvodi";
    },
    error:function(xhr,status,error){
        console.log(xhr,status)
    }
});

}))})
$(".obrisiKomentar").click(function(){
let id=$(this).data('id');
let idpr=$(this).data('pr');
$.ajax({
    url:"/adminPanel/komentari/"+id,
    type:"DELETE",
    success:function(x){
        window.location.href = "http://127.0.0.1:8000/adminPanel/komentari/"+idpr;
    },
    error:function(xhr,status,error){

```

```

        console.log(xhr,status)
    }

})})
$(".obrisiMarku").click(function(){
    let id=$(this).data('id');

    $.ajax({
        url:"/adminPanel/marke/"+id,
        type:"DELETE",
        success:function(x){
            window.location.href = "http://127.0.0.1:8000/adminPanel/p
roizvodi";

        },
        error:function(xhr,status,error){
            console.log(xhr,status)
        }
    })
}

)))))

$("#trazi").keyup(function(){
let vreme=$(this).val();
$.ajax({
url:"/adminPanel/filtriraj?trazi="+vreme,
dataType:"json",
type:"get",
success:function(x){
console.log(x)
let ispis=`



| Ime | Prezime | E-mail | Uloga | Status aktivnosti | Vreme prijave | Vreme odjave | Datum Azuriranja | Datum kreiranja | ID korisnik |
|-----|---------|--------|-------|-------------------|---------------|--------------|------------------|-----------------|-------------|
|     |         |        |       |                   |               |              |                  |                 |             |



`+x.html;
document.getElementById('ispis').innerHTML=ispis;
}
});
```

```
<tbody>
for (var a of x ){
ispis+=`<tr>
<td>
${a.ime}
</td>
<td>
${a.prezime}
</td>
<td>
${a.email}
</td>
<td>
${a.naziv}
</td>
<td>
if(a.aktivan==0){
ispis+=`  
Nije aktivan`  

}  
else{  
ispis+=`  
Aktivan`  
}  
ispis+=`  
</td>

<td>
if(a.poslednjaAktivnost==null){  
ispis+=`  
Nije se nikada prijavio`}  
else{  
ispis+=` ${a.poslednjaAktivnost }`}  
ispis+=`  
  
</td>

<td>
if(a.poslednjeOdjavljanje==null){  
ispis+=`  
/`}  
else{  
ispis+=`  
${a.poslednjeOdjavljanje }`}  
ispis+=`
```

```
</td>
<td>
${a.datumAzuriranja }

</td>
<td>
${a.datumKreiranja }
</td>
<td>
${a.idkorisnik }

</td>

</tr> ` }

ispis+=`</tbody>
          </table>` 
$("#ide").html(ispis)

},
error:function(xhr,status,error){
    console.log(xhr,status)
}
})
})
})
$(".marke").click(function(){
    $("#modalmarke").css('display','block')
})
$(".marke").click(function(){
    $("#modalmarke").css('display','block')
})
$(".marked").click(function(){
    $("#modalmarke").css('display','none')
})
$(".dodajm").click(function(){
    $("#formamarka").toggle();
}))})
```

CSS

Style.css

```
*{margin:0px;
padding:0px;}
.slider {
position: relative;
width: 915px;
margin: auto;
margin-top:20px
}
.slider ul {
margin: 0;
padding: 0;
}
#korpa{
overflow-x:auto;
}
#naruci{width: 254px;
margin: 0px auto;}
#adresa{font-size: 21px;
padding: 4px;
background-color: rgb(35, 46, 88);
color: white;
border-color: rgb(98, 122, 215);}
#adresa::placeholder{color:white;}
#koraprazna{    text-align: center;
margin-top: 61px;
margin-bottom: 66px;
color: #232e58;}
.slikakorpa{width:54px;}
.brporudzrina{    width: 31px;
padding: 10px;
font-size: 14px;}
.obrisiKom{    /* padding-top: 54px; */
/* width: 20px; */
height: 20px;
margin-top: 20px;
background-color: #444d6c;
padding: 3px;
/* border-radius: 75px; */
color: white;
cursor: pointer}
.reader{min-height: 70px;}
.prijavagreske{    color: red;
text-align: center;}
```

```
.slider ul li {
list-style: none;
text-align: center;
width:300px;
height: 390px;
float:left;

box-shadow: 1px 3px 12px;
margin-left: 3px;
}
.slider ul li span {
display: inline-block;
vertical-align: middle;
width: 100px;
height: 100px;
background: black;
}
.slider-arrow {
position: absolute;
top: 136px;
width: 60px;
height: 88px;
color: #232e58;
text-align: center;
text-decoration: none;
/* border-radius: 50%; */
font-size: 50px
}
.sa-left {
left: -7px;
}
.sa-right {
right: 7px;
}
.ide{
color:red;
}
#ceo{
width: 100%;
}
#navbar{
width: 1300px;
margin:0px auto;
height: 70px;
display: flex;
justify-content: space-around;
align-items: center;
```

```
background: #232e58
}

.izadji{margin-left: 19px;}
#zatvori{margin-left: 5px;
font-size: 17px}
#X{display: none;
cursor: pointer;

visibility: initial;
width: 81px;

float: right;
position: absolute;
right: 20px;
padding: 5px 0px;
font-size: 24px;
width: 116px;
background-color: #eae0e0;
border: #eae0e0;
color: #232e58;
text-align: center;
align-items: center;
margin: -16px auto}

#logo{
width:200px;
height: 40px;
float: left;
}

/* #meni{
float: right;
display: flex;
width:800px;
height: 70px;
margin-top:6px;
} */

/* #meni ul li:hover {
background-color: #a7a2a2;
}

#meni ul {
list-style-type: none;display:flex;justify-content: space-around;align-items: center;
}

#meni ul li{margin-top:-11px;padding:25.5px}
#meni ul li a{text-decoration: none;color:white;font-size: 20px;} */

#header{
width:100%;
height:554px;
```

```
}

#sredina{
width: 1349px;
margin:0px auto;
height: 370px;
display: flex;
justify-content: space-around;
align-items: center;

}

#kontsredina{
width: 1349px;
margin:30px auto;
margin-bottom: 70px;
display: flex;
justify-content: space-around;

}

.aktivna{background-color: #a7a2a2; }

#greske ul li{
text-align: center;
color: red;
font-size: 17px;
list-style-type: none;
}

#greske{display: block; }

.opisinf{ color: #232e58;
font-size: 17px;
font-weight: bold; margin-bottom: 19px; }

#inf{ color: #232e58;
font-size: 23px; }

#sredina h1{
text-align: center;
padding-top: 10px;
}

.tekstfilter{margin-right: 10px; }

.cenakl{ display: flex;
justify-content: space-around;
align-items: center;
width: 302px; }

#sort{margin-left: -4px; }

.fa-question-circle{
position: relative;
margin-bottom: -18px;
position: absolute;
top: 698px;
```

```
color: #232e58;
font-size: 19px;
margin-left: 371px;
cursor:pointer;
}
.fa-question-circle:hover{
color: grey;
}
.s2{
top: 749px;
}
.s3{
top: 800px;
}
.s4{
top: 851px;
}
.s5{
top: 899px;
}
/* .skriven{display: none;} */
#aa{    width: 368px;
text-align: center;display: none;color: #232e58}
.slika{
width: 500px;
height: 300px;

}
#tekstk{
display:block;

width: 559px;
margin-top: 20px;
font-size: 18px;

}
#podnaslovk{
display: block;
text-align: center;
margin-top: 14px;
font-size: 21px;
color: gray;
}
#kondugme{    margin-top: 15px;
padding: 7px 23px;
background-color: #232e58;
```

```
border: 1px solid #232e58;
font-size: 16px;
color: white;box-shadow: 1px 2px 6px 2px;}
.inf{
font-size: 20px;
color:gray;
}
.kmejl{
width: 250px;
margin-right: 21px;
padding: 7px;
font-size: 18px;
}
#sr2{
width: 100%;
height: 468px;
background-color: #eae0e0
}
#sr2 h2{
text-align: center;
padding-top: 10px;
color:#232e58;
}
#poc{
text-align: center;
}
#futer{
width:100%;
height:70px;
background-color: #232e58;;
margin-top:30px;
}
#slajder img{
width:100%;
height:555px;
}
#pslajd{
width: 100%;
color: rgb(209,209,209);
text-shadow: 3px 1px #000;
font-size: 60px;
text-align: center;
background-color: rgba(0,0,0,0.7);
padding: 5px 0px;
position: absolute;
margin-top: 184px;
z-index: 1;
```

```
}

.proizvodp img{
width: 99.6%;
height: 270px;
}

#linkautor a{color: white;
text-decoration: none;}
#linkautor{text-align: center;}
#adrzaj1{width:100%;min-height:900px;}
#ausredina{margin: 0px auto;
width: 1268px;}
#autslika{display:flex;justify-content:space-around;align-items:flex-center;}
#autslika img{width:250px;height:250px;margin-left:20px;}
#autslika p {width:70%;font-size:21px;margin-top:15px;}
#naslov2 h1{margin-left:633px;margin-top:20px;margin-bottom:50px;}


#marka{
color:#5a4141;
font-size: 21px;
}
#loading{display: none;}
#model{
color:#5a4141;
font-size: 21px;
}
.lkorpa{
color: white;
float: left;

font-size: 17px;
background-color: #f73535;
padding: 10px 0px;
text-decoration: none;
width: 30%;
height: 23px;
display: flex;
justify-content: center;
align-items: center;
}

.lopsirno{color: white;
float: right;

font-size: 17px;
background-color:#232e58;
```

```
padding: 10px 0px;
text-decoration: none;
width: 100%;
height: 23px;
}
.lopsirno:hover{background-color:#444d6c;color:white}
#cena{ color:red;
font-size: 19px;}
.cenal{width: 61px;padding: 6px;}
.proizvod{
text-align: center;
flex-basis: 26%;
box-shadow: 1px 3px 12px;
margin-top: 15px;
background-color: #d8d8d8;

}
.proizvod img{
width: 99.6%;
height: 270px;}
#pnaslov{text-align: center;}
#ide{width:100%;
height: 50px; display: flex;
justify-content: space-around;
align-items: center;
}
#filteri{width: 850px;
display: block;
margin:25px auto; height: 100px;background-color: #d8d8d8;
box-shadow: 1px 1px 3px;
}

#ide2{
width:100%;
height: 50px;
display: flex;
justify-content: space-around;
align-items: center;
}

.liste{
width: 219px;
height: 30px;
font-size: 14px;
padding: 4px 30px 4px 8px;
}
#trazi{padding: 9px 30px 4px 8px;}
```

```
#dugme{    padding: 10px 20px;
font-size: 17px;
width: 167px;    background-color: #232e58;
border: 1px solid #232e58;cursor: pointer;
color: white;}
#dugme:hover{ background-color: #eae0e0;
box-shadow: 1px 2px 6px 2px;
color:#232e58;}
#proizvodi{
width: 1200px;
margin: 55px auto;
display: flex;
flex-wrap: wrap;
justify-content: space-around;}
#do{margin-left: -10px; }

.pag {
display: flex;
justify-content: center;
}

.pagination li a {
color: black;
float: left;
padding: 8px 16px;
text-decoration: none;
transition: background-color .3s;
}
.pagination{display: flex;
list-style-type: none;
} .pagination li > a:focus,
.pagination li > span:focus{

z-index: 3;
color: white;
background-color: #232e58;
border-color: #ddd;
}
#brojevi{    float: right;
margin-right: -2px;
margin-top: 5px;
color: #232e58;
background-color: #d8d8d8;
padding: 3px}
.pagination li > a:hover,
.pagination li > span:hover{ background-color: grey;    color: white;}
.disabled,.active{
```

```
opacity:.65;
margin-top: 0px;
padding-top: 1px;
cursor: not-allowed;
}

.page-link{color: black;
float: left;
padding: 7px 16px;
text-decoration: none;
border: 1px solid #8f8484
}

.pag a.active {
background-color: #232e58;
color: white;
}
#izabranij{    position: absolute;
background-color: #d8d8d8;
text-align: center;
padding: 5px;
top:826px;
display: none;
}
.izfilteri{margin-right: 10px;color:#232e58}
#iz{margin-right: 5px;}
.pocetna{
box-shadow: 1px 2px 2px -5px;
margin-top: 0px;
}
#sredinak{
display:flex;
justify-content: space-around;
width: 1349px;
margin: 0px auto;
}
#llozinka{
display: block;
}
.polje{
display: block;
display: block;
width: 337px;

padding: 10px 11px;
margin-top: 8px;
font-size: 16px;
```

```
}

.kdugme{margin-top: 15px;
padding: 10px 30px;background-color: #232e58;
border: 1px solid #232e58;font-size: 16px;color:white;cursor: pointer;box-
shadow: 1px 2px 6px 2px;}
#prnaslov{
width: 362px;
height: 41px;
margin-top: 10px;
color:#232e58;
border-bottom: 3px solid #232e58;
}
.kdugme:hover, .kkdugme:hover{

background-color: #eae0e0;
color:#232e58;
}

#kondugme:hover{background-color: #eae0e0;
color:#232e58;cursor: pointer;}
#cenas {
width: 160px;
}
.prikazi{color: red}
.kkdugme2{cursor: not-allowed;padding: 10px 30px;background-
color: #232e58;opacity:.65;
border: 1px solid #232e58;font-size: 16px;color:white;box-
shadow: 1px 2px 6px 2px;}
#korpa{
overflow-x:auto;
}
#prijavagreske ul li{
text-align: center;
color: red;
font-size: 17px;
list-style-type: none;
}

#cenas {
-webkit-appearance: none;
width: 160px;
height: 25px;
background: white;
outline: none;
opacity: 0.7;
-webkit-transition: .2s;
transition: opacity .2s;
```

```
}

#cenas {
  opacity: 1;
}

#cenas::-webkit-slider-thumb {
  -webkit-appearance: none;
  appearance: none;
  width: 25px;
  height: 25px;
  background: #232e58;
  cursor: pointer;
}
.poseban{height: 323px;flex-basis: 42%;}.poseban img {

height: 204px;}
.povezani{display: flex;
justify-content: space-around;
width: 621px;
height: 351px;}
#slicni{width:494px}
#cenas::-moz-range-thumb {
width: 25px;
height: 25px;
background: #232e58;
cursor: pointer;
}
#tekstc{
color: #232e58;
background-color: white;
padding: 3px 10px;
}
#pojnaslov{
text-align: center;
color: #232e58;
margin-top: 15px;
}
#ikonice a i:hover{color:#7d7d7d}
.prsredina{
display: flex;
justify-content: space-around;
}
#reader .comment_box{
margin-top:11px;

}
```

```
.kkdugme{margin-top: 1px;
padding: 7px 18px;
background-color: #232e58;
border: 1px solid #232e58;
font-size: 16px;
color: white;
cursor: pointer;
box-shadow: 1px 2px 6px 2px;
display: block;
/* float: left; */
#komentartext {
margin-top: 10px;

width: 398px;
height: 100px;
-moz-border-bottom-colors: none;
-moz-border-left-colors: none;
-moz-border-right-colors: none;
-moz-border-top-colors: none;
background: none repeat scroll 0 0 rgba(0, 0, 0, 0.07);
border-color: -moz-use-text-color #FFFFFF #FFFFFF -moz-use-text-color;
border:1px solid gray;
border-style: none solid solid none;
border-width: medium 1px 1px medium;
box-shadow: 0 1px 2px rgba(0, 0, 0, 0.12) inset;
color: #555555;
font-family: "Helvetica Neue",Helvetica,Arial,sans-serif;
font-size: 1em;
line-height: 1.4em;
padding: 5px 8px;
transition: background-color 0.2s ease 0s;
}

#komentartext:focus {
background: none repeat scroll 0 0 #FFFFFF;
outline-width: 0;
}

#reader ol {
margin: 0;
padding: 0;
}

#reader li {
list-style: none outside none;
margin-bottom:6px;
```

```
}

#reader .comment_box {
background: none repeat scroll 0 0 #F6F6F6;
float: left;

padding: 5px;
box-sizing: content-box;
border: 1px solid #CCCCCC;
width:400px;

}

#reader .arrow-down {
width: 0;
height: 0;
border-left: 10px solid transparent;
border-right: 10px solid transparent;
border-top: 10px solid #CCCCCC;
position: relative;
top:42px;
}

#reader .comment_box:hover{
border: 1px solid #232e58;
}

#reader .comment_box img {
border: 1px solid #C9C9C9;
box-shadow: 0 2px 7px #DFDFDF;
margin-right: 10px;
padding: 3px;
float:left;
width:48px;
height:48px;
}

#reader .comment_box img:hover{
border: 1px solid #127FBB;
}

#reader .comment-meta {
margin-bottom: 4px;
overflow: auto;
}

#reader .commentsuser {
float: left;
```

```
font-size: 12px;
color: #000000;
font-weight:bold;
}
#reader .comment_date {
float: right;
font-size: 12px;
color:#000;
}

#reader .comment-body {
color: #848484;
font-size: 14px;
}
#pojopis{    width: 500px;
margin-top: 45px;}
#proiztabla{

width: 450px;    border-collapse: collapse; margin-bottom: 11px;
}
#proiztabla tr td{
padding: 8px;
font-weight: bold;
color: black;
}
#proiztabla tr th {

padding: 8px;
color: black;
}
#pojslika img{
width: 430px;
}
#cenaop{
color: black;
font-size: 25px;
margin-top: 10px;
margin-bottom: 10px;
}
#cenaopp{
color: red;
font-size: 25px;
}
#pojlinija{    height: 4px;
background-color: rgb(35, 46, 88);
width: 100px;
text-align: center;
```

```
margin: 0px auto; }

#logo2{
color: white;
margin-top: -9px;
margin-left: 85px;
}

#logo1{
margin-top: -8px;
color: white
}

#logolink{text-decoration: none; }

#korpatab{
margin:10px auto; border-collapse: collapse; width:920px; box-
shadow: 2px 2px 4px 0px;
}

#red{    border-bottom: 2px solid gray; border-bottom: 2px solid gray;
background-color: #232e58;
color: white}

#korpatab td{
padding:10px;
text-align: center;
}

#navigacija{width: 100%; background: #232e58; }

#kkupi {
background-color: white;
color: black;
border: 2px solid #f44336;

font-size: 25px;
padding: 5px 11px;
}

#kkupi:hover {
background-color: #f44336;
color: white;
}

#kbrisi {
background-color: white;
color: black;
border: 2px solid grey;

font-size: 25px;
padding: 5px 11px;
}

#kbrisi:hover {
background-color: grey;
```

```
color: white;
}

.slika img {
width: 500px;
height: 300px
}
.navdugme{visibility:hidden;      cursor: pointer;}
#brporudzina{    width: 38px;
padding: 10px 8px;
font-size: 15px;}
.redk{border-bottom: 1px solid #c7c7c7;background-color: #c6c9d3;}
#pojsredina{width: 1330px;
min-height: 900px;
margin: 0px auto;}
#povezani{display: flex;
justify-content: space-around;}
.slika p{
font-size: 21px;
text-align: justify;
}
.podpoj{      text-align: center;
color: #232e58;
margin-top: 22px;}
#ikonice{
margin: 5px auto;
width: 309px;
}
#ikonice a{
color:white;
text-decoration: none;
font-size: 24px;
padding: 25px
}
#ikonice a i{
margin-top:5px}

#filterdugme{display: none;}
.pojslika img{width: 490px}
.rating-stars ul {
list-style-type:none;
padding:0;

-moz-user-select:none;
-webkit-user-select:none;
}
.rating-stars ul > li.star {
display:inline-block;
```

```
}

/* Idle State of the stars */
.rating-stars ul > li.star > i.fa {
font-size: 29px; /* Change the size of the stars */
color:#ccc; /* Color on idle state */
}

/* Hover state of the stars */
.rating-stars ul > li.star.hover > i.fa {
color:#FFCC36;
}

/* Selected state of the stars */
.rating-stars ul > li.star.selected > i.fa {
color:#FF912C;
}
.rating-widget{margin-left: 218px;
margin-top: -47px; }

.disabledbutton{
pointer-events: none;
}

/* modal za narucivanje */
.modal {
display: none; /* Hidden by default */
position: fixed; /* Stay in place */
z-index: 1; /* Sit on top */
padding-top: 100px; /* Location of the box */
left: 0;
top: 0;
width: 100%; /* Full width */
height: 100%; /* Full height */
overflow: auto; /* Enable scroll if needed */
background-color: rgb(0,0,0); /* Fallback color */
background-color: rgba(0,0,0,0.4); /* Black w/ opacity */
}

/* Modal Content */
.modal-content {
background-color: #fefefe;
margin: auto;
padding: 20px;
border: 1px solid #888;
width: 300px;
```

```
}

.fa-check-circle{ font-size: 99px;color: #72f572;
margin: 0px auto;
text-align: center;
width: 286px; }

.fa-times-circle{font-size: 99px;color: #fd1d1d;
margin: 0px auto;
text-align: center;
width: 286px; }

#tekstkorpa{
text-align: center;
margin-top: 20px;
font-size: 22px


}

.close {
color: #aaaaaa;
float: right;
font-size: 28px;
font-weight: bold;
margin-top: -20px;
margin-right: -10px
}

.close:hover,
.close:focus {
color: #000;
text-decoration: none;
cursor: pointer;
}

/* @import url(https://fonts.googleapis.com/css?family=Raleway:400,500,800); */
.snip1226 {
/* font-family: 'Raleway', Arial, sans-serif; */
text-align: center;
text-transform: uppercase;
font-weight: 500;
margin-top:-12px;
}
.snip1226 * {
box-sizing: border-box;
-webkit-transition: all 0.35s ease;
transition: all 0.35s ease;
}
```

```
.snip1226 li {
display: inline-block;
list-style: outside none none;
margin: 0 1.5em;
overflow: hidden;
}
.snip1226 a {
padding: 0.3em 0;
color: white;
position: relative;
display: inline-block;
letter-spacing: 1px;
margin: 0;
text-decoration: none;
font-size: 18px;
}
.snip1226 a:before,
.snip1226 a:after {
position: absolute;
-webkit-transition: all 0.35s ease;
transition: all 0.35s ease;
}
.snip1226 a:before {
bottom: 100%;
display: block;
height: 3px;
width: 100%;
content: "";
background-color: #eae0e0;
}
.snip1226 a:after {
padding: 0.3em 0;
position: absolute;
bottom: 100%;
left: 0;
content: attr(data-hover);
color: white;
white-space: nowrap;
}
.badge {
padding-left: 9px;
padding-right: 9px;
-webkit-border-radius: 9px;
-moz-border-radius: 9px;
border-radius: 9px;
}
```

```
#sredinapor{    display: flex;
justify-content: space-around;
width: 1300px;
margin: 20px auto;}
.ocene{text-align: center; margin-top:10px; border-collapse: collapse; color:white}
.pornaslov{width: 362px;
height: 41px;
margin-top: 10px;

color: #232e58;
border-bottom: 3px solid #232e58}
.ocslika{width: 100px;}
.ocene{text-align: center;}
.label-warning[href],
.badge-warning[href] {
background-color: #c67605;
}
#izmenan{    text-align: center;
margin-top: 20px;
color: #232e58;}
.greskeizmena{    text-align: center;
margin-top: 10px;
color: red;
font-size: 17px;}
.dobro{color:#232e58}

.greskeizmena ul li{list-style-type: none;}
.izmenakor {
margin-top: 9px;
border: 1px solid #232e58;
padding: 5px;}
#opiskor {
color: #232e58;
font-size: 22px;}
#dugmeiz{    width: 375px;
height: 49px;
margin-top: 30px;
font-size: 26px;
background-color: #232e58;
color: white;
border: 1px solid #232e58;}
#linkk a{color:white; text-decoration: none;}
#goreskroz{width:100%; height:23px; background-color: #44506c;}
#zakori{color:white}
#zajedno{    display: flex;
```

```
justify-content: space-between;
width: 1300px;
margin: 0px auto;
align-items: center;

height: 22px; }
#lblCartCount {

position: absolute;
font-size: 15px;
background: white;
color: #232e58;
font-weight: 900;
padding: 0 5px;
/* vertical-align: top; */
margin-left: -23px;
margin-right: x;
/* margin-bottom: 5px; */

}
/* Demo purposes only */

/* The Close Button */
@media screen and (max-width: 1300px){
#ausredina{width:100%}
#zajedno{width:100%;}
#navbar{
width: 100%;}
#kontsredina {
width: 100%;}
#korpatab{width: 99%;}
.kmejl {
width: 186px; }
#tekstk {

width: 432px; }
#sredina {
width: 100%;
margin: 0px auto; }
#proizvodi {
width: 100%; }
#sredinak{width: 100%;}
#pojsredina{width:100%}

}
```

```
@media screen and (max-width: 1000px){  
    .druga{display: block;}  
    #slicni{width:100%;}  
    #reader {  
        min-height: 70px;  
        margin: 0px auto;  
        width: 430px;}  
    .content{    margin: 0px auto;  
    margin-top: 10px}  
    #formkom{    margin: 0px auto;  
    margin-top: 10px;text-align:center}  
    #komentartext{margin: 0px auto;  
}  
    .kkdugme{width: 130px;margin: 0px auto;}  
  
    #lblCartCount {  
        display: none;  
        font-size: 11px;  
        margin-left: 0px;  
        left: 51%;  
        visibility: hidden;  
        top: 408px;  
        z-index: 99999;}  
    #meni{width: 100%;}  
    #meni ul {  
  
        margin-top: 35px;  
        margin-left: -161px;  
        background-color: #232e58;  
        z-index: 9999;  
        position: absolute;  
  
        display: none;  
        width: 99%;}  
    .snip1226 a:before {  
        display: none;}  
    #meni ul li {  
        margin-top: 0px;  
        padding: 16.5px;display:block}  
    .snip1226 li:hover a, .snip1226 .current a{ transform: none;}  
    .snip1226 a:after {content: none;}  
    .snip1226 a {  
        color: white;  
        transform: none;  
        padding: 0.3em 0;  
  
        position: relative;
```

```
display: inline-block;
letter-spacing: 1px;
margin: 0;
text-decoration: none;
display: block;}
.navdugme {
display: block;
visibility:initial;
width: 81px;

align-items: center;
margin-top: -19px;
float: right;
position: absolute;
right: 20px;
padding: 5px 0px;
font-size: 26px;
width: 49px;
background-color: #eae0e0;
border: #eae0e0;
color: #232e58;
text-align: center;
}
.slika {
width: 400px;}
.slika p {
font-size: 19px;}
.slika img{
width: 400px;
}
.slider {

width: 603px;}
.proizvod {
flex-basis: 34%;

}
#filteri {
width: 752px;}
.fa-question-circle {

top: 908px;}
.s2 {
top: 956px;
}
.s3 {
top: 1002px;
```

```
}

.s4 {
top: 1050px;
}
.s5 {
top: 1102px;
}
.login{margin: 10px auto;
width: 400px;}
#sredinak{display: block;}
#proiztabla {
width: 100%;}
.rating-widget {
margin-left: -5px;
margin-top: 55px; }

}

@media screen and (max-width: 850px){

#pojopis{margin-right: 10px;}
/* #logo{margin-left: -138px;} */
.pojsla img {
width: 350px;
margin-top: 40px;
}

.slika {
width: 300px;}
.slika p {
font-size: 17px;}
.slika img{
width: 300px;
}
.proizvod {
flex-basis: 40%;}
.liste {
width: 123px;}
#dugme{width:124px}
#cenas {

width: 91px;}
#filteri {
width: 640px; }

}
```

```
@media screen and (max-width: 630px){  
#autslika p {  
width: 100%;  
font-size: 17px;  
text-align: justify;}  
#autor{text-align: center;  
margin-top: 10px;}  
#autslika {  
display: block}  
#autslika img {  
width: 200px;  
height: 200px}  
#izabran{ visibility: hidden;}  
#pojopis {  
width: 100%;  
margin-top: 8px; margin-right: 0px;}  
#proiztabla {  
width: 402px;  
margin: 0px auto}  
.prsredina{display: block;}  
.pojslika{text-align: center;}  
#cenaop {  
font-size: 22px;  
margin-left: 15px;  
}  
.gg {  
margin-top: -17px;  
margin-left: 16px;}  
.rating-widget {  
margin-left:12px;  
margin-top: 34px}  
.cenakl {  
display: block;  
  
width: 79px}  
#informacije{width: 228px;  
margin: 0px auto;}  
.opisinf{margin-top: -20px;  
margin-left: 74px;}  
#tekstk {  
width: 93%;  
}  
.kmejl {  
width: 40%;}  
#kontaktforma{margin-left: 85px;  
margin-top: 22px};
```

```
#kontsredina{display:block;}  
#proiztabla {  
width: 90%;}
```

```
.pojslika img {  
width: 65%;}  
.fa-question-circle {  
  
top: 700px;}  
.s2 {  
top: 756px;  
}  
.s3 {  
top: 802px;  
}  
.s4 {  
top: 850px;  
}  
.s5 {  
top: 902px;  
}
```

```
.slider {  
width: 296px;}  
.prva{display:none}  
.slika p {  
font-size: 19px;}  
.slika {  
width: 85%;}  
#header {  
width: 100%;  
height: 350px;}  
#pslajd {  
font-size: 37px;  
margin-top: 126px;  
}  
#slajder img{  
height: 350px;  
}  
#ide {  
width: 23%;  
/* height: 50px; */
```

```
display: block;

float: left;}
#ide2 {
width: 20%;
display: block;
float: left;
margin-left: 215px;
}
#filteri{width:100%;height: 159px; }

}

@media screen and (max-width:500px){
#brojevi{margin-right: 4px;margin-top: 28px;}
.gg{    width: 122px;}
#komentartext{width: 85%;}
#slicni{display: none;}
#lblCartCount {
display: none;
font-size: 11px;
margin-left: 0px;
left: 47%;
top: 307px;
z-index: 99999; }

#proizvodi{    margin: 20px auto}
#pojsredina {

height: auto;}
#inf{margin-bottom: 7px;}
.opisinf{margin-bottom: 8px;}
#podnaslovk {font-size: 17px;}
.kmejl {
width: 34%;
padding: 6px;
font-size: 16px
}
#tekstk {
width: 82%;
}
#pojnaslov {font-size: 27px;}
#pojlinija {
height: 2px; }

#cenaop{
font-size: 22px;
margin-left: 15px;
```

```
}

.rating-widget {

margin-left: 12px; }

#cenaopp{font-size: 22px; }

.gg{margin-top: -17px;
margin-left: 16px; }

#proiztabla{
font-size: 14px;
margin-left: 15px
}

#pojopis {
width: 100%; }

#prsredina {
display: block; }

#meni ul li {
margin-top: 0px;
padding: 7.5px;
}

#filterdugme {
display: block;
padding: 10px 10px;
font-size: 17px;
width: 85px;
background-color: #232e58;
border: 1px solid #232e58;
color: white;
margin-top: 13px; }

.proizvod {
flex-basis: 68% }

#ide {
float: none;
display: block;
position: relative;
margin-left: 24px;
margin: 0px auto;
width: 250px;
}

#ide2 {
float: none;
display: block;
margin-left: 0px;
margin-top: 88px;
position: relative;
margin-left: 24px;
margin: 100px auto;
width: 250px;
```

```
}

.s2 {
top: 745px;
}
.s3 {
top: 791px;
}
.s4 {
top: 840px;
}
.s5 {
top: 885px;
}
.login{width: 100%;}
.polje {
margin-left: 5px;
display: block;
width: 69%;
padding: 7px 11px;
margin:11px auto;
font-size: 16px;}
.kdugme{
margin-top: 5px; margin-left: 62px;text-align: center;margin: 0px auto;width: 100%;
}
.fa-question-circle{
margin-left: 90%;
}
#aa{width: 91%;}

#cenas {
width: 250px;}
#filteri{height: 322px;}
#trazi {
width: 208px;
margin-top: 9px;}
#dugme {

margin-top: 7px;}
.liste {
width: 250px;
}
#tekstc {

padding: 0px 35px;
```

```
font-size: 21px;}  
#filteri{display: none;}  
  
}  
@media screen and (max-width:400px){  
#lblCartCount {  
  
left: 6%;  
top: 268px;}  
.snip1226 a{float:left;font-size: 14px;}  
.proizvod img {height: 211px;}  
#tekstkorpa{font-size: 20px;}  
.modal-content{width:80%;}  
.fa-check-circle {  
font-size: 91px;width:97%;}  
.fa-times-circle{ font-size: 91px;width:97%;}  
#pslajd {  
font-size: 30px;}  
#ikonice{width:221px;}  
#ikonice a{padding:15px;}  
#kontaktforma {  
margin-left: 21px;}  
.kmejl {  
width: 36%;  
  
font-size: 14px;}  
#tekstk {  
width: 91%;  
font-size: 15px;  
}  
.pojslika img {  
width: 79%;  
}  
.fa-question-circle{ top: 593px;}  
  
.s2 {  
top: 643px;  
}  
.s3 {  
top: 689px;  
}  
.s4 {  
top: 738px;
```

```
}

.s5 {
top: 783px;
}

#prnaslov {
width: 96%;}

.slika p {
font-size: 17px}
.slika {
width: 95%}
#header {
width: 100%;
height: 250px;}
#pslajd {
font-size: 30px;
margin-top: 89px;
}
#slajder img{
height: 250px;
}
.proizvod {
flex-basis: 68%;}
}
```

Admin

Admin.css

```
#tabela{
    width: 80%;
    margin-bottom: 1rem;
    color: #212529;
    background-color: transparent;
    margin-top: 153px;
    float: right;
    text-align: center;
}
#kartext{word-break: break-all;}
.w{min-height: 300px;}
.dodaj{float: right;
    margin-top: 89px;
    margin-right: 17px}
.marke{float: right;
    margin-top: 89px;
```

```
margin-right: 25px}
.proizvodt{width: 80%;
margin-bottom: 1rem;
color: #212529;
background-color: transparent;
margin-top: 153px;
float: right;
text-align: center;
margin-right: 500px;
margin-left: 228px;}
#formamarka{display:none;}
.pagination{    float: right;
margin-top: 89px;
margin-right: 17px;
position: absolute;
right: 239px}

#forme{
width: 50%;
float: right;
margin-top: 69px;
margin-right: 139px;
margin-bottom: 126px}
#ubacidugme{margin-top: 25px;}
#informacijek{position: fixed;
z-index: 99999999;
float: right;
right: 52px;
top: 14px;}

.pr{        margin-top: -39px;
width: 226px;
margin-left: 131px;}
.adminslika{width:120px}
.slikaadmin{width:50px}
.kom{    margin-top: 161px;
max-width: 80%;
float: right;}
.aktivnost{

height: 705px;
/* width: 200px; */
overflow-y: auto;
}
```

```
@media screen and (max-width:1400px){
    .proizvodt{position: absolute;}

}
@media screen and (max-width:1300px){
    #tabela{position: absolute;}
    .sidebar-mini.sidebar-collapse .main-sidebar, .sidebar-
mini.sidebar-collapse .main-sidebar::before{margin-left: -250px;}
}
@media screen and (max-width:1200px){
    .proizvodt{margin-left:10px;position: relative;}

}
```