

Markov Chains and Random Processes

Måns Magnusson

2017-09-25

° rev. 0571ccf

2017 is the first year this lab is given. Some errors in the instructions are expected.

FedUPS vs PostNHL

You are having a hard time choosing between the two major post companies in your city.

They have the same price, they have negligible customer service, and their delivery strategy is exactly the same, except that they start from different warehouses.

The strategy is the following: a driver starts from a warehouse which lays in direct connection to an intersection. Whenever a driver arrives at an intersection I a road to the next intersection is picked at random, given some fixed probability distribution for roads going out from I . Each intersection is connected with roads to at least one other intersection. It takes a fixed time to drive along each road. If a driver arrives to the intersection you live by the driver delivers your package. (You never leave your house).

You'd like to pick the post company that has the lowest estimated delivery time.

Input

The first line contains 5 integers, $N M H F P$, where $3 \leq N \leq 300$ is the number of intersections, $\frac{N}{2} \leq M \leq \frac{N(N-1)}{2}$ is the number of roads, $0 \leq H < N$ is the intersection id you live by, and $0 \leq F P < N$ are the intersection ids for FedUps and PostNHL respectively.

Then follow M lines describing each road.

A road is described by 5 numbers, $u v t_{uv} p_{uv} p_{vu}$ where u and v are the ids of the intersections the road connects, t_{uv} is an integer describing the time in minutes it takes to travel along the road. p_{uv} describes the probability of choosing to travel from u to v if you are at intersection u , while p_{vu} is the probability of traveling from v to u if you are located at intersection v .

All probabilities p_{uv} where $u \neq H$ satisfy $0 < p_{uv} \leq 1$.

It is guaranteed that for each intersection the total probability of leaving that city is 1.0, except for the the intersection H , where the driver stops and delivers your package, hence here the probability of leaving is 0.

Output

Output the estimated delivery time in minutes for each post company. If your home is not reachable by a delivery company, output “We tried to deliver your package, but you were not at home”.

Algorithm Monte-Carlo

We can simulate the drivers traversing the graph until they reach your home. Taking the average of this algorithm will converge towards the estimated delivery time. The simulation picks a random road according to the probability distribution of the node the driver is at until the driver reaches your home. While doing this we accumulate the time.

Algorithm Markov

We can view this problem as a markov chain. Let x_u denote the estimated time left until the driver reaches node H from node u . x_u can be expressed as a sum over all it's neighbours.

$$x_u = \sum_{uv \in E} p_{uv} \cdot (x_v + t_{uv})$$

This can be written as a system of equations

$$\mathbf{x} = \mathbf{A}\mathbf{x} + \mathbf{b} \text{ where } \mathbf{A} \text{ is a matrix, and } A_{u,v} = p_{uv}. \mathbf{b} \text{ is a vector, and } b_u = \sum_{uv \in E} p_{uv} \cdot t_{uv}$$

We then get $(\mathbf{A} - \mathbf{I})\mathbf{x} = -\mathbf{b}$, which can be solved with gaussian elimination.

We then have the estimated delivery time for each node.

Deliverables

1. Implement the Monte-Carlo and Markov algorithms.
2. Run them on all the test cases in the data directory.
3. You can use Octave to solve the system of equations for you, however we expect you to run the code on all of the testcases with a script. Other options include using numpy, or implement/finding an implementation of Gaussian Elimination in the language you are using.¹
4. Fill out the report on the next page; you can just use the \LaTeX code if you want.



Figure 1: The casino in Monte Carlo
Photographer: Maj Stenmark (2017). Licence: Creative Commons Attribution-ShareAlike

¹ Remember that it's easy to verify the solution of Gaussian elimination. Do this if you encounter problems with your Markov implementation.

FedUPS Lab Report

by Alice Cooper and Bob Marley²

Solution quality Toy

Running the Monte-Carlo algorithm 10 000 runs takes [...] seconds to execute, before reaching an accuracy within [...] digits³ of accuracy on the input toy.in.⁴

Solution quality Small

[...] runs, and [...] seconds are needed for the Monte-Carlo algorithm on input small.in to be within 3 digits of accuracy for 10 consecutive runs.⁵

Results of the Markov Algorithm

input graph	$E[\text{FedUPS}]$	$E[\text{PostNHL}]$	
random1.in	[...]	[...]	6
random2.in	[...]	[...]	
random3.in	[...]	[...]	
strange1.in	[...]	[...]	
strange2.in	[...]	[...]	

Stranger Things

[...] happens when the original versions of the algorithms were run on the graph strange1.in. This is because node F and P are [...] from node H . We fixed this by ...

Stranger Things 2 - Pre Realease

Out of the original versions of the algorithms, only algorithm [...] works on the graph strange2.in. The reason algorithm [...] does not work is that the graph is [...], which results in [...].

Real real world problems

The problem FedUPS vs PostNHL is a very constructed problem. This is used as an exercise in identifying that a problem can be modeled as a Markov Chain. However in the real world examples of problems that include markov chains include [...] and [...].

² Complete the report by filling in your names and the parts marked [...]. Remove the sidenotes in your final hand-in.

³ Here we are after the relative accuracy, which we define as the number of leading zeroes in the expression $\frac{E[G] - \text{Avg}(\text{MonteCarlo}(G))}{E[G]}$, where $E[G]$ is the estimated delivery time.

⁴ Take the minimum of FedUPS and PostNHL compared to the output file.

⁵ You should compare the accuracy versus the result of your Markov Algorithm, which solves the problem exactly. Both FedUPS and PostNHL needs to be stable.

⁶ If you encounter problems with strange1.in or strange2.in draw the graphs. Remember what you did to solve them for the next sections.