| Bug report #1 |
|---|
| **"No language change button in the header "** |
| *Description:* |
| Preconditions:
   1. Website https://oxford-med.com.ua/ua/ is opened in the browser. |
| Environment: Windows 10 Home 22H2, Chrome 109.0.5414.75.
           Microsoft Edge 109.0.1518.55.
           Safari 13.1.2 |
| Steps:
   1. Select the city of Ternopil in the header.
   2. Focus on language change button. |
| Actual result: There is no button to change the language of the site. When mouse is hovered over the button, it is highlighted in blue. |
| Expected result: By clicking on the button there is a possibility to change the language of UA and RU. |
| Attachments:
 |

Bug report #2
"Cities are not displayed in Ukrainian language when selecting the city of Lviv"
Description:
Preconditions: 1. Website https://oxford-med.com.ua/ua/ is opened in the browser.

Environment: Windows 10 Home 22H2, Chrome 109.0.5414.75.
           Microsoft Edge 109.0.1518.55.
           Safari 13.1.2

Steps:
   1. Select the city of Lviv in the header.
   2. Select site language UA.
   3. Click the city change button for a second time.
   4. Focus on display of all cities in Ukrainian language.

Actual result: Some cities are displayed in Ukrainian. Other cities have not changed the language and are displayed in Russian.
Expected result: All cities are displayed in Ukrainian.

Bug report #3

"Appearance of the bottom scroll bar when opening the price page of the "Аналізи" section"

Description:

Preconditions:
1. Website https://oxford-med.com.ua/ua/ is opened in the browser.
2. The city of Kyiv is automatically selected on the site.

Environment:
iPhone 14 Pro Max: IOS 16.2, Safari 14.0.3
                Mozilla Firefox 109.0 (25841)
   Chrome 109.0.5414.75

Steps:
1. Click the Menu button in header.
2. Select the section "Ціни".
3. Select the subsection "Аналізи"
4. Focus on full price pages display.

Actual result: A scrollbar appeared at the bottom of the page and the information is not fully displayed.

Expected result: All price information is displayed in full according to the screen resolution.

Attachments:

ачення чутливості Candida spp.та
ддоподібних грибів (1 культура)до
емних антимікотиків (після
.1094,1095,1096).Антимікотикограма
.(3 р.д)

1200.00
грн

Замовити
дзвінок

обіологічні дослідження на
лен...ліальних та
дж...них грибів та
аче...утливості до
мікотиків

∧ ∧

оск...ослідження зразків
и,ні.тів та волосся на
...ения мікозів (2 р.д)

300.00 грн

AA   🔒 oxford-med.com.ua   ↻

Bug report #4
"The chat and get-call button overlap on other elements of the page"
Description:
Preconditions: 1. Website https://oxford-med.com.ua/ua/ is opened in the browser.

Environment:
iPhone 14 Pro Max: IOS 16.2, Safari 14.0.3
                Mozilla Firefox 109.0 (25841)
                Chrome 109.0.5414.75

Steps:
   1. Scroll the main page of the site to the footer.
   2. Focus on overlap of the chat and get-call button.

Actual result: The chat and get-call button overlap the main text and the button of the social network "Facebook"
Expected result: The chat and get-call buttons do not overlap the social network "Facebook" button.
Attachments:

Bug report #5
"Partial display of a video review at the end of the "Естетична медицина" section page"
Description:

Preconditions:
  1. Website https://oxford-med.com.ua/ua/ is opened in the browser.
  2. The city of Odesa is selected on the site.

Environment:
iPhone 14 Pro Max: IOS 16.2, Safari 14.0.3
                          Mozilla Firefox 109.0 (25841)
                          Chrome 109.0.5414.75

Steps:
  1. On the main page of the site, select the section "Естетична медицина".
  2. From the list of services, click "All services".
  3. Scroll the page to the section "Video reviews".
  4. Focus on display of video.

Actual result: Video is partially displayed and occasionally disappears. Video cannot be started.
Expected result: Full video is displayed on the page and plays when you click the play button.
Attachments:

"Validation message is not displayed on the "Reviews" page after entering an invalid

email.”

Description:

Preconditions:
1. Website https://oxford-med.com.ua/ua/ is opened in the browser.

Environment: Windows 10 Home 22H2, Chrome 109.0.5414.75.
Microsoft Edge 109.0.1518.55.
Safari 13.1.2

Steps:
1. Click the button "Reviews" in the footer of the site.
2. Choose the type of message - Коментар.
3. Enter the data in the field "Name" - Вікторія.
4. Choose the city - Київ.
5. Enter data in the field "Email" - vicka.blablabla@gmail.ua
6. In the message field enter any text for example "Вітаю)"
7. Press the button "Send"
8. Focus on the field "Email".

Actual result: The request form has been successfully sent for feedback.

Expected result: The request form was not sent. The "Email" field is highlighted in red and a validation error is indicated.

Attachments:

Київ ▾   📞 (044) 204 40 40 ▾   ЗАПИСАТИСЯ НА ПРИЙОМ   🔍 f ▶ ◎ 👤

ВІДГУКИ

ГУКИ ПРО КЛІНІКУ ▾   ВІДЕО ВІДГУКИ   ТЕКСТОВІ ВІДГУКИ   ЗАЛИШИТИ ВІДГУК

✕

Дякуємо!

Дякуємо за Ваш запит. Найближчим часом менеджер
зв'яжеться з вами

есіонал своєї справи, лікаря зна
я коли дізналася, що Валерій Ле
рд медікал на Березняківській.

ння: Хірургічний стаціонар