TELLICO VILLAGE POA

OBJECTIVE OBSERVER REPORT

Town Hall (October 19, 2026) & Board Meeting (October 21, 2026)

EXECUTIVE SUMMARY

The October 2026 meetings were the most operationally informative pair since the new board took office — not because of dramatic governance confrontations, but because substantive infrastructure planning finally received the detailed, public airing the community has been requesting for months. The main pump station became operational on October 14 at 2:00 a.m., completing a $6.5 million project with an impressively executed overnight cutover coordinated between Public Works staff and Southeast Constructors.

The most significant disclosure of the month — potentially the most consequential infrastructure finding of the year — was the root cause identification for the persistent inflow and infiltration (I&I) problem: approximately 800 residential sewer tanks installed between 2015 and 2020 were installed without the required inlet gaskets, creating continuous groundwater inflow through the 4-inch pipe gap. The proposed remedy — a $3,000-per-tank gasket and pipe repair rather than the $5,000-per-tank full replacement C2RL had initially recommended — reduces the estimated cost from $25 million (at 5,000 tanks) to approximately $2.4 million (at 800 tanks over 5-8 years at $300,000/year). This is a transformative finding that, if the repair methodology proves effective, fundamentally changes the Village's water/sewer capital outlook.

The Kahite pump station design is on track for TDEC submission by year-end, with construction targeted for April through July 2027. The balanced scorecard was presented for the first time by Jim Hinkley (Senior Financial Adviser), showing September as the first month to score "below expectations" — driven by internal process shortfalls in innovation, preventive maintenance, and a single safety incident.

CFO Bedford disclosed that water and sewer gross profit is running $841,000 below budget year-to-date, with the original $2.7 million surplus forecast revised down to approximately $1 million — a significant shortfall that will reduce funds available for water/sewer projects. Board President Lackey was absent from the town hall (illness) and returned for the board meeting after two and a half weeks abroad, during which his email was locked out by security systems. The meeting was notably shorter and less contentious than recent sessions, with a single unanimous capital vote ($14,000 for Tanasi pump house roof repair) and no 4-2 or 5-2 splits.

GENUINE POSITIVES

- **The main pump station cutover was executed with exceptional operational competence.** Scott Macrae's detailed public account — three five-man crews making four pipe cuts and connections between midnight and 2:00 a.m., Jacobs Engineering inspector certifying the work, all four feeder stations manually pumped down in advance, system operational within 90 minutes, all three new pumps tested by 5:00 a.m. — is the most impressive infrastructure achievement documented in this series. The fact that Public Works staff worked all night and reported at 8:00 a.m. the next morning deserves recognition. [Town Hall ~1:09:19–1:12:45]
- **The I&I root cause identification is a genuine breakthrough.** The discovery that 800+ tanks installed between 2015 and 2020 lack inlet gaskets — confirmed by camera footage showing water flowing through the 4-inch pipe gap before the probe even reached pipe depth — provides the first actionable, evidence-based explanation for why I&I remediation efforts have been insufficient. Claude Thorn's description of the proof-of-concept repair (cutting pipe, installing gasket with telescoping adapter at ~$3,000 per tank) and Joel Reed's commitment to budget $300,000/year for 100 tanks annually represents a concrete, measurable plan. [Town Hall ~1:34:52–1:49:11]
- **The gasket finding exonerates prior remediation efforts while identifying the actual problem.** Joel Reed's important clarification — "I don't think we could definitively say adding risers has or hasn't worked. It just hasn't done enough" — combined with the finding that 30-year-old gaskets on pre-2015 tanks are "holding up very well," provides the community with a clear, evidence-based narrative: the problem is not system-wide deterioration but a specific installation deficiency during a specific time period (2015-2020) by a specific contractor who is no longer in business. [Town Hall ~1:41:19–1:48:55]
- **The Kahite pump station has a concrete timeline for the first time.** Joel Reed presented specific milestones: C2RL design completion by end of October, TDEC review and bid solicitation November-December, construction start April 2027, completion target July 2027. The estimated construction cost of approximately $450,000 — versus the original TAP estimate of $5 million — represents a dramatic cost reduction, though the scope difference (renovation vs. replacement, no force main work) should continue to be noted. [Board Meeting ~41:19–42:04]
- **The fleet efficiency study was a model of analytical rigor applied to a mundane operational question.** Guy Calkins's presentation systematically evaluated seven alternatives for brush collection (industrial grinders, chippers, hired services, burning, alternate dump sites, Republic Services, "poor man's chipper"), provided specific cost data ($3-4/month per homeowner for current service), and reached a defensible conclusion: the current approach is already cost-effective. The recommendation that department managers incorporate fuel efficiency requirements into vehicle procurement specifications is practical and implementable. [Board Meeting ~1:00:37–1:13:10]

- **The Kahite starter shack project demonstrates effective public-private-educational partnership.** Casey Flenniken's presentation showed how the POA partnered with Sequoia High School's trade program for initial construction, then completed the project with Public Works staff — delivering a needed facility improvement at minimal cost while providing students with real-world construction experience. [Town Hall ~28:47–30:55]
- **Chris Hoffer's repeated challenge for a comprehensive strategic plan received substantive responses from multiple sources.** Otto Stutz (SIAC Chair) described a three-pronged approach: comprehensive property owner survey, department head 20-year vision interviews, and Timeless Tellico foundation coordination. David Taylor articulated the board's philosophical anchor: "the original Cooper vision, which is we were built to have both affordability and quality." While neither constitutes a completed strategic plan, the community now has visibility into the process. [Town Hall ~1:21:26–1:32:26; Board Meeting ~23:56–38:18]
- **Rick Dramm's county commission update continues to deliver tangible constituent service.** The P-38/Publix development update — county commission approval of IDB intermediary, no tax abatements, five peripheral retailers with active interest, spring groundbreaking target, 18-month construction timeline, free traffic light at 444/Poplar Ridge — represents significant progress on an issue that directly affects village quality of life. His clarification that "there are no tax abatements" was emphatic and useful given community speculation. [Town Hall ~8:37–20:36]
- **The employee rescue recognition was well-handled.** Lackey's public recognition of Brilen Cheryl (and upcoming recognition of Liam Browning) for rescuing a villager from the lake demonstrated appropriate institutional values. The presence of the employee's parent added a personal touch. [Board Meeting ~8:00–10:07]
- **TVN's operational overview was informative and overdue.** Kevin Critch's presentation documenting growth from 5,000 views and 28 subscribers (2015-2019) to 3,500+ subscribers and six-figure annual views, with 60% of top-10 videos being board meetings/town halls, demonstrates genuine community engagement value. The multi-platform distribution strategy (YouTube live, Roku/Fire TV/Apple TV apps, Charter Spectrum channel 193, custom website) maximizes accessibility. [Town Hall ~34:52–1:02:14]

CONCERN 1: WATER/SEWER REVENUE SHORTFALL — SIGNIFICANT AND UNDEREXPLORED

1a. The Disclosure

CFO Bedford reported that water and sewer gross profit is $841,000 below budget year-to-date, with the annual surplus forecast revised from $2.7 million down to approximately $1 million. She stated: "Water and sewer revenue is coming in below the assumptions that were built into the

2026 budget. We expect this shortfall to continue through year end. And this is an important consideration as we finish the 2027 utility budget." [Board Meeting ~53:08–53:17]

1b. The Waterfall Chart Quantifies the Monthly Impact

The September departmental waterfall showed water $526,000 below budget and sewer $145,000 below, for a combined single-month shortfall of $671,000 — partially offset by food and beverage ($185,000 favorable), golf ($79,000), and UTI ($41,000). [Board Meeting ~53:36–54:23]

1c. Implications for Water/Sewer Reserves and TBOUR Readiness

Joel Reed asked the direct question: "Do we think we're going to make budget this year?" Bedford's answer: "No." Reed followed up: "So, we will not be subsidizing water as we're building." Bedford confirmed: "We will have a reduction to the amount that we had thought we would." [Board Meeting ~57:13–57:44]

This is consequential for several reasons. The 2026 budget projected $2.7 million in water/sewer surplus — funds that were expected to flow into the water/sewer reserve to support infrastructure projects. A $1.7 million shortfall against that projection means $1.7 million fewer dollars available for the Kahite pump station, the residential tank gasket program, the Mialaquo and Toqua station upgrades, and odor control installations. With TBOUR regulation beginning January 1, 2027, the rate structure that produced this shortfall will be the baseline the regulator evaluates. The water/sewer rate ad hoc committee (formed in September) has not yet reported publicly on its progress.

1d. Root Cause Not Explained

Bedford stated the shortfall reflects revenue "coming in below the assumptions that were built into the 2026 budget" but did not explain why — whether due to lower consumption, fewer connections, billing adjustments, or other factors. The 2026 budget assumed 449 million gallons/year water demand and a 12% water rate increase. Whether those assumptions were met deserves explanation before the 2027 budget is finalized.

CONCERN 2: STRATEGIC PLAN — ACKNOWLEDGED AS ABSENT, BUT TIMELINE REMAINS VAGUE

2a. Chris Hoffer's Challenge Was Substantive and Persistent

Hoffer raised the strategic plan question at both the town hall and the board meeting, framing it consistently: "I haven't seen a strategic overall strategy or plan by the board or the POA and I think that that is a necessary step so that when these kind of asks come up, there will be some guidance as far as what we need to do." [Board Meeting ~24:08–25:07]

His specific concern — that capital requests (amphitheater, yacht club kitchen, restaurant upgrades) are being evaluated in isolation without an overarching prioritization framework — is precisely the kind of governance question that separates reactive management from strategic governance.

2b. The Board's Responses Were Honest but Unsatisfying

Lackey acknowledged the gap: "There's a lot going on that hasn't been published because it has been fluid." [Board Meeting ~27:48–27:57] Joel Reed cited the five-year reserve plan and preventive maintenance program as components. Carla Johnson's response was the most direct: "I 100% agree that there needs to be an overall strategy." [Town Hall ~1:31:14–1:31:49]

2c. SIAC's Proposed Approach Is Sound but Not Yet Executed

Otto Stutz described a credible three-part methodology — comprehensive property owner survey, department head 20-year vision interviews, and Timeless Tellico coordination — but placed it as "our plan for next year." The existing strategic plan dates from 2019 (updated 2023) and predates COVID, the Tanasi fire, the WSIAF controversy, the TBOUR transition, and the current board. The gap between the 2019 plan and a future 2027 plan means the 2027 budget will be adopted without a current strategic framework — exactly the concern Hoffer raised.

2d. David Taylor Provided the Clearest Strategic Anchor

Taylor's statement — "at the most fundamental level, I would say the board's vision for the community comes from the original Cooper vision, which is we were built to have both affordability and quality, and we're trying to drive the car down the middle of that road" — is the most specific articulation of board philosophy in this series. [Town Hall ~1:29:16–1:29:36] It is a useful guiding principle but not a strategic plan.

CONCERN 3: ADVISORY COMMITTEE STATUS — LACKEY WALKED BACK TOWN HALL STATEMENT

3a. The Correction

At the board meeting, Lackey stated: "One of the statements was made at Monday's town hall that I saw online that I had approved committees and I went back and looked at the videotape and what I stated in that meeting was I reached out to a couple of the committee members and that this board would make that decision at a later date." [Board Meeting ~12:45–13:03]

This appears to reference Linda Garza's town hall comment that Lackey had announced during the Q3 Board Update that "the highway advisory committee is not going away." Lackey's correction — that no formal committee decisions have been made — is procedurally appropriate but continues a pattern of ambiguity. The Highway Advisory Committee's status has been tracked as an open item since August, when Carey Brown confirmed it was "effectively

dissolved" without a board vote. Whether it is being reconstituted, dissolved, or reformed remains undetermined ten months into the board's tenure.

3b. Garza's Observation About the Volunteer Solicitation Was Specific

Linda Garza noted that while the POA is actively soliciting volunteers for advisory committees, "the highway safety committee is not on that list." [Town Hall ~1:06:01–1:06:16] If the committee is being reconstituted, it should appear on the solicitation. If it is not, the board should say so clearly.

CONCERN 4: TROON FOOD AND BEVERAGE DECK — STILL NOT PUBLISHED FIVE MONTHS LATER

Claude Thorn acknowledged publicly that the food and beverage benchmarking presentation delivered at the September town hall has not been published to the community: "I'll just go ahead and apologize for the full deck not being out there. That's on me. I forgot to give it to Beth. Totally on me." [Town Hall ~1:23:05–1:23:14]

He then added a qualification: "I will not put out the full deck. There will be some pages in there that the board saw that refer to payroll and payroll ranges. I'll take those out." [Town Hall ~1:23:14–1:23:30]

The original September town hall presentation was the most data-rich operational analysis in this series. The community was told it would be made available. Five months after the Troon engagement began and one month after the presentation, it remains unpublished. Thorn's commitment — "Now I've said it on live TV, so I have to do it" — creates a trackable obligation for November.

CONCERN 5: BALANCED SCORECARD — FIRST "BELOW EXPECTATIONS" MONTH REVEALS STRUCTURAL GAPS

5a. September Results

The September balanced scorecard showed the first overall monthly score of "below expectations" in the program's history. Internal processes and financials both scored below target. The drivers: no customer focus audits conducted (despite September being the planned start), innovation revenue at $60,000 against a $200,000 YTD goal, one safety incident producing a 4.47 LTIR score, and the preventive maintenance program running four months behind schedule. [Board Meeting ~1:19:46–1:23:45]

5b. The August Scorecard Was Retroactively Cleaned Up

Joel Reed disclosed that the August scorecard — deferred from the September board meeting due to "necessary modifications" — was completed with Jim Hinkley's help: "We not only addressed the September, but we also Jim was integral in helping us clean up the August." [Board Meeting ~1:21:23–1:21:39] This confirms the September deferral was substantive, not cosmetic, and that the August data required significant revision before publication.

5c. Customer Focus Audits Have Not Started

Jim Hinkley confirmed: "No audits have been conducted yet and the POA will work to complete the audits and get audit volunteers to begin audits the balance of this month." [Board Meeting ~1:16:51–1:17:09] Joel Reed added that "in the transition from moving from the ad hoc to the TVPOA way, I think maybe something was lost a little bit in translation." [Board Meeting ~1:18:40–1:18:57] This is the fourth month the customer focus audit has appeared as a to-do item without execution.

5d. Preventive Maintenance Software Selection "Down to Two"

Claude Thorn interjected during the PM discussion: "We're down to two. We haven't actually selected one to be the overall, but we are down to two." [Board Meeting ~1:14:18–1:14:27] Cross-referencing with the September FAC minutes, the ITAC evaluated Jonas and NorthStar systems, with a recommendation anticipated for November. The PM program has been four months behind schedule since at least September; software selection is the critical-path item.

CONCERN 6: CAPITAL REQUEST PROCESS — PROCEDURAL AMBIGUITY ON GM AUTHORITY

The Tanasi pump house roof repair ($14,000, unbudgeted capital) generated a revealing procedural exchange. Joel Reed initially suggested Claude Thorn had authority to approve it without a board vote since it was under $50,000. Thorn responded: "It's unbudgeted, so I don't have the authority." Reed then cited the yacht club geothermal unit ($20,000) approved by Thorn without a motion. The distinction was clarified by Thorn and Bedford: the geothermal unit was an expense (under $10,000 threshold or emergency), while the roof qualifies as capital ("more than $10,000 and more than three years"), requiring board approval when unbudgeted. [Board Meeting ~1:28:00–1:29:06]

This exchange, while ultimately resolved correctly, highlights that the capital approval thresholds and the IEL's authority boundaries are not yet fully internalized by all board members — a natural consequence of having an interim leader operating under a contract rather than the bylaw-defined GM authority. Per the bylaws (Article V, Section 10), the General Manager has authority to "sign all written contracts and perform all of the duties incident to his office and which may be delegated to him from time to time by the Board of Directors." The IEL's

delegated authority should be documented clearly enough that these questions do not arise during board meetings.

CONCERN 7: CONSENT DECREE TIMELINE — CLOCK IS RUNNING

Scott Macrae raised the consent decree status directly: "We are still operating under a consent order from TDEC and so far the I&I remediations have not been successful and therefore we need to do something to address that in order to comply with the consent decree." [Town Hall ~1:33:45–1:34:07]

Claude Thorn added important tactical detail: "We're coming up against a deadline that we're supposed to be done with what we were going to do, the I&I efforts, and then TDEC would have 180 days to evaluate. Part of our reply to them now that we drafted was look, we have confirmation our I&I efforts haven't worked. Let's skip the 180 days. We have a different process we'd like to go down based on our findings. Does that work for you?" [Town Hall ~1:40:32–1:41:10]

This is a significant governance moment: the POA is formally acknowledging to its regulator that its prior remediation approach was insufficient, while simultaneously proposing a new approach (gasket repair) that has not yet been field-tested at scale. TDEC's response to this request will materially affect the infrastructure timeline. The board should ensure the community receives an update on TDEC's reply at the November meeting.

CROSS-REFERENCE: STATUS OF OPEN ITEMS FROM PRIOR REPORTS

- **$2M federal grant:** Lackey stated "we got two million of that back" and "Judy's got all the money coming out of the grant." [Board Meeting ~13:32–13:39] Per August FAC minutes, approximately $1.8M of the $2.0M award had been reimbursed. **(RESOLVED)**
- **Kahite lift station engineering:** C2RL design completion expected end of October; TDEC submission and bid solicitation November-December; construction April-July 2027. Concrete timeline provided for the first time. **(SUBSTANTIALLY RESOLVED)**
- **Water/sewer rate study:** Lackey mentioned "we're working on our water rates right now" and confirmed LUB provided their rate information. [Board Meeting ~16:06–16:24] No report from the ad hoc rate committee formed in September. **(PARTIALLY RESOLVED — no committee output yet)**
- **WSIAF refund process:** A resident requested a board meeting update on progress. Thorn disclosed that the Timeless Tellico donation option must be withdrawn due to the foundation's charitable structure limitations. No neighborhood-by-neighborhood progress

update was provided at either meeting. **(PROGRESSING — but no status report given)**

- **TBOUR jurisdictional transfer:** Lackey referenced the transition but provided no specific update. Per the Q3 Board Update, January 1, 2027 effective date is confirmed. Loudon County approved the petition previously. Monroe County status not updated. TPUC lawsuit dismissal confirmed in Q3 update. **(PROGRESSING)**
- **Troon/IEL contract cost:** No update. Lackey disclosed a range of $400,000 to $600,000 in June. The Q3 Board Update disclosed approximately $135,000 spent in the first four months (May-August). **(NO UPDATE)**
- **Standard process for committee appointments:** Lackey stated the board is "reviewing charters, reviewing the needs, reviewing the scope" but that no decisions have been made. [Board Meeting ~13:03–13:27] **(NO UPDATE — still under review)**
- **Parks & Rec unauthorized use:** No mention at either meeting. **(NO UPDATE)**
- **Reserve study errors:** No mention at either meeting. **(NO UPDATE)**
- **RFI/selection criteria disclosure:** Taylor's March commitment to share selection rationale remains unmet. **(NO UPDATE)**
- **Director of Parks and Recreation vacated:** No mention at either meeting. **(NO UPDATE)**
- **TVN broadcast cancellation policy:** No mention at either meeting. **(NO UPDATE)**
- **Cease-and-desist letters sent to property owners:** No mention at either meeting. **(NO UPDATE)**
- **No memorial/marker policy exists:** No mention at either meeting. **(NO UPDATE)**
- **Residential tank replacement program recommended but undefined: SUBSTANTIALLY RESOLVED.** The gasket repair alternative has been identified, tested in proof-of-concept, and budgeted at $300,000/year for 800 tanks over 5-8 years. This represents a fundamental reframing of the problem from "replace all tanks" to "repair the gasket-less installations from 2015-2020." [Town Hall ~1:34:52–1:49:11]
- **Odor control for Toqua and Mialaquo:** Matt Benoit is preparing an RFP for both stations per Lackey. [Board Meeting ~27:36–27:44] No cost estimates or timeline provided. **(PROGRESSING — RFP in development)**
- **Dock lease agreement loopholes:** No mention at either meeting. **(NO UPDATE)**
- **Smart TV/AV integration at Toqua Bar and Grill:** No mention at either meeting. **(NO UPDATE)**
- **Capital request form requires modernization:** No mention at either meeting. **(NO UPDATE)**
- **Groundwater storage tank leak:** No mention at either meeting. Per Q3 Board Update, Lackey stated this would "quite possibly" be a winter 2026-27 project pending inspection report. **(NO UPDATE)**
- **Food purveyor contract may not exist:** No mention at either meeting. **(NO UPDATE)**

- **Balanced scorecard deferred: RESOLVED.** Both August (retroactively) and September scorecards were presented at the October board meeting. Jim Hinkley has been brought on as Senior Financial Adviser to support ongoing presentation. [Board Meeting ~43:55–1:23:45]

NEWLY IDENTIFIED ITEMS

- **Water/sewer revenue shortfall of $1.7 million against budget:** Original $2.7M surplus forecast revised to approximately $1M. Root cause (consumption shortfall? rate assumption error?) not explained. Direct impact on water/sewer reserve funding and 2027 rate-setting. Requires explanation before budget finalization.
- **Amphitheater proposal ("Harmony Shores") presented for board consideration:** Jim from Elite Tunes presented a $2.2-3.4M amphitheater concept plus $1M parking expansion for the Yacht Club lakeside area, to be privately funded through Timeless Tellico. Board acknowledged the concept favorably but committed to no action. No formal motion or timeline. Lackey: "It's not something that we've budgeted in this year... but it's something that I will certainly entertain with the board in the future." [Board Meeting ~23:19–23:40]
- **Timeless Tellico cannot receive WSIAF refund donations:** Thorn disclosed that the foundation's charitable structure does not permit receiving third-party "on behalf of" payments. One refund already directed to Timeless Tellico must be reversed. The donation option previously offered on the refund form must be withdrawn. [Town Hall ~1:55:43–1:56:56]
- **Contractor who installed defective tanks is deceased and out of business:** Joel Reed confirmed: "The contractor who did that work has passed... the recourse there is not there." [Board Meeting ~39:56–40:04] The POA has no legal recovery option for the defective installations, meaning the full remediation cost falls on the POA (and by extension, property owners).
- **Sewer flow meters budgeted for all five lift stations:** Joel Reed disclosed plans to install meters at all five lift stations at approximately $15,000 each to measure whether gasket repairs are reducing I&I. This is essential instrumentation for validating the remediation approach. [Town Hall ~1:41:19–1:41:55]
- **AT&T fiber installation has entered the Coyatee neighborhood:** Beth Kuberka confirmed AT&T has permitted into Coyatee. Website will be updated with maps; street markings will precede installation. [Town Hall ~1:56:56–1:57:15]
- **Pre-meeting invocation now appears on TVN broadcast.** Lackey opened the board meeting by asking Chief Godwin to deliver the invocation, which was captured in the broadcast recording. [Board Meeting ~6:46–7:30] This addresses the prior concern that the invocation was excluded from the official recording. **(RESOLVED — invocation now on record)**

CONCLUSION

October 2026 was the most substantively productive pair of meetings this series has documented — not because of governance drama, but because of its relative absence. The I&I root cause identification, the main pump station cutover, the Kahite timeline, the fleet efficiency analysis, and the emerging tank gasket remediation program all represent genuine, measurable progress on the community's most consequential infrastructure challenges. The finding that 800 tanks lack gaskets — and that the repair may cost $3,000 per tank rather than $5,000 for full replacement — could reduce the I&I remediation cost by 90% or more compared to the original C2RL recommendation of replacing all tanks. This is potentially the most significant cost savings identified since the board took office, and credit belongs to the Public Works staff (particularly Marty Whitehead and Kevin Hamill) who identified the problem through persistent field investigation.

The concerns documented here are structural rather than acute. The water/sewer revenue shortfall — $1.7 million below original budget — is the most financially consequential item requiring explanation and action before the 2027 budget is finalized. The strategic plan gap, while honestly acknowledged by multiple board members, means the 2027 budget will again be adopted without a current strategic framework. The growing list of items receiving "NO UPDATE" month after month — cease-and-desist letters, memorial policy, Parks & Rec director, reserve study errors, dock lease loopholes, TVN broadcast policy, capital request form modernization — suggests that governance attention remains consumed by operational priorities.

The board's substantive infrastructure achievements are real and increasingly impressive. Its governance housekeeping backlog is also real and increasingly long. Both deserve the community's attention as the budget season and board transition approach.

Community members should watch for the following at the November meetings:

- Whether the 2027 budget public presentation occurs during the week of November 11 as indicated, and whether it includes specific water/sewer rate proposals for TBOUR compliance.
- Whether the water/sewer revenue shortfall root cause is explained and whether 2027 rate assumptions are adjusted accordingly.
- Whether Matt Benoit delivers the promised presentation on the residential tank gasket repair program, including methodology, timeline, cost, and homeowner coordination plan.
- Whether TDEC responds to the POA's proposal to skip the 180-day evaluation period and pursue the gasket repair approach instead.
- Whether the Troon food and beverage deck is published, as Thorn committed to "this week" on live television.

- Whether the water/sewer rate ad hoc committee reports preliminary rate recommendations before the budget vote.
- Whether the Mialaquo and Toqua pump station RFP is completed and shared with PSAC and FAC.
- Whether the preventive maintenance software is selected from the two finalists (Jonas/NorthStar), as ITAC anticipated a November recommendation.
- Whether the advisory committee structure decisions — particularly the Highway Advisory Committee — are formalized before the two outgoing board members (Grollemond and Johnson) depart.
- Whether the candidate forum rescheduled for October 26 produces substantive policy commitments from Gary Bush and Gary Zika on the open governance questions tracked in this series.
- Whether the WSIAF refund processing status is publicly reported, including neighborhoods completed, accounts processed, and dollars disbursed.

This report covers the October 19, 2026 Town Hall and October 21, 2026 Board Meeting. Previous reports in this series cover December 2025 through September 2026.