

Vilvesh Srinivasan

10/30/17

CS 3443

Extra Credit

1) The following method in the Assert class checks whether two arrays are equal to each other.

○ `void assertEquals(Object[] expectedArray, Object[] resultArray)`

A. TRUE

B. FALSE

2) The following method in the TestCase class gets the name of a TestCase.

○ `String getName()`

A. TRUE

B. FALSE

3) The following method in the TestSuite class returns the name of the suite.

○ `String getName()`

A. TRUE

B. FALSE

4) JUnit is not a proprietary framework.

A. TRUE

B. FALSE

5) The following statements are correct about Fixture.

- To guarantee a well-understood environment in order to have tests producing repeatable results there needs to be a test fixture.
- Fixture is a state that is fixed for a set of objects that are used as baseline for executing tests.

A. TRUE

B. FALSE

6) The following method in the TestResult class gets the number of run tests.

- `int runCount()`

A. TRUE

B. FALSE

7) Fixture does not include the `setUp()` method that runs before every test invocation.

A. TRUE

B. FALSE

8) The following statements are correct about the JUnit execution process.

- The annotated method `@Before` executes before each test case for every test case.
- The annotated method `@AfterClass` executes last only once.
- The annotated method `@BeforeClass` executes first only once.

A. TRUE

B. FALSE

9) The following class is used to run test cases.

- JunitCore

A. TRUE

B. FALSE

10) The following statements are correct about JUnit.

- JUnit tests can be ran automatically to assess their own outcome and provide instant feedback.
- JUnit delivers Test runners for running tests.

A. TRUE

B. FALSE