

NAME = Vimal Joshi

ROLL NO = 20201430

COURSE = BSC HONS COMPUTER SCIENCE

PRACTICAL 4

GAUSSIAN ELIMINATION METHOD AND GAUSS-JORDAN METHOD:-

I-GAUSSIAN ELIMINATION METHOD:-

Q:I SOLVE THE FOLLOWING SYSTEM OF EQUATIONS BY USING GAUSSIAN elimination method-

MatrixForm[A = {{2, -3, 10, -2}, {1, -2, 3, -2}, {-1, 3, 1, 4}}]

$$\begin{pmatrix} 2 & -3 & 10 & -2 \\ 1 & -2 & 3 & -2 \\ -1 & 3 & 1 & 4 \end{pmatrix}$$

MatrixForm[A = {A_{[[2]]}, A_{[[1]]}, A_{[[3]]}}]

$$\begin{pmatrix} 1 & -2 & 3 & -2 \\ 2 & -3 & 10 & -2 \\ -1 & 3 & 1 & 4 \end{pmatrix}$$

MatrixForm[A = {A_{[[1]]}, A_{[[2]]} - 2 A_{[[1]]}, A_{[[3]]} + A_{[[1]]}}]

$$\begin{pmatrix} 1 & -2 & 3 & -2 \\ 0 & 1 & 4 & 2 \\ 0 & 1 & 4 & 2 \end{pmatrix}$$

MatrixForm[A = {A_{[[1]]}, A_{[[2]]}, A_{[[3]]} - A_{[[2]]}}]

$$\begin{pmatrix} 1 & -2 & 3 & -2 \\ 0 & 1 & 4 & 2 \\ 0 & 0 & 0 & 0 \end{pmatrix}$$

Solve[{x₁ - 2 x₂ + x₃ == -2, x₂ + 4 x₃ == 2}, {x₃, x₂, x₁}]

Solve: Equations may not give solutions for all "solve" variables.

{ {x₂ → 2 - 4 x₃, x₁ → 2 - 9 x₃ } }

MatrixForm[A = {{2, 1, 1, 10}, {3, 2, 3, 18}, {1, 4, 9, 16}}]

$$\begin{pmatrix} 2 & 1 & 1 & 10 \\ 3 & 2 & 3 & 18 \\ 1 & 4 & 9 & 16 \end{pmatrix}$$

`MatrixForm[A = {A[[1]], A[[2]] - 3/2 A[[1]], A[[3]] - 1/2 A[[1]]}]`

`{{2, 1, 1, 10}, {3, 2, 3, 18}, {1, 4, 9, 16}}`

$$\begin{pmatrix} 2 & 1 & 1 & 10 \\ 0 & \frac{1}{2} & \frac{3}{2} & 3 \\ 0 & \frac{7}{2} & \frac{17}{2} & 11 \end{pmatrix}$$

`MatrixForm[A = {A[[1]], A[[2]], A[[3]] - 7 A[[2]]}]`

$$\begin{pmatrix} 2 & 1 & 1 & 10 \\ 0 & \frac{1}{2} & \frac{3}{2} & 3 \\ 0 & 0 & -2 & -10 \end{pmatrix}$$

`Solve[{2 x1 + x2 + x3 == 10, 1/2 x2 + 3/2 x3 == 3, -2 x3 == -10}, {x1, x2, x3}]`

`{{x1 → 7, x2 → -9, x3 → 5}}`

gauss – jordan elimination method : –

`MatrixForm[B = {{2, 1, 1, 10}, {3, 2, 3, 18}, {1, 4, 9, 16}}]`

$$\begin{pmatrix} 2 & 1 & 1 & 10 \\ 3 & 2 & 3 & 18 \\ 1 & 4 & 9 & 16 \end{pmatrix}$$

`MatrixForm[RowReduce[B]]`

$$\begin{pmatrix} 1 & 0 & 0 & 7 \\ 0 & 1 & 0 & -9 \\ 0 & 0 & 1 & 5 \end{pmatrix}$$