

SAMPLE 1 -**Project Name:**

USA

Architect:**Engineer:****Customer:****Job Type:** Lump Sum**Estimator:****Creation Date:** 08/22/2025**Last Modified:** 09/04/2025**Status:** Complete**Escalation:** No**Cover Page Comments:**

Scope of work : All

Specification : Not Receive

Addendum : None.

RFI's : None.

Clarification : 00

Revision : 00

Reinforcement : Grade ASTM A615 60 Concrete and Reinforcing Steel (S001)

Inclusions:

Kindly note, In accordance with the contract drawing, the following elements are included in the estimate.

Building B : Pad Footing, Concrete Pier, Wall Footing, Stem Walls
Slab On Grade & Tilt Up Panels

Pump House : Wall Footing, Slab On Grade & Tilt Up Panels

CIP Ramp : Wall Footing, Slab On Grade, Tilt Up Panels & Masonry Walls

Site works : Light pole Base, Masonry Screen Wall Footing &
Masonry Screen Walls

Exclusions:

1. According to standard estimation practices, Plate Weldable Reinforcements are excluded.
2. According to standard estimation practices, Smooth dowels are excluded.
3. According to standard estimation practices, Precast structures are excluded.
4. Steel stair landing & mesh excluded since location not available.
(Refer S001)
5. We have excluded Sleeve for Pipe at slab since, location unavailable
(Refer 07/S003)
6. We have excluded Precast Concrete Panel Holdown, since location unavailable
(Refer 109/S402)
7. We have excluded Roof Drain Penetrations at Tilt panels , since location unavailable (Refer 209/S502)

Notes:

1. Kindly note, we have proceed estimate with below mentioned stock length
#3 = 40'-0", #4 & #5 = 30'-0", #6 & #7 = 40'-0", #8 & Larger = 60'-0"
2. Kindly note, lap length based as per Sheet S003
3. All rebar supports as per standard practice.
4. We have followed #3@18" EW for entire slant on grade with the reference of
S001 General notes Transverse reinforcement assumed as #5@12" O.C Trans
(Refer S111)

Mail Instructions : None

Drawing References:

Structural drawings:

SAMPLE 1 -

S001 - S605 DATED 11/24/2020

Architectural drawings:

A001 - A802 DATED 11/24/2020

Electrical drawings:

E001 - E501 DATED 11/24/2020

Segment Summary					
Segment	Rebar Wgt	Plain Wgt	Misc. Wgt	Total (Lbs)	Costing
Included Segments:					
BUILDING B	1,157,575	0	0	1,157,575	No
PAD FOOTINGS	21,828	0	0	21,828	No
WALL FOOTINGS	32,839	0	0	32,839	No
STEM WALLS	740	0	0	740	No
CONCRETE PIERS	9,955	0	0	9,955	No
SLAB ON GRADE	311,311	0	0	311,311	No
TILT-UP PANELS	780,902	0	0	780,902	No
PUMP HOUSE	5,918	0	0	5,918	No
WALL FOOTINGS	347	0	0	347	No
SLAB ON GRADE	571	0	0	571	No
TILT-UP PANELS	5,000	0	0	5,000	No
(4) CONCRETE RAMP	38,347	0	0	38,347	No
WALL FOOTINGS	4,093	0	0	4,093	No
RAMP SLAB	22,049	0	0	22,049	No
TILT-UP PANELS	8,500	0	0	8,500	No
MASONRY	3,705	0	0	3,705	No
SITE WORKS	18,273	0	0	18,273	No
LIGHT POLE BASE	3,021	0	0	3,021	No
MASONRY SCREEN WALL FOOTINGS	7,139	0	0	7,139	No
MASONRY SCREEN WALLS	8,113	0	0	8,113	No

Bid Group / Bid Item Summary					
Bid Group / Item	Rebar Wgt	Plain Wgt	Misc. Wgt	Total (Lbs)	Status
BUILDING	1,157,575	0	0	1,157,575	
C1 - CONCRETE	1,157,575	0	0	1,157,575	Open
PUMP HOUSE	5,918	0	0	5,918	
C2 - CONCRETE	5,918	0	0	5,918	Open
CIP RAMP	38,347	0	0	38,347	
C3 - CONCRETE	34,642	0	0	34,642	Open
C3 - MASONRY	3,705	0	0	3,705	Open
SITE WORKS	18,273	0	0	18,273	
C4 - CONCRETE	10,160	0	0	10,160	Open
C4 - MASONRY	8,113	0	0	8,113	Open

SAMPLE 1 -**Estimate Defaults**

Size Unit: Imperial	Building Code: ACI 1983
Length Unit: Feet - Inches	Concrete Strength: 3000
Weight Unit: Pounds	Lap Table:
Soft Hooks: No	Estimating Lap:
Seismic Hooks: No	Steel Manufactured In: ANY
	Tie Clearance: 0-012
	Spiral Clearance: 0-03
	Spacing Tolerance: 0-00
Rebar Coating: Black	Rebar Grade: 60
Plain Coating: Black	Plain Grade: 60
Number of lap lengths to extend a stock bar before lapping: 1	

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1	GI	Segment: BUILDING B Sub-Segment: PAD FOOTINGS Bid Group: BUILDING Bi...																	
2	MT	SHEET NO S112 PARTIAL FOUNDATION PLAN - NORTHWEST																	
3	MT	PAD FOOTINGS																	
4	MT	F1 (6'-6"x6'-6"x16" DP) - 33 LOCS																	
5	TR	BF		60	8			33*2	16/5	S	6-06							3,579	8-#5 B EW
6	MT	F2 (7'-0"x7'-0"x16" DP) - 7 LOCS																	
7	TR	BF		60	8			7*2	16/5	S	7-00							818	8-#5 B EW
8	MT	SHEET NO S113 PARTIAL FOUNDATION PLAN - NORTHEAST																	
9	MT	PAD FOOTINGS																	
10	MT	F1 (6'-6"x6'-6"x16" DP) - 33 LOCS																	
11	TR	BF		60	8			33*2	16/5	S	6-06							3,579	8-#5 B EW
12	MT	F2 (7'-0"x7'-0"x16" DP) - 7 LOCS																	
13	TR	BF		60	8			7*2	16/5	S	7-00							818	8-#5 B EW
14	MT	SHEET NO S114 PARTIAL FOUNDATION PLAN - SOUTHEAST																	
15	MT	PAD FOOTINGS																	
16	MT	F1 (6'-6"x6'-6"x16" DP) - 32 LOCS																	
17	TR	BF		60	8			32*2	16/5	S	6-06							3,471	8-#5 B EW
18	MT	F2 (7'-0"x7'-0"x16" DP) - 6 LOCS																	
19	TR	BF		60	8			6*2	16/5	S	7-00							701	8-#5 B EW
20	MT	SHEET NO S115 PARTIAL FOUNDATION PLAN - SOUTHWEST																	
21	MT	PAD FOOTINGS																	
22	MT	F1 (6'-6"x6'-6"x16" DP) - 32 LOCS																	
23	TR	BF		60	8			32*2	16/5	S	6-06							3,471	8-#5 B EW
24	MT	F2 (7'-0"x7'-0"x16" DP) - 6 LOCS																	
25	TR	BF		60	8			6*2	16/5	S	7-00							701	8-#5 B EW
26	MT	SHEET NO S116																	
27	MT	ENLARGED FOUNDATION PLAN SOUTHWEST & SOUTHEAST																	
28	MT	PAD FOOTINGS																	
29	MT	F1 (6'-6"x6'-6"x16" DP) - 10 LOCS																	
30	TR	BF		60	8			10*2	16/5	S	6-06							1,085	8-#5 B EW
31	MT	F2 (7'-0"x7'-0"x16" DP) - 2 LOCS																	
32	TR	BF		60	8			2*2	16/5	S	7-00							234	8-#5 B EW
33	MT	F2 (8'-6"x8'-6"x20" DP) - 12 LOCS																	
34	TR	BF		60	11			12*2	19/6	S	8-06							3,371	11-#6 B EW
35	TI	Pcs			720				3" IHC									0	3" IHC W/SAND
36	GI	Segment: BUILDING B Sub-Segment: WALL FOOTINGS Bid Group: BUILDING B...																	
37	MT	SHEET NO S112 PARTIAL FOUNDATION PLAN - NORTHWEST																	
38	MT	WALL FOOTINGS																	
39	MT	WF2 (4'-0"x16" DP)																	
40	TR	LS		60	5				16/5	S	423-05			3-03	1	3-03	30-00	2,479	5-#5 B CONT
41	TR	BF		60		423-05	1-00		16/5	S	4-00							1,773	#5@12" B
42	MT	WF3 (5'-0"x24" DP)																	
43	TR	LS		60	6				19/6	S	298-00			3-11	1	3-11	40-00	3,003	6-#6 B CONT
44	TR	BF		60		298-00	1-00		16/5	S	5-00							1,559	#5@12" B
45	MT	SHEET NO S113 PARTIAL FOUNDATION PLAN - NORTHEAST																	
46	MT	WF2 (4'-0"x16" DP)																	
47	TR	LS		60	5				16/5	S	424-03			3-03	1	3-03	30-00	2,484	5-#5 B CONT
48	TR	BF		60		424-03	1-00		16/5	S	4-00							1,777	#5@12" B
49	MT	WF3 (5'-0"x24" DP)																	
50	TR	LS		60	6				19/6	S	297-10			3-11	1	3-11	40-00	3,002	6-#6 B CONT
51	TR	BF		60		297-10	1-00		16/5	S	5-00							1,559	#5@12" B
52	MT	SHEET NO S114 PARTIAL FOUNDATION PLAN - SOUTHEAST																	
53	MT	WF2 (4'-0"x16" DP)																	
54	TR	LS		60	5				16/5	S	353-00			3-03	1	3-03	30-00	2,078	5-#5 B CONT
55	TR	BF		60		353-00	1-00		16/5	S	4-00							1,477	#5@12" B
56	MT	WF3 (5'-0"x24" DP)																	
57	TR	LS		60	6				19/6	S	228-03			3-11	1	3-11	40-00	2,304	6-#6 B CONT

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
58	TR	BF		60		228-03	1-00		16/5	S	5-00							1,199	#5@12" B
59	MT	SHEET NO S115 PARTIAL FOUNDATION PLAN - SOUTHWEST																	
60	MT	WF2 (4'-0"x16" DP)																	
61	TR	LS		60	5				16/5	S	352-06			3-03	1	3-03	30-00	2,076	5-#5 B CONT
62	TR	BF		60		352-06	1-00		16/5	S	4-00							1,477	#5@12" B
63	MT	WF3 (5'-0"x24" DP)																	
64	TR	LS		60	6				19/6	S	229-10			3-11	1	3-11	40-00	2,318	6-#6 B CONT
65	TR	BF		60		229-10	1-00		16/5	S	5-00							1,205	#5@12" B
66	TR	BF		60	5			4	16/5	H	3-03	3-03						136	5-#5 B COR
67	TR	BF		60	6			2	19/6	H	3-11	3-11						141	6-#6 B COR
68	TR	BF		60	5			4	16/5	H	3-03	8-08	3-03					316	5-#5 STEP BAR
69	MT	SEC (112/S402)																	
70	MT	SIZE_(18"x10" DP)																	
71	TR	LS		60	2				13/4	S	316-03				1	2-08	30-00	462	2-#4 B CONT
72	TR	BF		60	2			2	13/4	H	2-08	2-08						14	2-#4 B COR
73	TI	Pcs			750				3" IHC									0	3" IHC W/SAND
74	GI	Segment: BUILDING B Sub-Segment: STEM WALLS Bid Group: BUILDING Bid ...																	
75	MT	CIP STEM WALL																	
76	MT	ENLARGED FOUNDATION PLAN SOUTHWEST & SOUTHEAST																	
77	MT	SEC (112/S402)																	
78	MT	6" THK CIP WALL																	
79	TR	BF		60		313-03	2-00		13/4	H	S90	1-10						264	#4@24" D/V
80	MT	CIP STEM WALL																	
81	MT	ENLARGED FOUNDATION PLAN SOUTHWEST & SOUTHEAST																	
82	MT	SEC (112/S402)																	
83	MT	6" THK CIP WALL																	
84	TR	LS		60		1-00	1-00		13/4	S	316-03				1	2-08	30-00	462	#4@12" HOR
85	TR	BF		60		1-00	1-00	2	13/4	H	2-08	2-08						14	#4@12" H COR
86	GI	Segment: BUILDING B Sub-Segment: CONCRETE PIERS Bid Group: BUILDING ...																	
87	MT	CONCRETE PIER DOWELS																	
88	MT	ENLARGED FOUNDATION PLAN SOUTHWEST & SOUTHEAST																	
89	MT	SEC (116/S402)																	
90	MT	PIER SIZE_(3'-2"x1'-4")																	
91	TR	BF		60		3-02	0-08	12*2	16/5	H	S90	4-11						864	#5@8" DWLS
92	TR	BF		60	3			12	13/4	L	2S135	3-02	1-04	3-02	1-04			234	3-#4 TEMP TIES
93	MT	CONCRETE PIER																	
94	MT	ENLARGED FOUNDATION PLAN SOUTHWEST & SOUTHEAST																	
95	MT	SEC (116/S402)																	
96	MT	PIER SIZE_(3'-2"x1'-4")																	
97	TR	LS		60		3-02	0-08	12*2	16/5	S	32-08				1	3-03	30-00	4,906	#5@8" VERT
98	TR	BF		60		32-08	1-00	12	13/4	L	2S135	3-02	1-04	3-02	1-04			2,657	#4@12" TIES
99	TR	BF		60		32-08	1-00	12	13/4	L	2S135	0-08	1-04	0-08	1-04			1,294	#4@12" TIES
100	GI	Segment: BUILDING B Sub-Segment: SLAB ON GRADE Bid Group: BUILDING B...																	
101	MT	SLAB ON GRADE																	
102	MT	SHEET NO S112 PARTIAL FOUNDATION PLAN - NORTHWEST																	
103	MT	7" THK CONCRETE SLAB (AREA = 118690 SQ.FT)																	
104	TR	RA		60		1-06	1-06		10/3	S	344-06	344-06				1-07	20-00	64,794	#3@18" MID
105	TI	Pcs			7420				4.5" IHC									0	4.5" IHC W/SAND
106	MT	SHEET NO S113 PARTIAL FOUNDATION PLAN - NORTHEAST																	
107	MT	7" THK CONCRETE SLAB (AREA = 118860 SQ.FT)																	
108	TR	RA		60		1-06	1-06		10/3	S	344-09	344-09				1-07	20-00	64,838	#3@18" MID
109	TI	Pcs			7430				4.5" IHC									0	4.5" IHC W/SAND
110	MT	SHEET NO S114 PARTIAL FOUNDATION PLAN - SOUTHEAST																	
111	MT	7" THK CONCRETE SLAB (AREA = 118230 SQ.FT)																	
112	TR	RA		60		1-06	1-06		10/3	S	343-10	343-10				1-07	20-00	64,678	#3@18" MID
113	TI	Pcs			7390				4.5" IHC									0	4.5" IHC W/SAND
114	MT	SHEET NO S115 PARTIAL FOUNDATION PLAN - SOUTHWEST																	

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
115	MT	7" THK CONCRETE SLAB (AREA = 118075 SQ.FT)																	
116	TR	RA		60		1-06	1-06		10/3	S	343-08	343-08				1-07	20-00	64,650	#3@18" MID
117	TI	Pcs			7390				4.5" IHC									0	4.5" IHC W/SAND
118	MT	SEC (112/S402)																	
119	MT	CONCRETE DOCK WALL @ RAMP																	
120	TR	BF		60	1			4	13/4	S	12-00							32	1-#4 CONT
121	TR	BF		60	1			4	13/4	S	3-04							9	1-#4 CONT
122	MT	SEC (107/S401)																	
123	MT	OPENING @ CONCRETE DOCK WALL																	
124	TR	BF		60	1			78	13/4	S	12-00							625	1-#4 CONT
125	TR	BF		60	1			19	13/4	S	3-04							42	1-#4 CONT
126	MT	SEC (101/S401)																	
127	MT	CONSTRUCTION AND CONTROL JOINTS																	
128	TR	BF		60		841-07	2-00	13	10/3	S	3-00							6,186	#3@24" DWLS
129	TR	BF		60		590-02	2-00	10	10/3	S	3-00							3,349	#3@24" DWLS
130	MT	SEC (103/S401)																	
131	MT	CONCRETE CLOSURE POUR @ DOCK																	
132	MT	S112 - PARTIAL FOUNDATION PLAN - NORTHWEST																	
133	TR	LS		60		10-00	1-00		16/5	S	416-05				1	2-07	30-00	5,192	#5@12" MID
134	TR	BF		60		416-05	1-00		16/5	S	10-00							4,360	#5@12" MID
135	MT	S113 - PARTIAL FOUNDATION PLAN - NORTHEAST																	
136	TR	LS		60		10-00	1-00		16/5	S	417-04				1	2-07	30-00	5,233	#5@12" MID
137	TR	BF		60		417-04	1-00		16/5	S	10-00							4,370	#5@12" MID
138	MT	S114 - PARTIAL FOUNDATION PLAN - SOUTHEAST																	
139	TR	LS		60		10-00	1-00		16/5	S	343-10				1	2-07	30-00	4,300	#5@12" MID
140	TR	BF		60		343-10	1-00		16/5	S	10-00							3,598	#5@12" MID
141	MT	S114 - PARTIAL FOUNDATION PLAN - SOUTHWEST																	
142	TR	LS		60		10-00	1-00		16/5	S	342-06				1	2-07	30-00	4,285	#5@12" MID
143	TR	BF		60		342-06	1-00		16/5	S	10-00							3,588	#5@12" MID
144	MT	CONCRETE CLOSURE POUR @ EXCEPT DOCK																	
145	MT	S112 - PARTIAL FOUNDATION PLAN - NORTHWEST																	
146	TR	LS		60		5-00	2-00		16/5	S	285-01				1	2-07	30-00	1,297	#5@24" MID
147	TR	BF		60		285-01	2-00		16/5	S	5-00							751	#5@24" MID
148	MT	S113 - PARTIAL FOUNDATION PLAN - NORTHEAST																	
149	TR	LS		60		5-00	2-00		16/5	S	285-00				1	2-07	30-00	1,297	#5@24" MID
150	TR	BF		60		285-00	2-00		16/5	S	5-00							751	#5@24" MID
151	MT	S114 - PARTIAL FOUNDATION PLAN - SOUTHEAST																	
152	TR	LS		60		5-00	2-00		16/5	S	205-10				1	2-07	30-00	934	#5@24" MID
153	TR	BF		60		205-10	2-00		16/5	S	5-00							542	#5@24" MID
154	MT	S114 - PARTIAL FOUNDATION PLAN - SOUTHWEST																	
155	TR	LS		60		5-00	2-00		16/5	S	207-06				1	2-07	30-00	941	#5@24" MID
156	TR	BF		60		207-06	2-00		16/5	S	5-00							548	#5@24" MID
157	MT	SEC (333/S604)																	
158	MT	CHORD TIES @ EXPANSION JOINT																	
159	TR	BF		60		4-09	1-00	2	16/5	S	7-00							88	#5@12" VERT
160	MT	RE-ENTRANT BAR																	
161	TR	BF		60	2			4	16/5	S	4-00							33	2-#5 RE-ENT
162	GI	Segment: BUILDING B Sub-Segment: TILT-UP PANELS Bid Group: BUILDING ...																	
163	MT	TILT-UP PANELS																	
164	MT	SHEET NO S301 PANEL ELEVATIONS																	
165	MT	ELEVATION - (1/S301) PARTIAL EAST ELEVATION																	
166	MT	10" THK PANEL - 31																	
167	MT	TYPE - 1																	
168	TR	BF		60	2			2	16/5	S	49-04							206	2-#5 V@PM
169	TR	BF		60		23-04	0-10	2	16/5	S	49-04							2,984	#5@10" VEF
170	TR	BF		60	2			2	16/5	H	1-06	23-04	1-06					110	2-#5 H@PM
171	TR	BF		60		49-04	1-04	2	13/4	S	23-04							1,185	#4@16" HEF

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
172	MT	10" THK PANEL - 32																	
173	MT	TYPE - 2																	
174	TR	BF		60	2			2	16/5	S	49-04							206	2-#5 V@PM
175	TR	BF		60		23-04	0-10	2	16/5	S	49-04							2,984	#5@10" VEF
176	TR	BF		60	2			2	16/5	H	1-06	23-04	1-06					110	2-#5 H@PM
177	TR	BF		60		49-04	1-04	2	13/4	S	23-04							1,185	#4@16" HEF
178	MT	10" THK PANEL - 33,48 - 2 LOCS																	
179	MT	TYPE - 2																	
180	GM	START (2)							2										
181	TR	BF		60	2			2	16/5	S	49-04							412	2-#5 V@PM
182	TR	BF		60	6			2	16/5	S	49-04							1,235	6-#5 V EF
183	TR	BF		60	9			2	16/5	S	49-04							1,852	9-#5 V EF
184	TR	BF		60	7			2	16/5	S	49-04							1,441	7-#5 V EF
185	TR	BF		60		3-04	0-10	2	16/5	S	41-06							866	#5@10" VEF
186	TR	BF		60	2			2	16/5	H	1-06	23-04	1-06					220	2-#5 H@PM
187	TR	BF		60		41-06	1-04	2	13/4	S	23-04							2,057	#4@16" HEF
188	TR	BF		60		7-10	1-04	2	13/4	S	20-00							374	#4@16"
189	TR	BF		60	6			2	16/5	S	49-04							1,235	6-#5 VEF ADDL
190	TR	BF		60	2			2	16/5	S	7-04							61	2-#5 HEF ADDL
191	TR	BF		60	1			2	16/5	S	7-04							31	1-#5 HEF ADDL
192	TR	BF		60	1			2*2	16/5	S	6-00							50	1-#5 DIAG EF
193	TR	BF		60	1			2*2	16/5	H	6-00							50	1-#5 DIAG EF
194	GM	END (2)							1										
195	MT	10" THK PANEL - 34,35 & 36 - 3 LOCS																	
196	GM	START (3)							3										
197	MT	TYPE - 1																	
198	TR	BF		60	2			2	16/5	S	49-04							617	2-#5 V@PM
199	TR	BF		60	7			2	16/5	S	49-04							2,161	7-#5 V EF
200	TR	BF		60		23-03	0-10	2	16/5	S	49-04							8,953	#5@10" VEF
201	TR	BF		60	2			2	16/5	H	1-06	25-00	1-06					350	2-#5 H@PM
202	TR	BF		60		49-04	1-04	2	13/4	S	25-00							3,808	#4@16" HEF
203	GM	END (3)							1										
204	MT	10" THK PANEL - 37																	
205	MT	TYPE - 1B																	
206	TR	BF		60	2			2	16/5	S	49-04							206	2-#5 V@PM
207	TR	BF		60	14			2	16/5	S	49-04							1,441	14-#5 V EF
208	TR	BF		60		22-09	0-10	2	16/5	S	49-04							2,984	#5@10" VEF
209	TR	BF		60	2			2	16/5	H	1-06	26-00	1-06					121	2-#5 H@PM
210	TR	BF		60		49-04	1-04	2	13/4	S	26-00							1,320	#4@16" HEF
211	MT	10" THK PANEL - 38																	
212	MT	TYPE - 2																	
213	TR	BF		60	2			2	16/5	S	51-04							214	2-#5 V@PM
214	TR	BF		60	9			2	16/5	S	51-04							964	9-#5 V EF
215	TR	BF		60	7			2	16/5	S	51-04							750	7-#5 V EF
216	TR	BF		60	6			2	16/5	S	51-04							642	6-#5 V EF
217	TR	BF		60		18-00	0-10	2	16/5	S	51-04							2,463	#5@10" VEF
218	TR	BF		60		3-04	0-10	2	16/5	S	43-06							454	#5@10" VEF
219	TR	BF		60	2			2	16/5	H	1-06	26-00	1-06					121	2-#5 H@PM
220	TR	BF		60		43-06	1-04	2	13/4	S	26-00							1,181	#4@16" HEF
221	TR	BF		60		7-10	1-04	2	13/4	S	22-08							212	#4@16"
222	TR	BF		60	2			2	16/5	S	7-04							31	2-#5 HEF ADDL
223	TR	BF		60	1			2	16/5	S	7-04							15	1-#5 HEF ADDL
224	TR	BF		60	1			2*2	16/5	S	6-00							25	1-#5 DIAG EF
225	TR	BF		60	1			2*2	16/5	H	6-00							25	1-#5 DIAG EF
226	MT	10" THK PANEL - 39																	
227	MT	TYPE - 2																	
228	TR	BF		60	2			2	16/5	S	51-04							214	2-#5 V@PM

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
229	TR	BF		60	7			2	16/5	S	51-04							750	7-#5 V@PM	
230	TR	BF		60		23-03	0-10	2	16/5	S	51-04							3,105	#5@10" VEF	
231	TR	BF		60	2			2	16/5	H	1-06	25-00	1-06					117	2-#5 H@PM	
232	TR	BF		60		49-04	1-04	2	13/4	S	25-00							1,269	#4@16" HEF	
233	MT	10" THK PANEL - 40,45,46,47 - 4 LOCS																		
234	GM	START (4)						4												
235	MT	TYPE - 1																		
236	TR	BF		60	2			2	16/5	S	51-04							857	2-#5 V@PM	
237	TR	BF		60	7			2	16/5	S	51-04							2,998	7-#5 V@PM	
238	TR	BF		60		23-03	0-10	2	16/5	S	51-04							12,421	#5@10" VEF	
239	TR	BF		60	2			2	16/5	H	1-06	25-00	1-06					467	2-#5 H@PM	
240	TR	BF		60		49-04	1-04	2	13/4	S	25-00							5,077	#4@16" HEF	
241	GM	END (4)						1												
242	MT	10" THK PANEL - 41,44 - 2 LOCS																		
243	GM	START (2)						2												
244	MT	TYPE - 1B																		
245	TR	BF		60	2			2	16/5	S	51-04							428	2-#5 V@PM	
246	TR	BF		60	14			2	16/5	S	51-04							2,998	14-#5 V EF	
247	TR	BF		60		22-09	0-10	2	16/5	S	51-04							6,211	#5@10" VEF	
248	TR	BF		60	2			2	16/5	H	1-06	26-00	1-06					242	2-#5 H@PM	
249	TR	BF		60		51-04	1-04	2	13/4	S	26-00							2,779	#4@16" HEF	
250	GM	END (2)						1												
251	MT	10" THK PANEL - 42																		
252	MT	TYPE - 1																		
253	TR	BF		60	2			2	16/5	S	53-10							225	2-#5 V@PM	
254	TR	BF		60	7			2	16/5	S	53-10							786	7-#5 V@PM	
255	TR	BF		60		23-03	0-10	2	16/5	S	53-10							3,257	#5@10" VEF	
256	TR	BF		60	2			2	16/5	H	1-06	26-00	1-06					121	2-#5 H@PM	
257	TR	BF		60		49-04	1-04	2	13/4	S	26-00							1,320	#4@16" HEF	
258	MT	10" THK PANEL - 43																		
259	MT	TYPE - 2																		
260	TR	BF		60	2			2	16/5	S	53-10							225	2-#5 V@PM	
261	TR	BF		60	9			2	16/5	S	53-10							1,011	9-#5 V EF	
262	TR	BF		60	7			2	16/5	S	53-10							786	7-#5 V EF	
263	TR	BF		60	6			2	16/5	S	53-10							674	6-#5 V EF	
264	TR	BF		60		18-00	0-10	2	16/5	S	53-10							2,583	#5@10" VEF	
265	TR	BF		60		3-04	0-10	2	16/5	S	46-00							480	#5@10" VEF	
266	TR	BF		60	2			2	16/5	H	1-06	26-00	1-06					121	2-#5 H@PM	
267	TR	BF		60		46-00	1-04	2	13/4	S	26-00							1,251	#4@16" HEF	
268	TR	BF		60		7-10	1-04	2	13/4	S	22-08							212	#4@16"	
269	TR	BF		60	2			2	16/5	S	7-04							31	2-#5 HEF ADDL	
270	TR	BF		60	1			2	16/5	S	7-04							15	1-#5 HEF ADDL	
271	TR	BF		60	1			2*2	16/5	S	6-00							25	1-#5 DIAG EF	
272	TR	BF		60	1			2*2	16/5	H	6-00							25	1-#5 DIAG EF	
273	MT	10" THK PANEL - 49																		
274	MT	TYPE - 6																		
275	TR	BF		60	2			2	16/5	S	49-04							206	2-#5 V@PM	
276	TR	BF		60	11			2	16/5	S	49-04							1,132	11-#5 V EF	
277	TR	BF		60	22			2	16/5	S	49-04							2,264	22-#5 V EF	
278	TR	BF		60	13			2	19/6	S	49-04							1,927	13-#6 V EF	
279	TR	BF		60	8			2	16/5	S	38-00							634	8-#5 V EF	
280	TR	BF		60		9-02	1-04	2	13/4	S	42-04							452	#4@16" VEF	
281	TR	BF		60		10-00	1-04	2	13/4	S	42-04							509	#4@16" VEF	
282	TR	BF		60	2			2	16/5	H	1-06	29-02	1-06					134	2-#5 H@PM	
283	TR	BF		60		42-04	1-04	2	13/4	S	49-04							2,175	#4@16" HEF	
284	TR	BF		60		7-00	1-04	2	13/4	S	10-02							95	#4@16"	
285	TR	BF		60	2			2*2	16/5	S	29-02							243	2-#5 HEF ADDL	

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
286	TR	BF		60	1			4*2	16/5	S	6-00							50	1-#5 DIAG EF
287	TR	BF		60	1			4*2	16/5	H	6-00							50	1-#5 DIAG EF
288	MT	10" THK PANEL - 50																	
289	MT	TYPE - 7																	
290	TR	BF		60	2			2	16/5	S	49-04							206	2-#5 V@PM
291	TR	BF		60	11			2*2	16/5	S	49-04							2,264	11-#5 V EF
292	TR	BF		60	22			2	16/5	S	49-04							2,264	22-#5 V EF
293	TR	BF		60		8-04	1-04	2	13/4	S	42-04							452	#4@16" VEF
294	TR	BF		60		10-00	1-04	2	13/4	S	42-04							509	#4@16" VEF
295	TR	BF		60	2			2	16/5	H	1-06	28-04	1-06					131	2-#5 H@PM
296	TR	BF		60		42-04	1-04	2	13/4	S	28-04							1,249	#4@16" HEF
297	TR	BF		60		7-00	1-04	2	13/4	S	10-00							94	#4@16"
298	TR	BF		60	2			2*2	16/5	S	28-04							236	2-#5 HEF ADDL
299	TR	BF		60	1			4*2	16/5	S	6-00							50	1-#5 DIAG EF
300	TR	BF		60	1			4*2	16/5	H	6-00							50	1-#5 DIAG EF
301	MT	10" THK PANEL - 50A																	
302	MT	TYPE - 12																	
303	TR	BF		60	2			2	16/5	S	49-04							206	2-#5 V@PM
304	TR	BF		60	11			2	16/5	S	49-04							1,132	11-#5 V EF
305	TR	BF		60	11			2	16/5	S	49-04							1,132	11-#5 V EF
306	TR	BF		60		7-02	1-04	2	13/4	S	49-04							461	#4@16" V EF
307	TR	BF		60		7-00	0-10	2	16/5	S	42-04							883	#5@10" VEF
308	TR	BF		60	2			2	16/5	H	1-06	19-04	1-06					93	2-#5 H@PM
309	TR	BF		60		42-04	1-04	2	13/4	S	19-04							852	#4@16" HEF
310	TR	BF		60		7-00	1-04	2	13/4	S	12-04							115	#4@16"
311	TR	BF		60	2			2*2	16/5	S	19-04							161	2-#5 HEF ADDL
312	TR	BF		60	1			2*2	16/5	S	6-00							25	1-#5 DIAG EF
313	TR	BF		60	1			2*2	16/5	H	6-00							25	1-#5 DIAG EF
314	MT	10" THK PANEL - 51																	
315	MT	TYPE - 8																	
316	TR	BF		60	2				16/5	S	47-10							100	2-#5 V@PM
317	TR	BF		60	2				16/5	S	20-07							43	2-#5 V@PM
318	TR	BF		60	12			2	19/6	S	47-10							1,724	12-#6 V EF
319	TR	TA		60		28-04	1-00		13/4	L	0-10	2-06			0			149	#4@12" TIES
320	TR	BF		60		28-04	1-00	5	10/3	L	S180	0-10	S90					89	#3@12" LINK
321	TR	BF		60	18			2	19/6	S	47-10							2,587	18-#6 V EF
322	TR	BF		60	7			2	16/5	S	20-07							301	7-#5 V EF
323	TR	BF		60		25-00	0-10	2	16/5	S	21-06							1,390	#5@10" V EF
324	TR	BF		60		12-10	0-10	2	16/5	S	20-07							730	#5@10" VEF
325	TR	BF		60	2				16/5	H	1-06	32-06	1-06					74	2-#5 H@PM
326	TR	BF		60	2				16/5	H	1-06	2-06	1-06					11	2-#5 H@PM
327	TR	BF		60	2				16/5	H	1-06	5-00	1-06					17	2-#5 H@PM
328	TR	BF		60	2				16/5	H	1-06	45-04	1-06					101	2-#5 H@PM
329	TR	BF		60		20-07	1-04	2	13/4	S	45-04							1,030	#4@16" HEF
330	TR	BF		60		26-04	1-04	2	13/4	S	5-00							140	#4@16"
331	TR	BF		60	2			2	16/5	S	22-10							95	4-#5 H EF ADDL
332	TR	BF		60	6			2	16/5	S	45-04							567	6-#5 HEF ADDL
333	TR	BF		60	1			2*3	16/5	S	6-00							38	1-#5 DIAG EF
334	MT	10" THK PANEL - 52																	
335	MT	TYPE - 9																	
336	TR	BF		60	2				16/5	S	47-10							100	2-#5 V@PM
337	TR	BF		60	2				16/5	S	20-06							43	2-#5 V@PM
338	TR	BF		60	12			2	19/6	S	47-10							1,724	12-#6 V EF
339	TR	TA		60		28-04	1-00		13/4	L	0-10	2-06			0			149	#4@12" TIES
340	TR	BF		60		28-04	1-00	5	10/3	L	S180	0-10	S90					89	#3@12" LINK
341	TR	BF		60	18			2	19/6	S	47-10							2,587	18-#6 V EF
342	TR	BF		60		20-00	0-10	2	16/5	S	21-06							1,121	#5@10" V EF

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
343	TR	BF		60		10-06	0-10	2	16/5	S	20-07							601	#5@10" VEF
344	TR	BF		60	2				16/5	H	1-06	27-06	1-06					64	2-#5 H@PM
345	TR	BF		60	2				16/5	H	1-06	2-06	1-06					11	2-#5 H@PM
346	TR	BF		60	2				16/5	H	1-06	5-00	1-06					17	2-#5 H@PM
347	TR	BF		60	2				16/5	H	1-06	38-00	1-06					86	2-#5 H@PM
348	TR	BF		60		20-06	1-04	2	13/4	S	38-00							863	#4@16" HEF
349	TR	BF		60		26-04	1-04	2	13/4	S	5-00							140	#4@16"
350	TR	BF		60	2			2	16/5	S	20-06							86	4-#5 H EF ADDL
351	TR	BF		60	6			2	16/5	S	38-00							476	6-#5 HEF ADDL
352	TR	BF		60	1			2*3	16/5	S	6-00							38	1-#5 DIAG EF
353	MT	SHEET NO S301 PANEL ELEVATIONS																	
354	MT	ELEVATION - (1/S301) PARTIAL WEST ELEVATION																	
355	MT	10" THK PANEL - 81																	
356	MT	TYPE - 9																	
357	TR	BF		60	2				16/5	S	47-10							100	2-#5 V@PM
358	TR	BF		60	2				16/5	S	20-06							43	2-#5 V@PM
359	TR	BF		60	12			2	19/6	S	47-10							1,724	12-#6 V EF
360	TR	TA		60		28-04	1-00		13/4	L	0-10	2-06			0			149	#4@12" TIES
361	TR	BF		60		28-04	1-00	5	10/3	L	S180	0-10	S90					89	#3@12" LINK
362	TR	BF		60	18			2	19/6	S	47-10							2,587	18-#6 V EF
363	TR	BF		60		20-00	0-10	2	16/5	S	21-06							1,121	#5@10" V EF
364	TR	BF		60		10-06	0-10	2	16/5	S	20-07							601	#5@10" VEF
365	TR	BF		60	2				16/5	H	1-06	27-06	1-06					64	2-#5 H@PM
366	TR	BF		60	2				16/5	H	1-06	2-06	1-06					11	2-#5 H@PM
367	TR	BF		60	2				16/5	H	1-06	5-00	1-06					17	2-#5 H@PM
368	TR	BF		60	2				16/5	H	1-06	38-00	1-06					86	2-#5 H@PM
369	TR	BF		60		20-06	1-04	2	13/4	S	38-00							863	#4@16" HEF
370	TR	BF		60		26-04	1-04	2	13/4	S	5-00							140	#4@16"
371	TR	BF		60	2			2	16/5	S	20-06							86	4-#5 H EF ADDL
372	TR	BF		60	6			2	16/5	S	38-00							476	6-#5 HEF ADDL
373	TR	BF		60	1			2*3	16/5	S	6-00							38	1-#5 DIAG EF
374	MT	10" THK PANEL - 82																	
375	MT	TYPE - 8																	
376	TR	BF		60	2				16/5	S	47-10							100	2-#5 V@PM
377	TR	BF		60	2				16/5	S	20-07							43	2-#5 V@PM
378	TR	BF		60	12			2	19/6	S	47-10							1,724	12-#6 V EF
379	TR	TA		60		28-04	1-00		13/4	L	0-10	2-06			0			149	#4@12" TIES
380	TR	BF		60		28-04	1-00	5	10/3	L	S180	0-10	S90					89	#3@12" LINK
381	TR	BF		60	18			2	19/6	S	47-10							2,587	18-#6 V EF
382	TR	BF		60	7			2	16/5	S	20-07							301	7-#5 V EF
383	TR	BF		60		25-00	0-10	2	16/5	S	21-06							1,390	#5@10" V EF
384	TR	BF		60		11-00	0-10	2	16/5	S	20-07							644	#5@10" VEF
385	TR	BF		60	2				16/5	H	1-06	32-06	1-06					74	2-#5 H@PM
386	TR	BF		60	2				16/5	H	1-06	2-06	1-06					11	2-#5 H@PM
387	TR	BF		60	2				16/5	H	1-06	5-00	1-06					17	2-#5 H@PM
388	TR	BF		60	2				16/5	H	1-06	45-04	1-06					101	2-#5 H@PM
389	TR	BF		60		20-07	1-04	2	13/4	S	43-05							986	#4@16" HEF
390	TR	BF		60		26-04	1-04	2	13/4	S	5-00							140	#4@16"
391	TR	BF		60	2			2	16/5	S	22-10							95	4-#5 H EF ADDL
392	TR	BF		60	6			2	16/5	S	45-04							567	6-#5 HEF ADDL
393	TR	BF		60	1			2*3	16/5	S	6-00							38	1-#5 DIAG EF
394	MT	10" THK PANEL - 83A																	
395	MT	TYPE - 12																	
396	TR	BF		60	2			2	16/5	S	49-04							206	2-#5 V@PM
397	TR	BF		60	11			2	16/5	S	49-04							1,132	11-#5 V EF
398	TR	BF		60	11			2	16/5	S	49-04							1,132	11-#5 V EF
399	TR	BF		60		5-04	0-10	2	16/5	S	49-04							823	#5@10" V EF

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
400	TR	BF		60		6-10	0-10	2	16/5	S	42-04							883	#5@10" VEF	
401	TR	BF		60	2			2	16/5	H	1-06	19-04	1-06					93	2-#5 H@PM	
402	TR	BF		60		42-04	1-04	2	13/4	S	17-06							772	#4@16" HEF	
403	TR	BF		60		7-00	1-04	2	13/4	S	10-08							100	#4@16"	
404	TR	BF		60	2			2*2	16/5	S	17-06							146	2-#5 HEF ADDL	
405	TR	BF		60	1			2*2	16/5	S	6-00							25	1-#5 DIAG EF	
406	TR	BF		60	1			2*2	16/5	H	6-00							25	1-#5 DIAG EF	
407	MT	10" THK PANEL - 83																		
408	MT	TYPE - 7																		
409	TR	BF		60	2			2	16/5	S	49-04							206	2-#5 V@PM	
410	TR	BF		60	11			2*2	16/5	S	49-04							2,264	11-#5 V EF	
411	TR	BF		60	22			2	16/5	S	49-04							2,264	22-#5 V EF	
412	TR	BF		60		10-00	1-04	2	13/4	S	42-04							509	#4@16" VEF	
413	TR	BF		60		10-00	1-04	2	13/4	S	42-04							509	#4@16" VEF	
414	TR	BF		60	2			2	16/5	H	1-06	30-02	1-06					138	2-#5 H@PM	
415	TR	BF		60		42-04	1-04	2	13/4	S	30-02							1,330	#4@16" HEF	
416	TR	BF		60		7-00	1-04	2	13/4	S	10-00							94	#4@16"	
417	TR	BF		60	2			2*2	16/5	S	30-02							252	2-#5 HEF ADDL	
418	TR	BF		60	1			4*2	16/5	S	6-00							50	1-#5 DIAG EF	
419	TR	BF		60	1			4*2	16/5	H	6-00							50	1-#5 DIAG EF	
420	MT	10" THK PANEL - 84																		
421	MT	TYPE - 6																		
422	TR	BF		60	2			2	16/5	S	49-04							206	2-#5 V@PM	
423	TR	BF		60	11			2	16/5	S	49-04							1,132	11-#5 V EF	
424	TR	BF		60	22			2	16/5	S	49-04							2,264	22-#5 V EF	
425	TR	BF		60	13			2	19/6	S	49-04							1,927	13-#6 V EF	
426	TR	BF		60	8			2	16/5	S	38-00							634	8-#5 V EF	
427	TR	BF		60		9-02	1-04	2	13/4	S	42-04							452	#4@16" VEF	
428	TR	BF		60		10-00	1-04	2	13/4	S	42-04							509	#4@16" VEF	
429	TR	BF		60	2			2	16/5	H	1-06	29-02	1-06					134	2-#5 H@PM	
430	TR	BF		60		42-04	1-04	2	13/4	S	49-04							2,175	#4@16" HEF	
431	TR	BF		60		7-00	1-04	2	13/4	S	10-02							95	#4@16"	
432	TR	BF		60	2			2*2	16/5	S	29-02							243	2-#5 HEF ADDL	
433	TR	BF		60	1			4*2	16/5	S	6-00							50	1-#5 DIAG EF	
434	TR	BF		60	1			4*2	16/5	H	6-00							50	1-#5 DIAG EF	
435	MT	10" THK PANEL - 85,100 - 2 LOCS																		
436	MT	TYPE - 2																		
437	GM	START (2)							2											
438	TR	BF		60	2			2	16/5	S	49-04							412	2-#5 V@PM	
439	TR	BF		60	6			2	16/5	S	49-04							1,235	6-#5 V EF	
440	TR	BF		60	7			2	16/5	S	49-04							1,441	7-#5 V EF	
441	TR	BF		60	9			2	16/5	S	49-04							1,852	9-#5 V EF	
442	TR	BF		60		3-04	0-10	2	16/5	S	41-06							866	#5@10" VEF	
443	TR	BF		60	2			2	16/5	H	1-06	23-04	1-06					220	2-#5 H@PM	
444	TR	BF		60		41-06	1-04	2	13/4	S	23-04							2,057	#4@16" HEF	
445	TR	BF		60		7-10	1-04	2	13/4	S	20-00							374	#4@16"	
446	TR	BF		60	6			2	16/5	S	49-04							1,235	6-#5 VEF ADDL	
447	TR	BF		60	2			2	16/5	S	7-04							61	2-#5 HEF ADDL	
448	TR	BF		60	1			2	16/5	S	7-04							31	1-#5 HEF ADDL	
449	TR	BF		60	1			2*2	16/5	S	6-00							50	1-#5 DIAG EF	
450	TR	BF		60	1			2*2	16/5	H	6-00							50	1-#5 DIAG EF	
451	GM	END (2)							1											
452	MT	10" THK PANEL - 87,88,93,94 - 4 LOCS																		
453	GM	START (4)							4											
454	MT	TYPE - 1																		
455	TR	BF		60	2			2	16/5	S	51-04							857	2-#5 V@PM	
456	TR	BF		60	7			2	16/5	S	51-04							2,998	7-#5 V@PM	

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
457	TR	BF		60		23-03	0-10	2	16/5	S	51-04							12,421	#5@10" VEF
458	TR	BF		60	2			2	16/5	H	1-06	25-00	1-06					467	2-#5 H@PM
459	TR	BF		60		49-04	1-04	2	13/4	S	25-00							5,077	#4@16" HEF
460	GM	END (4)						1											
461	MT	10" THK PANEL - 86,92 - 2 LOCS																	
462	GM	START (2)						2											
463	MT	TYPE - 1B																	
464	TR	BF		60	2			2	16/5	S	51-04							428	2-#5 V@PM
465	TR	BF		60	14			2	16/5	S	51-04							2,998	14-#5 V EF
466	TR	BF		60		22-09	0-10	2	16/5	S	51-04							6,211	#5@10" VEF
467	TR	BF		60	2			2	16/5	H	1-06	26-00	1-06					242	2-#5 H@PM
468	TR	BF		60		51-04	1-04	2	13/4	S	26-00							2,779	#4@16" HEF
469	GM	END (2)						1											
470	MT	10" THK PANEL - 89																	
471	MT	TYPE - 1B																	
472	TR	BF		60	2			2	16/5	S	51-04							214	2-#5 V@PM
473	TR	BF		60	14			2	16/5	S	51-04							1,499	14-#5 V EF
474	TR	BF		60		21-09	0-10	2	16/5	S	51-04							2,998	#5@10" VEF
475	TR	BF		60	2			2	16/5	H	1-06	25-00	1-06					117	2-#5 H@PM
476	TR	BF		60		51-04	1-04	2	13/4	S	25-00							1,336	#4@16" HEF
477	MT	10" THK PANEL - 91																	
478	MT	TYPE - 1																	
479	TR	BF		60	2			2	16/5	S	53-10							225	2-#5 V@PM
480	TR	BF		60	7			2	16/5	S	53-10							786	7-#5 V@PM
481	TR	BF		60		23-03	0-10	2	16/5	S	53-10							3,257	#5@10" VEF
482	TR	BF		60	2			2	16/5	H	1-06	26-00	1-06					121	2-#5 H@PM
483	TR	BF		60		49-04	1-04	2	13/4	S	26-00							1,320	#4@16" HEF
484	MT	10" THK PANEL - 90																	
485	MT	TYPE - 2																	
486	TR	BF		60	2			2	16/5	S	53-10							225	2-#5 V@PM
487	TR	BF		60	9			2	16/5	S	53-10							1,011	9-#5 V EF
488	TR	BF		60	7			2	16/5	S	53-10							786	7-#5 V EF
489	TR	BF		60	6			2	16/5	S	53-10							674	6-#5 V EF
490	TR	BF		60		18-00	0-10	2	16/5	S	53-10							2,583	#5@10" VEF
491	TR	BF		60		3-04	0-10	2	16/5	S	46-00							480	#5@10" VEF
492	TR	BF		60	2			2	16/5	H	1-06	26-00	1-06					121	2-#5 H@PM
493	TR	BF		60		46-00	1-04	2	13/4	S	26-00							1,251	#4@16" HEF
494	TR	BF		60		7-10	1-04	2	13/4	S	22-08							212	#4@16"
495	TR	BF		60	2			2	16/5	S	7-04							31	2-#5 HEF ADDL
496	TR	BF		60	1			2	16/5	S	7-04							15	1-#5 HEF ADDL
497	TR	BF		60	1			2*2	16/5	S	6-00							25	1-#5 DIAG EF
498	TR	BF		60	1			2*2	16/5	H	6-00							25	1-#5 DIAG EF
499	MT	10" THK PANEL - 95																	
500	MT	TYPE - 2A																	
501	TR	BF		60	2			2	16/5	S	51-04							214	2-#5 V@PM
502	TR	BF		60	9			2	16/5	S	51-04							964	9-#5 V EF
503	TR	BF		60	6			2	16/5	S	51-04							642	6-#5 V EF
504	TR	BF		60	14			2	16/5	S	51-04							1,499	14-#5 V EF
505	TR	BF		60		18-00	0-10	2	16/5	S	51-04							2,463	#5@10" VEF
506	TR	BF		60		3-04	0-10	2	16/5	S	43-06							454	#5@10" VEF
507	TR	BF		60	2			2	16/5	H	1-06	26-00	1-06					121	2-#5 H@PM
508	TR	BF		60		43-06	1-04	2	13/4	S	26-00							1,181	#4@16" HEF
509	TR	BF		60		7-10	1-04	2	13/4	S	22-08							212	#4@16"
510	TR	BF		60	2			2	16/5	S	7-04							31	2-#5 HEF ADDL
511	TR	BF		60	1			2	16/5	S	7-04							15	1-#5 HEF ADDL
512	TR	BF		60	1			2*2	16/5	S	6-00							25	1-#5 DIAG EF
513	TR	BF		60	1			2*2	16/5	H	6-00							25	1-#5 DIAG EF

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
514	MT	10" THK PANEL - 96																		
515	MT	TYPE - 1																		
516	TR	BF		60	2			2	16/5	S	49-04							206	2-#5 V@PM	
517	TR	BF		60	7			2	16/5	S	49-04							720	7-#5 V EF	
518	TR	BF		60		22-03	0-10	2	16/5	S	49-04							2,881	#5@10" VEF	
519	TR	BF		60	2			2	16/5	H	1-06	26-00	1-06					121	2-#5 H@PM	
520	TR	BF		60		49-04	1-04	2	13/4	S	26-00							1,320	#4@16" HEF	
521	MT	10" THK PANEL - 97 & 98 - 2 LOCS																		
522	GM	START (2)						2												
523	MT	TYPE - 1																		
524	TR	BF		60	2			2	16/5	S	49-04							412	2-#5 V@PM	
525	TR	BF		60	7			2	16/5	S	49-04							1,441	7-#5 V EF	
526	TR	BF		60		23-03	0-10	2	16/5	S	49-04							5,969	#5@10" VEF	
527	TR	BF		60	2			2	16/5	H	1-06	25-00	1-06					234	2-#5 H@PM	
528	TR	BF		60		49-04	1-04	2	13/4	S	25-00							2,538	#4@16" HEF	
529	GM	END (2)						1												
530	MT	10" THK PANEL - 99																		
531	MT	TYPE - 1																		
532	TR	BF		60	2			2	16/5	S	49-04							206	2-#5 V@PM	
533	TR	BF		60		25-00	0-10	2	16/5	S	49-04							3,190	#5@10" VEF	
534	TR	BF		60	2			2	16/5	H	1-06	25-00	1-06					117	2-#5 H@PM	
535	TR	BF		60		49-04	1-04	2	13/4	S	25-00							1,269	#4@16" HEF	
536	MT	10" THK PANEL - 101 & 102 - 2 LOCS																		
537	GM	START (2)						2												
538	MT	TYPE - 1																		
539	TR	BF		60	2			2	16/5	S	49-04							412	2-#5 V@PM	
540	TR	BF		60		23-04	0-10	2	16/5	S	49-04							5,969	#5@10" VEF	
541	TR	BF		60	2			2	16/5	H	1-06	23-04	1-06					220	2-#5 H@PM	
542	TR	BF		60		49-04	1-04	2	13/4	S	23-04							2,369	#4@16" HEF	
543	GM	END (2)						1												
544	MT	SHEET NO S302 PANEL ELEVATIONS																		
545	MT	ELEVATION - (1/S302) PARTIAL NORTH ELEVATION																		
546	MT	10" THK PANEL - 01																		
547	MT	TYPE - 1																		
548	TR	BF		60	2			2	16/5	S	49-04							206	2-#5 V@PM	
549	TR	BF		60		29-08	0-10	2	16/5	S	49-04							3,808	#5@10" VEF	
550	TR	BF		60	2			2	16/5	H	1-06	29-08	1-06					136	2-#5 H@PM	
551	TR	BF		60		49-04	1-04	2	13/4	S	29-08							1,506	#4@16" HEF	
552	MT	10" THK PANEL - 02																		
553	MT	TYPE - 5																		
554	TR	BF		60	2			2	16/5	S	53-04							223	2-#5 V@PM	
555	TR	BF		60	15			2	16/5	S	53-04							1,669	15-#5 V EF	
556	TR	BF		60	13			2	19/6	S	53-04							2,083	13-#6 V EF	
557	TR	BF		60	6			2	16/5	S	53-04							668	6-#5 V EF	
558	TR	BF		60		3-10	1-04	2	13/4	S	53-04							285	#4@16" VEF	
559	TR	BF		60		12-00	1-04	2	13/4	S	38-08							517	#4@16" VEF	
560	TR	BF		60		3-04	1-04	2	13/4	S	45-06							243	#4@16" VEF	
561	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					129	2-#5 H@PM	
562	TR	BF		60		38-08	1-04	2	13/4	S	28-00							1,122	#4@16" HEF	
563	TR	BF		60		6-10	1-04	2	13/4	S	16-00							150	#4@16"	
564	TR	BF		60		7-10	1-04	2	13/4	S	12-08							118	#4@16"	
565	TR	BF		60	3			2	16/5	S	28-00							175	3-#5 HEF ADDL	
566	TR	BF		60	3			2	16/5	S	28-00							175	3-#5 HEF ADDL	
567	TR	BF		60	2			2	16/5	S	12-00							50	2-#5 HEF ADDL	
568	TR	BF		60	1			2*8	16/5	S	6-00							100	1-#5 DIAG EF	
569	MT	10" THK PANEL - 03,04,06,26,27 - 5 LOCS																		
570	GM	START (5)						5												

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
571	MT	TYPE - 3A																	
572	TR	BF		60	2			2	16/5	S	53-04							1,113	2-#5 V@PM
573	TR	BF		60	12			2	16/5	S	53-04							6,675	12-#5 V EF
574	TR	BF		60	16			2	19/6	S	53-04							12,817	16-#6 V EF
575	TR	BF		60	12			2	16/5	S	53-04							6,675	12-#5 V EF
576	TR	BF		60		9-00	1-04	2*2	13/4	S	42-08							4,560	#4@16" VEF
577	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					647	2-#5 H@PM
578	TR	BF		60		42-08	1-04	2	13/4	S	28-00							6,172	#4@16" HEF
579	TR	BF		60		10-08	1-04	2	13/4	S	10-00							601	#4@16"
580	TR	BF		60	2			2*2	16/5	S	28-00							1,168	2-#5 HEF ADDL
581	TR	BF		60	1			2*4	16/5	S	6-00							250	1-#5 DIAG EF
582	TR	BF		60	1			2*4	16/5	H	6-00							250	1-#5 DIAG EF
583	GM	END (5)							1										
584	MT	10" THK PANEL - 05																	
585	MT	TYPE - 4																	
586	TR	BF		60	2			2	16/5	S	53-04							223	2-#5 V@PM
587	TR	BF		60	12			2	16/5	S	53-04							1,335	12-#5 V EF
588	TR	BF		60	12			2	16/5	S	53-04							1,335	12-#5 V EF
589	TR	BF		60	6			2*2	16/5	S	53-04							1,335	6-#5 V EF
590	TR	BF		60		6-00	1-04	2	13/4	S	53-04							428	#4@16" VEF
591	TR	BF		60		9-00	1-04	2	13/4	S	42-08							456	#4@16" VEF
592	TR	BF		60		3-04	1-04	2	13/4	S	45-06							243	#4@16" VEF
593	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					129	2-#5 H@PM
594	TR	BF		60		42-08	1-04	2	13/4	S	28-00							1,234	#4@16" HEF
595	TR	BF		60		3-00	1-04	2	13/4	S	19-00							102	#4@16"
596	TR	BF		60		7-10	1-04	2	13/4	S	15-08							147	#4@16"
597	TR	BF		60	2			2*2	16/5	S	28-00							234	2-#5 HEF ADDL
598	TR	BF		60	2			2	16/5	S	16-00							67	2-#5 HEF ADDL
599	TR	BF		60	1			2*6	16/5	S	6-00							75	1-#5 DIAG EF
600	TR	BF		60	1			2*2	16/5	H	6-00							25	1-#5 DIAG EF
601	MT	10" THK PANEL - 07,08,22,23,24 - 5 LOCS																	
602	GM	START (5)							5										
603	MT	TYPE - 3																	
604	TR	BF		60	2			2	16/5	S	53-04							1,113	2-#5 V@PM
605	TR	BF		60	12			2	16/5	S	53-04							6,675	12-#5 V EF
606	TR	BF		60	16			2	19/6	S	53-04							12,817	16-#6 V EF
607	TR	BF		60	12			2	16/5	S	53-04							6,675	12-#5 V EF
608	TR	BF		60	5			3	16/5	S	38-00							2,972	3-#5 V EF
609	TR	BF		60		9-00	1-04	2	13/4	S	42-08							2,280	#4@16" VEF
610	TR	BF		60		5-10	1-04	2	13/4	S	42-08							1,710	#4@16" VEF
611	TR	BF		60		3-00	1-04	2	13/4	S	36-06							975	#4@16" VEF
612	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					647	2-#5 H@PM
613	TR	BF		60		36-06	1-04	2	13/4	S	28-00							5,424	#4@16" HEF
614	TR	BF		60		6-02	1-04	2	13/4	S	25-00							1,002	#4@16"
615	TR	BF		60		10-08	1-04	2	13/4	S	10-00							601	#4@16"
616	TR	BF		60	2			2*2	16/5	S	28-00							1,168	2-#5 HEF ADDL
617	TR	BF		60	2			2*2	16/5	S	7-00							292	2-#5 HEF ADDL
618	TR	BF		60	1			2*8	16/5	S	6-00							501	1-#5 DIAG EF
619	TR	BF		60	1			2*4	16/5	H	6-00							250	1-#5 DIAG EF
620	GM	END (5)							1										
621	MT	10" THK PANEL - 09																	
622	MT	TYPE - 10																	
623	TR	BF		60	2			2	16/5	S	53-04							223	2-#5 V@PM
624	TR	BF		60	6			2	16/5	S	53-04							668	6-#5 V EF
625	TR	BF		60	5			2	16/5	S	53-04							556	5-#5 V EF
626	TR	BF		60	15			2	19/6	S	53-04							2,403	15-#6 V EF
627	TR	BF		60	12			2	16/5	S	53-04							1,335	12-#5 V EF

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
628	TR	BF		60		2-00	1-04	2	13/4	S	53-04							214	#4@16" VEF
629	TR	BF		60		9-00	0-10	2	16/5	S	42-08							1,068	#5@10" VEF
630	TR	BF		60		3-00	0-10	2	16/5	S	47-00							490	#5@10" VEF
631	TR	BF		60		3-04	0-10	2	16/5	S	45-06							475	#5@10" VEF
632	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					129	2-#5 H@PM
633	TR	BF		60		36-06	1-04	2	13/4	S	28-00							1,085	#4@16" HEF
634	TR	BF		60		6-02	1-04	2	13/4	S	25-00							200	#4@16"
635	TR	BF		60		7-10	1-04	2	13/4	S	15-08							147	#4@16"
636	TR	BF		60		3-00	1-04	2	13/4	S	19-00							102	#4@16"
637	TR	BF		60	2			2*2	16/5	S	28-00							234	2-#5 HEF ADDL
638	TR	BF		60	2			22	16/5	S	7-04							337	2-#5 HEF ADDL
639	TR	BF		60	2			22	16/5	S	7-00							321	2-#5 HEF ADDL
640	TR	BF		60	1			2*10	16/5	S	6-00							125	1-#5 DIAG EF
641	TR	BF		60	1			2*2	16/5	H	6-00							25	1-#5 DIAG EF
642	MT	10" THK PANEL - 10,11,12,14,15,16,19,20 - 8 LOCS																	
643	GM	START (8)							8										
644	MT	TYPE - 3																	
645	TR	BF		60	2			2	16/5	S	55-04							1,847	2-#5 V@PM
646	TR	BF		60	12			2	16/5	S	55-04							11,081	12-#5 V EF
647	TR	BF		60	16			2	19/6	S	55-04							21,277	16-#6 V EF
648	TR	BF		60	12			2	16/5	S	55-04							11,081	12-#5 V EF
649	TR	BF		60	5			3	16/5	S	40-00							5,006	3-#5 V EF
650	TR	BF		60		9-00	1-04	2	13/4	S	44-08							3,819	#4@16" VEF
651	TR	BF		60		5-10	1-04	2	13/4	S	44-08							2,864	#4@16" VEF
652	TR	BF		60		3-00	1-04	2	13/4	S	38-06							1,646	#4@16" VEF
653	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					1,035	2-#5 H@PM
654	TR	BF		60		38-06	1-04	2	13/4	S	28-00							8,977	#4@16" HEF
655	TR	BF		60		6-02	1-04	2	13/4	S	25-00							1,603	#4@16"
656	TR	BF		60		10-08	1-04	2	13/4	S	10-00							962	#4@16"
657	TR	BF		60	2			2*2	16/5	S	28-00							1,869	2-#5 HEF ADDL
658	TR	BF		60	2			2*2	16/5	S	7-00							467	2-#5 HEF ADDL
659	TR	BF		60	1			2*8	16/5	S	6-00							801	1-#5 DIAG EF
660	TR	BF		60	1			2*4	16/5	H	6-00							401	1-#5 DIAG EF
661	GM	END (8)							1										
662	MT	10" THK PANEL - 13																	
663	MT	TYPE - 10																	
664	TR	BF		60	2			2	16/5	S	55-04							231	2-#5 V@PM
665	TR	BF		60	6			2	16/5	S	55-04							693	6-#5 V EF
666	TR	BF		60	5			2	16/5	S	55-04							577	5-#5 V EF
667	TR	BF		60	15			2	19/6	S	55-04							2,493	15-#6 V EF
668	TR	BF		60	12			2	16/5	S	55-04							1,385	12-#5 V EF
669	TR	BF		60		2-00	1-04	2	13/4	S	55-04							222	#4@16" VEF
670	TR	BF		60		9-00	0-10	2	16/5	S	44-08							1,118	#5@10" VEF
671	TR	BF		60		3-00	0-10	2	16/5	S	49-00							511	#5@10" VEF
672	TR	BF		60		3-04	0-10	2	16/5	S	47-06							495	#5@10" VEF
673	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					129	2-#5 H@PM
674	TR	BF		60		38-06	1-04	2	13/4	S	28-00							1,122	#4@16" HEF
675	TR	BF		60		6-02	1-04	2	13/4	S	25-00							200	#4@16"
676	TR	BF		60		7-10	1-04	2	13/4	S	15-08							147	#4@16"
677	TR	BF		60		3-00	1-04	2	13/4	S	19-00							102	#4@16"
678	TR	BF		60	2			2*2	16/5	S	28-00							234	2-#5 HEF ADDL
679	TR	BF		60	2			22	16/5	S	7-04							337	2-#5 HEF ADDL
680	TR	BF		60	2			22	16/5	S	7-00							321	2-#5 HEF ADDL
681	TR	BF		60	1			2*10	16/5	S	6-00							125	1-#5 DIAG EF
682	TR	BF		60	1			2*2	16/5	H	6-00							25	1-#5 DIAG EF
683	MT	10" THK PANEL - 17																	
684	MT	TYPE - 2																	

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
685	TR	BF		60	2			2	16/5	S	55-04							231	2-#5 V@PM
686	TR	BF		60	6			2	16/5	S	55-04							693	6-#5 V EF
687	TR	BF		60	7			2	16/5	S	55-04							808	7-#5 V EF
688	TR	BF		60	6			2	16/5	S	55-04							693	6-#5 V EF
689	TR	BF		60		18-00	0-10	2	16/5	S	55-04							2,655	#5@10" VEF
690	TR	BF		60		3-04	0-10	2	16/5	S	35-02							367	#5@10" VEF
691	TR	BF		60		3-00	0-10	2	16/5	S	49-00							511	#5@10" VEF
692	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					129	2-#5 H@PM
693	TR	BF		60		46-00	1-04	2	13/4	S	28-00							1,347	#4@16" HEF
694	TR	BF		60		7-10	1-04	2	13/4	S	24-08							231	#4@16"
695	TR	BF		60		6-04	1-04	2	13/4	S	25-00							200	#4@16"
696	TR	BF		60	2			2	16/5	S	7-04							31	2-#5 HEF ADDL
697	TR	BF		60	1			2	16/5	S	7-04							15	1-#5 HEF ADDL
698	TR	BF		60	2			2	16/5	S	7-00							29	2-#5 HEF ADDL
699	TR	BF		60	1			2	16/5	S	7-00							15	1-#5 HEF ADDL
700	TR	BF		60	1			2*2	16/5	S	6-00							25	1-#5 DIAG EF
701	TR	BF		60	1			2*2	16/5	H	6-00							25	1-#5 DIAG EF
702	MT	10" THK PANEL - 21																	
703	MT	TYPE - 10																	
704	TR	BF		60	2			2	16/5	S	55-04							231	2-#5 V@PM
705	TR	BF		60	6			2	16/5	S	55-04							693	6-#5 V EF
706	TR	BF		60	5			2	16/5	S	55-04							577	5-#5 V EF
707	TR	BF		60	15			2	19/6	S	55-04							2,493	15-#6 V EF
708	TR	BF		60	12			2	16/5	S	55-04							1,385	12-#5 V EF
709	TR	BF		60		2-00	1-04	2	13/4	S	55-04							222	#4@16" VEF
710	TR	BF		60		9-00	0-10	2	16/5	S	44-08							1,118	#5@10" VEF
711	TR	BF		60		3-00	0-10	2	16/5	S	49-00							511	#5@10" VEF
712	TR	BF		60		3-04	0-10	2	16/5	S	47-06							495	#5@10" VEF
713	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					129	2-#5 H@PM
714	TR	BF		60		38-04	1-04	2	13/4	S	28-00							1,122	#4@16" HEF
715	TR	BF		60		6-02	1-04	2	13/4	S	25-00							200	#4@16"
716	TR	BF		60		7-10	1-04	2	13/4	S	15-08							147	#4@16"
717	TR	BF		60		3-00	1-04	2	13/4	S	19-00							102	#4@16"
718	TR	BF		60	2			2*2	16/5	S	28-00							234	2-#5 HEF ADDL
719	TR	BF		60	2			22	16/5	S	7-04							337	2-#5 HEF ADDL
720	TR	BF		60	2			22	16/5	S	7-00							321	2-#5 HEF ADDL
721	TR	BF		60	1			2*10	16/5	S	6-00							125	1-#5 DIAG EF
722	TR	BF		60	1			2*2	16/5	H	6-00							25	1-#5 DIAG EF
723	MT	10" THK PANEL - 28																	
724	MT	TYPE - 5A																	
725	TR	BF		60	2			2	16/5	S	53-04							223	2-#5 V@PM
726	TR	BF		60	15			2	16/5	S	53-04							1,669	15-#5 V EF
727	TR	BF		60	15			2	16/5	S	53-04							1,669	15-#5 V EF
728	TR	BF		60		10-00	1-04	2	13/4	S	53-04							641	#4@16" VEF
729	TR	BF		60		12-00	1-04	2	13/4	S	38-08							517	#4@16" VEF
730	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					129	2-#5 H@PM
731	TR	BF		60		38-08	1-04	2	13/4	S	28-00							1,122	#4@16" HEF
732	TR	BF		60		14-08	1-04	2	13/4	S	16-00							257	#4@16"
733	TR	BF		60	3			2	16/5	S	28-00							175	3-#5 HEF ADDL
734	TR	BF		60	2			2	16/5	S	28-00							117	2-#5 HEF ADDL
735	TR	BF		60	1			2*8	16/5	S	6-00							100	1-#5 DIAG EF
736	MT	10" THK PANEL - 29																	
737	MT	TYPE - 2																	
738	TR	BF		60	2			2	16/5	S	53-04							223	2-#5 V@PM
739	TR	BF		60	6			2	16/5	S	53-04							668	6-#5 V EF
740	TR	BF		60		20-10	0-10	2	16/5	S	53-04							2,893	#5@10" VEF
741	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					129	2-#5 H@PM

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
742	TR	BF		60		45-06	1-04	2	13/4	S	28-00							1,347	#4@16" HEF
743	MT	10" THK PANEL - 30																	
744	MT	TYPE - 1																	
745	TR	BF		60	2			2	16/5	S	49-04							206	2-#5 V@PM
746	TR	BF		60		29-08	0-10	2	16/5	S	49-04							3,808	#5@10" VEF
747	TR	BF		60	2			2	16/5	H	1-06	29-08	1-06					136	2-#5 H@PM
748	TR	BF		60		49-04	1-04	2	13/4	S	29-08							1,506	#4@16" HEF
749	MT	SHEET NO S302 PANEL ELEVATIONS																	
750	MT	ELEVATION - (1/S302) PARTIAL NORTH ELEVATION																	
751	MT	10" THK PANEL - 53																	
752	MT	TYPE - 9																	
753	TR	BF		60	2				16/5	S	47-10							100	2-#5 V@PM
754	TR	BF		60	2				16/5	S	20-06							43	2-#5 V@PM
755	TR	BF		60	12			2	19/6	S	47-10							1,724	12-#6 V EF
756	TR	TA		60		28-04	1-00		13/4	L	0-10	2-06			0			149	#4@12" TIES
757	TR	BF		60		28-04	1-00	5	10/3	L	S180	0-10	S90					89	#3@12" LINK
758	TR	BF		60	18			2	19/6	S	47-10							2,587	18-#6 V EF
759	TR	BF		60		20-00	0-10	2	16/5	S	21-06							1,121	#5@10" V EF
760	TR	BF		60		10-06	1-04	2	13/4	S	20-07							248	#4@16" VEF
761	TR	BF		60	2				16/5	H	1-06	27-06	1-06					64	2-#5 H@PM
762	TR	BF		60	2				16/5	H	1-06	2-06	1-06					11	2-#5 H@PM
763	TR	BF		60	2				16/5	H	1-06	5-00	1-06					17	2-#5 H@PM
764	TR	BF		60	2				16/5	H	1-06	38-00	1-06					86	2-#5 H@PM
765	TR	BF		60		20-06	1-04	2	13/4	S	38-00							863	#4@16" HEF
766	TR	BF		60		26-04	1-04	2	13/4	S	5-00							140	#4@16"
767	TR	BF		60	2			2	16/5	S	20-06							86	4-#5 H EF ADDL
768	TR	BF		60	6			2	16/5	S	38-00							476	6-#5 HEF ADDL
769	TR	BF		60	1			2*3	16/5	S	6-00							38	1-#5 DIAG EF
770	MT	10" THK PANEL - 54																	
771	MT	TYPE - 8																	
772	TR	BF		60	2				16/5	S	47-10							100	2-#5 V@PM
773	TR	BF		60	2				16/5	S	20-07							43	2-#5 V@PM
774	TR	BF		60	12			2	19/6	S	47-10							1,724	12-#6 V EF
775	TR	TA		60		28-04	1-00		13/4	L	0-10	2-06			0			149	#4@12" TIES
776	TR	BF		60		28-04	1-00	5	10/3	L	S180	0-10	S90					89	#3@12" LINK
777	TR	BF		60	18			2	19/6	S	47-10							2,587	18-#6 V EF
778	TR	BF		60	7			2	16/5	S	20-07							301	7-#5 V EF
779	TR	BF		60		25-00	0-10	2	16/5	S	21-06							1,390	#5@10" V EF
780	TR	BF		60		11-00	0-10	2	16/5	S	20-07							644	#5@10" VEF
781	TR	BF		60	2				16/5	H	1-06	32-06	1-06					74	2-#5 H@PM
782	TR	BF		60	2				16/5	H	1-06	2-06	1-06					11	2-#5 H@PM
783	TR	BF		60	2				16/5	H	1-06	5-00	1-06					17	2-#5 H@PM
784	TR	BF		60	2				16/5	H	1-06	45-04	1-06					101	2-#5 H@PM
785	TR	BF		60		20-07	1-04	2	13/4	S	43-05							986	#4@16" HEF
786	TR	BF		60		26-04	1-04	2	13/4	S	5-00							140	#4@16"
787	TR	BF		60	2			2	16/5	S	22-10							95	4-#5 H EF ADDL
788	TR	BF		60	6			2	16/5	S	45-04							567	6-#5 HEF ADDL
789	TR	BF		60	1			2*3	16/5	S	6-00							38	1-#5 DIAG EF
790	MT	10" THK PANEL - 55A																	
791	MT	TYPE - 1																	
792	TR	BF		60	2			2	16/5	S	49-04							206	2-#5 V@PM
793	TR	BF		60		18-06	0-10	2	16/5	S	49-04							2,470	#5@10" VEF
794	TR	BF		60	2			2	16/5	H	1-06	18-06	1-06					90	2-#5 H@PM
795	TR	BF		60		49-04	1-04	2	13/4	S	18-06							939	#4@16" HEF
796	MT	10" THK PANEL - 55																	
797	MT	TYPE - 2																	
798	TR	BF		60	2			2	16/5	S	53-04							223	2-#5 V@PM

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
799	TR	BF		60	6			2	16/5	S	53-04							668	6-#5 V EF
800	TR	BF		60		25-04	0-10	2	16/5	S	53-04							3,560	#5@10" VEF
801	TR	BF		60	2			2	16/5	H	1-06	25-04	1-06					118	2-#5 H@PM
802	TR	BF		60		45-06	1-04	2	13/4	S	25-04							1,218	#4@16" HEF
803	MT	10" THK PANEL - 56																	
804	MT	TYPE - 5A																	
805	TR	BF		60	2			2	16/5	S	53-04							223	2-#5 V@PM
806	TR	BF		60	15			2	16/5	S	53-04							1,669	15-#5 V EF
807	TR	BF		60	15			2	16/5	S	53-04							1,669	15-#5 V EF
808	TR	BF		60		10-00	1-04	2	13/4	S	53-04							641	#4@16" VEF
809	TR	BF		60		12-00	1-04	2	13/4	S	38-08							517	#4@16" VEF
810	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					129	2-#5 H@PM
811	TR	BF		60		38-08	1-04	2	13/4	S	28-00							1,122	#4@16" HEF
812	TR	BF		60		14-08	1-04	2	13/4	S	16-00							257	#4@16"
813	TR	BF		60	3			2	16/5	S	28-00							175	3-#5 HEF ADDL
814	TR	BF		60	2			2	16/5	S	28-00							117	2-#5 HEF ADDL
815	TR	BF		60	1			2*8	16/5	S	6-00							100	1-#5 DIAG EF
816	MT	10" THK PANEL - 57																	
817	MT	TYPE - 3A																	
818	TR	BF		60	2			2	16/5	S	53-04							223	2-#5 V@PM
819	TR	BF		60	12			2	16/5	S	53-04							1,335	12-#5 V EF
820	TR	BF		60	16			2	19/6	S	53-04							2,563	16-#6 V EF
821	TR	BF		60	12			2	16/5	S	53-04							1,335	12-#5 V EF
822	TR	BF		60		9-00	1-04	2*2	13/4	S	42-08							912	#4@16" VEF
823	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					129	2-#5 H@PM
824	TR	BF		60		42-08	1-04	2	13/4	S	28-00							1,234	#4@16" HEF
825	TR	BF		60		10-08	1-04	2	13/4	S	10-00							120	#4@16"
826	TR	BF		60	2			2*2	16/5	S	28-00							234	2-#5 HEF ADDL
827	TR	BF		60	1			2*4	16/5	S	6-00							50	1-#5 DIAG EF
828	TR	BF		60	1			2*4	16/5	H	6-00							50	1-#5 DIAG EF
829	GM	Start (5)							5										
830	MT	10" THK PANEL - 58,59,73,74,75 - 5 LOCS																	
831	MT	TYPE - 3																	
832	TR	BF		60	2			2	16/5	S	53-04							1,113	2-#5 V@PM
833	TR	BF		60	12			2	16/5	S	53-04							6,675	12-#5 V EF
834	TR	BF		60	16			2	19/6	S	53-04							12,817	16-#6 V EF
835	TR	BF		60	12			2	16/5	S	53-04							6,675	12-#5 V EF
836	TR	BF		60	5			3	16/5	S	38-00							2,972	3-#5 V EF
837	TR	BF		60		9-00	1-04	2	13/4	S	42-08							2,280	#4@16" VEF
838	TR	BF		60		5-10	1-04	2	13/4	S	42-08							1,710	#4@16" VEF
839	TR	BF		60		3-00	1-04	2	13/4	S	36-06							975	#4@16" VEF
840	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					647	2-#5 H@PM
841	TR	BF		60		36-06	1-04	2	13/4	S	28-00							5,424	#4@16" HEF
842	TR	BF		60		6-02	1-04	2	13/4	S	25-00							1,002	#4@16"
843	TR	BF		60		10-08	1-04	2	13/4	S	10-00							601	#4@16"
844	TR	BF		60	2			2*2	16/5	S	28-00							1,168	2-#5 HEF ADDL
845	TR	BF		60	2			2*2	16/5	S	7-00							292	2-#5 HEF ADDL
846	TR	BF		60	1			2*8	16/5	S	6-00							501	1-#5 DIAG EF
847	TR	BF		60	1			2*4	16/5	H	6-00							250	1-#5 DIAG EF
848	GM	Ends																	
849	MT	10" THK PANEL - 60																	
850	MT	TYPE - 10																	
851	TR	BF		60	2			2	16/5	S	53-04							223	2-#5 V@PM
852	TR	BF		60	6			2	16/5	S	53-04							668	6-#5 V EF
853	TR	BF		60	5			2	16/5	S	53-04							556	5-#5 V EF
854	TR	BF		60	15			2	19/6	S	53-04							2,403	15-#6 V EF
855	TR	BF		60	12			2	16/5	S	53-04							1,335	12-#5 V EF

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
856	TR	BF		60		2-00	1-04	2	13/4	S	53-04							214	#4@16" VEF	
857	TR	BF		60		9-00	0-10	2	16/5	S	42-08							1,068	#5@10" VEF	
858	TR	BF		60		3-00	0-10	2	16/5	S	47-00							490	#5@10" VEF	
859	TR	BF		60		3-04	0-10	2	16/5	S	45-06							475	#5@10" VEF	
860	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					129	2-#5 H@PM	
861	TR	BF		60		36-06	1-04	2	13/4	S	28-00							1,085	#4@16" HEF	
862	TR	BF		60		6-02	1-04	2	13/4	S	25-00							200	#4@16"	
863	TR	BF		60		7-10	1-04	2	13/4	S	15-08							147	#4@16"	
864	TR	BF		60		3-00	1-04	2	13/4	S	19-00							102	#4@16"	
865	TR	BF		60	2			2*2	16/5	S	28-00							234	2-#5 HEF ADDL	
866	TR	BF		60	2			22	16/5	S	7-04							337	2-#5 HEF ADDL	
867	TR	BF		60	2			22	16/5	S	7-00							321	2-#5 HEF ADDL	
868	TR	BF		60	1			2*10	16/5	S	6-00							125	1-#5 DIAG EF	
869	TR	BF		60	1			2*2	16/5	H	6-00							25	1-#5 DIAG EF	
870	MT	10" THK PANEL - 61,62,63,65,66,67,68,69,70,71 - 9 LOCS																		
871	GM	START (9)							9											
872	MT	TYPE - 3																		
873	TR	BF		60	2			2	16/5	S	55-04							2,078	2-#5 V@PM	
874	TR	BF		60	12			2	16/5	S	55-04							12,466	12-#5 V EF	
875	TR	BF		60	16			2	19/6	S	55-04							23,936	16-#6 V EF	
876	TR	BF		60	12			2	16/5	S	55-04							12,466	12-#5 V EF	
877	TR	BF		60	5			3	16/5	S	40-00							5,632	3-#5 V EF	
878	TR	BF		60		9-00	1-04	2	13/4	S	44-08							4,296	#4@16" VEF	
879	TR	BF		60		5-10	1-04	2	13/4	S	44-08							3,222	#4@16" VEF	
880	TR	BF		60		3-00	1-04	2	13/4	S	38-06							1,852	#4@16" VEF	
881	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					1,164	2-#5 H@PM	
882	TR	BF		60		38-06	1-04	2	13/4	S	28-00							10,100	#4@16" HEF	
883	TR	BF		60		6-02	1-04	2	13/4	S	25-00							1,804	#4@16"	
884	TR	BF		60		10-08	1-04	2	13/4	S	10-00							1,082	#4@16"	
885	TR	BF		60	2			2*2	16/5	S	28-00							2,103	2-#5 HEF ADDL	
886	TR	BF		60	2			2*2	16/5	S	7-00							526	2-#5 HEF ADDL	
887	TR	BF		60	1			2*8	16/5	S	6-00							901	1-#5 DIAG EF	
888	TR	BF		60	1			2*4	16/5	H	6-00							451	1-#5 DIAG EF	
889	GM	END (9)							1											
890	MT	10" THK PANEL - 64,68,72 - 3 LOCS																		
891	GM	START (3)							3											
892	MT	TYPE - 10																		
893	TR	BF		60	2			2	16/5	S	55-04							693	2-#5 V@PM	
894	TR	BF		60	6			2	16/5	S	55-04							2,078	6-#5 V EF	
895	TR	BF		60	5			2	16/5	S	55-04							1,731	5-#5 V EF	
896	TR	BF		60	15			2	19/6	S	55-04							7,480	15-#6 V EF	
897	TR	BF		60	12			2	16/5	S	55-04							4,155	12-#5 V EF	
898	TR	BF		60		2-00	1-04	2	13/4	S	55-04							665	#4@16" VEF	
899	TR	BF		60		9-00	0-10	2	16/5	S	44-08							3,354	#5@10" VEF	
900	TR	BF		60		3-00	0-10	2	16/5	S	49-00							1,533	#5@10" VEF	
901	TR	BF		60		3-04	0-10	2	16/5	S	47-06							1,486	#5@10" VEF	
902	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					388	2-#5 H@PM	
903	TR	BF		60		38-04	1-04	2	13/4	S	28-00							3,367	#4@16" HEF	
904	TR	BF		60		6-02	1-04	2	13/4	S	25-00							601	#4@16"	
905	TR	BF		60		7-10	1-04	2	13/4	S	15-08							440	#4@16"	
906	TR	BF		60		3-00	1-04	2	13/4	S	19-00							305	#4@16"	
907	TR	BF		60	2			2*2	16/5	S	28-00							701	2-#5 HEF ADDL	
908	TR	BF		60	2			22	16/5	S	7-04							1,010	2-#5 HEF ADDL	
909	TR	BF		60	2			22	16/5	S	7-00							964	2-#5 HEF ADDL	
910	TR	BF		60	1			2*10	16/5	S	6-00							376	1-#5 DIAG EF	
911	TR	BF		60	1			2*2	16/5	H	6-00							75	1-#5 DIAG EF	
912	GM	END (3)							1											

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
913	GM	START (2)						2											
914	MT	10" THK PANEL - 76,77 - 2 LOCS																	
915	MT	TYPE - 5																	
916	TR	BF		60	2			2	16/5	S	53-04							445	2-#5 V@PM
917	TR	BF		60	15			2	16/5	S	53-04							3,338	15-#5 V EF
918	TR	BF		60	13			2	19/6	S	53-04							4,166	13-#6 V EF
919	TR	BF		60	6			2	16/5	S	53-04							1,335	6-#5 V EF
920	TR	BF		60		3-10	1-04	2	13/4	S	53-04							570	#4@16" VEF
921	TR	BF		60		12-00	1-04	2	13/4	S	38-08							1,033	#4@16" VEF
922	TR	BF		60		3-04	1-04	2	13/4	S	45-06							486	#4@16" VEF
923	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					259	2-#5 H@PM
924	TR	BF		60		38-08	1-04	2	13/4	S	28-00							2,244	#4@16" HEF
925	TR	BF		60		6-10	1-04	2	13/4	S	16-00							299	#4@16"
926	TR	BF		60		7-10	1-04	2	13/4	S	12-08							237	#4@16"
927	TR	BF		60	3			2	16/5	S	28-00							350	3-#5 HEF ADDL
928	TR	BF		60	3			2	16/5	S	28-00							350	3-#5 HEF ADDL
929	TR	BF		60	2			2	16/5	S	12-00							100	2-#5 HEF ADDL
930	TR	BF		60	1			2*8	16/5	S	6-00							200	1-#5 DIAG EF
931	GM	ENDS																	
932	MT	10" THK PANEL - 78																	
933	MT	TYPE - 5A																	
934	TR	BF		60	2			2	16/5	S	49-04							206	2-#5 V@PM
935	TR	BF		60	15			2	16/5	S	49-04							1,544	15-#5 V EF
936	TR	BF		60	15			2	16/5	S	49-04							1,544	15-#5 V EF
937	TR	BF		60		10-00	1-04	2	13/4	S	49-04							593	#4@16" VEF
938	TR	BF		60		12-00	1-04	2	13/4	S	34-08							463	#4@16" VEF
939	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					129	2-#5 H@PM
940	TR	BF		60		34-08	1-04	2	13/4	S	25-04							914	#4@16" HEF
941	TR	BF		60		14-08	1-04	2	13/4	S	12-00							192	#4@16"
942	TR	BF		60	3			2	16/5	S	13-04							83	3-#5 HEF ADDL
943	TR	BF		60	2			2	16/5	S	25-04							106	2-#5 HEF ADDL
944	TR	BF		60	1			2*4	16/5	S	6-00							50	1-#5 DIAG EF
945	MT	10" THK PANEL - 79A																	
946	MT	TYPE - 11																	
947	TR	BF		60	2			2	16/5	S	49-04							206	2-#5 V@PM
948	TR	BF		60		18-06	0-10	2	16/5	S	49-04							2,470	#5@10" V EF
949	TR	BF		60	2			2	16/5	H	1-06	19-04	1-06					93	2-#5 H@PM
950	TR	BF		60		49-04	1-04	2	13/4	S	18-06							939	#4@16" HEF
951	TR	BF		60	3			2*2	16/5	S	18-06							232	3-#5 HEF ADDL
952	MT	10" THK PANEL - 80																	
953	MT	TYPE - 9																	
954	TR	BF		60	2				16/5	S	47-10							100	2-#5 V@PM
955	TR	BF		60	2				16/5	S	20-06							43	2-#5 V@PM
956	TR	BF		60	12			2	19/6	S	47-10							1,724	12-#6 V EF
957	TR	TA		60		28-04	1-00		13/4	L	0-10	2-06			0			149	#4@12" TIES
958	TR	BF		60		28-04	1-00	5	10/3	L	S180	0-10	S90					89	#3@12" LINK
959	TR	BF		60	18			2	19/6	S	47-10							2,587	18-#6 V EF
960	TR	BF		60		20-00	0-10	2	16/5	S	21-06							1,121	#5@10" V EF
961	TR	BF		60		10-06	1-04	2	13/4	S	20-07							248	#4@16" VEF
962	TR	BF		60	2				16/5	H	1-06	27-06	1-06					64	2-#5 H@PM
963	TR	BF		60	2				16/5	H	1-06	2-06	1-06					11	2-#5 H@PM
964	TR	BF		60	2				16/5	H	1-06	5-00	1-06					17	2-#5 H@PM
965	TR	BF		60	2				16/5	H	1-06	38-00	1-06					86	2-#5 H@PM
966	TR	BF		60		20-06	1-04	2	13/4	S	38-00							863	#4@16" HEF
967	TR	BF		60		26-04	1-04	2	13/4	S	5-00							140	#4@16"
968	TR	BF		60	2			2	16/5	S	20-06							86	4-#5 H EF ADDL
969	TR	BF		60	6			2	16/5	S	38-00							476	6-#5 HEF ADDL

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
970	TR	BF		60	1			2*3	16/5	S	6-00							38	1-#5 DIAG EF
971	MT	10" THK PANEL - 79																	
972	MT	TYPE - 8																	
973	TR	BF		60	2				16/5	S	47-10							100	2-#5 V@PM
974	TR	BF		60	2				16/5	S	20-07							43	2-#5 V@PM
975	TR	BF		60	12			2	19/6	S	47-10							1,724	12-#6 V EF
976	TR	TA		60		28-04	1-00		13/4	L	0-10	2-06			0			149	#4@12" TIES
977	TR	BF		60		28-04	1-00	5	10/3	L	S180	0-10	S90					89	#3@12" LINK
978	TR	BF		60	18			2	19/6	S	47-10							2,587	18-#6 V EF
979	TR	BF		60	7			2	16/5	S	20-07							301	7-#5 V EF
980	TR	BF		60		25-00	0-10	2	16/5	S	21-06							1,390	#5@10" V EF
981	TR	BF		60		11-00	0-10	2	16/5	S	20-07							644	#5@10" VEF
982	TR	BF		60	2				16/5	H	1-06	32-06	1-06					74	2-#5 H@PM
983	TR	BF		60	2				16/5	H	1-06	2-06	1-06					11	2-#5 H@PM
984	TR	BF		60	2				16/5	H	1-06	5-00	1-06					17	2-#5 H@PM
985	TR	BF		60	2				16/5	H	1-06	45-04	1-06					101	2-#5 H@PM
986	TR	BF		60		20-07	1-04	2	13/4	S	43-05							986	#4@16" HEF
987	TR	BF		60		26-04	1-04	2	13/4	S	5-00							140	#4@16"
988	TR	BF		60	2			2	16/5	S	22-10							95	4-#5 H EF ADDL
989	TR	BF		60	6			2	16/5	S	45-04							567	6-#5 HEF ADDL
990	TR	BF		60	1			2*3	16/5	S	6-00							38	1-#5 DIAG EF
991	MT	SEC (301 & 309/S601)																	
992	TR	BF		60	2			19	16/5	H	2-00	0-10	2-00					192	2-#5 DWLS
993	MT	SEC (109/S401)																	
994	TR	BF		60		2840-10	5-00	2	13/4	H	0-06	1-06	0-08	1-06	0-06			3,550	#4@5' DWLS
995	TR	BF		60	2			240*2	13/4	H	0-06	1-06	0-08	1-06	0-06			2,990	#4@5' DWLS
996	TI	Pcs			6480				1" HCP									0	INDIVIDUAL HIGH
997	TI	Pcs			6480				6" HCP									0	INDIVIDUAL HIGH
998	GI	Segment: PUMP HOUSE Sub-Segment: WALL FOOTINGS Bid Group: PUMP HOUSE ...																	
999	MT	SHEET NO - S117 ENLARGED PUMP HOUSE PLANS																	
1000	MT	WALL FOOTINGS																	
1001	MT	WF1 (3'-6"x16" DP)																	
1002	TR	BF		60	4				16/5	S	24-00							100	4-#5 B CONT
1003	TR	BF		60	4			2	16/5	S	24-02							202	4-#5 B CONT
1004	TR	BF		60	4			2	16/5	H	2-08	2-08						45	4-#5 B CONT
1005	TI	Pcs			720				3" IHC									0	3" IHC W/SAND
1006	GI	Segment: PUMP HOUSE Sub-Segment: SLAB ON GRADE Bid Group: PUMP HOUSE ...																	
1007	MT	SLAB ON GRADE																	
1008	MT	7" THK CONCRETE SLAB																	
1009	TR	BF		60		12-00	1-06		10/3	S	12-08							43	#3@18" MID
1010	TR	BF		60		12-08	1-06		10/3	S	12-00							45	#3@18" MID
1011	TI	Pcs			10				4.5" IHC									0	4.5" IHC W/SAND
1012	MT	CONCRETE CLOSURE POUR																	
1013	MT	SEC (103/S401)																	
1014	TR	BF		60		4-00	2-00	2	16/5	S	21-04							133	#5@24" LW
1015	TR	BF		60		21-04	2-00	2	16/5	S	4-00							100	#5@24" LW
1016	TR	BF		60		4-00	2-00	2	16/5	S	19-11							125	#5@24" LW
1017	TR	BF		60		19-11	2-00	2	16/5	S	4-00							92	#5@24" LW
1018	MT	RE-ENTRANT BAR																	
1019	TR	BF		60	2			4	16/5	S	4-00							33	2-#5 RE-ENT
1020	GI	Segment: PUMP HOUSE Sub-Segment: TILT-UP PANELS Bid Group: PUMP HOUSE ...																	
1021	MT	SHEET NO - S302 PANEL ELEVATIONS																	
1022	MT	8" THK PANEL - 103,105 - 2 LOCS																	
1023	GM	START (2)							2										
1024	MT	TYPE - 1																	
1025	TR	BF		60	2			2	16/5	S	17-04							145	2-#5 V@PM
1026	TR	BF		60		20-00	0-10	2	16/5	S	17-04							1,808	#5@10" VEF

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1027	TR	BF		60	2			2	16/5	H	1-06	20-00	1-06					192	2-#5 H@PM
1028	TR	BF		60		17-04	1-04	2	13/4	S	20-00							748	#4@16" HEF
1029	GM	END (2)						1											
1030	MT	8" THK PANEL - 104																	
1031	MT	TYPE - 2																	
1032	TR	BF		60	2			2	16/5	S	17-04							72	2-#5 V@PM
1033	TR	BF		60	6			2*2	16/5	S	17-04							434	6-#5 V EF
1034	TR	BF		60		16-04	0-10	2	16/5	S	17-04							759	#5@10" VEF
1035	TR	BF		60		6-04	0-10	2	16/5	S	10-02							191	#5@10" VEF
1036	TR	BF		60	2			2	16/5	H	1-06	20-08	1-06					99	2-#5 H@PM
1037	TR	BF		60		10-02	1-04	2	13/4	S	20-08							248	#4@16" HEF
1038	TR	BF		60		7-02	1-04	2	13/4	S	16-04							153	#4@16"
1039	TR	BF		60	2			2	16/5	S	20-08							86	2-#5 H EF ADDL
1040	TR	BF		60	1			2	16/5	S	20-08							43	1-#5 H EF ADDL
1041	TR	BF		60	1			2	16/5	S	10-04							22	1-#5 DIAG EF
1042	TI	Pcs		65					1" HCP									0	INDIVIDUAL HIGH
1043	TI	Pcs		65					6" HCP									0	INDIVIDUAL HIGH
1044	GI	Segment: (4) CONCRETE RAMP Sub-Segment: WALL FOOTINGS Bid Group: CIP RA...																	
1045	MT	SHEET NO A009 ENLARGED DRIVE-IN RAMP																	
1046	MT	WALL FOOTINGS																	
1047	GM	START (4)						4											
1048	MT	SEC (108/S402)																	
1049	MT	SIZE_(4'-0"x15" DP)																	
1050	TR	LS		60	4				16/5	S	72-00				1	3-03	30-00	1,310	4-#5 B CONT
1051	TR	BF		60		72-00	1-06		16/5	S	4-00							818	#5@18" B
1052	MT	SIZE_(4'-6"x18" DP)																	
1053	TR	LS		60	6				16/5	S	72-00				1	3-03	30-00	1,965	6-#5 B CONT
1054	TI	Pcs		50					3" IHC									0	3" IHC W/SAND
1055	GM	END (4)						1											
1056	GI	Segment: (4) CONCRETE RAMP Sub-Segment: RAMP SLAB Bid Group: CIP RAMP ...																	
1057	MT	SHEET NO A009 ENLARGED DRIVE-IN RAMP																	
1058	GM	START (4)						4											
1059	MT	6" THK CONCRETE SLAB (AREA= 1865 SQ.FT)																	
1060	TR	RA		60		1-00	1-00	2	13/4	S	43-02	43-02				2-01	30-00	21,764	#4@12" MID
1061	TI	Pcs		120					3" IHC									0	3" IHC W/SAND
1062	MT	SEC (114/S402)																	
1063	TR	BF		60	1			2*2	13/4	S	26-08							285	1-#4 T&B CONT
1064	GM	END (4)						1											
1065	GI	Segment: (4) CONCRETE RAMP Sub-Segment: TILT-UP PANELS Bid Group: CIP R...																	
1066	MT	SHEET NO A009 ENLARGED DRIVE-IN RAMP																	
1067	GM	START (4)						4											
1068	MT	SEC (108/S402)																	
1069	MT	8" THK PANELS																	
1070	TR	BF		60	2			2	16/5	S	7-00							117	2-#5 V@PM
1071	TR	BF		60		28-00	0-10	2	16/5	S	7-00							2,045	#5@10" VEF
1072	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					517	2-#5 H@PM
1073	TR	BF		60		17-04	1-04	2	13/4	S	28-00							2,095	#4@16" HEF
1074	MT	8" THK PANELS																	
1075	TR	BF		60	2			2	16/5	S	5-04							89	2-#5 V@PM
1076	TR	BF		60		28-00	0-10	2	16/5	S	5-04							1,558	#5@10" VEF
1077	TR	BF		60	2			2	16/5	H	1-06	28-00	1-06					517	2-#5 H@PM
1078	TR	BF		60		5-04	1-04	2	13/4	S	28-00							748	#4@16" HEF
1079	MT	8" THK PANELS																	
1080	TR	BF		60	2			2	16/5	S	1-10							31	2-#5 V@PM
1081	TR	BF		60		14-00	0-10	2	16/5	S	1-10							275	#5@10" VEF
1082	TR	BF		60	2			2	16/5	H	1-06	14-00	1-06					284	2-#5 H@PM
1083	TR	BF		60		1-10	1-04	2	13/4	S	14-00							224	#4@16" HEF

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1084	GM	END (4)						1											
1085	GI	Segment: (4) CONCRETE RAMP Sub-Segment: MASONRY Bid Group: CIP RAMP ...																	
1086	MT	MASONRY																	
1087	GM	START (4)						4											
1088	MT	SHEET NO A009 ENLARGED DRIVE-IN RAMP																	
1089	MT	8" THK MASONRY																	
1090	MT	SEC (25/S005)																	
1091	TR	BF		60	2				16/5	H	2-02	1-06	2-06					51	2-#5 END D/V
1092	TR	BF		60		34-08	0-08		16/5	H	2-02	1-06	4-00					1,695	#5@8" D/V
1093	TR	BF		60		34-08	0-08		16/5	H	2-02	1-06	2-02					1,289	#5@8" D/V
1094	TR	LS		60	1			2	16/5	S	69-04				1	2-06	20-00	641	1-#5 BB
1095	TR	BF		60	1				16/5	S	2-06	2-00	2-06					29	1-#5 BB STEP
1096	GM	Ends																	
1097	GI	Segment: SITE WORKS Sub-Segment: LIGHT POLE BASE Bid Group: SITE WORKS ...																	
1098	MT	LIGHT POLE																	
1099	MT	SEC (22/S005)																	
1100	MT	(24" DIA) LIGHT POLE - 27 LOCS																	
1101	TR	BF		60	8			27	16/5	S	8-06							1,915	8-#5 VERT
1102	TR	TC		60	4			27	10/3	L	2-00				0	1-06		316	4-#3 TOP TIES
1103	TR	TC		60		8-06	1-00	27	10/3	L	2-00				0	1-06		790	#3@12" TIES
1104	GI	Segment: SITE WORKS Sub-Segment: MASONRY SCREEN WALL FOOTINGS Bid Group...																	
1105	MT	SHEET NO - A007 SITE SCREEN WALLS																	
1106	MT	1 - SE TRUCK ENTRY WALL ELEVATIONS																	
1107	MT	WALL FOOTING (4'-6"x16" DP)																	
1108	MT	REF SEC (26/S005)																	
1109	TR	LS		60	6				16/5	S	169-02				1	2-06	30-00	1,137	6-#5 CONT
1110	MT	2 - SW TRUCK ENTRY WALL ELEVATIONS																	
1111	MT	WALL FOOTING (4'-6"x16" DP)																	
1112	MT	REF SEC (26/S005)																	
1113	TR	LS		60	6				16/5	S	172-01				1	2-06	30-00	1,171	6-#5 CONT
1114	MT	3 - NE TRUCK ENTRY WALL ELEVATIONS																	
1115	MT	WALL FOOTING (4'-6"x16" DP)																	
1116	MT	REF SEC (26/S005)																	
1117	TR	LS		60	6				16/5	S	82-02				1	2-06	30-00	545	6-#5 CONT
1118	MT	4 - NW TRUCK ENTRY WALL ELEVATIONS																	
1119	MT	WALL FOOTING (4'-6"x16" DP)																	
1120	MT	REF SEC (26/S005)																	
1121	TR	LS		60	6				16/5	S	88-00				1	2-06	30-00	598	6-#5 CONT
1122	MT	1 - NORTH SCREEN WALL ELEVATION																	
1123	MT	WALL FOOTING (4'-6"x16" DP)																	
1124	MT	REF SEC (26/S005)																	
1125	TR	LS		60	6				16/5	S	178-02				1	2-06	30-00	1,209	6-#5 CONT
1126	MT	SHEET NO - A007 SITE SCREEN WALLS																	
1127	MT	1 - SE TRUCK ENTRY WALL ELEVATIONS																	
1128	MT	WALL FOOTING (4'-6"x16" DP)																	
1129	MT	REF SEC (26/S005)																	
1130	TR	BF		60	2			2	16/5	H	2-03	1-04	2-06					25	2-#5 END DWLS
1131	TR	BF		60	3			2	16/5	H	2-03	1-04	2-06					38	3-#5 COR DWLS
1132	TR	BF		60		164-08	2-00		16/5	H	2-03	1-04	2-06					533	#5@24" DWLS
1133	MT	2 - SW TRUCK ENTRY WALL ELEVATIONS																	
1134	MT	8" THK MASONRY																	
1135	MT	REF SEC (26/S005)																	
1136	TR	BF		60	2			2	16/5	H	2-03	1-04	2-06					25	2-#5 END DWLS
1137	TR	BF		60	3			3	16/5	H	2-03	1-04	2-06					57	3-#5 COR DWLS
1138	TR	BF		60		167-07	2-00		16/5	H	2-03	1-04	2-06					539	#5@24" DWLS
1139	MT	3 - NE TRUCK ENTRY WALL ELEVATIONS																	
1140	MT	8" THK MASONRY																	

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1141	MT	REF SEC (26/S005)																	
1142	TR	BF		60	2			3	16/5	H	2-03	1-04	2-06					38	2-#5 END DWLS
1143	TR	BF		60	3				16/5	H	2-03	1-04	2-06					19	3-#5 COR DWLS
1144	TR	BF		60		78-08	2-00		16/5	H	2-03	1-04	2-06					260	#5@24" DWLS
1145	MT	4 - NW TRUCK ENTRY WALL ELEVATIONS																	
1146	MT	8" THK MASONRY																	
1147	MT	REF SEC (26/S005)																	
1148	TR	BF		60	2			3	16/5	H	2-03	1-04	2-06					38	2-#5 END DWLS
1149	TR	BF		60	3				16/5	H	2-03	1-04	2-06					19	3-#5 COR DWLS
1150	TR	BF		60		83-05	2-00		16/5	H	2-03	1-04	2-06					273	#5@24" DWLS
1151	MT	1 - NORTH SCREEN WALL ELEVATION																	
1152	MT	8" THK MASONRY																	
1153	MT	REF SEC (26/S005)																	
1154	TR	BF		60	2			3	16/5	H	2-03	1-04	2-06					38	2-#5 END DWLS
1155	TR	BF		60	3				16/5	H	2-03	1-04	2-06					19	3-#5 COR DWLS
1156	TR	BF		60		173-08	2-00		16/5	H	2-03	1-04	2-06					558	#5@24" DWLS
1157	GI	Segment: SITE WORKS Sub-Segment: MASONRY SCREEN WALLS Bid Group: SITE W...																	
1158	MT	SHEET NO - A007 SITE SCREEN WALLS																	
1159	MT	1 - SE TRUCK ENTRY WALL ELEVATIONS																	
1160	MT	8" THK MASONRY																	
1161	MT	REF SEC (26/S005)																	
1162	TR	LS		60	2				16/5	S	14-08				1	2-06	6-06	41	2-#5 END VERT
1163	TR	LS		60	2			5	16/5	S	14-08				1	2-06	6-06	205	2-#5 MCJ VERT
1164	TR	LS		60	3				16/5	S	14-08				1	2-06	6-06	62	3-#5 COR VERT
1165	TR	LS		60	2				16/5	S	10-08				1	2-06	6-06	27	2-#5 END VERT
1166	TR	LS		60	3				16/5	S	10-08				1	2-06	6-06	41	3-#5 COR VERT
1167	TR	LS		60		34-07	2-00		16/5	S	14-08				1	2-06	6-06	390	#5@24" VERT
1168	TR	LS		60		34-07	2-00		16/5	S	12-08				1	2-06	6-06	301	#5@24" VERT
1169	TR	LS		60		95-04	2-00		16/5	S	10-02				1	2-06	6-06	647	#5@24" VERT
1170	TR	LS		60	1			2	16/5	S	164-08				1	2-06	20-00	390	1-#5 BB
1171	TR	BF		60	1			3	16/5	H	2-06	2-00	2-06					22	1-#5 BB STEP
1172	MT	2 - SW TRUCK ENTRY WALL ELEVATIONS																	
1173	MT	8" THK MASONRY																	
1174	MT	REF SEC (26/S005)																	
1175	TR	LS		60	2				16/5	S	14-08				1	2-06	6-06	41	2-#5 END VERT
1176	TR	LS		60	3				16/5	S	12-08				1	2-06	6-06	47	3-#5 COR VERT
1177	TR	LS		60	2			2	16/5	S	10-08				1	2-06	6-06	55	2-#5 END VERT
1178	TR	LS		60	3				16/5	S	10-08				1	2-06	6-06	41	3-#5 COR VERT
1179	TR	LS		60		34-08	2-00		16/5	S	14-08				1	2-06	6-06	390	#5@24" VERT
1180	TR	LS		60		34-07	2-00		16/5	S	12-08				1	2-06	6-06	301	#5@24" VERT
1181	TR	LS		60		95-04	2-00		16/5	S	10-08				1	2-06	6-06	673	#5@24" VERT
1182	TR	LS		60	1			2	16/5	S	167-07				1	2-06	20-00	397	1-#5 BB
1183	TR	BF		60	1			3	16/5	H	2-06	2-00	2-06					22	1-#5 BB STEP
1184	MT	3 - NE TRUCK ENTRY WALL ELEVATIONS																	
1185	MT	8" THK MASONRY																	
1186	MT	REF SEC (26/S005)																	
1187	TR	LS		60	2				16/5	S	14-08				1	2-06	6-06	41	2-#5 END VERT
1188	TR	LS		60	2			2	16/5	S	10-08				1	2-06	6-06	55	2-#5 END VERT
1189	TR	LS		60	3				16/5	S	12-08				1	2-06	6-06	47	3-#5 COR VERT
1190	TR	LS		60		34-08	2-00		16/5	S	14-08				1	2-06	6-06	390	#5@24" VERT
1191	TR	LS		60		35-04	2-00		16/5	S	12-08				1	2-06	6-06	301	#5@24" VERT
1192	TR	LS		60		8-08	2-00		16/5	S	10-08				1	2-06	6-06	82	#5@24" VERT
1193	TR	LS		60	1			2	16/5	S	78-08				1	2-06	20-00	185	1-#5 BB
1194	TR	BF		60	1			2	16/5	H	2-06	2-00	2-06					15	1-#5 BB STEP
1195	MT	4 - NW TRUCK ENTRY WALL ELEVATIONS																	
1196	MT	8" THK MASONRY																	
1197	MT	REF SEC (26/S005)																	

SAMPLE 1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1198	TR	LS		60	2				16/5	S	14-08				1	2-06	6-06	41	2-#5 END VERT
1199	TR	LS		60	2			2	16/5	S	10-08				1	2-06	6-06	55	2-#5 END VERT
1200	TR	LS		60	3				16/5	S	12-08				1	2-06	6-06	47	3-#5 COR VERT
1201	TR	LS		60		34-08	2-00		16/5	S	14-08				1	2-06	6-06	390	#5@24" VERT
1202	TR	LS		60		37-04	2-00		16/5	S	12-08				1	2-06	6-06	316	#5@24" VERT
1203	TR	LS		60		11-05	2-00		16/5	S	10-08				1	2-06	6-06	96	#5@24" VERT
1204	TR	LS		60	1			2	16/5	S	78-08				1	2-06	20-00	185	1-#5 BB
1205	TR	BF		60	1			2	16/5	H	2-06	2-00	2-06					15	1-#5 BB STEP
1206	MT	1 - NORTH SCREEN WALL ELEVATION																	
1207	MT	8" THK MASONRY																	
1208	MT	REF SEC (26/S005)																	
1209	TR	LS		60	2			2	16/5	S	10-08				1	2-06	6-06	55	2-#5 END VERT
1210	TR	LS		60	3			2	16/5	S	10-08				1	2-06	6-06	82	3-#5 COR VERT
1211	TR	LS		60		173-08	2-00		16/5	S	10-08				1	2-06	6-06	1,208	#5@24" VERT
1212	TR	LS		60	1			2	16/5	S	173-08				1	2-06	20-00	409	1-#5 BB
1213	TR	BF		60	1				16/5	H	2-06	2-06						5	1-#5 BB COR
1214	MT																		

SAMPLE 1 -**Segment: BUILDING B****Total for PAD FOOTINGS******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

16/5	18,457	18,457	0	0	0
19/6	3,371	3,371	0	0	0
	<u>21,828</u>	<u>21,828</u>	<u>0</u>	<u>0</u>	<u>0</u>

****** Miscellaneous Item Summary ******

Comments, Etc.

3" IHC	3" IHC W/SAND PLATE	720.000 Pcs	=	720.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

Total for WALL FOOTINGS****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	476	462	14	0	441
16/5	21,596	21,144	452	0	8,762
19/6	10,768	10,627	141	0	10,094
	<u>32,840</u>	<u>32,233</u>	<u>607</u>	<u>0</u>	<u>19,297</u>

****** Miscellaneous Item Summary ******

Comments, Etc.

3" IHC	3" IHC W/SAND PLATE	750.000 Pcs	=	750.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

Total for STEM WALLS****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	740	462	278	0	441
	<u>740</u>	<u>462</u>	<u>278</u>	<u>0</u>	<u>441</u>

SAMPLE 1 -**Total for CONCRETE PIERS******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	4,185	0	0	4,185	0
16/5	5,770	4,906	864	0	0
	<u>9,955</u>	<u>4,906</u>	<u>864</u>	<u>4,185</u>	<u>0</u>

Total for SLAB ON GRADE****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	268,495	268,495	0	0	250,144
13/4	708	708	0	0	0
16/5	42,110	42,110	0	0	22,498
	<u>311,313</u>	<u>311,313</u>	<u>0</u>	<u>0</u>	<u>272,642</u>

****** Miscellaneous Item Summary ******

Comments, Etc.

4.5" IHC	4.5" IHC W/SAND PLATE	29,630.000 Pcs	=	29,630.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

Total for TILT-UP PANELS****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	712	0	0	712	0
13/4	195,476	187,744	6,540	1,192	0
16/5	436,627	420,752	15,875	0	0
19/6	148,090	148,090	0	0	0
	<u>780,905</u>	<u>756,586</u>	<u>22,415</u>	<u>1,904</u>	<u>0</u>

****** Miscellaneous Item Summary ******

Comments, Etc.

1" HCP	1" INDIVIDUAL HIGH CHAIRS PLASTIC	6,480.000 Pcs	=	6,480.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
6" HCP	6" INDIVIDUAL HIGH CHAIRS PLASTIC	6,480.000 Pcs	=	6,480.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

SAMPLE 1 -**Total for Segment: BUILDING B******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	269,207	268,495	0	712	250,144
13/4	201,585	189,376	6,832	5,377	882
16/5	524,560	507,369	17,191	0	31,260
19/6	162,229	162,088	141	0	10,094
	<u>1,157,581</u>	<u>1,127,328</u>	<u>24,164</u>	<u>6,089</u>	<u>292,380</u>

****** Miscellaneous Item Summary ********Comments, Etc.**

1" HCP	1" INDIVIDUAL HIGH CHAIRS PLASTIC	6,480.000 Pcs	=	6,480.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
3" IHC	3" IHC W/SAND PLATE	1,470.000 Pcs	=	1,470.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
4.5" IHC	4.5" IHC W/SAND PLATE	29,630.000 Pcs	=	29,630.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
6" HCP	6" INDIVIDUAL HIGH CHAIRS PLASTIC	6,480.000 Pcs	=	6,480.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

SAMPLE 1 -**Segment: PUMP HOUSE****Total for WALL FOOTINGS******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

16/5	347	302	45	0	0
	<u>347</u>	<u>302</u>	<u>45</u>	<u>0</u>	<u>0</u>

****** Miscellaneous Item Summary ******

Comments, Etc.

3" IHC	3" IHC W/SAND PLATE	720.000 Pcs	=	720.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

Total for SLAB ON GRADE****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	88	88	0	0	0
16/5	484	484	0	0	0
	<u>572</u>	<u>572</u>	<u>0</u>	<u>0</u>	<u>0</u>

****** Miscellaneous Item Summary ******

Comments, Etc.

4.5" IHC	4.5" IHC W/SAND PLATE	10.000 Pcs	=	10.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

SAMPLE 1 -

Total for TILT-UP PANELS

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	1,149	1,149	0	0	0
16/5	3,851	3,560	291	0	0
	<u>5,000</u>	<u>4,709</u>	<u>291</u>	<u>0</u>	<u>0</u>

****** Miscellaneous Item Summary ******

Comments, Etc.

1" HCP	1" INDIVIDUAL HIGH CHAIRS PLASTIC	65.000 Pcs	=	65.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
6" HCP	6" INDIVIDUAL HIGH CHAIRS PLASTIC	65.000 Pcs	=	65.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

Total for Segment: PUMP HOUSE

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	88	88	0	0	0
13/4	1,149	1,149	0	0	0
16/5	4,682	4,346	336	0	0
	<u>5,919</u>	<u>5,583</u>	<u>336</u>	<u>0</u>	<u>0</u>

****** Miscellaneous Item Summary ******

Comments, Etc.

1" HCP	1" INDIVIDUAL HIGH CHAIRS PLASTIC	65.000 Pcs	=	65.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
3" IHC	3" IHC W/SAND PLATE	720.000 Pcs	=	720.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
4.5" IHC	4.5" IHC W/SAND PLATE	10.000 Pcs	=	10.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
6" HCP	6" INDIVIDUAL HIGH CHAIRS PLASTIC	65.000 Pcs	=	65.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

SAMPLE 1 -**Segment: (4) CONCRETE RAMP****Total for WALL FOOTINGS******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

16/5	4,093	4,093	0	0	2,503
	4,093	4,093	0	0	2,503

****** Miscellaneous Item Summary ******

Comments, Etc.

3" IHC	3" IHC W/SAND PLATE	200.000 Pcs	=	200.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

Total for RAMP SLAB****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	22,047	22,047	0	0	14,428
	22,047	22,047	0	0	14,428

****** Miscellaneous Item Summary ******

Comments, Etc.

3" IHC	3" IHC W/SAND PLATE	480.000 Pcs	=	480.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

Total for TILT-UP PANELS****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	3,067	3,067	0	0	0
16/5	5,433	4,115	1,318	0	0
	8,500	7,182	1,318	0	0

Total for MASONRY****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

16/5	3,705	670	3,035	0	501
	3,705	670	3,035	0	501

SAMPLE 1 -**Total for Segment: (4) CONCRETE RAMP******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	25,114	25,114	0	0	14,428
16/5	13,231	8,878	4,353	0	3,004
	<u>38,345</u>	<u>33,992</u>	<u>4,353</u>	<u>0</u>	<u>17,432</u>

****** Miscellaneous Item Summary ******

Comments, Etc.

3" IHC	3" IHC W/SAND PLATE	680.000 Pcs	=	680.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

SAMPLE 1 -**Segment: SITE WORKS****Total for LIGHT POLE BASE******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	1,106	0	0	1,106	0
16/5	1,915	1,915	0	0	0
	<u>3,021</u>	<u>1,915</u>	<u>0</u>	<u>1,106</u>	<u>0</u>

Total for MASONRY SCREEN WALL FOOTINGS****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

16/5	7,136	4,657	2,479	0	4,129
	<u>7,136</u>	<u>4,657</u>	<u>2,479</u>	<u>0</u>	<u>4,129</u>

Total for MASONRY SCREEN WALLS****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

16/5	8,118	8,039	79	0	4,911
	<u>8,118</u>	<u>8,039</u>	<u>79</u>	<u>0</u>	<u>4,911</u>

Total for Segment: SITE WORKS****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	1,106	0	0	1,106	0
16/5	17,169	14,611	2,558	0	9,040
	<u>18,275</u>	<u>14,611</u>	<u>2,558</u>	<u>1,106</u>	<u>9,040</u>

SAMPLE 1 -

Bid Group: BUILDING

Total for C1 - CONCRETE

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	269,207	268,495	0	712	250,144
13/4	201,585	189,376	6,832	5,377	882
16/5	524,560	507,369	17,191	0	31,260
19/6	162,229	162,088	141	0	10,094
	<u>1,157,581</u>	<u>1,127,328</u>	<u>24,164</u>	<u>6,089</u>	<u>292,380</u>

****** Miscellaneous Item Summary ******

Comments, Etc.

1" HCP	1" INDIVIDUAL HIGH CHAIRS PLASTIC	6,480.000 Pcs	=	6,480.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
3" IHC	3" IHC W/SAND PLATE	1,470.000 Pcs	=	1,470.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
4.5" IHC	4.5" IHC W/SAND PLATE	29,630.000 Pcs	=	29,630.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
6" HCP	6" INDIVIDUAL HIGH CHAIRS PLASTIC	6,480.000 Pcs	=	6,480.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

Total for Bid Group: BUILDING

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	269,207	268,495	0	712	250,144
13/4	201,585	189,376	6,832	5,377	882
16/5	524,560	507,369	17,191	0	31,260
19/6	162,229	162,088	141	0	10,094
	<u>1,157,581</u>	<u>1,127,328</u>	<u>24,164</u>	<u>6,089</u>	<u>292,380</u>

****** Miscellaneous Item Summary ******

Comments, Etc.

1" HCP	1" INDIVIDUAL HIGH CHAIRS PLASTIC	6,480.000 Pcs	=	6,480.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
3" IHC	3" IHC W/SAND PLATE	1,470.000 Pcs	=	1,470.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
4.5" IHC	4.5" IHC W/SAND PLATE	29,630.000 Pcs	=	29,630.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
6" HCP	6" INDIVIDUAL HIGH CHAIRS PLASTIC	6,480.000 Pcs	=	6,480.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

SAMPLE 1 -**Bid Group: PUMP HOUSE****Total for C2 - CONCRETE******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	88	88	0	0	0
13/4	1,149	1,149	0	0	0
16/5	4,682	4,346	336	0	0
	5,919	5,583	336	0	0

****** Miscellaneous Item Summary ********Comments, Etc.**

1" HCP	1" INDIVIDUAL HIGH CHAIRS PLASTIC	65.000 Pcs	=	65.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
3" IHC	3" IHC W/SAND PLATE	720.000 Pcs	=	720.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
4.5" IHC	4.5" IHC W/SAND PLATE	10.000 Pcs	=	10.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
6" HCP	6" INDIVIDUAL HIGH CHAIRS PLASTIC	65.000 Pcs	=	65.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

Total for Bid Group: PUMP HOUSE****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	88	88	0	0	0
13/4	1,149	1,149	0	0	0
16/5	4,682	4,346	336	0	0
	5,919	5,583	336	0	0

****** Miscellaneous Item Summary ********Comments, Etc.**

1" HCP	1" INDIVIDUAL HIGH CHAIRS PLASTIC	65.000 Pcs	=	65.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
3" IHC	3" IHC W/SAND PLATE	720.000 Pcs	=	720.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
4.5" IHC	4.5" IHC W/SAND PLATE	10.000 Pcs	=	10.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
6" HCP	6" INDIVIDUAL HIGH CHAIRS PLASTIC	65.000 Pcs	=	65.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

SAMPLE 1 -**Bid Group: CIP RAMP****Total for C3 - CONCRETE******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	25,114	25,114	0	0	14,428
16/5	9,526	8,208	1,318	0	2,503
	<u>34,640</u>	<u>33,322</u>	<u>1,318</u>	<u>0</u>	<u>16,931</u>

****** Miscellaneous Item Summary ******

Comments, Etc.

3" IHC	3" IHC W/SAND PLATE	680.000 Pcs	=	680.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

Total for C3 - MASONRY****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

16/5	3,705	670	3,035	0	501
	<u>3,705</u>	<u>670</u>	<u>3,035</u>	<u>0</u>	<u>501</u>

Total for Bid Group: CIP RAMP****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	25,114	25,114	0	0	14,428
16/5	13,231	8,878	4,353	0	3,004
	<u>38,345</u>	<u>33,992</u>	<u>4,353</u>	<u>0</u>	<u>17,432</u>

****** Miscellaneous Item Summary ******

Comments, Etc.

3" IHC	3" IHC W/SAND PLATE	680.000 Pcs	=	680.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

SAMPLE 1 -

Bid Group: SITE WORKS

Total for C4 - CONCRETE

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	1,106	0	0	1,106	0
16/5	9,051	6,572	2,479	0	4,129
	<u>10,157</u>	<u>6,572</u>	<u>2,479</u>	<u>1,106</u>	<u>4,129</u>

Total for C4 - MASONRY

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

16/5	8,118	8,039	79	0	4,911
	<u>8,118</u>	<u>8,039</u>	<u>79</u>	<u>0</u>	<u>4,911</u>

Total for Bid Group: SITE WORKS

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	1,106	0	0	1,106	0
16/5	17,169	14,611	2,558	0	9,040
	<u>18,275</u>	<u>14,611</u>	<u>2,558</u>	<u>1,106</u>	<u>9,040</u>

SAMPLE 1 -**Rebar Sub-Segment Summary****Segment: BUILDING B****Sub-Segment: PAD FOOTINGS******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

16/5	18,457	18,457	0	0	0
19/6	3,371	3,371	0	0	0
	<u>21,828</u>	<u>21,828</u>	<u>0</u>	<u>0</u>	<u>0</u>

Sub-Segment: WALL FOOTINGS****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	476	462	14	0	441
16/5	21,596	21,144	452	0	8,762
19/6	10,768	10,627	141	0	10,094
	<u>32,840</u>	<u>32,233</u>	<u>607</u>	<u>0</u>	<u>19,297</u>

Sub-Segment: STEM WALLS****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	740	462	278	0	441
	<u>740</u>	<u>462</u>	<u>278</u>	<u>0</u>	<u>441</u>

Sub-Segment: CONCRETE PIERS****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	4,185	0	0	4,185	0
16/5	5,770	4,906	864	0	0
	<u>9,955</u>	<u>4,906</u>	<u>864</u>	<u>4,185</u>	<u>0</u>

SAMPLE 1 -

Rebar Sub-Segment Summary

Segment: BUILDING B

Sub-Segment: SLAB ON GRADE

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

10/3	268,495	268,495	0	0	250,144
13/4	708	708	0	0	0
16/5	42,110	42,110	0	0	22,498
	311,313	311,313	0	0	272,642

Sub-Segment: TILT-UP PANELS

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

10/3	712	0	0	712	0
13/4	195,476	187,744	6,540	1,192	0
16/5	436,627	420,752	15,875	0	0
19/6	148,090	148,090	0	0	0
	780,905	756,586	22,415	1,904	0

Total for Segment: BUILDING B

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

10/3	269,207	268,495	0	712	250,144
13/4	201,585	189,376	6,832	5,377	882
16/5	524,560	507,369	17,191	0	31,260
19/6	162,229	162,088	141	0	10,094
	1,157,581	1,127,328	24,164	6,089	292,380

SAMPLE 1 -**Rebar Sub-Segment Summary****Segment: PUMP HOUSE****Sub-Segment: WALL FOOTINGS******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

16/5	347	302	45	0	0
	<u>347</u>	<u>302</u>	<u>45</u>	<u>0</u>	<u>0</u>

Sub-Segment: SLAB ON GRADE****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	88	88	0	0	0
16/5	484	484	0	0	0
	<u>572</u>	<u>572</u>	<u>0</u>	<u>0</u>	<u>0</u>

Sub-Segment: TILT-UP PANELS****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	1,149	1,149	0	0	0
16/5	3,851	3,560	291	0	0
	<u>5,000</u>	<u>4,709</u>	<u>291</u>	<u>0</u>	<u>0</u>

Total for Segment: PUMP HOUSE****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	88	88	0	0	0
13/4	1,149	1,149	0	0	0
16/5	4,682	4,346	336	0	0
	<u>5,919</u>	<u>5,583</u>	<u>336</u>	<u>0</u>	<u>0</u>

SAMPLE 1 -**Rebar Sub-Segment Summary****Segment: (4) CONCRETE RAMP****Sub-Segment: WALL FOOTINGS******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

16/5	4,093	4,093	0	0	2,503
	<u>4,093</u>	<u>4,093</u>	<u>0</u>	<u>0</u>	<u>2,503</u>

Sub-Segment: RAMP SLAB****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	22,047	22,047	0	0	14,428
	<u>22,047</u>	<u>22,047</u>	<u>0</u>	<u>0</u>	<u>14,428</u>

Sub-Segment: TILT-UP PANELS****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	3,067	3,067	0	0	0
16/5	5,433	4,115	1,318	0	0
	<u>8,500</u>	<u>7,182</u>	<u>1,318</u>	<u>0</u>	<u>0</u>

Sub-Segment: MASONRY****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

16/5	3,705	670	3,035	0	501
	<u>3,705</u>	<u>670</u>	<u>3,035</u>	<u>0</u>	<u>501</u>

Total for Segment: (4) CONCRETE RAMP****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	25,114	25,114	0	0	14,428
16/5	13,231	8,878	4,353	0	3,004
	<u>38,345</u>	<u>33,992</u>	<u>4,353</u>	<u>0</u>	<u>17,432</u>

SAMPLE 1 -

Rebar Sub-Segment Summary

Segment: SITE WORKS

Sub-Segment: LIGHT POLE BASE

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	1,106	0	0	1,106	0
16/5	1,915	1,915	0	0	0
	<u>3,021</u>	<u>1,915</u>	<u>0</u>	<u>1,106</u>	<u>0</u>

Sub-Segment: MASONRY SCREEN WALL

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

16/5	7,136	4,657	2,479	0	4,129
	<u>7,136</u>	<u>4,657</u>	<u>2,479</u>	<u>0</u>	<u>4,129</u>

Sub-Segment: MASONRY SCREEN WALLS

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

16/5	8,118	8,039	79	0	4,911
	<u>8,118</u>	<u>8,039</u>	<u>79</u>	<u>0</u>	<u>4,911</u>

Total for Segment: SITE WORKS

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	1,106	0	0	1,106	0
16/5	17,169	14,611	2,558	0	9,040
	<u>18,275</u>	<u>14,611</u>	<u>2,558</u>	<u>1,106</u>	<u>9,040</u>

SAMPLE 1 -**Rebar Bid Item Summary****Bid Group: BUILDING****Bid Item: C1 - CONCRETE******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	269,207	268,495	0	712	250,144
13/4	201,585	189,376	6,832	5,377	882
16/5	524,560	507,369	17,191	0	31,260
19/6	162,229	162,088	141	0	10,094
	<u>1,157,581</u>	<u>1,127,328</u>	<u>24,164</u>	<u>6,089</u>	<u>292,380</u>

Total for Bid Group: BUILDING****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	269,207	268,495	0	712	250,144
13/4	201,585	189,376	6,832	5,377	882
16/5	524,560	507,369	17,191	0	31,260
19/6	162,229	162,088	141	0	10,094
	<u>1,157,581</u>	<u>1,127,328</u>	<u>24,164</u>	<u>6,089</u>	<u>292,380</u>

Bid Group: PUMP HOUSE**Bid Item: C2 - CONCRETE******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	88	88	0	0	0
13/4	1,149	1,149	0	0	0
16/5	4,682	4,346	336	0	0
	<u>5,919</u>	<u>5,583</u>	<u>336</u>	<u>0</u>	<u>0</u>

Total for Bid Group: PUMP HOUSE****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	88	88	0	0	0
13/4	1,149	1,149	0	0	0
16/5	4,682	4,346	336	0	0
	<u>5,919</u>	<u>5,583</u>	<u>336</u>	<u>0</u>	<u>0</u>

SAMPLE 1 -

Rebar Bid Item Summary

Bid Group: CIP RAMP

Bid Item: C3 - CONCRETE

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	25,114	25,114	0	0	14,428
16/5	9,526	8,208	1,318	0	2,503
	<u>34,640</u>	<u>33,322</u>	<u>1,318</u>	<u>0</u>	<u>16,931</u>

Bid Item: C3 - MASONRY

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

16/5	3,705	670	3,035	0	501
	<u>3,705</u>	<u>670</u>	<u>3,035</u>	<u>0</u>	<u>501</u>

Total for Bid Group: CIP RAMP

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	25,114	25,114	0	0	14,428
16/5	13,231	8,878	4,353	0	3,004
	<u>38,345</u>	<u>33,992</u>	<u>4,353</u>	<u>0</u>	<u>17,432</u>

SAMPLE 1 -

Rebar Bid Item Summary

Bid Group: SITE WORKS

Bid Item: C4 - CONCRETE

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	1,106	0	0	1,106	0
16/5	9,051	6,572	2,479	0	4,129
	<u>10,157</u>	<u>6,572</u>	<u>2,479</u>	<u>1,106</u>	<u>4,129</u>

Bid Item: C4 - MASONRY

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

16/5	8,118	8,039	79	0	4,911
	<u>8,118</u>	<u>8,039</u>	<u>79</u>	<u>0</u>	<u>4,911</u>

Total for Bid Group: SITE WORKS

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	1,106	0	0	1,106	0
16/5	17,169	14,611	2,558	0	9,040
	<u>18,275</u>	<u>14,611</u>	<u>2,558</u>	<u>1,106</u>	<u>9,040</u>

SAMPLE 1 -**Estimate Totals******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
10/3	270,401	268,583	0	1,818	250,144
13/4	227,848	215,639	6,832	5,377	15,310
16/5	559,642	535,204	24,438	0	43,304
19/6	162,229	162,088	141	0	10,094
	<u>1,220,120</u>	<u>1,181,514</u>	<u>31,411</u>	<u>7,195</u>	<u>318,852</u>

SAMPLE 1 -**Estimate Totals******** Miscellaneous Item Summary ******

Comments, Etc.

1" HCP	1" INDIVIDUAL HIGH CHAIRS PLASTIC	6,545.000 Pcs	=	6,545.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
3" IHC	3" IHC W/SAND PLATE	2,870.000 Pcs	=	2,870.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
4.5" IHC	4.5" IHC W/SAND PLATE	29,640.000 Pcs	=	29,640.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
6" HCP	6" INDIVIDUAL HIGH CHAIRS PLASTIC	6,545.000 Pcs	=	6,545.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs