Name: Vimal Thomson

Roll no: 40 Class: RMCA-B Experiment No: 3

## AIM:

1.Create a table emp with attributes empno number(4)as primary key, ename char(10), hiredate, salary, commission

```
insert 5 rows of data
```

```
17-Jan-1980
101
      Ramesh
                                       5000 :
             05-Jul-1985
102
                          5000 500:
      Ajay
103
      Ravi
             12-Aug-1981 1500
104
      Nikesh 03-Mar-1983 3000 700;
105
      Ravi
             05-jul-1985
                          3000;
```

## 2. Modifying the structure of tables

a.Add new columns: sal number(7,2)

b.Dropping a column from a table: sal

c.Modifying existing column :ename varchar2(15)

d.Renaming the tables: emp to emp1

e.truncating the tables:emp1

f.Destroying tables:emp

3.Create a table stud with sname varchar2(20) primary key, rollno number(10) not null,dob date not null 4.Create a table student as regno number (6), mark number (3) check constraint (mark >=0 and mark <=100));

In table student add check constraint(length(regno<=4))

5. Create a table cust with (custid number (6) constraint unique, name char (10)

6. Refer the table "stud" in table "student"

## **SQL Commands:**

CREATE TABLE emp(EMPNO INT(4) PRIMARY KEY, ENAME CHAR(10), HIREDATE DATE, SALARY INT(5), COMMISSION INT(5));

```
INSERT INTO emp(EMPNO,ENAME,HIREDATE,SALARY) VALUES (101,'RAMESH','1980-01-17',5000),(102,'AJAY','1985-07-05',5000,500), (103,'RAVI','1981-08-12',1500),(104,'Nikesh','1983-03-03',3000,700), (105,'Ravi','1985-07-05',3000);
```

ALTER TABLE emp ADD sal int;

ALTER TABLE emp DROP COLUMN sal;

ALTER TABLE emp MODIFY ename VARCHAR(15);

RENAME table emp to emp1;

TRUNCATE TABLE emp1;

DROP TABLE emp1;

CREATE TABLE stud(sname varchar(20) PRIMARY KEY, rollno int NOT NULL, dob date NOT NULL); SELECT \* FROM stud;

Create table student (regno int, mark int(3) constraint b check (mark >=0 and mark <=100)); SELECT \* from STUDENT;

Alter table student add regno check (length(regno<=4));

CREATE TABLE cust(custid number(6) UNIQUE, name char(10));

**OUTPUT:** mysql> CREATE TABLE emp(EMPNO NUMBER(4) PRIMARY KEY, ENAME CHAR(10), -> HIREDATE DATE, SALARY NUMBER(5). -> COMMISSION NUMBER(5)); -> ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'NUMBER(4) PRIMARY KEY, ENAME CHAR(10), HIREDATE 'at line 1 mysql> CREATE TABLE emp(EMPNO INT(4) PRIMARY KEY, ENAME CHAR(10). -> HIREDATE DATE, -> -> SALARY NUMBER(5), COMMISSION NUMBER(5)); ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'NUMBER(5), COMMISSION NUMBER(5))' at line 4 mysql> CREATE TABLE emp(EMPNO INT(4) PRIMARY KEY, ENAME CHAR(10). HIREDATE DATE, -> -> SALARY INT(5). COMMISSION NUMBER(5)); ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySOL server version for the right syntax to use near 'NUMBER(5))' at line 5 mysql> CREATE TABLE emp(EMPNO INT(4) PRIMARY KEY, -> ENAME CHAR(10). HIREDATE DATE, -> SALARY INT(5), -> COMMISSION INT(5)): Query OK, 0 rows affected, 3 warnings (0.04 sec) mysgl> INSERT INTO emp VALUES(101, 'RAMESH', '17-01-1980', 5000); ERROR 1136 (21S01): Column count doesn't match value count at row 1 mysql> INSERT INTO emp VALUES(102,'AJAY','05-07-1985',5000,500); ERROR 1292 (22007): Incorrect date value: '05-07-1985' for column 'HIREDATE' at row 1 mysql> INSERT INTO emp VALUES(103, 'RAVI', '12-08-1981', 1500); ERROR 1136 (21S01): Column count doesn't match value count at row 1 mysql> INSERT INTO emp VALUES(104,'03-03-1983',3000,700); ERROR 1136 (21S01): Column count doesn't match value count at row 1 mysql> INSERT INTO emp VALUES(101, 'RAMESH', '17-01-1980', 5000); ERROR 1136 (21S01): Column count doesn't match value count at row 1 mysgl> INSERT INTO emp(EMPNO,ENAME,HIREDATE,SALARY) VALUES(101,'RAMESH','17-01-1980'.5000): ERROR 1292 (22007): Incorrect date value: '17-01-1980' for column 'HIREDATE' at row 1 mysql> INSERT INTO emp(EMPNO,ENAME,HIREDATE,SALARY) VALUES(101,'RAMESH','1980-01-17'.5000): Query OK, 1 row affected (0.01 sec) mysgl> INSERT INTO emp(EMPNO,ENAME,HIREDATE,SALARY,COMMISSION) VALUES(102,'AJAY','05-07-1985',5000,500); ERROR 1292 (22007): Incorrect date value: '05-07-1985' for column 'HIREDATE' at row 1 mysgl> INSERT INTO emp(EMPNO,ENAME,HIREDATE,SALARY,COMMISSION) VALUES(102,'AJAY','1985-

mysql> INSERT INTO emp(EMPNO,ENAME,HIREDATE,SALARY) VALUES(103,'RAVI','1981-08-12',1500); Query OK, 1 row affected (0.01 sec)

07-05',5000,500);

Ouery OK, 1 row affected (0.00 sec)

```
mysql> INSERT INTO emp(EMPNO,HIREDATE,SALARY,COMMISSION) VALUES(104,'Nikesh','1983-03-
03',3000,700);
ERROR 1136 (21S01): Column count doesn't match value count at row 1
mysql> INSERT INTO emp(EMPNO,ENAME,HIREDATE,SALARY,COMMISSION) VALUES(104,'Nikesh','1983-
03-03',3000,700);
Ouery OK, 1 row affected (0.01 sec)
mysql> INSERT INTO emp(EMPNO,ENAME,HIREDATE,SALARY) VALUES(105,'Ravi','1985-07-05',3000);
Query OK, 1 row affected (0.01 sec)
mysal> ALTER TABLE emp ADD sal number(7.2):
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your
MySQL server version for the right syntax to use near 'number(7,2)' at line 1
mysql> ALTER TABLE emp ADD sal int;
Query OK, 0 rows affected (0.03 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysql> select * from emp
 -> select * from emp;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your
MySQL server version for the right syntax to use near 'select * from emp' at line 2
mysql> select * from emp;
+-----+
| EMPNO | ENAME | HIREDATE | SALARY | COMMISSION | sal |
+-----+
| 101 | RAMESH | 1980-01-17 | 5000 | NULL | NULL |
 102 | AJAY | 1985-07-05 | 5000 |
                                 500 | NULL |
| 103 | RAVI | 1981-08-12 | 1500 |
                                 NULL | NULL |
 104 | Nikesh | 1983-03-03 | 3000 | 700 | NULL |
| 105 | Ravi | 1985-07-05 | 3000 |
                                NULL | NULL |
+----+
5 rows in set (0.00 \text{ sec})
mysql> ALTER TABLE emp DROP COLUMN sal;
Query OK, 0 rows affected (0.06 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysql> select * from emp;
+-----+
| EMPNO | ENAME | HIREDATE | SALARY | COMMISSION |
+-----+
| 101 | RAMESH | 1980-01-17 | 5000 | NULL |
 102 | AJAY | 1985-07-05 | 5000 | 500 |
| 103 | RAVI | 1981-08-12 | 1500 |
                                 NULL |
| 104 | Nikesh | 1983-03-03 | 3000 | 700 |
| 105 | Ravi | 1985-07-05 | 3000 | NULL |
+----+
5 rows in set (0.00 \text{ sec})
mysql> ALTER TABLE emp MODIFY ename VARCHAR2(15);
ERROR 1064 (42000): You have an error in your SOL syntax; check the manual that corresponds to your
MySQL server version for the right syntax to use near 'VARCHAR2(15)' at line 1
mvsal> ALTER TABLE emp MODIFY ename VARCHAR(15);
Query OK, 5 rows affected (0.06 sec)
Records: 5 Duplicates: 0 Warnings: 0
mysql> select * from emp;
+----+
| EMPNO | ename | HIREDATE | SALARY | COMMISSION |
+----+
```

```
101 | RAMESH | 1980-01-17 | 5000 |
                                   NULL I
 102 | AJAY | 1985-07-05 | 5000 |
                                 500 I
| 103 | RAVI | 1981-08-12 | 1500 |
                                 NULL |
| 104 | Nikesh | 1983-03-03 | 3000 | 700 |
| 105 | Ravi | 1985-07-05 | 3000 | NULL |
+----+
5 rows in set (0.00 \text{ sec})
mysql> RENAME emp to emp1;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your
MySQL server version for the right syntax to use near 'emp to emp1' at line 1
mysql> RENAME table emp to emp1:
Query OK, 0 rows affected (0.02 sec)
mysql> select * from emp;
ERROR 1146 (42S02): Table 'dbmsassignment.emp' doesn't exist
mysql> select * from emp1;
+----+
| EMPNO | ename | HIREDATE | SALARY | COMMISSION |
+----+
| 101 | RAMESH | 1980-01-17 | 5000 | NULL |
| 102 | AJAY | 1985-07-05 | 5000 | 500 |
| 103 | RAVI | 1981-08-12 | 1500 |
                                NULL I
| 104 | Nikesh | 1983-03-03 | 3000 | 700 |
| 105 | Ravi | 1985-07-05 | 3000 | NULL |
+----+
5 rows in set (0.00 \text{ sec})
mysql> TRUNCATE TABLE emp1;
Query OK, 0 rows affected (0.03 sec)
mysql> select * from emp1;
Empty set (0.00 \text{ sec})
mysql> desc emp1;
+----+
| Field | Type | Null | Key | Default | Extra |
+----+
| EMPNO | int | NO | PRI | NULL | |
| ename | varchar(15) | YES | NULL | |
| HIREDATE | date | YES | NULL | |
| SALARY | int | YES | NULL | |
| COMMISSION | int | YES | NULL | |
+----+
5 rows in set (0.01 \text{ sec})
mysql> DROP TABLE emp1;
Query OK, 0 rows affected (0.03 sec)
mysal> desc emp1:
ERROR 1146 (42S02): Table 'dbmsassignment.emp1' doesn't exist
mysql>
mysql> CREATE TABLE stud(sname varchar(20) PRIMARY KEY,
           rollno NOT NULL,
           dob date NOT NULL);
ERROR 1064 (42000): You have an error in your SOL syntax; check the manual that corresponds to your
MySQL server version for the right syntax to use near 'NOT NULL,
        dob date NOT NULL)' at line 2
mysql> CREATE TABLE stud(sname varchar(20) PRIMARY KEY,
 -> CREATE TABLE stud(sname varchar(20) PRIMARY KEY,
```

```
-> desc emp1:
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your
MySQL server version for the right syntax to use near 'CREATE TABLE stud(sname varchar(20) PRIMARY
KEY,
         rollno NOT 'at line 2
mysal>
mysql> CREATE TABLE stud(sname varchar(20) PRIMARY KEY,
             rollno int NOT NULL,
 ->
             dob date NOT NULL);
Query OK, 0 rows affected (0.04 sec)
mysql> Create table student (regno number (6),
              mark number (3) constraint b check (mark >=0 and mark <=100));
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your
MySQL server version for the right syntax to use near 'number (6),
         mark number (3) constraint b check (mark >= 0 an' at line 1
mysql> Alter table student add constraint b2 check (length(regno<=4));
ERROR 1146 (42S02): Table 'dbmsassignment.student' doesn't exist
mysql> Create table student (regno int,
              mark int(3) constraint b check (mark >=0 and mark <=100));
Query OK, 0 rows affected, 1 warning (0.03 sec)
mysql> select * from student;
Empty set (0.02 sec)
mysql> desc student;
+----+
| Field | Type | Null | Key | Default | Extra |
+----+
| regno | int | YES | NULL | |
| mark | int | YES | NULL | |
+----+
2 rows in set (0.01 \text{ sec})
mysql> Alter table student add constraint b2 check (length(regno<=4));
ERROR 3812 (HY000): An expression of non-boolean type specified to a check constraint 'b2'.
mysql> Alter table student add regno check (length(regno<=4));
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your
MySQL server version for the right syntax to use near 'check (length(regno<=4))' at line 1
mysql> Alter table student set regno check (length(regno<=4));
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your
MySQL server version for the right syntax to use near 'set regno check (length(regno<=4))' at line 1
mysgl> alter table student add constraint b2 check (length(regno<=4));
ERROR 3812 (HY000): An expression of non-boolean type specified to a check constraint 'b2'.
mysql> select * from student;
Empty set (0.00 \text{ sec})
mysql> desc student;
+----+
| Field | Type | Null | Key | Default | Extra |
+----+
| regno | int | YES | NULL |
| mark | int | YES | NULL | |
+----+
2 rows in set (0.00 \text{ sec})
mysql> Alter table student CHECK (regno IN (length(regno<=4)));
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your
MySQL server version for the right syntax to use near '(regno IN (length(regno<=4)))' at line 1
```

rollno NOT NULL.

mysql> Alter table student CHECK (regno(length(regno<=4))); ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '(regno(length(regno<=4)))' at line 1 mysql>