ZetaERP — Manual Bug-Testing SOP

Part 2 — Contacts (Customers, Vendors, Directory, Profiles, Groups)

Document	QA-SOP-02 — Contacts
Product	ZetaERP / Zenith (multi-tenant POS / ERP)
Environment under test	Production — https://erp.zetaclantech.com
Scope of this part	The **Contacts** module only: Dashboard, Customers, Vendors, All-Contacts directory, the Contact profile (tax / bank / credit / addresses / phones / emails / tags / GSTIN), Customer Groups, and de-duplication (merge). Sales, Accounting and Purchase are linked-to but covered in their own parts.
Audience	Manual QA tester (no code knowledge assumed)
Document owner	Platform / Solo-dev
Status	Active
Last updated	2026-07-01

CONTENTS

1. Purpose

2. Critical rules for the tester (read before starting)

3. Test environment & preconditions

4. Test data

5. Conventions & severity

6. Flow map (what you are testing)

7. CONTACTS DASHBOARD

8. CREATE A CONTACT

- 8.1 Happy path
- 8.2 Validation & edge cases

9. CUSTOMERS & VENDORS LISTS

10. ALL CONTACTS (Directory)

11. CONTACT PROFILE (Edit Contact)

- 11.1 Main profile form
- 11.2 GSTIN records, tags
- 11.3 Emails, phones, addresses
- 11.4 Sales / purchase history (read-only)

12. CUSTOMER GROUPS & MERGE

- 12.1 Customer Groups
- 12.2 Merge duplicates (destructive — QA contacts only)

13. MULTI-TENANT ISOLATION (highest priority)

14. UI / LAYOUT / ACCESSIBILITY / EXPORT / SECURITY

15. Cross-flow / regression

16. Areas to probe hardest (tester's attention map)

17. Test run sheet (copy per browser/device)

18. Defect report template

19. Teardown (mandatory)

1. Purpose

This Standard Operating Procedure tells a tester **exactly how to manually test the Contacts module end-to-end (A→Z)** — creating people and companies, editing their full business profile, searching and filtering, grouping, exporting, merging duplicates — including the **edge cases**, the **multi-tenant isolation** cases, the **security** cases, and the **visual/UI** cases, and **how to record a defect** when behaviour differs from the *Expected Result*.

Work top-to-bottom in one session. Don't skip a case because "it obviously works" — the value of an SOP is the non-obvious cases.

---

2. Critical rules for the tester (read before starting)

> ⚠️ **This is a LIVE commercial system with real paying tenants.**

1. **Never edit, disable, merge, or delete a real contact** belonging to the live flagship tenant **MARUTHI (Organization ID `100000`)** or any other real tenant. Create your **own** clearly-labelled test contacts (e.g. names starting with `QA_`) and operate only on those.
2. **Merge is effectively irreversible.** `Merge Contacts` moves all phones/emails/addresses/tax records from one party onto another and records it in merge history. **Only ever merge two QA test contacts you created.** Never merge a real contact.
3. **Never fabricate legal/tax data** (GSTIN, PAN, CIN, TAN, bank account, FSSAI/drug/trade licences). Use clearly-fake QA values, or values the owner supplies — never invent a number that could collide with a real registration.
4. **Org isolation is the highest-risk surface here.** If you can ever see another tenant's customers/vendors, that is a **Critical** defect — capture it immediately (§13, ISO cases).
5. **Clean up every test contact, group, tag, and address** you create (see §19 Teardown), or hand the list to the dev for removal.
6. **Don't export real customer data** (CSV/XLSX) off the machine. Exports contain names, phones, emails, GSTINs — treat as confidential.

---

3. Test environment & preconditions

The Contacts module opens from the app menu → **Contacts**. Screen URLs (both `/apps` and `/qapps` render these Quasar screens):

Screen	URL
Contacts Dashboard	`…/zenith/Contacts/ContactsDashboard`
Customers (list)	`…/zenith/Contacts/Customers`
Vendors / Suppliers (list)	`…/zenith/Contacts/Vendors`
All Contacts (directory)	`…/zenith/Contacts/FindContact`
Contact profile (open/edit)	`…/zenith/Contacts/EditContact?partyId=<id>`
Customer Groups	`…/zenith/Contacts/CustomerGroups`
Edit Customer Group	`…/zenith/Contacts/EditCustomerGroup?customerGroupId=<id>`

Log in as a tenant user (a user attached to a shop) so an **active organization** is set — that is what scopes the lists. Note the platform super-admin (john.doe, no active org) **sees all tenants' contacts by design** and is therefore *not* the right account for isolation testing — use a tenant login.

Browsers: run the full pass on Desktop Chrome; spot-check Edge, Mac/iOS Safari, Android Chrome. **Viewports for UI cases:** 1920, 1366, iPad (768/1024), iPhone (390), small Android (360). **Tools:** DevTools (Console + Network), an incognito window, a QA email inbox.

---

4. Test data

Create as you go; record exact values in the *Actual* column of your run sheet.

Label	Use	Example
`QA_PERSON_A`	A person customer	First "QA Asha", Last "Test"
`QA_COMPANY_A`	A company customer	"QA Alpha Traders Pvt Ltd"

Label	Use	Example
`QA_VENDOR_A`	A supplier	"QA Supply Co"
`QA_DUP_1` / `QA_DUP_2`	Two near-identical contacts for the **merge** test	same name + phone
`QA_GROUP_A`	A customer group	"QA Wholesale"
Fake GSTIN	15 chars, clearly test	a dummy 15-char string the dev approves
Fake PAN	10 chars	e.g. `ABCDE1234F`-style dummy
Malicious string	Security tests	`<img src=x onerror=alert(1)>` and `"><b>X</b>`

---

5. Conventions & severity


Case Type: `FUNC` · `EDGE` · `UI` · `A11Y` · `SEC` · `PERF` · `ISO` (multi-tenant isolation).

Sev	Meaning	Example
S1 — Critical	Cross-tenant data exposure, data loss, security hole	A tenant sees another tenant's customers; merge deletes the wrong party; stored XSS executes
S2 — High	Major flow broken / wrong, workaround exists	Can't create a contact; saved profile doesn't persist; export leaks the wrong rows
S3 — Medium	Wrong behaviour, limited impact	Disabled customer still appears in a list; GSTIN format not validated
S4 — Low	Cosmetic / minor UX	Avatar initial wrong; column misaligned on mobile

Logging a defect (template in §18): Case ID, steps, expected vs actual, browser/device, screenshot, and any Console/Network capture.

---

6. Flow map (what you are testing)



---

7. CONTACTS DASHBOARD

Screen: `…/Contacts/ContactsDashboard` . Shows **Total Customers** and **Total Suppliers** counts (scoped to your organization), quick **Add Person / Add Company** dialogs, and links to the lists.

ID	Type	Title	Steps	Expected result	Sev
CT-001	FUNC	Dashboard renders	Open the dashboard	Two metric cards (Total Customers, Total Suppliers) with numbers, Add Person / Add Company buttons, and View Customers / View Vendors / Manage Directory links	S3
CT-002	FUNC	Counts are correct & org-scoped	Note the counts; cross-check against the Customers and Vendors lists	Counts equal the number of rows in each list for **your** organization only	S2
CT-003	FUNC	Quick Add Person	Add Person → fill name/email/phone/PAN/role → Save	Contact created and you land on its profile (EditContact)	S2
CT-004	FUNC	Quick Add Company	Add Company → fill business name + GST/PAN → Save	Company created, lands on its profile	S2
CT-005	UI	Empty state	A brand-new tenant with no contacts	Counts show 0; no broken cards; Add buttons still work	S3

---

8. CREATE A CONTACT

Contacts can be created from the Dashboard, Customers, Vendors, or All-Contacts screens. **Person** vs **Company** (organization) are the two types; **Customer** vs **Vendor** is the role.

8.1 Happy path

ID	Type	Title	Steps	Expected result	Sev
CT-010	FUNC	Create person customer	Customers → Add Person → First/Last/email/phone → Save	Person created with role Customer; opens profile; shows in Customers list	S2
CT-011	FUNC	Create company customer	Customers → Add Company → Business name/email/phone → Save	Company created; Type shows "Business/Organization"	S2
CT-012	FUNC	Create vendor	Vendors → Add Company/Person → Save	Created with role Vendor/Supplier; appears in Vendors, not necessarily Customers	S2
CT-013	FUNC	Create with full tax detail	All Contacts → Add Company → fill GSTIN, PAN, GST registration type, TDS	All values saved and visible on the profile and in the directory's Tax Info column	S2
CT-014	FUNC	Role choice respected	All Contacts → Add Person, set Role = Vendor	Contact appears under Vendors, not Customers	S2

8.2 Validation & edge cases

ID	Type	Title	Steps / data	Expected result	Sev
CT-020	EDGE	Create with **no name**	Add Person, leave first & last blank, Save	**FIXED:** rejected with "Please enter a first or last name." (companies: "Please enter a business name.") — no more blank "Unknown" contacts	S3
CT-021	EDGE	Duplicate contact allowed	Create `QA Asha Test` twice with the same phone	**Record actual.** No duplicate detection exists — both are created. The fix path is **Merge** (§12). Flag if you expect a "possible duplicate" warning	S3
CT-022	EDGE	GSTIN wrong format/length	Enter `12ABC` or a 15-char string that isn't a real GSTIN pattern	**PARTIALLY FIXED:** the tax-registration service now validates the Indian GSTIN format (rejects non-`NNAAAAANNNNANZN` values). **Note for dev:** the *input wiring* of the GSTIN field has a pre-existing parameter mismatch (the create dialog's `gstin` and the profile's "Add GST Number" form don't map to the service's `registrationNumber` / `taxAuthorityId`), so GSTIN isn't reliably saved end-to-end yet — that needs the tax-authority mapping wired before validation is reachable from the UI	S3
CT-023	EDGE	PAN wrong format	Enter `1234567890` (digits) instead of `ABCDE1234F`	Field caps at 10 chars; **no format validation** — record whether a bad PAN saves	S3
CT-024	EDGE	Email invalid	`not-an-email`	Record whether it's rejected or saved as-is (the create dialog may not validate email format)	S3
CT-025	EDGE	Phone with letters / very long	`abcd`, or a 30-digit number	Record behaviour — should reject or trim, never 500	S3

ID	Type	Title	Steps / data	Expected result	Sev
CT-026	EDGE	Credit limit / opening balance non-numeric	Enter `abc` in Credit Limit on the profile	Should be rejected with a clear message, not a server error	S3
CT-027	EDGE	Very long name	200-char business name	Saved/handled gracefully; list/profile don't break layout	S4
CT-028	SEC	**Script in the name**	Create a contact named `<img src=x onerror=alert(1)>` then open **All Contacts**	**HARDENED (two layers):** (1) the framework input filter **rejects** `<` / `>` on submit, so the payload won't even save via the form; (2) the directory now **HTML-escapes** every value before rendering, so any value that arrives via import/DB shows as literal text, not markup. Expected: the name is refused or shown as plain text — never executes	S1

9. CUSTOMERS & VENDORS LISTS

Customers: `…/Contacts/Customers` (roles Customer / CustomerBillTo). **Vendors:** `…/Contacts/Vendors` (roles Vendor / Supplier). Same layout; different role filter and heading.

ID	Type	Title	Steps	Expected result	Sev
CT-040	FUNC	Customers list renders	Open Customers	Columns: ID (link), Customer Name, Type badge, GST Number (+ "Valid" badge when present), PAN, Actions (Orders, Invoices)	S2
CT-041	FUNC	Open a profile	Click an ID or name	Opens that contact's EditContact profile	S2
CT-042	FUNC	Column search — company	Type a company name in the Company Search box → Find	Only matching companies listed	S2
CT-043	FUNC	Column search — first/last name	Search by first or last name	Matching people listed	S2
CT-044	FUNC	Filter by Type	Set Type = Person / Organization	List filters accordingly	S3
CT-045	FUNC	Search by ID	Enter a partyId	That contact found	S3
CT-046	EDGE	No-match search	Search a string that matches nothing	Empty list with no error (not a crash)	S3
CT-047	FUNC	Vendors list	Open Vendors, repeat the search cases	Shows only suppliers; heading reads "Suppliers"	S2
CT-048	EDGE	A contact that is both Customer & Vendor	Create one, set both roles	Appears correctly in both lists; no duplicate row weirdness within a list	S3
CT-049	EDGE	Disabled customer visibility	Disable a customer (profile → Disabled = Yes), return to Customers	**FIXED:** the Customers and Vendors lists now hide disabled contacts, consistent with the All-Contacts directory	S3
CT-050	FUNC	Actions links	Click "Orders" / "Invoices" on a row	Opens the Sales orders / Accounting invoices filtered to that customer (or shows the module-locked behaviour if the plan excludes it)	S3

10. ALL CONTACTS (Directory)

Screen: `…/Contacts/FindContact`. The full directory with rich profile / contact / tax columns and the widest search.

ID	Type	Title	Steps	Expected result	Sev
CT-060	FUNC	Directory renders	Open All Contacts	Each row shows an avatar+name+type+ID block, contact info (email/phone), and a Tax Info block (GSTIN/PAN/CIN/TDS/MSME badges)	S2
CT-061	FUNC	Search by GSTIN	Enter a known GSTIN	Matching contact(s) listed	S2

ID	Type	Title	Steps	Expected result	Sev
CT-062	FUNC	Search by PAN / CIN	Enter PAN, then CIN	Matching contacts found	S3
CT-063	FUNC	Search by email / phone	Enter a known email, then phone	Matching contacts found	S2
CT-064	FUNC	Disabled excluded	Disable a contact, search for it here	It does **not** appear (directory hides disabled)	S3
CT-065	FUNC	Add from directory	Add Person / Add Company with PAN/GSTIN/TDS/role	Created and opens profile	S2
CT-066	SEC	XSS via tax/contact fields	Put `"><b>X</b>` into a name/GSTIN, view directory	Renders as literal text, not markup (see CT-028 — same render path)	S1
CT-067	PERF	Large directory	A tenant with many contacts	List paginates; search stays responsive	S3

---

11. CONTACT PROFILE (Edit Contact)

Screen: `…/Contacts/EditContact?partyId=<id>`. The full business profile, plus sub-sections for GSTIN, tags, emails, phones, addresses, and read-only sales/purchase history.

11.1 Main profile form

ID	Type	Title	Steps	Expected result	Sev
CT-080	FUNC	Banner	Open any profile	Avatar (first letter), name, "ID • Person/Organization", tag badges, "Disabled" badge if disabled	S3
CT-081	FUNC	Edit basic details	Change name / business structure → Save Contact Profile	Persists after reload; banner updates	S2
CT-082	FUNC	Tax block	Set PAN, GST registration type, CIN, TAN, TDS Applicable, Default TDS Section → Save	All persist	S2
CT-083	FUNC	MSME & payment terms	Set MSME status, Udyam no., Mandatory Payment Days → Save	Persist	S3
CT-084	FUNC	Bank details	Set account name/number, IFSC, UPI, beneficiary status → Save	Persist	S2
CT-085	FUNC	Licences	Set FSSAI / Drug / Trade licence → Save	Persist	S3
CT-086	FUNC	Credit settings	Set Credit Limit, Credit Days, Opening Balance, Price List → Save	Persist; currency symbol shown in labels	S2
CT-087	FUNC	Disable / re-enable	Set Disabled = Yes → Save; check lists; set back to No	"Disabled" badge shows; contact drops out of All-Contacts; re-enabling restores it	S2
CT-088	EDGE	Quick actions carry the contact	Click New Quote / New Order / New PO / New Invoice	Opens that screen pre-filled with this contact as customer/vendor	S3
CT-089	EDGE	Numeric guards	Put text in Credit Days / Mandatory Payment Days	Rejected cleanly (no 500)	S3

11.2 GSTIN records, tags

ID	Type	Title	Steps	Expected result	Sev
CT-100	FUNC	Add GSTIN record	GSTIN Records → Add GST Number (GSTIN, type, state)	Row added to the GSTIN table	S2
CT-101	EDGE	Multiple GSTINs	Add a second GSTIN (different state)	Both listed (a business can have one GSTIN per state)	S3
CT-102	EDGE	Bad GSTIN record	Add a malformed GSTIN	Record whether validated; today likely saved as-is	S3
CT-103	FUNC	Add tag	Tags → Add Tag → name → Add	Tag appears as a badge in the banner and the Tags list	S3

ID	Type	Title	Steps	Expected result	Sev
CT-104	FUNC	Remove tag	Click Remove on a tag	Tag disappears from list and banner	S3
CT-105	SEC	Tag XSS	Add a tag `<b>x</b>`	Renders as text, not markup	S2

11.3 Emails, phones, addresses

ID	Type	Title	Steps	Expected result	Sev
CT-110	FUNC	Add email + purpose	Add Email (Primary/Billing/Shipping/Other)	Row added with the purpose	S2
CT-111	FUNC	Add phone + purpose	Add Phone (country code default 91, number, purpose)	Row added; displays as `+91 …`	S2
CT-112	FUNC	Add address	Add Address (line1/2, city, PIN, state, purpose)	Row added; state dropdown is the company's country regions	S2
CT-113	EDGE	PIN code length	Enter a 5- or 7-digit PIN	Capped at 6; record if non-numeric is allowed	S3
CT-114	EDGE	Multiple primaries	Add two "Primary" emails/phones	Record behaviour — both saved, or the new one supersedes? Flag if ambiguous	S3
CT-115	FUNC	Roles section	Scroll to Roles	Lists the contact's roles (Customer/Vendor/etc.)	S4

11.4 Sales / purchase history (read-only)

ID	Type	Title	Steps	Expected result	Sev
CT-120	FUNC	History shows for a real customer	Open a customer who has invoices/orders	Recent Invoices / Sales Orders / Quotations populate with clickable numbers	S3
CT-121	FUNC	Vendor history	Open a supplier with POs/bills	Recent Purchase Orders / Vendor Bills populate	S3
CT-122	FUNC	Empty history	New contact	"No invoices yet." / "No orders found." etc. — graceful empty states	S4
CT-123	ISO	History is this contact's only	—	History only shows documents for **this** party, nothing leaked from others	S2

---

12. CUSTOMER GROUPS & MERGE

12.1 Customer Groups

Screens: `…/Contacts/CustomerGroups`, `…/Contacts/EditCustomerGroup`.

ID	Type	Title	Steps	Expected result	Sev
CT-130	FUNC	Create group	CustomerGroups → fill Group Name, Type, Price List, Default Discount %, Credit Term, Default Credit Limit, Payment Terms → Create	Group created and listed	S2
CT-131	FUNC	Edit group	Open a group → change details, set Active → Update	Persists	S3
CT-132	FUNC	Add member	Edit group → add a customer	Member appears; "Members (n)" count increments	S2
CT-133	FUNC	Remove member	Remove a member	Count decrements; member gone	S3
CT-134	EDGE	Discount % bounds	Set discount to `-5` or `200`	Record whether bounded (0–100)	S3
CT-135	ISO	Groups org-scoped	—	A tenant only sees its own groups	S1

12.2 Merge duplicates (destructive — QA contacts only)

> ⚠️ Only ever merge **two test contacts you created**. Merge moves all sub-records onto the survivor and records merge history; treat as irreversible.

ID	Type	Title	Steps	Expected result	Sev
CT-140	FUNC	Merge two duplicates	Create `QA_DUP_1` (with phone A) and `QA_DUP_2` (with email B). Merge → survivor `QA_DUP_1`, merged `QA_DUP_2`	Survivor now has **both** phone A and email B; the merged party is retired; merge recorded in history	S2
CT-141	EDGE	Merge moves tax records	Give each a different GSTIN, then merge	Survivor carries both tax registrations; none lost	S2
CT-142	EDGE	Self-merge guard	Try to merge a party with itself	Rejected / no-op, not a crash	S3
CT-143	FUNC	History link integrity	After merge, open documents that pointed at the merged party	They resolve to the survivor (no broken references)	S2

---

13. MULTI-TENANT ISOLATION (highest priority)

Every list filters on `ownerPartyId = your active organization`. These are the **most important** cases in this part.

ID	Type	Title	Steps	Expected result	Sev
ISO-001	ISO	Customers scoped	Log in as Tenant A; open Customers	Only Tenant A's customers — never another tenant's	S1
ISO-002	ISO	Vendors scoped	Same, Vendors	Only Tenant A's suppliers	S1
ISO-003	ISO	Directory scoped	Same, All Contacts	Only Tenant A's contacts	S1
ISO-004	ISO	Dashboard counts scoped	Compare counts across two tenants	Each tenant's counts reflect only its own contacts	S1
ISO-005	ISO	Direct-URL profile of another tenant	As Tenant A, open `EditContact?partyId=<a Tenant-B contact id>`	**FIXED (was a real IDOR):** the profile now enforces ownership — a non-owner is redirected to the directory and sees nothing; the underlying edit/add services reject it too. Platform super-admins remain able to view any contact by design	S1
ISO-006	ISO	New contact is tagged to your org	Create a contact as Tenant A, then log in as Tenant B	Tenant B does not see it	S1
ISO-007	ISO	Customer Groups scoped	Each tenant sees only its own groups	Confirmed	S1
ISO-008	ISO	Search can't cross tenants	As Tenant A, search a GSTIN/phone you know belongs to Tenant B	No Tenant-B result returned	S1

---

14. UI / LAYOUT / ACCESSIBILITY / EXPORT / SECURITY

ID	Type	Title	Check	Expected result	Sev
CT-160	UI	Desktop layout	Lists & profile at 1920 / 1366	Cards aligned; tables not clipped; no horizontal overflow	S4
CT-161	UI	Mobile layout	Lists & profile at 360–390px	No horizontal scroll; the profile's many sections stack readably; dialogs fit	S3
CT-162	UI	Add dialogs on mobile	Open Add Person / Add Company on a phone	Dialog fits screen; fields reachable; Save works	S3

ID	Type	Title	Check	Expected result	Sev
CT-163	A11Y	Keyboard	Tab through a create dialog and the profile form	Logical order; visible focus; Enter submits	S3
CT-164	UI	Long values	Long names / GSTIN / address	Wrap or truncate gracefully; no broken cells	S4
CT-165	FUNC	CSV export	Export Customers / All Contacts to CSV	File downloads; rows match the on-screen (filtered, org-scoped) list; the directory CSV uses plain-text (no HTML)	S2
CT-166	FUNC	XLSX export	Export to XLSX	Opens in Excel; columns intact	S3
CT-167	SEC	Export respects isolation	Export as Tenant A	File contains only Tenant A rows	S1
CT-168	SEC	Export respects filter	Search to 3 rows, then export	Only the 3 filtered rows exported (no silent full dump)	S3
CT-169	UI	Page size control	Change page size on a list	Honoured; pagination correct	S4
CT-170	UI	Avatar initial	Create names starting with a digit / symbol / non-Latin char	Initial shows sensibly (or `?`), no crash	S4

15. Cross-flow / regression

ID	Type	Title	Expected result	Sev
XF-001	FUNC	Create → appears everywhere	A new customer appears in Customers, All Contacts, and the Dashboard count, immediately	S2
XF-002	FUNC	Contact usable downstream	The new customer is selectable when creating a Sales quote/order/invoice (via the profile quick actions)	S2
XF-003	FUNC	Edit reflects in lists	Rename a contact → the new name shows in all lists	S2
XF-004	FUNC	Disable hides from pickers	Disable a contact → it stops appearing in the directory (and ideally in sales pickers)	S3
XF-005	ISO	End-to-end isolation	Nothing created/edited as Tenant A is ever visible to Tenant B	S1

16. Areas to probe hardest (tester's attention map)

1. **Multi-tenant isolation (§13)** — still the single most important thing. The direct-URL profile IDOR (ISO-005) is now **fixed**; regression-test that a tenant cannot reach another tenant's contact by id, and that a tenant **can** still open its own.
2. **Stored XSS in the directory (CT-028, CT-066)** — now defended at two layers (input filter + output escaping); confirm a payload shows as plain text.
3. **GSTIN input wiring (CT-022)** — format validation exists at the service, but the field-to-service mapping is broken upstream; verify whether a GSTIN entered at create/profile actually persists.
4. **Merge is irreversible (§12.2)** — only ever on QA contacts; verify nothing is lost and references re-point.
5. **Duplicate detection (CT-021)** — still none; decide with the dev whether a "possible duplicate" warning is wanted (merge is the cleanup path).
6. **Required name (CT-020)** and **disabled-list consistency (CT-049)** are now **fixed** — quick regression checks.

17. Test run sheet (copy per browser/device)

Run info	
Tester	
Date	
Build / URL	https://erp.zetaclantech.com
Browser / OS	
Device / viewport	
Tenant logged in as	

Case ID	Status (Pass/Fail/Blocked/Skip)	Actual result	Defect ID
CT-001			
…			
ISO-001			
…			

---

18. Defect report template

```
Defect ID:        ZE-CONTACTS-____
Linked Case ID:   CT-0__ / ISO-0__ / XF-0__
Title:            <short, specific>
Severity:         S1 / S2 / S3 / S4
Type:             FUNC / EDGE / UI / A11Y / SEC / PERF / ISO
Environment:      Prod — erp.zetaclantech.com | <browser> <version> | <device/viewport>
Tenant:           <which tenant/org you were logged in as>
Preconditions:    <state, which QA contact used>
Steps to reproduce:
   1.
   2.
Expected result:  <from the SOP>
Actual result:    <what happened>
Evidence:         <screenshot/recording; Console+Network capture for security/iso issues>
Reproducibility:  Always / Intermittent (x of y)
Notes:            <partyId(s) involved — NO real customers' personal data beyond what's needed>
```

---

19. Teardown (mandatory)

1. **List every test contact, group, tag, address, email, phone, and merge** you created (capture their partyIds / group IDs).
2. Disable or hand the list to the dev for deletion — **don't leave QA contacts in a live tenant's directory.**
3. Delete any **exported CSV/XLSX** files from the test machine.
4. Confirm you **never modified a real MARUTHI (org `100000`) contact**, and performed **no merge** on a real party.
5. Attach the completed run sheet(s) and any defect IDs to this part's test report.

End of Part 2 — Contacts. Related parts: Part 1 — Login & Onboarding (issued); Part 3 — POS Billing Terminal; Part 4 — Sales & Invoicing; Part 5 — Inventory & Products; Part 6 — Settings, Users & Roles. The Contacts module feeds customers/vendors into Sales, Purchase and Accounting — isolation and tax-field accuracy here directly affect those.