

Cucumber Report

16-Jun-2023, 6:04:15 AM

Start : Jun 16, 6:03:22.174 AM

End : Jun 16, 6:04:13.697 AM

Duration : 51.523 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 0


PASSED - 9
FAILED - 1
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login page feature</u>	37.732 s	3	2	1	0	9	6	1	2
<u>search product</u>	13.772 s	1	1	0	0	3	3	0	0

#	Feature Name	Scenario Name
1	<u>Login page feature</u>	<u>Login to application</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	1	1	0	0	1	0	1	0
@regression	1	1	0	0	1	0	1	0
@functional	2	1	1	0	2	1	1	0





#	Feature Name	T	P	F	S	Duration
1	Login page feature	3	2	1	0	37.732 s
2	search product	1	1	0	0	13.772 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login page feature</u>	<u>Login page title</u>	3	3	0	0	15.182 s
2		<u>Verify cart section is display</u>	2	2	0	0	10.853 s
3		<u>Login to application</u>	4	1	1	2	11.636 s
4	<u>search product</u>	<u>search functionality</u>	3	3	0	0	13.772 s

Login page feature

FAILED	DURATION - 37.732 s	Scenarios		Steps	
/ 6:03:22.174 AM // 6:03:59.906 AM /		Total - 3		Total - 9	
		Pass - 2		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

Login page title

<div>PASSED</div> <div>DURATION - 15.182 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:03:22.181 AM // 6:03:37.363 AM /</div>			
<div>Login page feature</div>			
<div>@smoke</div>			



#	Step / Hook Details	Status	Duration
1	Given user is at the landing page	PASSED	3.050 s
2	When user get the title of page	PASSED	0.011 s
3	Then page title should have "Shopping"	PASSED	0.008 s

Verify cart section is display


<div>PASSED</div> <div>DURATION - 10.853 s</div>	<div><div></div><div></div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>2</div></div>
<div>/ 6:03:37.409 AM // 6:03:48.262 AM /</div>			
<div>Login page feature</div>			
<div>@regression</div>			

#	Step / Hook Details	Status	Duration
1	Given user is at the landing page	PASSED	2.694 s
2	Then cart icon should get display	PASSED	0.413 s

Login to application

FAILED	DURATION - 11.636 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 6:03:48.270 AM // 6:03:59.906 AM /				
Login page feature				
@functional				

#	Step / Hook Details	Status	Duration
1	Given user is at the landing page	PASSED	2.597 s
2	When user enters the username as "8176867662"	FAILED	0.791 s
	<p>org.openqa.selenium.ElementNotInteractableException: Element could not be scrolled into view Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15.1' Driver info: org.openqa.selenium.firefox. FirefoxDriver Command: [3021cf33-3dd7-4ce8-b59c-af10d2027554, clickElement [id=d7ee04d6-faf2-44fb-a9d9-b70a7628f65a]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 114.0.1, moz:accessibilityChecks: false, moz:buildID: 20230608214645, moz:debuggerAddress: 127.0.0.1:36582, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 13016, moz:profile: C:\Users\DELL\AppData\Local..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:36582/devtools..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on WINDOWS (3021cf33-3dd7-4ce8-b59c-af10d2027554)] -> xpath: //*[@id='nav-flyout-ya-signin']]/*[@class='nav-action-signin-button']] Session ID: 3021cf33-3dd7-4ce8-b59c-af10d2027554</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at com.sun.proxy.\$Proxy27.click(Unknown Source) at pages.LoginPage.enterUsername(LoginPage.java:47) at parallel.LoginSteps.user_enters_the_username_as(LoginSteps.java:52) at ?.user enters the username as "8176867662"(file:///F:/Desktop/VimanNagar/May%2021/KatrajBDD SeleniumTestNGFramework/src/test/ resources/parallel/LoginPage.feature:17) * Not displayable characters are replaced by '?'. </pre>		
3	And user enters the password as "123456"	SKIPPED	0.001 s
4	And user confirm the signin	SKIPPED	0.001 s
	AFTER - parallel.AppHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.657 s
	Login_to_application		
			

search product

PASSED	DURATION - 13.772 s	Scenarios		Steps	
/ 6:03:59.925 AM // 6:04:13.697 AM /		Total - 1		Total - 3	
		Pass - 1	1	Pass - 3	3
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

search functionality

PASSED

DURATION - 13.772 s

/ 6:03:59.925 AM // 6:04:13.697 AM /

search product

@functional

Step	Duration (s)
1	3.132
2	2.588
3	0.017

Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is at the landing page	PASSED	3.132 s
2	When user the text "mobile phone" and search	PASSED	2.588 s
3	Then mobile phone should get display	PASSED	0.017 s