

# Cucumber Report

13-Jun-2023, 6:11:22 AM

Start : Jun 13, 6:11:06.464 AM

End : Jun 13, 6:11:21.135 AM

Duration : 14.671 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 1  
SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>search product</u>	14.671 s	1	0	1	0	3	1	1	1

#	Feature Name	Scenario Name
1	<u>search product</u>	<u>search functionality</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@functional	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>search product</u>	1	0	1	0	14.671 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>search product</u>	<u>search functionality</u>	3	1	1	1	14.664 s

## search product

FAILED	DURATION - 14.671 s	Scenarios		Steps	
/ 6:11:06.464 AM // 6:11:21.135 AM /		Total - 1		Total - 3	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## search functionality

FAILED		DURATION - 14.664 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 6:11:06.471 AM // 6:11:21.135 AM /						
search product						
@functional						

#	Step / Hook Details	Status	Duration
1	Given user is already logged in with "8176867662" and "123456"	PASSED	7.023 s
2	When user the text "mobile phone" and search <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='twotabsearchtextbox']"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4f3ec3574e5379ef584782cfdc6a48c4, findElement {using=xpath, value=//*[@id='twotabsearchtextbox']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DELL\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:52451}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52451/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4f3ec3574e5379ef584782cfdc6a48c4     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)           </pre>	FAILED	1.788 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.SearchProduct.enterProduct(SearchProduct.java:24) at parallel.SearchProductSteps.user_the_text_and_search(SearchProductSteps.java:32) at ?.user the text "mobile phone" and search(file:///F:/Desktop/VimanNagar/May%2021/KatrajBDD SeleniumTestNGFramework/src/test/ resources/parallel/SearchProduct.feature:5) * Not displayable characters are replaced by '?'. </pre>		
3	Then mobile phone should get display	SKIPPED	0.000 s
	AFTER - parallel.AppHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.212 s
	search_functionality		
	