

FINAL CURRENT PROJECT STATUS REPORT

Vimtra Chennai Lions GC Website — Audit

A read-only audit of the repository exactly as it stands right now — every route, every redesigned surface, the shared header/hero system, commerce and account flows, the admin console, global CSS, performance, SEO, security, database, and a fresh build/lint/typecheck run. No code was changed to produce this report.

PREPARED

4 September 2026

HEAD COMMIT

25e0789e

REPOSITORY

github.com/Vimtra/Vimtra_Chennai_Lions_GC

BRANCH

main

WORKING TREE

Clean

AUDIT TYPE

Read-only — zero files modified

01 Project Overview

Git state

Branch	main
HEAD	25e0789e8991a7a10b4a8bfe08ed904ea3f0a9ce — "Add new asset images: wallet-pride.png and whiskey-glass.png" (4 Sep 2026, 23:29 IST)
Working tree	git status --short returns nothing — fully clean, nothing staged or unstaged
Remote	Lions → https://github.com/Vimtra/Vimtra_Chennai_Lions_GC.git

Note: the HEAD commit's own diff bundles the full UI redesign work from this engagement together with several files this audit did not touch — components/admin/InventoryTable.tsx (a small responsive fix to the filter row), data/products.json, and a batch of newly-added product photo assets under public/assets/. All of that is already part of the current, committed state and is reflected in the audit below as current fact, not attributed to any specific author.

Route inventory — 39 page.tsx files

GROUP	ROUTES	COUNT
Public marketing/story	/, /the-club, /the-pride, /players, /golf-development, /vimtra-ventures, /invest	7
Season module	/fixtures, /scores, /leaderboards	3
Content	/news, /news/[slug], /partners	3
Commerce	/shop, /product/[id], /cart, /checkout	4
Account	/profile, /profile/orders, /orders/[id]	3
Contact / legal	/contact, /privacy, /terms	3
Auth	/sign-in, /sign-up	2
Admin	/admin, /admin/products (+edit), /admin/inventory, /admin/fixtures (+edit), /admin/scores, /admin/leaderboards, /admin/news (+edit), /admin/media (+edit), /admin/messages, /admin/users	13
System routes (non-page)	/robots.txt, /sitemap.xml, /api/sync/igpl, /_not-found	4

Overall implementation status

The site is a functioning Next.js 15 App Router application with a working commerce flow (browse → cart → checkout → order → order history), a working authenticated account area, a working contact-to-database-to-email pipeline, and a full admin console for catalog, content and enquiry management. The public-facing editorial pages (Club/Pride/Players/Season/News/Partners/Invest) and the commerce/account/contact surfaces (Shop, Cart, Checkout, Profile, My Orders, Contact) now share one consistent "Club Module" visual system — hero, header, typography, spacing and color tokens. Admin received a lighter, shared-styling-first pass. The build compiles, typechecks and lints cleanly (see §13). The site is **not yet production-ready** — see §16 for the specific, concrete blockers.

02 Completed UI/UX Work

Status is judged against the current "Club Module" design language actually in the CSS (`.cm-*` / `.hp-*` classes, `--v-*` / `--sp-*` / `--t-*` tokens, `StoryHero` / `PageMasthead` , GSAP scroll reveals) — not against any prior report's claims.

PAGE	STATUS	WHAT'S ACTUALLY THERE
The Club	FULLY REDESIGNED	<code>StoryHero</code> (photo), <code>Chapters</code> component, full <code>.cm-*</code> chapter system (Statement / Chapters / Kit Spectrum / Leadership / Closing).
The Pride	FULLY REDESIGNED	<code>StoryHero</code> (photo), <code>FullBleedStatement</code> , <code>.cm-*</code> system.
Players	FULLY REDESIGNED	<code>StoryHero</code> (<code>is-plain</code> — no stock photo stands in for the roster), <code>PlayerExperience</code> .
Golf Development	FULLY REDESIGNED	<code>StoryHero</code> (photo), <code>FullBleedStatement</code> , <code>.cm-*</code> .
Vimtra Ventures	FULLY REDESIGNED	<code>StoryHero</code> (photo), <code>.cm-*</code> .
Fixtures	FULLY REDESIGNED	<code>StoryHero</code> , <code>FixturesList</code> on the Season-module system.
Scores	FULLY REDESIGNED	<code>PageMasthead</code> (photo + live-status + data rail), <code>ScoreExperience</code> / <code>.tb-stage</code> scoring UI.
Leaderboards	FULLY REDESIGNED	<code>PageMasthead</code> (photo + rail), <code>StandingsBoard</code> , three-board tab system.
News	FULLY REDESIGNED	<code>PageMasthead</code> (no photo — aurora + rail only), official/press/social sections.
Partners	FULLY REDESIGNED	<code>PageMasthead</code> (photo + rail), tier system (<code>.tb-card</code> / <code>.pt-*</code>).
Invest	FULLY REDESIGNED	<code>StoryHero</code> (photo), <code>FullBleedStatement</code> , <code>.cm-*</code> .
Contact	FULLY REDESIGNED	<code>StoryHero</code> (<code>is-plain</code>), <code>.hp-panel</code> form card, <code>.hp-btn</code> submit, <code>.cf-*</code> supporting classes. Server logic untouched.
Cart	FULLY REDESIGNED	<code>StoryHero</code> (<code>is-plain</code>), editorial <code>.cart-row</code> list (was a boxed-card layout), <code>.hp-empty</code> empty state, <code>.hp-btn</code> CTAs. Zustand cart store untouched.
Checkout	FULLY REDESIGNED	<code>StoryHero</code> (<code>is-plain</code>), <code>.co-steps</code> step indicator, <code>.co-card</code> / <code>.co-radio</code> address & payment selection, shared <code>.summary</code> panel with Cart. Order-placement logic untouched.
Profile	FULLY REDESIGNED	<code>StoryHero</code> (<code>is-plain</code>), <code>.acct-*</code> shell tokenized onto <code>--hp-*</code> , <code>.hp-btn</code> save button. <code>updateProfile</code> action untouched.
My Orders	FULLY REDESIGNED	<code>StoryHero</code> (<code>is-plain</code>), <code>.acct-order-row</code> editorial list (pre-existing pattern, tokenized this pass).
Order Detail	PARTIALLY REDESIGNED	Uses <code>PageMasthead</code> , not <code>StoryHero</code> — the one page in the account/commerce group left on the previous hero component. Body (<code>.acct-panel</code> items/delivery, <code>.summary</code> aside) matches the rest of the account system. This is the one visible hero inconsistency on the site today (see §3).
Shop	PARTIALLY REDESIGNED	Hero is fully redesigned (<code>StoryHero</code> with a real photograph). The product grid itself (<code>ProductCard</code> , <code>.product</code> / <code>.add-btn</code> CSS) is still the original pre-Club-Module styling — never brought onto the <code>.cm-*</code> / <code>.hp-*</code> language. Same for <code>/product/[id]</code> (detail page uses <code>.product-detail-grid</code> / <code>.img-card</code> / <code>.qty-btn</code> , no hero at all — not in this audit's page list but directly adjacent to Shop).
Admin	PARTIALLY REDESIGNED	See §7 for the per-route breakdown — shell, dashboard, Products and Messages are bespoke; the other seven admin routes inherit shared table/button/input styling only.

Net: 15 of 19 audited pages are fully redesigned end-to-end. Order Detail and Shop are partially redesigned (hero/chrome done, one component family each still legacy). Admin is a mixed bag — see §7.

03 Header / Navigation / Hero

Header implementation

`components/Nav.tsx` is the single global header, rendered once in `app/layout.tsx` and shared by every route including `/admin`. It has four CSS states driven by class composition: base `.nv` (solid ink, sticky), `.nv-over` (transparent + gradient veil, fixed — routes with a hero directly behind it), `.nv-scrolled` / `.nv-open` (forces the solid background once scrolled or with a menu open), and `.nv-admin` (always-solid ink, independent of scroll state).

Fixed this engagement: a duplicated `.nv { background: transparent }` rule under the "NAVIGATION + FOOTER REFINEMENT" banner was overriding the base solid-ink header on every non-floating route (Contact, Cart, Checkout, Profile, Shop, Sign-in, Terms, Privacy, Product detail, ...), leaving ivory nav text sitting directly on the page's own cream background at load — unreadable until the first scroll pixel. The duplicate rule has been removed; the correct `.nv-over` rule already carried the same values for the routes that actually need transparency.

Navigation behavior

- Desktop ($\geq 1024\text{px}$):** two mega-menu groups (The Club, The Season) plus four direct links (Shop, Partners, Invest, Contact), all sourced from one taxonomy in `lib/nav.ts` (`SITE_SECTIONS`) so header, footer and mobile overlay cannot drift apart.
- Mobile ($< 1024\text{px}$):** hamburger opens a full-screen overlay (`.nv-ov`) with the same section groups, cart link with item count, an Admin shortcut for admin users, and sign-in/out.
- Cart badge, account icon and sign-out are all driven by real state (`useCart` / `useCartHydrated`, `SafeUser` from the session).

Hero / masthead implementation — which pages use which

COMPONENT	PAGES	NOTES
<code>StoryHero</code> (<code>.cm-hero</code>)	Home*, The Club, The Pride, Players, Golf Development, Vimtra Ventures, Invest, Fixtures, Contact, Cart, Checkout, Profile, My Orders, Shop	Cinematic full-bleed: real photograph or <code>is-plain</code> ink+aurora, crossed-scrim veil, brand aurora, display title up to 190px, <code>.cm-track</code> grid alignment. *Home uses its own closely-related <code>components/home/Hero.tsx</code> , not the shared component directly.
<code>PageMasthead</code> (<code>.tb-mast</code>)	Scores, Leaderboards, News, Partners, Order Detail	Compact title-card with an optional photograph, brand aurora, and a data-rail footer. News runs it with no photograph.
<code>PageHero</code> (<code>.hp-pagehero</code>)	News article (<code>/news/[slug]</code>), Terms, Privacy	The original page-header component — still valid, just not the cinematic treatment. Not part of this engagement's scope.
<code>.hp-auth</code> / <code>.hp-auth-card</code>	Sign-in, Sign-up	Centred card on a dark ground — a distinct, purpose-built auth treatment, not a page hero.
None	Product detail	Goes straight into a breadcrumb + content — standard PDP pattern, not flagged as a gap.

All six routes newly moved onto `StoryHero` this engagement were also added to `FLOATING_HEADER_ROUTES` in `lib/nav.ts` — required because `.cm-hero` reserves header height as its own top padding on the assumption the header floats above it; omitting a route from that list while using `.cm-hero` on it would double-reserve that space.

Remaining visual inconsistency

Order Detail still opens on `PageMasthead`, not `StoryHero` — every other account/commerce page (Profile, My Orders, Cart, Checkout, Shop) now opens on the cinematic hero. This was explicitly out of scope for the last redesign pass (the instruction named six pages; Order Detail was not one of them) and was flagged to the user at the time as a deliberate omission, not an oversight.

Navigation text readability

CONFIRMED READABLE — verified live in-browser on Contact, Cart, and Shop across 375–1600px: the header renders solid ink with clearly legible ivory wordmark and nav links at page load, before any scroll. The root cause (the duplicated transparent-background rule) is fixed at the CSS level, so this applies to every non-floating route, not just the ones directly re-tested.

Mobile navigation

CONFIRMED WORKING — hamburger menu, full-screen overlay, and section groups were exercised live at 375/390/414/768px on Contact, Cart and Shop with zero horizontal overflow at any width. The overlay's own interaction (opening a group, focus handling) was verified by code read, not by a live click-through, in this specific audit pass — it was exercised in earlier work this engagement.

04 Contact

UI status	FULLY REDESIGNED — <code>StoryHero</code> (is-plain) + <code>.hp-panel</code> form card + editorial side panels (venue, direct channels, social).
Form functionality	WORKING — verified live end-to-end this engagement: filled and submitted the form, received the client success state ("Message sent."), confirmed the flow only reaches that state after the server action's database write succeeds.
DB persistence	WORKING — <code>submitContact</code> (<code>app/contact/actions.ts</code>) zod-validates, then calls <code>createContactMessage()</code> (<code>lib/contact-messages.ts</code>) against the <code>ContactMessage</code> Prisma model before anything else happens.
Admin messages	WORKING — <code>/admin/messages</code> lists every row with a NEW/READ/RESOLVED state machine, expandable detail row, delete with confirmation. One live test row exists in the database from this session's verification pass, marked with "[Automated QA]" in the message body — worth clearing.
User confirmation email	CONFIGURED & LIVE LOCALLY — <code>SMTP_HOST</code> / <code>SMTP_USER</code> / <code>SMTP_PASSWORD</code> / <code>MAIL_FROM</code> are all set in the local <code>.env</code> (Gmail SMTP); the confirmation email fired during this session's live test. Production deployment env vars are a separate, unverified concern (§16).
Admin notification email	CONFIGURED & LIVE LOCALLY — same gating; <code>CONTACT_NOTIFY_EMAIL</code> is set locally and the notification fired during the same test.
Validation/error/success states	ALL PRESENT — server-side zod validation with per-field errors, client-side character limits mirroring the server, a double-submit guard, inline field errors with <code>aria-invalid</code> / <code>aria-describedby</code> , a general error banner, and a distinct success view with a "send another message" reset.

Email sending is best-effort and independent of the database write per `lib/mail.ts`'s own contract — a failed send never rolls back the saved enquiry and is never surfaced to the visitor. No PII (name/email/phone/message) is written to server logs; only generic failure diagnostics are (verified by reading `app/contact/actions.ts` and `lib/mail.ts` directly — no `console.*` call includes the submitted fields).

05 Commerce

Shop

PARTIALLY REDESIGNED — hero is the new cinematic `StoryHero` treatment; the product grid below it (`ProductCard` , `.product` / `.add-btn` CSS) is unchanged legacy styling. Functionally: catalog reads from the DB-backed `Product` table via `listProducts()` , shows a genuine empty state when the catalog is empty. **Every product in the current local database shows "OUT OF STOCK"** — this is dev-database seed/state, not a code defect (the `Product` model has real `stock` / `active` columns and the UI correctly reflects whatever is in them).

Cart

FULLY REDESIGNED AND WORKING — zustand store (`store/cart.ts` , persisted to `localStorage` as `lions_cart`) untouched. Verified live: add/increment/decrement/remove all recompute totals correctly against the shared `computeTotals()` calculator (confirmed exact arithmetic: subtotal, free-shipping threshold at ₹2,000, 18% GST). Empty-cart state uses the shared `EmptyState` component.

Checkout

FULLY REDESIGNED . Two-step flow (contact+address → payment+review) is a Server Action (`placeOrderAction`), not an API route — the client-submitted cart is treated as intent only; the server re-reads live `Product` rows for price/stock inside a Prisma transaction, decrements stock conditionally (race-safe), and generates the order number with collision retry. **Only Cash-on-Delivery and Offline-Invoice (bank transfer) are live payment methods** — a third "Online payment" option is visibly present but disabled/inert (`ONLINE_TBD` is a type-level placeholder with no gateway wired). This is a real functional gap if online payment is expected at launch, not a bug — it was never built. Verified redirect-to-sign-in gating live; could not verify the authenticated step-through itself live this session (no credential entry — see §14).

Orders

WORKING — MY ORDERS / ORDER DETAIL REDESIGNED (Order Detail on the older `PageMasthead` , see §3). `Order` / `OrderItem` are fully real, DB-backed models with a complete pipeline, ownership-scoped (`getOrderById(userId, id)` — a mismatched user gets a 404, not a redirect, to avoid confirming the order's existence). **No `/admin/orders` route exists** despite `lib/orders.ts` already exporting ready-to-use admin helpers (`listOrdersForAdmin` , `getOrderByIdForAdmin` , `setOrderStatus` , `cancelOrderAndRestock`) — zero consumers anywhere in `app/` . An admin today has no UI to see or manage a placed order.

Product admin

FULLY REDESIGNED, FUNCTIONALLY COMPLETE FOR CRUD — see §7 for the UI detail. Image upload writes to the local filesystem (`public/uploads/`) via `fs/promises` ; a `BLOB_READ_WRITE_TOKEN` env var is documented in `.env.example` for a planned Vercel Blob migration, but the upload code itself still targets the local filesystem — on Vercel's read-only serverless filesystem this upload path will fail (documented in the code's own comments as a known, not-yet-fixed gap).

Incomplete / gaps identified

- No admin order-management UI (data model and helpers exist; no route).
- Online payment is a visible but disabled stub — COD/offline-invoice only.
- Product image upload targets local disk, not the Vercel-Blob path the env vars anticipate.
- Two independent, divergent implementations of `bulkUpdateStockAction` exist — one in `app/admin/products/actions.ts` , one in `app/admin/inventory/actions.ts` (the one `InventoryTable.tsx` actually calls). Not a live bug, but a maintenance hazard.
- Shop's product grid and the product-detail page were never brought onto the current design language.

06 Profile / Account

Profile	FULLY REDESIGNED — StoryHero hero, .acct-* shell tokenized onto --hp-* brand tokens.
Password change	PRESENT, OPT-IN — both boxes empty keeps the current password; touching either makes both required and must match (8-char minimum), enforced both client-side (inline, pre-round-trip) and server-side (zod + bcrypt in updateProfile).
My Orders	FULLY REDESIGNED — editorial row list, ownership-scoped via listOrdersForUser(userId) .
Order Detail	PARTIALLY REDESIGNED — see §2/§3.
Authentication/ownership/security	UNTOUCHED, VERIFIED BY CODE READ — requireUser() gates /profile , /profile/orders , /orders/[id] , /checkout , redirecting to /sign-in?next=... . Order ownership is re-checked server-side per request, never trusted from the URL alone.
Responsive status	PARTIALLY VERIFIED — Cart/Contact/Shop (unauthenticated-reachable pages built the same way) were live-tested at all eight requested widths with zero overflow. Profile/My Orders/Order Detail themselves could not be live-tested this session or the redesign session before it — they require sign-in, and no credentials were entered into any form at any point (see §14 for why).

07 Admin

ROUTE	STATUS	DETAIL
Dashboard (/admin)	FULL REDESIGN	Bespoke StatTile / ManagerCard grid (hairline borders, restrained ink icon chips, no colored SaaS tiles), new AdminShell nav (Sora wordmark, pill active-state in crimson).
Products (/admin/products + edit)	FULL REDESIGN	Restyled table wrapper and edit-page card. ProductForm / ProductModalButton keep their existing structure but inherit the redesigned .btn-dark / .btn-ghost / .admin-table styling.
Messages (/admin/messages)	FULL REDESIGN	Restyled table wrapper; ContactMessageRow 's expanded detail panel tokenized to the current palette.
Inventory (/admin/inventory)	SHARED STYLING ONLY	Inherits the redesigned .admin-table /button system; its own layout/logic untouched by this engagement. A small unrelated responsive fix to the filter row (min-width/overflow classes) is present in the current HEAD commit, made outside this engagement.
Fixtures (/admin/fixtures + edit)	SHARED STYLING ONLY	Table/button/input styling inherited; page structure and its own FixtureForm untouched.
Scores (/admin/scores)	SHARED STYLING ONLY	Uses ad-hoc Tailwind cell classes rather than the .admin-page input styling elsewhere — a pre-existing inconsistency, not something this engagement changed either way.
Standings/Leaderboards (/admin/leaderboards)	SHARED STYLING ONLY	Same pattern as Scores — plain server-action-redirect forms with a static "Saved." banner, no client pending state.
News (/admin/news + edit)	SHARED STYLING ONLY	Filter tabs + table inherit shared styling; PostEditor (TipTap) untouched.
Media (/admin/media + edit)	SHARED STYLING ONLY	Table inherits shared styling. ?error=invalid redirect param on a failed save has no visible error UI wired to it — a pre-existing silent-failure gap, unrelated to this engagement's changes.
Users (/admin/users)	SHARED STYLING ONLY	Table inherits shared styling; role-toggle and delete both correctly guard against self-modification server-side.
Orders	NO ROUTE	Does not exist — see §5.

"Shared styling only" is a real, deliberate improvement, not a placeholder — restyling .admin-table , .btn-dark / .btn-ghost / .btn-danger , and .admin-page inputs once cascades a cleaner, on-brand look to all ten admin routes automatically. It just means those seven routes' own page structure/JSX was not individually rebuilt.

08 Global CSS

File	app/globals.css
Line count	9,551 lines (current, measured via <code>wc -l</code>)
Media queries	225 <code>@media</code> blocks
<code>!important</code> count	39 occurrences
<code>:root</code> blocks	4 — legacy base tokens (L10), Grandstand foundation tokens (L2053), <code>--hp-*</code> namespace (L2230, 5 of 13 declarations aliased onto <code>--v-*</code>), Art Direction 2026 (<code>--v-*</code> / <code>--sp-*</code> / <code>--t-*</code> , L3241)
<code>.cm-*</code> classes	66 unique selectors — the current "Club Module" system, the primary active design language
<code>.hp-*</code> classes	92 unique selectors — the shared page-kit/container/button/panel primitives that both <code>.cm-*</code> pages and this engagement's redesigns build on
Remaining Grandstand CSS	57 remaining <code>--gs-*</code> / <code>.gs-*</code> references — the pre-Club-Module foundation, largely dormant (P0 tokens for ground/surface/border/text) but not removed

What Phase 2A–2E changed (prior engagement, before this report's work)

- **2A:** removed empty Grandstand comment/stub blocks.
- **2B:** removed `[data-gs-reveal]` and `.story-fig` after confirming zero repo-wide usage.
- **2C:** aliased 5 of 13 `--hp-*` tokens onto byte-identical `--v-*` Art Direction tokens; left the other 8 as distinct literals because their `--v-*` counterparts differ (documented per-value in the CSS itself).
- **2D:** deduplicated the `label` / `.field` rule across profile/contact/admin into one shared selector.
- **2E-A (audit):** full breakpoint inventory (16 distinct values across 222 media queries at the time) and an exact-duplicate scan across every media-query body — found zero byte-identical duplicates.
- **2E-B:** no consolidation performed — the audit concluded every remaining breakpoint value is either the dominant shared pair (768/1024), a correct min/max complement, or a deliberate component-specific choice; there was nothing provably safe to merge.

What this engagement added (not a consolidation)

New, page-scoped rule blocks for Contact (`.cf-*`), Cart/Checkout (`.cart-*` / `.co-*`), the account shell tokenization, and the admin shell/dashboard classes (`.admin-nav-link`, `.admin-stat`, `.admin-mgr-card`) — plus one bug fix (the duplicated `.nv` transparency rule, §3) and one small additive change to `PageMasthead.tsx` (an optional `above` slot, mirroring `PageHero`'s existing one). No existing rule was merged, renamed, or removed as part of this work.

What CSS consolidation remains

- The 57 remaining `--gs-*` / `.gs-*` Grandstand references — candidates for removal once confirmed fully dormant (the 2E-A/B work already showed the Phase-2 team is being careful and evidence-driven about this rather than assuming).
- Two of the four token systems (`--gs-*` and the base L10 legacy block) still exist alongside the active `--v-*` / `--hp-*` system — a genuine future consolidation target, but one the current 2E audit already found nothing byte-identical to merge in the breakpoint dimension. A similar value-by-value comparison has not yet been done for the `--gs-*` vs `--v-*` color/spacing tokens specifically.
- Shop's `.product` / `.add-btn` / `.img-card` family (§2/§5) is the largest remaining "un-migrated" CSS surface tied to a live, frequently-visited page.

09 Performance

Asset size	<code>public/assets/</code> totals 66 MB . <code>public/assets/photo/</code> (the licensed Pexels hero photography) is a lean 5.9 MB across 23 files. The bulk of the 66 MB is 21 product PNGs added this session's timeframe, most between 1.5 MB and 2.4 MB each — large for simple product renders and likely unoptimized source exports.
Image optimization	Nearly universal <code>next/image</code> usage — a repo-wide search found exactly one raw <code></code> tag (<code>components/Loader.tsx</code> , a splash graphic) plus one deliberate, commented exception in <code>ProductForm.tsx</code> for an unoptimizable <code>blob:</code> preview URL. <code>next.config.mjs</code> enables AVIF/WebP output. This means the 66 MB of source assets is <i>not</i> what ships to a browser per request — <code>next/image</code> recompresses and resizes on demand — but it does inflate deploy artifact size and the number/cost of image-optimization invocations.
Caching / ISR	No <code>revalidate</code> -based ISR anywhere in the codebase. 13 of 39 pages are <code>force-dynamic</code> (no caching at all — <code>/</code> , <code>/shop</code> , <code>/product/[id]</code> , <code>/fixtures</code> , <code>/scores</code> , <code>/leaderboards</code> , <code>/news</code> + <code>/news/[slug]</code> , <code>/checkout</code> , <code>/profile</code> + <code>/profile/orders</code> , <code>/orders/[id]</code> , <code>/admin/inventory</code>). Cache invalidation is instead handled precisely via <code>revalidatePath()</code> calls in admin server actions (fixtures, standings, media, products, etc.) — a deliberate, working on-demand model rather than time-based ISR.
Dynamic routes	Every route with <code>[id]</code> / <code>[slug]</code> in its path is server-rendered on demand (confirmed in the production build output — all marked <code>f</code> dynamic, none pre-rendered as <code>o</code> static except <code>/robots.txt</code> and <code>/sitemap.xml</code>).
Scores N+1	CONFIRMED PRESENT — <code>app/scores/page.tsx</code> calls <code>fixtures.map(async (f) => listScoresForFixture(f.id))</code> inside a <code>Promise.all</code> : one separate <code>prisma.score.findMany</code> query per fixture, run concurrently rather than sequentially, instead of a single <code>WHERE fixtureId IN (...)</code> query. Concurrency limits the practical impact today given the current small fixture count, but it is a real N+1 pattern that will scale linearly with the number of fixtures on the page.

Other observations

- Middleware bundle is reported at **34.1 kB** by the build — reasonable for a coarse cookie-presence check.
- Shared First Load JS is **102 kB**; individual route JS ranges from under 1 kB (static/redirect-only routes) to **133 kB** for `/admin/news/[id]/edit` (the TipTap rich-text editor bundle — expected and admin-only, not a public-page concern).

10 SEO

Metadata coverage	37 of 39 pages export <code>metadata</code> or <code>generateMetadata</code> . The two without: <code>app/page.tsx</code> (Home relies on the site-wide default in <code>app/layout.tsx</code> — acceptable) and <code>app/cart/page.tsx</code> (a client component, so it cannot export metadata directly and currently has none of its own — a real, small gap, though Cart is already excluded from the sitemap and disallowed in <code>robots.txt</code>).
OG / Twitter cards	NOT PRESENT — a repo-wide search for <code>openGraph</code> / <code>twitter:</code> in any page or the root layout returns zero matches. Every page currently relies on the platform default (no image, generic title/description card) when shared on social or in chat previews.
Sitemap	PRESENT AND WELL-BUILT — <code>app/sitemap.ts</code> lists 16 static routes with sensible <code>changeFrequency</code> / <code>priority</code> , plus every live product and every <i>published</i> post enumerated from the database (drafts/archived posts correctly excluded). Fails closed to an empty product/post list if the DB is unreachable at build time rather than failing the whole sitemap.
Robots	PRESENT AND CORRECT — <code>app/robots.ts</code> allows <code>/</code> , disallows <code>/admin</code> , <code>/api/</code> , <code>/sign-in</code> , <code>/sign-up</code> , <code>/profile</code> , <code>/cart</code> , <code>/checkout</code> , <code>/orders</code> . Points to the sitemap and declares <code>host</code> .
JSON-LD	NOT PRESENT — no structured data anywhere in the codebase (no Organization, Product, Article, or BreadcrumbList schema).
Homepage metadata	<code>app/layout.tsx</code> sets a global <code>title</code> , <code>description</code> , and a favicon (<code>icons.icon</code>) — no <code>openGraph</code> / <code>twitter</code> block, consistent with the site-wide gap above.

11 Security

Authentication	bcrypt password hashing, opaque random session tokens in an httpOnly <code>lions_session</code> cookie backed by a <code>Session</code> table (deleting the row signs out everywhere). Standard, sound pattern.
Admin authorization	Two layers — <code>middleware.ts</code> does a coarse edge check (redirects to sign-in if the session cookie is simply absent) on every <code>/admin/:path*</code> request; every admin page independently calls <code>requireAdmin()</code> server-side, which checks the actual <code>ADMIN</code> role, not just "signed in." Self-lockout guards exist on the Users page (an admin cannot demote or delete their own account).
Contact PII/logging	Verified by direct code read — no <code>console.*</code> call in <code>app/contact/actions.ts</code> or <code>lib/mail.ts</code> includes the submitted name/email/phone/message; failure logs are generic diagnostics only.
News HTML sanitization	GAP — <code>app/news/[slug]/page.tsx</code> renders <code>post.bodyHtml</code> via <code>dangerouslySetInnerHTML</code> with no sanitization library in the path (no DOMPurify or equivalent found anywhere in the repo). <code>bodyHtml</code> is authored by an admin through the TipTap editor, not public input, so this is not an open XSS vector for anonymous visitors — but there is no defense-in-depth if an admin account is ever compromised, or if the hidden form field carrying the HTML is tampered with client-side before submission.
Upload validation	Type allow-list (JPG/PNG/WebP/AVIF) and 5 MB size cap enforced both client- and server-side; filenames are server-generated via <code>randomUUID()</code> , so no path-traversal risk from a user-supplied filename. Storage target is local disk (see \$5/\$16 for the Vercel implication).
IGPL API / cron security	<code>/api/sync/igpl</code> requires a <code>CRON_SECRET</code> bearer token or query key whenever one is configured, and fails closed (503) unless <code>IGPL_SYNC_ENABLED=true</code> . Even when enabled it is currently a no-op stub — it counts existing rows and returns, it does not fetch or write anything. No local <code>.env</code> value is set for <code>CRON_SECRET</code> in this environment, meaning the endpoint is currently unauthenticated <i>locally</i> (the <code>if (secret && ...)</code> check only activates once a secret exists) — a production deploy must set it.

Headers

`next.config.mjs` applies `X-Content-Type-Options: nosniff`, `X-Frame-Options: DENY`, `Referrer-Policy: strict-origin-when-cross-origin`, a `Permissions-Policy`, and HSTS in production only. **No Content-Security-Policy** — explicitly deferred in the code's own comment to a future "design-system consolidation" milestone once inline styles are reduced.

12 Database / Backend

Prisma models (12) and enums (7)

User, Session, Product, Fixture, Score, Standing, Post, MediaCoverage, ContactMessage, Address, Order, OrderItem
— plus Role, FixtureStatus, StandingBoard, PostStatus, MediaKind, ContactStatus,
OrderStatus / PaymentStatus / PaymentMethod.

Migrations

Provider is PostgreSQL. Three migrations under `prisma/migrations/`: `20260821220000_postgresql_baseline` (consolidated M0–M4), `20260825193930_m5_commerce` (Order/OrderItem/Address), `20260903160155_contact_messages`. A parallel SQLite schema/migration set is preserved for local-only use.

Key server actions

- `submitContact` — validate → persist → best-effort dual email → revalidate `/admin/messages`.
- `placeOrderAction` → `placeOrder()` — the commerce transaction: re-read live prices/stock, conditional stock decrement, order-number generation with collision retry.
- `updateProfile` — zod + bcrypt + email-uniqueness check.
- Product/Fixture/Score/Standing/Post/MediaCoverage/Message/User CRUD actions under `app/admin/*/actions.ts`, each pairing a mutation with the specific `revalidatePath()` calls its public surface needs.

ContactMessage

Fully wired: create (public form) → list/status-transition/delete (admin). One live test row present from this session's verification.

Orders

Fully wired end-to-end for the buyer side; no admin-facing surface (§5).

Product

Full CRUD via admin, DB-backed catalog (seeded from `data/products.json` via `lib/db.ts`), stock/active/images fields all live and consumed by the storefront and checkout transaction.

Known backend gaps

- Product image upload targets local disk, incompatible with Vercel's read-only serverless filesystem (§5/§16).
- `sendOrderReceipt` (order-confirmation email) is a deliberate stub — both its branches return `sent: false` regardless of configuration; it is unrelated to and does not affect the working contact-form mailer.
- IGPL sync is a scaffold — no real scrape/fetch is wired (§11).
- Duplicate `bulkUpdateStockAction` implementations (§5).

13 Build / Quality

CHECK	RESULT	DETAIL
<code>npx tsc --noEmit</code>	PASS	Zero errors, zero output.
<code>npm run lint</code>	PASS	<code>next lint</code> — "No ESLint warnings or errors." (Tool itself warns it is deprecated in Next.js 16; not a code issue.)
<code>npm run build</code>	PASS ON RE-RUN	See below — the first of two consecutive, unmodified attempts failed; the second succeeded cleanly.

Build result — two attempts, both reported in full

Attempt 1 — failed at the final trace-collection step, not application code.

TypeScript compiled successfully, type/lint checking passed, **all 27 static pages generated successfully**, "Finalizing page optimization" completed — the failure happened one step later, during "Collecting build traces," with:

```
Error: ENOENT: no such file or directory, open '.next\server\app\_not-found\page.js.nft.json'
```

Attempt 2 — identical command, zero files changed in between — succeeded completely.

Same compile, same typecheck, same 27/27 static pages, and this time "Collecting build traces" completed and the full route table printed with sizes.

A) Actual application/build errors: none. Both attempts compiled, typechecked, linted, and statically generated every route identically.

B) Windows environment/file-lock issue: the Attempt-1 failure — a Node file-system `ENOENT` while Next.js writes its `.nft.json` trace manifests — is the same general class of Windows file-locking/timing flakiness this repository has exhibited repeatedly through this engagement (previously seen as a Prisma `query_engine` DLL `EPERM` when a dev server was still holding the file, and as webpack cache corruption after an unclean shutdown). This specific instance was not the `query_engine` `EPERM` case — no dev server was running at the time — but it is the same underlying category: a transient Windows file-system race during Next.js's own build-output writing, not a defect in this project's source. It reproduced once and did not reproduce on an immediate, unmodified retry, which is the actual distinguishing signature of environment flakiness versus a deterministic code error. Per instruction, nothing was changed to work around it — the retry was the same command run twice.

14 Responsive / Accessibility

What was actually verified (this engagement, live in-browser)

- **Contact:** 375/390/414/768/1024/1280/1440/1600px — zero horizontal overflow at any width; full end-to-end form submission tested live.
- **Cart:** same eight widths — zero overflow; qty stepper, remove, and totals recomputation tested live with real cart data injected via `localStorage` (no product currently has stock to add through the live UI — see §5).
- **Shop:** same eight widths — zero overflow; confirmed the hero photograph loads and renders correctly at every width via DOM inspection (a blank-first-paint screenshot at one width was confirmed to be a load-timing artifact, not a rendering bug).
- **Nav readability** at load, unscrolled, on all three pages above.

What was *not* verified live this engagement

- **Checkout, Profile, My Orders, Order Detail, and every Admin route** — all require signing in, and no credentials were entered into any form at any point in this engagement (the harness's own credential-entry rule was treated as absolute, including for the project's own local seed/dev password). These were verified only by: (a) reading the source directly, (b) confirming the exact same component pattern renders correctly on the pages that could be checked live, and (c) a clean typecheck/lint/build. This is a real, disclosed limitation, not an oversight.
- **The eleven "already redesigned" story/season pages** (Club, Pride, Players, Golf Development, Vimtra Ventures, Fixtures, Scores, Leaderboards, News, Partners, Invest) were *not* re-tested for responsive behavior in this audit — their status above is drawn from reading their current source and CSS, and from one earlier direct comparison against `/the-club` and `/news` made specifically to establish what the reference hero pattern actually looks like.
- **No automated accessibility audit was run** — no axe, no Lighthouse, no WAVE. Accessibility conclusions in this report (ARIA attributes present, focus handling, dialog semantics) come from reading the component source, not from a tool.
- **Mobile-overlay interaction** (opening a nav group, tab order inside it) was not re-exercised live in this specific audit pass.

15 Remaining P0 / P1 / P2 Issues

P0 — blocks production

1. Product image upload writes to local disk (`fs/promises` → `public/uploads/`) — will fail on Vercel's read-only serverless filesystem. A `BLOB_READ_WRITE_TOKEN` env var is scaffolded but not wired into the actual upload code.
2. No Content-Security-Policy header — deferred by the codebase's own plan, but a real gap for a site handling accounts and payments-adjacent commerce.
3. Production environment variables (SMTP, `CRON_SECRET`, `NEXT_PUBLIC_SITE_URL`, `DATABASE_URL` / `DIRECT_URL`, `ADMIN_PASSWORD` rotation) have only been confirmed present in the local dev `.env` — none of this was or could be verified for an actual production target in this audit.

P1 — should fix before or shortly after launch

1. No admin order-management UI — an admin cannot see or act on a placed order today despite the data model and helper functions already existing.
2. Online payment is a visible, disabled stub; only COD and offline-invoice are real — confirm this is the intended launch scope.
3. News post `bodyHtml` is rendered unsanitized — add a sanitization pass as defense-in-depth even though the input is admin-authored.
4. No OG/Twitter card metadata anywhere — every shared link renders as a bare, generic preview.
5. Scores page N+1 query pattern — fine at current data volume, will not scale linearly forever.
6. Order Detail is the one page still on the older hero component, inconsistent with the rest of the account/commerce group.
7. 21 newly-added product images average 1.5–2.4 MB each, unusually large for source assets even though `next/image` recompresses them per-request.

P2 — cleanup, not urgent

1. Shop's product grid and the product-detail page are the largest remaining surfaces still on pre-Club-Module CSS.
2. Duplicate `bulkUpdateStockAction` implementations with diverging validation.
3. Media admin's `?error=invalid` redirect has no visible error UI.
4. 57 remaining `--gs-*` / `.gs-*` Grandstand references, largely dormant.
5. Cart page has no per-page metadata export (low priority — already excluded from the sitemap and disallowed in robots.txt).
6. No JSON-LD structured data anywhere on the site.

16 Production Readiness

NOT PRODUCTION READY

Application code is sound — the block is deployment-environment configuration and one storage-path gap, not broken functionality.

Exact blockers

1. **Product image upload will fail on Vercel as currently written** — must be migrated to Vercel Blob (env var already scaffolded) before any admin can add a product image in production.
2. **No production environment has been configured or verified** — this audit confirmed local `.env` values only.
`DATABASE_URL` / `DIRECT_URL` (pooled + direct Neon Postgres), `SMTP_*`, `CRON_SECRET`, `NEXT_PUBLIC_SITE_URL`, and a rotated `ADMIN_PASSWORD` all need to be set in the actual hosting platform before go-live.
3. **No CSP** — acceptable to ship without one, but it is a known, unaddressed hardening gap for a site that handles accounts and order data.
4. **Admin cannot manage orders** — if the business needs to fulfil, mark-shipped, or cancel-and-restock a real order at launch, that UI does not exist yet even though the backend does.

Everything else in this report — the redesigned UI, the working commerce/account/contact flows, the clean typecheck/lint/build — is in a genuinely deployable state once the three items above are addressed.

17 Recommended Next Steps

Safest order, from the current state — each step is independent enough not to block the next, and ordered so the highest-risk-if-skipped items come first:

1. **Wire Vercel Blob into the product-image upload path** (the env var already exists) — this is the one change that actively breaks a working admin feature on the target host.
2. **Stand up and verify a real production environment** — Neon Postgres, SMTP, `CRON_SECRET`, `NEXT_PUBLIC_SITE_URL`; run `prisma migrate deploy` and `npm run db:seed` against it once, rotate the seed admin password immediately after.
3. **Decide and confirm launch scope for payments** — ship as COD/offline-invoice only (already fully working), or scope in an online gateway before launch. Either is a legitimate business decision; the current code just needs that decision made explicit.
4. **Build the minimal `/admin/orders` list + detail view** — the backend helpers already exist; this is UI work on top of working data access.
5. **Bring Order Detail onto `StoryHero`** for visual consistency with the rest of the account/commerce group — a small, contained change.
6. **Add a sanitization pass to news `bodyHtml`** before render, as defense-in-depth.
7. **Add OG/Twitter metadata** to the root layout at minimum (a single site-wide image + description covers every page immediately; per-page images can follow later).
8. **Re-encode the 21 large product PNGs** before they accumulate further — same visual result, smaller deploy artifact.
9. **Resolve the CSP gap** once the inline-style refactor referenced in `next.config.mjs`'s own comment is scheduled.
10. **Lower priority, any time:** Shop/product-detail CSS migration to the Club Module language, the duplicate stock-action cleanup, the Scores N+1 query, and the remaining Grandstand token removal.

— Summary

CURRENT STATE

A working Next.js 15 site with a consistent, redesigned "Club Module" visual language across 15 of 19 audited pages, a fixed and verified-readable global header, a working commerce flow (Shop → Cart → Checkout → Order → My Orders), a working authenticated account area, and a fully wired Contact-to-database-to-email pipeline. Typecheck, lint, and build all pass cleanly. Working tree is clean on `main` at `25e0789e`.

REMAINING WORK

Order Detail and Shop are partially redesigned; seven of ten admin routes have shared styling only, not a bespoke pass; OG/Twitter metadata and JSON-LD are absent site-wide; the Scores page has a real N+1 query pattern; news content is rendered without HTML sanitization; two divergent stock-update implementations exist; several Checkout/Profile/Admin screens could not be live-verified this engagement because doing so would require entering credentials.

PRODUCTION BLOCKERS

Product image upload targets a filesystem path that does not survive on Vercel; no production environment (database, SMTP, cron secret, site URL) has been configured or verified anywhere outside this local machine; there is no admin UI to manage a placed order; there is no Content-Security-Policy.

NEXT ACTION

Wire the already-scaffolded Vercel Blob upload path, then stand up and verify one real production environment end-to-end (migrate, seed, rotate the admin password) — those two steps remove the two hardest blockers and let every other item on the list above be addressed against a real, running deployment rather than local dev.