

VINCSS OVPN MOBILE APPLICATION USER MANUAL

Date: 14/09/2021

Number: CSS-IP-PUB-FIDO2-210914-045

Version: 1.0

Document type: Public document

Written by: Production Department, VinCSS

Contact:

Email:

Phone:

VINCSS INTERNET SECURITY SERVICES

No 7, Bang Lang 1 Street, Vinhomes Riverside, Viet Hung Ward, Long Bien District, Hanoi.

VERSION TRACKING

Version	Date	Writer	Department	Contact	Note
1.0	14/09/2021		Production Department, VinCSS		




TABLE OF CONTENTS

VERSION TRACKING	2
TABLE OF CONTENTS	3
I. iOS.....	4
I.1. Install VinCSS OVPN	4
I.2. Register the security key for the passwordless authentication.....	5
I.3. Add the VPN profile.....	7
I.4. Connect VPN by the VinCSS OVPN application.	11
I.4.1. Authenticating with the soft registered key on VinCSS OVPN	11
I.4.2. Authenticating with Username/Password	12
II. ANDROID	14
II.1. Install VinCSS OVPN	14
II.2. Register the security key for the passwordless authentication.....	14
II.2.1. Register the soft key with the VinCSS FIDO2 application.....	14
II.2.2. Register the VinCSS FIDO2® Touch 1 key	17
II.3. Add the VPN profile.....	17
II.4. Connect VPN by the VinCSS OVPN application	19
II.4.1. Authenticating with VinCSS FIDO2	19
II.4.2. Authenticating with VinCSS FIDO2® Touch 1 key.....	21
II.4.3. Authenticating with Username/Password.....	24
REFERENCES.....	26


I. iOS

I.1. Install VinCSS OVPN

- Search for the key words “VinCSS OVPN” on the App Store, click **Get** for installing.




- For the devices having FaceID, go to the **Settings->VinCSS OVPN** and allow the VinCSS OVPN application to use FaceID for the authentication.




I.2. Register the security key for the passwordless authentication


- Contact the system administrator to receive the QR Code for registering passwordless authentication key in the VinCSS OVPN application.
- Open the VinCSS OVPN application on the mobile and click **Register**.




- The message will be displayed on the mobile screen as below:




- Click on the QR Code symbol and scan the QR Code received from the system administrator. Check user's information and rename the key (if necessary), then click **Register**. Use FaceID or TouchID function to complete the key registration.



Check the key information




Authenticate FaceID to generate the key




Authenticate TouchID to generate the key

- The confirmation of successfully registered key will be shown.



- The key information will be displayed on the application screen.




- Click **VinCSS OVPN** on the upper left corner to return to the main screen.


I.3. Add the VPN profile

Notice: Contact the system administrator to receive the VPN profile. Save this profile in the mobile installed VinCSS OVPN application.


- There are two methods to add the profile:
 - **The 1st method:** Add the VPN profile from VinCSS OVPN:
 - Click the (+) icon on the application screen to add the profile.



- Select the VPN profile (file .ovpn) to add to VinCSS OVPN.




- Allowance request will appear on the screen after adding the profile to the VinCSS OVPN application. Click **Allow**, then use the FaceID, TouchID or PIN-code function (depends on smartphone configuration) to re-authenticate.




- **The 2nd method:** Open the downloaded profile (file .ovpn) and use the option to open it in VinCSS OVPN:
- Open the downloaded profile. At the upper right corner, click the arrow icon.




- Select the option to open the file using VinCSS OVPN.



- Allowance request will appear on the screen after adding the profile to the VinCSS OVPN application. Click **Allow**, then use the FaceID, TouchID or PIN-code function (depends on smartphone configuration) to re-authenticate.




- The VPN profile has been successfully added. The profile information will be displayed as below:



I.4. Connect VPN by the VinCSS OVPN application.

- Select the VPN profile that you need to connect. Click **Connect** icon to connect to the VPN.




*In the current version (version 1.1), VinCSS OVPN on iOS doesn't support the **Security Key** authentication method for the VinCSS FIDO2® Touch 1 key.*


I.4.1. Authenticating with the soft registered key on VinCSS OVPN

The registered authentication key on VinCSS OVPN. (refer to the section I.2.).

- Select **Built-in Key**. Enter the username (all in lowercase), select **Login**.




- Use the FaceID or TouchID function (depends on smartphone configuration) to complete the passwordless authentication. The VPN successful connection information will be displayed on the screen.




I.4.2. Authenticating with Username/Password


- Select the **Username/Password**.



- Type Username (all in lowercase) and Password, select **“Continue”**.




- The VPN successful connection information will be displayed on the screen.



II. ANDROID

II.1. Install VinCSS OVPN


Search for the key words “VinCSS OVPN” on the Play Store, click “**Install**” to set-up the application.




II.2. Register the security key for the passwordless authentication

II.2.1. Register the soft key with the VinCSS FIDO2 application


- Install VinCSS FIDO2:
 - Search the key word VinCSS FIDO2 on the Play Store.



- Select **Install** to set-up the application.
- Contact the system administrator to receive the QR Code for registering the key in the VinCSS OVPN application.




- Open VinCSS FIDO2, click on the QR Code icon and scan the QR Code.



- The key information will be displayed on the screen, click **Register** to register the key.



- Use the fingerprint function to complete the key generation. A message will be displayed on the screen to confirm the successful process.




II.2.2. Register the VinCSS FIDO2® Touch 1 key

- Contact the system administrator for the instructions of the authentication key registration.
- Refer to VinCSS FIDO2® Touch 1 user manual at the link: <https://github.com/VinCSS-Public-Projects/FIDO2-Public-Documents/tree/main/VinCSS-FIDO2-Touch-1>

II.3. Add the VPN profile


Notice: Contact the system administrator to receive the VPN profile. Save this profile in installed VinCSS OVPN application.

- Open the VinCSS OVPN application, click “**Add VPN Profile To Continue**”. Select the profile (file .ovpn) sent by the system administrator.



- Use one of two authentication methods:
 - o Select the FIDO2 Protocol for the passwordless authentication: Use VinCSS FIDO2 application on the mobile (section II.4.1) or VinCSS FIDO2® Touch 1 key (section II.4.2) for the passwordless authentication.

- Select the Username/Password to authenticate (refer to section II.4.3): Use the provided Username/Password for authentication.



16:50

vincss.user.ovpn


Select authentication method:

☒ FIDO2 protocol

☐ Username/ Password

ADD

Use the FIDO2 protocol for the passwordless authentication



16:35

vincss.user.ovpn

Select authentication method:

☐ FIDO2 protocol

☒ Username/ Password

vincss.user


.....

☐ Save Password

ADD


Use the Username/Password for the authentication

- The VPN profile has been successfully added, it will be displayed as below.



II.4. Connect VPN by the VinCSS OVPN application


- Open the VinCSS OVPN application, select the VPN profile to connect, click on the “CONNECT” icon.




II.4.1. Authenticating with VinCSS FIDO2

The registered key in VinCSS FIDO2 application (refer to the section II.2.1)


- Select **Use Built-in Authenticator on this device**. Enable **Remember this choice** for future using if needed.



- Click **CONTINUE**. Type the Username (all in lowercase), and click **Login**.




- Fingerprint verification is required by the application to complete the process. After VPN connection establishing, VPN connection information will be displayed on the screen.




II.4.2. Authenticating with VinCSS FIDO2® Touch 1 key


- Select **Use USB Security Key**. Enable **Remember this choice** for future using (if needed), and click **CONTINUE**.




- Enter the Username (all in lowercase), and click **Login**.




- Connect the VinCSS FIDO2® Touch 1 key to the smartphone after receiving the notification.




- Click “Ok” to allow VinCSS OVPN application to connect and use the VinCSS FIDO2® Touch 1 key.




- Type the PIN code of the VinCSS FIDO2® Touch 1 key, then click **“OK”**.



- Touch the yellow logo on the VinCSS FIDO2® Touch 1 key to complete the authentication after receiving the notification.




- After VPN connection establishing, VPN connection information will be displayed on the screen.




II.4.3. Authenticating with Username/Password

- Enter Username/Password (all in lowercase for the username), and then click **OK**.



- After VPN connection establishing, VPN connection information will be displayed on the screen.



REFERENCES

- VinCSS FIDO2 Ecosystem: <https://passwordless.vincss.net>
- VinCSS Youtube channel:
https://www.youtube.com/channel/UCNtS_7d4GtyecE2HCpJSr7g
- FAQs: <https://passwordless.vincss.net/en/support>
- VinCSS FIDO2® Touch 1 guide: <https://github.com/VinCSS-Public-Projects/FIDO2-Public-Documents/tree/main/VinCSS-FIDO2-Touch-1>

