

Retrieval Pipeline

Query Processing -

The screenshot displays the RAG Pipeline web application interface, specifically the 'Query Preprocessing & Search' section. The interface is divided into a left sidebar for navigation and a main content area.

Navigation Sidebar:

- Convert to JSON: Upload and convert Excel files (Test Cases or User Stories)
- Embeddings & Store: Create and manage embeddings
- Query Preprocessing**: Transform & expand queries
- Vector Search: Semantic vector search
- BM25 Search: Keyword-based search
- Hybrid Search: Combined BM25 + Vector

Main Content Area:

The main area has a header 'RAG Pipeline' with a 'Transform & expand queries' button. Below this is the 'Query Preprocessing & Search' section, which includes a text input field for 'Enter Your Query' containing the text 'Share Diagnostic Reports with IP for network via WhatsApp'. Below the input field are 'Quick Examples' buttons: 'UHID patient login issue OTP not working', 'TC_027 merge UHID records', 'doctor appointment booking IP admission', 'password reset OTP verification', and 'ER patient registration BP monitoring'. A 'PREPROCESS QUERY' button is located below these examples.


Below the input field, there are tabs for 'PIPELINE STEPS', 'ABBREVIATIONS', and 'SYNONYM VARIATIONS'. The 'ABBREVIATIONS' tab is currently selected, showing a table of 'Abbreviation Mappings'.

Abbreviation	Full Form	Position
IP	inpatient	30


Below the table, there is a 'Before & After Comparison' section. It shows the query 'share diagnostic reports with ip for network via whatsapp' in a yellow box labeled 'BEFORE (with abbreviations)' and the expanded query 'share diagnostic reports with inpatient for network via whatsapp' in a green box labeled 'AFTER (expanded)'.

At the bottom, there is a section titled 'How Query Preprocessing Works' with a list of steps:

1. **Normalization**: Converts text to lowercase, removes special characters, extracts test case IDs
2. **Abbreviation Expansion**: Expands healthcare abbreviations (UHID → unique health id, OTP → one time password)
3. **Synonym Expansion**: Generates multiple query variations using synonyms (patient → customer/user/individual)
4. **Search Execution**: Uses all variations to perform comprehensive search with better recall



Vector search



BM25 :

Assignments - June26 Tool: X | genai-assignments/week-6: X | Assignment 2 - Created: X | 1. Retrieval in RAG Test: X | potluck - Search: X | BM25 - Search: X | Testleaf: X | genai-assignments/GenAI: X | RAG Pipeline - Testleaf: X

localhost:3000

Navigation

- Convert to JSON
Upload and convert Excel files (Test Cases or User Stories)
- Embeddings & Store
Create and manage embeddings
- Query Preprocessing
Transform & expand queries
- Vector Search
Semantic vector search
- BM25 Search**
Keyword-based search
- Hybrid Search
Combined BM25 + Vector
- Score Fusion
BM25+Vector fusion reranking
- Summarize & Dedup
AI summarization & deduplication
- Prompt & Schema
Configure prompt templates & JSON schemas
- Settings
Configure environment

RAG Demo v1.3
Enterprise Edition

RAG Pipeline

Home > BM25 Search

Keyword-based search

BM25 Keyword Search

Fast keyword-based search using BM25 algorithm. Best for exact matches, IDs, and specific terms.

Search Query: Share Diagnostic Reports with Patients via WhatsApp

Results: 10

SHOW FILTERS

BM25 Search Results: Found 10 test cases in 71ms
Search Type: bm25

Search Results (10)

#1 **TC_5586** Score: 17.77

Reports - Clinical Reports - Diet Checklist Report - Active VIP Patients - View Report

Module: Doctors-Wards P2 Risk: Low Automated

Description: Verify user able to view Active VIP Patients Report

Steps: 1. Launch the application 2. Login to the application with valid credentials. 3. Click on Patient Service Tab and select Doctors and wards from the drop down. 4. Navigate to Functions->Reports->View Report 5. Click on Diet Checklist Report Link 6. Enter Date Of Preparation and Select Service Name 7. Click on Active VIP Patients Link

Expected Results: Active VIP Patients Report Should be Displayed

Created: 26/7/2025

#2 **TC_5560** Score: 17.77

Reports - Clinical Reports - Diet Checklist Report - Active VIP Patients - View Report

Found 10 results in 71ms

Hybrid Search

Assignments - June26 Tool: X | genai-assignments/week-6: X | 1. Retrieval in RAG Testcase: X | potluck - Search: X | BM25 - Search: X | Testleaf: X | genai-assignments/GenAI: X | RAG Pipeline - Testleaf: X

localhost:3000

Navigation

- Convert to JSON
Upload and convert Excel files (Test Cases or User Stories)
- Embeddings & Store
Create and manage embeddings
- Query Preprocessing
Transform & expand queries
- Vector Search
Semantic vector search
- BM25 Search
Keyword-based search
- Hybrid Search**
Combined BM25 + Vector
- Score Fusion
BM25+Vector fusion reranking
- Summarize & Dedup
AI summarization & deduplication
- Prompt & Schema
Configure prompt templates & JSON schemas
- Settings
Configure environment

RAG Demo v1.3
Enterprise Edition

RAG Pipeline

Home > Hybrid Search

Combined BM25 + Vector

Hybrid Search

Hybrid Search Results: Found 10 test cases in 4415ms
Stats: 9 in both indexes, 1 BM25 only, 0 vector only
Timing: BM25: 383ms, Vector: 4026ms
Cost: \$0.000001 (14 tokens)

Search Results (10)

#1 **TC_1174** Hybrid: 74.3% Found in: both

Investigation report of patients

Module: IP digital P2 Risk: Low Automated

Description: Investigation report of patients

Steps: 1. Launch the application 2. Login to the application with valid credentials. 3. Landing screen - should be able to view multiple tabs like My patients, all patients, new patients, discharge plan, testkit, drug administration, drug inventory, handover takeover & patient check out. 5. Select on investigation orders option of patient label 6. Click on lab report 7. Lab reports will be generated

Expected Results: To view lab reports of the patients

Score Breakdown: BM25: 58.5% (raw: 10.40) P2 Vector: 90.1% (raw: 0.90) P3 Hybrid: 74.3%

Created: 26/7/2025

#2 **TC_5565** Hybrid: 73.2% Found in: both

Reports - Clinical Reports - Patient Occupancy Report - View Report

Module: Doctors-Wards P3 Risk: Low Manual

Description: Verify user able to view Patient Occupancy Report

Steps: 1. Launch the application 2. Login to the application with valid credentials. 3. Click on Patient Service Tab and select Doctors and wards from the drop down. 4. Navigate to Functions->Reports->View Report 5. Click on Patient Occupancy Report Link 6. Select Ward 7. Click on View Report

Expected Results: Patient Occupancy Report Should be Displayed

Score Breakdown:

Score Fusion

Navigation

- Convert to JSON
- Embeddings & Store
- Query Preprocessing
- Vector Search
- BM25 Search
- Hybrid Search
- Score Fusion**
- Summarize & Dedup
- Prompt & Schema
- Settings

RAG Pipeline

Home > Score Fusion

BM25+Vector fusion reranking

Groq AI Reranking Results: Found 10 test cases ranked by Groq AI
Timing Total: 4901ms
Method: BM25 + Vector → Groq AI Semantic Reranking

AFTER RERANKING (FINAL) BEFORE RERANKING (ORIGINAL) COMPARISON TABLE

Before vs After Comparison

Original Rank (Candidates)	Test Case ID	Title	Vector Score	Groq Rerank Score	Final Rank
#4	TC_2736	AHCSummary → AHCSummary → Diagnostic & Imaging rep...	0.0000	0.8500	#1
#62	TC_4552	Wards Dashboard - Radiology Report	0.8981	0.8000	#2
#54	TC_4804	Daycare Dashboard - Radiology Report	0.8979	0.7800	#3
#8	TC_1174	Investigation report of patients	0.0000	0.7000	#4
#47	TC_336	Reports - MIS - Investigation Report	0.0000	0.6800	#5
#6	TC_148	Transfer Request within hospital → Diagnostic Cen...	0.0000	0.6000	#6
#56	TC_1200	View reports	0.9002	0.5500	#7
#46	TC_4992	Reports → BB Report Home → IPDetails Report ~...	0.0000	0.5000	#8
#31	TC_5905	AT → In Patient Details Report → View Report	0.0000	0.4500	#9
#32	TC_5908	AT → Free Patient Admission Report → View Rep...	0.0000	0.4400	#10

How to read this Table:

- Original Rank: Position in the 50-candidate pool
- Vector Score: Semantic similarity (0.0-1.0)
- Groq Rerank Score: AI-based relevance score
- Final Rank: Top-10 position after reranking
- Highlighted rows = Top-3 results by Groq AI
- Compare Original Rank vs Final Rank to see how much Groq reordered each result

Summarize & Deduplication

Navigation

- Convert to JSON
- Embeddings & Store
- Query Preprocessing
- Vector Search
- BM25 Search
- Hybrid Search
- Score Fusion
- Summarize & Dedup**
- Prompt & Schema
- Settings

RAG Pipeline

Home > Summarize & Dedup

AI summarization & deduplication

Original Results (20)

TC_5263 Score: 0.9090
Consultant Dashboard - My Appointments - OP Dashboard - Consultations - Diagnosis
Verify user able to Save Diagnosis
Doctors-Wards P2 Priority UI

TC_5555 Score: 0.9015
Reports - Clinical Reports - View Report
Verify user able to view Clinical Report
Doctors-Wards P3 Priority UI

TC_5581 Score: 0.9013
Reports - Clinical Reports - View Report
Verify user able to view Clinical Report
Doctors-Wards P3 Priority UI

TC_5083 Score: 0.9009
Doctor Dashboard - OP Dashboard - Consultations - Diagnosis
Verify user able to Save Diagnosis
Doctors-Wards P3 Priority UI

TC_1174 Score: 0.9009
Investigation report of patients
Investigation report of patients
IP digital P2 Priority UI

TC_5107 Score: 0.9006
Consultant Dashboard - Patient History - Patient Report Details - Report Link
Verify user able to View Patient Report in Patient History
Doctors-Wards P3 Priority UI

TC_5593 Score: 0.9003
Reports - Status Wise Patient Report - Export Report
Verify user able to Export Status Wise Patient Report
Doctors-Wards P3 Priority UI

TC_1200 Score: 0.9002
View reports
To view the captured forms
IP digital P2 Priority UI

TC_5101 Score: 0.8996
Doctor Dashboard - OP Dashboard - Search - Report
Verify user able to view patient Report
Doctors-Wards P3 Priority UI

TC_1050 Score: 0.8994
View patient's previous report
Verify patient's previous report
Digital dietician P3 Priority UI

TC_5341 Score: 0.8993
Consultant Dashboard - My Inpatients - View Reports
Verify user able to view reports
Doctors-Wards P2 Priority UI

TC_5592 Score: 0.8990
Reports - Status Wise Patient Report - View Report
Verify user able to view Status Wise Patient Report

TC_4896 Score: 0.8985
Patient History - Patient Report Details - Report Link
Verify user able to View Patient Report in Patient History

TC_1124 Score: 0.8983
View report of non appointment patient
Verify ability to view report of a non appointment patient

COPY ALL

RAG Pipeline Results

10-Step Pipeline Completed

- ✓ User Story Input
- ✓ Query Preprocessing (Normalize → Abbreviations → Synonyms)
- ✓ Hybrid Search – Test Cases (BM25 + Vector, weighted fusion)
- ✓ Hybrid Search – User Stories (BM25 + Vector)
- ✓ RRF Re-Ranking (Cross-encoder, top 10 selected)
- ✓ Deduplication (Cosine > 0.95)
- ✓ Summarization (TestLeaf API)
- ✓ Prompt Template + Context (ICEPOT framework)
- ✓ LLM Generation (TestLeaf API)
- ✓ JSON Validation (AJV)
- ✓ HTML Conversion (UI rendering)

Query Preprocessing: Applied transformations including synonym expansion, abbreviation handling, and healthcare domain optimization.

REFERENCE TEST CASES | GENERATED TEST CASES | AFFECTED USER STORIES (10)

Reference Test Cases (Retrieved from Database)

These are the top 8 most relevant test cases retrieved from the database that were used as context for generation.

Test Case ID	Title	Module	Priority	Preconditions	Test Steps	Expected Results	Score
TC_2736	AHCSummary -> AHCSummary -> Diagnostic & Imaging report	AHC	P3	N/A	1. Launch the application 2. Login to the application with valid credentials. 3. Click on Patient Service Tab and select AHC from drop down. 4. Navigate to Functions -> AHCSummary -> AHCSummary. 5. Select date or Enter UHID/AHC No and click on 'Go' button. 6. Click on AHC Number. 7. Click on Diagnostic & Imaging link 8. Observe the results 9. Click on Download or print icon	Diagnostic & Imaging details should be displayed	N/A
					1. Launch the application 2. Login to the application with valid credentials. 3. Click on Common Support Services Tab and select Billing from the drop down.	Patient Form 60 Report should be	

Analysis & Gaps

User Story: Share Diagnostic Reports with Patients via WhatsApp
Module: Patient Communication & Diagnostics
Coverage: 8 existing test cases

Gaps Identified:

- No existing automated test that validates WhatsApp integration for report delivery.
- Missing verification of patient consent handling before PHI transmission.
- Absence of tests for secure PDF encryption and time-bound download links.
- Lack of failure-scenario coverage (invalid numbers, service outage, un-validated reports).
- No audit-log validation to satisfy HIPAA traceability requirements.

Newly Generated Test Cases

10 new test cases generated based on the retrieved context and identified gaps.

Test Case ID	Title	Module	Priority	Test Type	Preconditions	Test Steps	Expected Results
TC_6355	Positive flow – Send validated report via WhatsApp with consent	Patient Communication & Diagnostics	P1	Functional	Patient record exists with UHID, valid mobile number, and active WhatsApp consent. Lab technician has validated the report and PDF is encrypted.	1. Launch the HMS application and login as an authorized diagnostic technician. 2. Search patient by UHID and open the validated report. 3. Click the "Share via WhatsApp" button. 4. Verify that the system displays a confirmation dialog showing the patient's WhatsApp number. 5. Confirm the send action. 6. Observe the system invoking the WhatsApp API and generating a secure download link (24-hour expiry). 7. Check the on-screen success toast and navigate to the Delivery Log screen.	A WhatsApp message is queued and sent containing only the secure link; the link expires after 24 hours; Delivery Log records a SUCCESS entry with timestamp, UHID, and message ID.

API --Practice Query Processing and Retrieval Process with different outputs

TNS-Workspace

Search

Invite Upgrade

🔔 ⚙️ 🔒 🔗

✖

🏠 📁 🔄 📄

+

🔗

...

COLLECTIONS

> Cohere Embed v2 API Collection

> GenAI-June

> GenAI-June-HomeAssignment

> Jira Story

> langflow-GenAI

> RAG Backend API Collection-June

> Health & Status

> Data Management

> Embeddings

> Query Processing

> Search

> POST Vector Search

> POST BM25 Search

> POST Hybrid Search

> Results Processing

> Utilities

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

FLOWS

POST

POST Simpli

POST Ims

POST Multi

POST Multi

POST Mul

POST Vecto

+

No environment

🔗

RAG Backend API Collection-June

> Search

> Vector Search

📄 Save

🔗 Share

POST

{{base_url}}/api/search

Send

Docs

Params

Authorization

Headers 9

Body

Scripts

Settings

Cookies

raw

JSON

Schema

Beautify

```
4  "filters": {
5    "module": "",
6    "priority": "",
7    "risk": "",
8    "automationManual": ""
9  }
10 }
```

Body

🔍

200 OK

3.03 s

4.94 KB

🌐

📄 Save Response

...

{}

JSON

Preview

Visualize

🔍

🔗

📄

```
12  "id": "6a65afc5b915ba5c53699773",
13  "module": "AHC",
14  "id": "TC_2616",
15  "preRequisites": "No Pre-requisite",
16  "title": "Mastersetup->Map Login Counter",
17  "description": "To verify the user able to create Map Login Counter.",
18  "steps": "\r\n1.Launch the application\r\n2.Login to the application
with valid credentials.\r\n3.Click on Patient Service Tab and select
AHC from drop down.\r\n4.Navigate to Functions ->
Mastersetup\r\n->Map Login Counter.\r\n5.Click on Map Login Counter.
\r\n6.Enter Login ID and select Counter.\r\n7.Click on \"ADD\"
button.\r\n\r\n\r\n",
19  "expectedResults": "User should able to create Map Login Counter.",
```

🔗 Connect Git

Terminal

Console

🔍 0

🔍 0

🔗 Import Complete

Globals

Vault

Tools

🔗

TNS-Workspace

Search

Invite Upgrade

🔔 ⚙️ 🔒 🔗

✖

🏠 📁 🔄 📄

+

🔗

...

COLLECTIONS

> Jira Story

> langflow-GenAI

> RAG Backend API Collection-June

> Health & Status

> Data Management

> Embeddings

> Query Processing

> Search

> POST Vector Search

> POST BM25 Search

> POST Hybrid Search

> Results Processing

> POST Deduplicate Results

> POST Summarize Results

> Utilities

> RAG MongoDB - Data Ingestion

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

FLOWS

POST Simpli

POST Ims

POST Multi

POST Multi

POST Mul

POST Vecto

POST Dedu

+

No environment

🔗

RAG Backend API Collection-June

> Results Processing

> Deduplicate Results

📄 Save

🔗 Share

POST

{{base_url}}/api/search/deduplicate

Send

Docs

Params

Authorization

Headers 9

Body

Scripts

Settings

Cookies

raw

JSON

Schema

Beautify

```
7  },
8  {
9    "id": "TC_002",
10   "title": "Login functionality test",
11   "description": "Test user login"
12 }
13 }
```

Body

🔍

200 OK

274 ms

792 B

🌐

📄 Save Response

...

{}

JSON

Preview

Visualize

🔍

🔗

📄

```
1  {
2    "original": [
3      {
4        "id": "TC_001",
5        "title": "Login functionality test",
6        "description": "Test user login"
7      },
8      {
9        "id": "TC_002",
10       "title": "Login functionality test",
11       "description": "Test user login"
12     }
13   ],
```

🔗 Connect Git

Terminal

Console

🔍 0

🔍 0

🔗 Import Complete

Globals

Vault

Tools

🔗

New Chat

+

🔍

Save and verify the Multimodal body

Add assertions for multimodal embedding

Parameterize image + text inputs

Describe what you need. Press @ for context, / for Skills.

🔗 Auto

🔗

Turn this into a collection test

Run a small edge-case matrix

Document the request contract

Describe what you need. Press @ for context, / for Skills.

🔗 Auto

🔗

The image displays two screenshots of the TNS-Workspace application, which is used for testing and managing APIs. The interface includes a sidebar with a 'COLLECTIONS' tree, a main workspace for editing API requests, and a right-hand panel for chat and documentation.

Top Screenshot: Preprocess Query

- Request:** A POST request to `{{base_url}}/api/search/preprocess`.
- Body (JSON):**

```
{  "query": "password reset OTP verification",  "options": {    "enableAbbreviations": true,    "enableSynonyms": true,    "maxSynonymVariations": 5,    "customAbbreviations": {}  }}
```
- Response:** A 200 OK status with a response time of 68 ms and a size of 1.21 KB. The response body is a JSON object with a `position` of 15 and a `synonymMappings` array containing a mapping for the term "password".

Bottom Screenshot: Hybrid Search

- Request:** A POST request to `{{base_url}}/api/search/hybrid`.
- Body (JSON):**

```
{  "id",  "title",  "description",  "steps",  "expectedResults",  "module"}
```
- Response:** A 200 OK status with a response time of 4.55 s and a size of 11.65 KB. The response body is a JSON object with fields for `_id`, `module`, `id`, `title`, `description`, and `steps`.

Exploration Assignment – SARVAM AI

TNS-Workspace

Search

Invite Upgrade

AI

New Chat

COLLECTIONS

Cohere Embed v2 API Collection

GenAI-June

GenAI-June-HomeAssignment

Jira Story

langflow-GenAI

RAG Backend API Collection-June

RAG MongoDB - Data Ingestion

Sarvam AI API Collection

POST Chat Completion

POST Translate Text

POST Transliteration

POST Language Detection

POST Text To Speech

POST Speech To Text

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

FLOWES

Sarvam AI API Collection > Chat Completion

POST

{{baseUri}} /v1/chat/completions

Send

Docs Params Authorization Headers 10 Body Scripts Settings

raw JSON

Schema Beautify

```
1 {
2   "model": "sarvam-105b",
3   "messages": [
4     {
5       "role": "user",
6       "content": "Explain Artificial Intelligence."
8     }
9   ]
10 }
```

Body

200 OK · 18.47 s · 9.98 KB

Save Response

JSON Preview Visualize

```
4 {
5   "finish_reason": "length",
6   "index": 0,
7   "logprobs": null,
8   "message": {
9     "content": "Of course! Let's break down Artificial Intelligence, from the simple concept to its complex real-world implications. \n\n## The Simple, Core Idea\nAt its heart, **Artificial Intelligence (AI)** is about making computers smart.**\n\nThink of it this way: for decades, computers were brilliant at doing exactly what they were told. They could calculate numbers, store data, and follow instructions perfectly. But they couldn't handle ambiguity, learn from experience, or understand the world
```

Connect Git Terminal Console 0 0

Import Complete

Globals Vault Tools

TNS-Workspace

Search

Invite Upgrade

AI

New Chat

COLLECTIONS

Cohere Embed v2 API Collection

GenAI-June

GenAI-June-HomeAssignment

Jira Story

langflow-GenAI

RAG Backend API Collection-June

RAG MongoDB - Data Ingestion

Sarvam AI API Collection

POST Chat Completion

POST Translate Text

POST Transliteration

POST Language Detection

POST Text To Speech

POST Speech To Text

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

FLOWES

Sarvam AI API Collection > Translate Text

POST

{{baseUri}} /translate

Send

Docs Params Authorization Headers 10 Body Scripts Settings

raw JSON

Schema Beautify

```
1 {
2   "input": "Hello, how are you?",
3   "source_language_code": "en-IN",
4   "target_language_code": "hi-IN"
5 }
```

Body

200 OK · 318 ms · 813 B

Save Response

JSON Preview Visualize

```
1 {
2   "request_id": "20260731_2979a48c-0f67-4ab4-b19a-d778447c3eda",
3   "translated_text": "नमस्ते, आप कैसे हैं?",
4   "source_language_code": "en-IN"
5 }
```

Connect Git Terminal Console 0 0

Import Complete

Globals Vault Tools

TNS-Workspace

Search

Invite Upgrade

POST Chat Sarvam POST Trans POST Trans POST Lang POST Text

No environment

AI

New Chat

COLLECTIONS

- Cohere Embed v2 API Collection
- GenAI-June
- GenAI-June-HomeAssignment
- Jira Story
- langflow-GenAI
- RAG Backend API Collection-June
- RAG MongoDB - Data Ingestion
- Sarvam AI API Collection
 - POST Chat Completion
 - POST Translate Text
 - POST Transliteration
 - POST Language Detection
 - POST Text To Speech
 - POST Speech To Text

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

FLOWs

Sarvam AI API Collection > Text To Speech

POST

{{baseUri}}/text-to-speech

Send

Docs Params Authorization Headers 10 Body Scripts Settings

raw JSON

Schema Beautify

```
1 {
2   "text": "Welcome to Sarvam AI",
3   "language_code": "en-IN"
4 }
```

Body

200 OK • 571 ms • 70.1 KB

Save Response

JSON

Preview Visualize

```
1 {
2   "request_id": "20260731_d5f2b19e-1a7d-4b68-a60d-38ace18568fb",
3   "audios": [
4     "Uk1GR1TQAABXQVZFZm10IBAAAAA0ABAEI1YAAESsAAACABAAGF0YQDQAAAAAsAEATABmATIAAd
      ABgAFgATABMAEgAVABMAEgASABEAewATABEADgANAASADwASABAADwANAAwADQAMAAwADQARA
      ASAEQATABAAEQAVABUFAATABIAEQAVABMAFQAbABcAEwAPAABAEwATABQAGQAXABTAEAAAPAB
      QAGAAXABIAEQAVABcAGgAbABgAFQATABUAGQAZABcAFgAaABsAFgAVABkAHgAbABgAGQAYABg
      AFQATABIAFAAVABEADQARABUAEwATABYAFgAUABAAADgASABcAGQAdABsAGQAWABMAFQAWABcA
      GAAYABwAHQACABoAFQAUABEADwARABkAHAAeABsAGAAABQAFwAWABgAGgAYABsAGgAaABkAG
      wAdABsAGQATABMAEgARAASADQAPABAAEQAOAAADwAOAAACQAJAAGABwFAAYABQADAAIAAg
      ADAUABgALABAADAAMAAADgAOABEAGAAWABMAFAATABQAFQAWABQAFQAVABcFAAZABwATIAA
      gABBAJAAfABwAFgAdABBAHQAdABwAHAAaABUAGAAhABQAFQATABUAEAAABAAEwAEAP//
      BwATAP7/+v8HAP3/B/8NAP3/
      +vRTAAcAFnASARdATAAhARTATAAihARdAGAAwAFnFAI nAmACnANAAfARkAMwAAvARoATnAvACYAF
```

Fix Transliteration 400 parsing

Resolve Chat Completion 403 auth

Parameterize runs with variables

Describe what you need. Press @ for context, / for Skills.

Auto

Connect Git Terminal Console 0 0 Import Complete

Globals Vault Tools