RAG Fraud Detection System

0.1.0 OAS 3.1

/openapi.json

default

GET / Root

POST /predict Predict

Parameters Cancel Reset

No parameters

Request body required application/json

Edit Value Schema

```
{
  "amount": 28000,
  "location": "US"
}
```

Execute Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/predict' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
  "amount": 28000,
  "location": "US"
}'
```

Request URL

```
http://127.0.0.1:8000/predict
```

Server response

Code	Details
200	

Response body


```
{
  "input": {
    "amount": 28000,
    "location": "US"
  },
  "prediction": {
    "risk_score": 1,
    "is_fraud": true
  },
  "retrieved_case": "Transactions above $2000 are high risk",
  "llm_explanation": "This transaction is flagged as risky because it involves a h
igh amount of $28000.0 from US, with a risk score of 1.0. It matches known fraud p
atterns such as: Transactions above $2000 are high risk."
}
```


Download

Response headers

```
content-length: 369
content-type: application/json
date: Wed,01 Apr 2026 20:06:09 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema

```
"string"
```

Code	Description	Links
422	Validation Error Media type **application/json** **Example Value** Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

POST `/chat` Chat

Schemas

ChatRequest > Expand all `object`

HTTPValidationError > Expand all `object`

Transaction > Expand all `object`

ValidationError > Expand all `object`