# RAG Fraud Detection System

0.1.0 OAS 3.1

/openapi.json

## default

GET / Root

POST /predict Predict

**Parameters** Cancel Reset

No parameters

**Request body** required application/json

**Edit Value** Schema

```
{
  "amount": 20,
  "location": "US"
}
```

Execute Clear

**Responses**

**Curl**

```
curl -X 'POST' \
  'http://127.0.0.1:8000/predict' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
  "amount": 20,
  "location": "US"
}'
```

**Request URL**

```
http://127.0.0.1:8000/predict
```

**Server response**

| Code | Details |
|---|---|
| 200 | |

**Response body**


```
{
  "input": {
    "amount": 20,
    "location": "US"
  },
  "prediction": {
    "risk_score": 0,
    "is_fraud": false
  },
  "retrieved_case": "Low transactions below $100 are safe",
  "llm_explanation": "This transaction appears normal because the amount of $20.0 is relatively low and does not match known fraud patterns. The risk score is 0.0 indicating low risk."
}
```


Download

**Response headers**

```
content-length: 329
content-type: application/json
date: Wed,01 Apr 2026 20:05:45 GMT
server: uvicorn
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

**application/json**

Controls `Accept` header.

**Example Value** Schema

```
"string"
```

| Code | Description | Links |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

**application/json**

**Example Value** Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


POST `/chat` Chat

## Schemas

**ChatRequest** Expand all `object`

**HTTPValidationError** Expand all `object`

**Transaction** Expand all `object`

**ValidationError** Expand all `object`