

Real Estate

March 9, 2024

Project Task: Week 1 Data Import and Preparation:

1. Import data.

```
[1]: import pandas as pd
      #pd.set_option('display.max_rows',None)
      pd.set_option('display.max_columns',None)
```

```
[2]: df_train=pd.read_csv('train.csv')
      df_test=pd.read_csv('test.csv')
```

```
[3]: df_train.head()
```

```
[3]:      UID  BLOCKID  SUMLEVEL  COUNTYID  STATEID      state state_ab \
0  267822      NaN      140        53        36    New York      NY
1  246444      NaN      140       141        18    Indiana      IN
2  245683      NaN      140        63        18    Indiana      IN
3  279653      NaN      140       127        72  Puerto Rico      PR
4  247218      NaN      140       161        20     Kansas      KS

      city      place  type primary  zip_code  area_code      lat \
0  Hamilton  Hamilton  City  tract    13346      315  42.840812
1  South Bend  Roseland  City  tract    46616      574  41.701441
2  Danville  Danville  City  tract    46122      317  39.792202
3  San Juan  Guaynabo  Urban  tract     927      787  18.396103
4  Manhattan  Manhattan City  City  tract    66502      785  39.195573

      lng      ALand  AWater  pop  male_pop  female_pop  rent_mean \
0 -75.501524  202183361.0  1699120  5230      2612      2618  769.38638
1 -86.266614   1560828.0   100363  2633      1349      1284  804.87924
2 -86.515246   69561595.0   284193  6881      3643      3238  742.77365
3 -66.104169   1105793.0      0  2700      1141      1559  803.42018
4 -96.569366   2554403.0      0  5637      2586      3051  938.56493

      rent_median  rent_stdev  rent_sample_weight  rent_samples  rent_gt_10 \
0          784.0    232.63967          272.34441          362.0      0.86761
1          848.0    253.46747          312.58622          513.0      0.97410
2          703.0    323.39011          291.85520          378.0      0.95238
3          782.0    297.39258          259.30316          368.0      0.94693
```

4	881.0	392.44096	1005.42886	1704.0	0.99286	
---	-------	-----------	------------	--------	---------	--

	rent_gt_15	rent_gt_20	rent_gt_25	rent_gt_30	rent_gt_35	rent_gt_40	\
0	0.79155	0.59155	0.45634	0.42817	0.18592	0.15493	
1	0.93227	0.69920	0.69920	0.55179	0.41235	0.39044	
2	0.88624	0.79630	0.66667	0.39153	0.39153	0.28307	
3	0.87151	0.69832	0.61732	0.51397	0.46927	0.35754	
4	0.98247	0.91688	0.84740	0.78247	0.60974	0.55455	

	rent_gt_50	universe_samples	used_samples	hi_mean	hi_median	\
0	0.12958		387	355	63125.28406	48120.0
1	0.27888		542	502	41931.92593	35186.0
2	0.15873		459	378	84942.68317	74964.0
3	0.32961		438	358	48733.67116	37845.0
4	0.44416		1725	1540	31834.15466	22497.0

	hi_stdev	hi_sample_weight	hi_samples	family_mean	family_median	\
0	49042.01206	1290.96240	2024.0	67994.14790	53245.0	
1	31639.50203	838.74664	1127.0	50670.10337	43023.0	
2	56811.62186	1155.20980	2488.0	95262.51431	85395.0	
3	45100.54010	928.32193	1267.0	56401.68133	44399.0	
4	34046.50907	1548.67477	1983.0	54053.42396	50272.0	

	family_stdev	family_sample_weight	family_samples	hc_mortgage_mean	\
0	47667.30119	884.33516	1491.0	1414.80295	
1	34715.57548	375.28798	554.0	864.41390	
2	49292.67664	709.74925	1889.0	1506.06758	
3	41082.90515	490.18479	729.0	1175.28642	
4	39609.12605	244.08903	395.0	1192.58759	

	hc_mortgage_median	hc_mortgage_stdev	hc_mortgage_sample_weight	\
0	1223.0	641.22898	377.83135	
1	784.0	482.27020	316.88320	
2	1361.0	731.89394	699.41354	
3	1101.0	428.98751	261.28471	
4	1125.0	327.49674	76.61052	

	hc_mortgage_samples	hc_mean	hc_median	hc_stdev	hc_samples	\
0	867.0	570.01530	558.0	270.11299	770.0	
1	356.0	351.98293	336.0	125.40457	229.0	
2	1491.0	556.45986	532.0	184.42175	538.0	
3	437.0	288.04047	247.0	185.55887	392.0	
4	134.0	443.68855	444.0	76.12674	124.0	

	hc_sample_weight	home_equity_second_mortgage	second_mortgage	\
0	499.29293	0.01588	0.02077	
1	189.60606	0.02222	0.02222	

2	323.35354	0.00000	0.00000
3	314.90566	0.01086	0.01086
4	79.55556	0.05426	0.05426

	home_equity	debt	second_mortgage_cdf	home_equity_cdf	debt_cdf	\
0	0.08919	0.52963	0.43658	0.49087	0.73341	
1	0.04274	0.60855	0.42174	0.70823	0.58120	
2	0.09512	0.73484	1.00000	0.46332	0.28704	
3	0.01086	0.52714	0.53057	0.82530	0.73727	
4	0.05426	0.51938	0.18332	0.65545	0.74967	

	hs_degree	hs_degree_male	hs_degree_female	male_age_mean	\
0	0.89288	0.85880	0.92434	42.48574	
1	0.90487	0.86947	0.94187	34.84728	
2	0.94288	0.94616	0.93952	39.38154	
3	0.91500	0.90755	0.92043	48.64749	
4	1.00000	1.00000	1.00000	26.07533	

	male_age_median	male_age_stdev	male_age_sample_weight	male_age_samples	\
0	44.00000	22.97306	696.42136	2612.0	
1	32.00000	20.37452	323.90204	1349.0	
2	40.83333	22.89769	888.29730	3643.0	
3	48.91667	23.05968	274.98956	1141.0	
4	22.41667	11.84399	1296.89877	2586.0	

	female_age_mean	female_age_median	female_age_stdev	\
0	44.48629	45.33333	22.51276	
1	36.48391	37.58333	23.43353	
2	42.15810	42.83333	23.94119	
3	47.77526	50.58333	24.32015	
4	24.17693	21.58333	11.10484	

	female_age_sample_weight	female_age_samples	pct_own	married	\
0	685.33845	2618.0	0.79046	0.57851	
1	267.23367	1284.0	0.52483	0.34886	
2	707.01963	3238.0	0.85331	0.64745	
3	362.20193	1559.0	0.65037	0.47257	
4	1854.48652	3051.0	0.13046	0.12356	

	married_snp	separated	divorced
0	0.01882	0.01240	0.08770
1	0.01426	0.01426	0.09030
2	0.02830	0.01607	0.10657
3	0.02021	0.02021	0.10106
4	0.00000	0.00000	0.03109

```
[4]: df_test.head()
```

```

[4]:      UID  BLOCKID  SUMLEVEL  COUNTYID  STATEID      state state_ab \
0  255504      NaN      140      163      26      Michigan      MI
1  252676      NaN      140       1      23          Maine      ME
2  276314      NaN      140      15      42  Pennsylvania      PA
3  248614      NaN      140     231      21      Kentucky      KY
4  286865      NaN      140     355      48          Texas      TX

      city      place      type primary  zip_code \
0      Detroit  Dearborn Heights City      CDP  tract      48239
1      Auburn      Auburn City      City  tract      4210
2      Pine City      Millerton  Borough  tract      14871
3      Monticello      Monticello City      City  tract      42633
4  Corpus Christi      Edroy      Town  tract      78410

      area_code      lat      lng      ALand      AWater      pop      male_pop \
0      313  42.346422 -83.252823      2711280      39555      3417      1479
1      207  44.100724 -70.257832      14778785      2705204      3796      1846
2      607  41.948556 -76.783808      258903666      863840      3944      2065
3      606  36.746009 -84.766870      501694825      2623067      2508      1427
4      361  27.882461 -97.678586      13796057      497689      6230      3274

      female_pop      rent_mean      rent_median      rent_stdev      rent_sample_weight \
0      1938      858.57169      859.0      232.39082      276.07497
1      1950      832.68625      750.0      267.22342      183.32299
2      1879      816.00639      755.0      416.25699      141.39063
3      1081      418.68937      385.0      156.92024      88.95960
4      2956      1031.63763      997.0      326.76727      277.39844

      rent_samples      rent_gt_10      rent_gt_15      rent_gt_20      rent_gt_25      rent_gt_30 \
0      424.0      1.00000      0.95696      0.85316      0.85316      0.85316
1      245.0      1.00000      1.00000      0.86611      0.67364      0.30962
2      217.0      0.97573      0.93204      0.78641      0.71845      0.63592
3      93.0      1.00000      0.93548      0.93548      0.64516      0.55914
4      624.0      0.72276      0.66506      0.53526      0.38301      0.18910

      rent_gt_35      rent_gt_40      rent_gt_50      universe_samples      used_samples \
0      0.85316      0.76962      0.63544      435      395
1      0.30962      0.30962      0.27197      275      239
2      0.47573      0.43689      0.32524      245      206
3      0.46237      0.46237      0.36559      153      93
4      0.16667      0.14263      0.11058      660      624

      hi_mean      hi_median      hi_stdev      hi_sample_weight      hi_samples \
0      48899.52121      38746.0      44392.20902      798.02401      1180.0
1      72335.33234      61008.0      51895.81159      922.82969      1722.0
2      58501.15901      51648.0      45245.27248      893.07759      1461.0
3      38237.55059      31612.0      34527.61607      775.17947      957.0

```

4	114456.07790	94211.0	81950.95692	836.30759	2404.0
---	--------------	---------	-------------	-----------	--------

	family_mean	family_median	family_stdev	family_sample_weight	\
0	53802.87122	45167.0	43756.56479	464.30972	
1	85642.22095	74759.0	49156.72870	482.99945	
2	65694.06582	57186.0	44239.31893	619.73962	
3	44156.38709	34687.0	34899.74300	535.21987	
4	123527.02420	103898.0	72173.55823	507.42257	

	family_samples	hc_mortgage_mean	hc_mortgage_median	hc_mortgage_stdev	\
0	769.0	1139.24548	1109.0	336.47710	
1	1147.0	1533.25988	1438.0	536.61118	
2	1084.0	1254.54462	1089.0	596.85204	
3	689.0	862.65763	749.0	624.42157	
4	1738.0	1996.41425	1907.0	740.21168	

	hc_mortgage_sample_weight	hc_mortgage_samples	hc_mean	hc_median	\
0	262.67011	474.0	488.51323	436.0	
1	373.96188	937.0	661.31296	668.0	
2	340.45884	552.0	397.44466	356.0	
3	299.56752	337.0	200.88113	180.0	
4	319.97570	1102.0	867.57713	804.0	

	hc_stdev	hc_samples	hc_sample_weight	home_equity_second_mortgage	\
0	192.75147	271.0	189.18182	0.06443	
1	201.31365	510.0	279.69697	0.01175	
2	189.40372	664.0	534.16737	0.01069	
3	91.56490	467.0	454.85404	0.00995	
4	376.20236	642.0	333.91919	0.00000	

	second_mortgage	home_equity	debt	second_mortgage_cdf	\
0	0.06443	0.07651	0.63624	0.14111	
1	0.01175	0.14375	0.64755	0.52310	
2	0.01316	0.06497	0.45395	0.51066	
3	0.00995	0.01741	0.41915	0.53770	
4	0.00000	0.03440	0.63188	1.00000	

	home_equity_cdf	debt_cdf	hs_degree	hs_degree_male	hs_degree_female	\
0	0.55087	0.51965	0.91047	0.92010	0.90391	
1	0.26442	0.49359	0.94290	0.92832	0.95736	
2	0.60484	0.83848	0.89238	0.86003	0.92463	
3	0.80931	0.87403	0.60908	0.56584	0.65947	
4	0.74519	0.52943	0.86297	0.87969	0.84466	

	male_age_mean	male_age_median	male_age_stdev	male_age_sample_weight	\
0	33.37131	27.83333	22.36768	334.30978	
1	43.88680	46.08333	22.90302	427.10824	

2	39.81661	41.91667	24.29111	499.10080
3	41.81638	43.00000	24.65325	333.57733
4	42.13301	43.75000	22.69502	833.57435

	male_age_samples	female_age_mean	female_age_median	female_age_stdev	\
0	1479.0	34.78682	33.75000	21.58531	
1	1846.0	44.23451	46.66667	22.37036	
2	2065.0	41.62426	44.50000	22.86213	
3	1427.0	44.81200	48.00000	21.03155	
4	3274.0	40.66618	42.66667	21.30900	

	female_age_sample_weight	female_age_samples	pct_own	married	\
0	416.48097	1938.0	0.70252	0.28217	
1	532.03505	1950.0	0.85128	0.64221	
2	453.11959	1879.0	0.81897	0.59961	
3	263.94320	1081.0	0.84609	0.56953	
4	709.90829	2956.0	0.79077	0.57620	

	married_snp	separated	divorced
0	0.05910	0.03813	0.14299
1	0.02338	0.00000	0.13377
2	0.01746	0.01358	0.10026
3	0.05492	0.04694	0.12489
4	0.01726	0.00588	0.16379

```
[5]: df_train.shape
```

```
[5]: (27321, 80)
```

```
[6]: df_test.shape
```

```
[6]: (11709, 80)
```

2. Figure out the primary key and look for the requirement of indexing.

```
[7]: len(set(df_train['UID']).intersection(set(df_test['UID'])))
```

```
[7]: 123
```

So here 123 common UID in train and test data.


```
[8]: df_train.dtypes
```

```
[8]: UID                int64
BLOCKID             float64
SUMLEVEL            int64
COUNTYID           int64
STATEID             int64
...
```

```
pct_own      float64
married      float64
married_snp  float64
separated    float64
divorced     float64
Length: 80, dtype: object
```

```
[9]: df_train.dtypes.value_counts().plot(kind='bar')
```

```
[9]: <AxesSubplot:>
```



```
[10]: df_train.describe(include='O')
```

```
[10]:
```

	state	state_ab	city	place	type	primary
count	27321	27321	27321	27321	27321	27321
unique	52	52	6916	9912	6	1
top	California	CA	Chicago	New York City	City	tract
freq	2926	2926	294	490	15237	27321

3. Gauge the fill rate of the variables and devise plans for missing value treatment. Please explain explicitly the reason for the treatment chosen for each variable.

```
[11]: #This flag will help us split the data back later
df_train['split'] = 'Train'
```

```
df_test['split']='Test'
```

```
[12]: df_combined=df_train.append(df_test, ignore_index=True)
df_combined.head()
```

```
[12]:
```

	UID	BLOCKID	SUMLEVEL	COUNTYID	STATEID	state	state_ab	\
0	267822	NaN	140	53	36	New York	NY	
1	246444	NaN	140	141	18	Indiana	IN	
2	245683	NaN	140	63	18	Indiana	IN	
3	279653	NaN	140	127	72	Puerto Rico	PR	
4	247218	NaN	140	161	20	Kansas	KS	

	city	place	type	primary	zip_code	area_code	lat	\
0	Hamilton	Hamilton	City	tract	13346	315	42.840812	
1	South Bend	Roseland	City	tract	46616	574	41.701441	
2	Danville	Danville	City	tract	46122	317	39.792202	
3	San Juan	Guaynabo	Urban	tract	927	787	18.396103	
4	Manhattan	Manhattan City	City	tract	66502	785	39.195573	

	lng	ALand	AWater	pop	male_pop	female_pop	rent_mean	\
0	-75.501524	202183361.0	1699120	5230	2612	2618	769.38638	
1	-86.266614	1560828.0	100363	2633	1349	1284	804.87924	
2	-86.515246	69561595.0	284193	6881	3643	3238	742.77365	
3	-66.104169	1105793.0	0	2700	1141	1559	803.42018	
4	-96.569366	2554403.0	0	5637	2586	3051	938.56493	

	rent_median	rent_stdev	rent_sample_weight	rent_samples	rent_gt_10	\
0	784.0	232.63967	272.34441	362.0	0.86761	
1	848.0	253.46747	312.58622	513.0	0.97410	
2	703.0	323.39011	291.85520	378.0	0.95238	
3	782.0	297.39258	259.30316	368.0	0.94693	
4	881.0	392.44096	1005.42886	1704.0	0.99286	

	rent_gt_15	rent_gt_20	rent_gt_25	rent_gt_30	rent_gt_35	rent_gt_40	\
0	0.79155	0.59155	0.45634	0.42817	0.18592	0.15493	
1	0.93227	0.69920	0.69920	0.55179	0.41235	0.39044	
2	0.88624	0.79630	0.66667	0.39153	0.39153	0.28307	
3	0.87151	0.69832	0.61732	0.51397	0.46927	0.35754	
4	0.98247	0.91688	0.84740	0.78247	0.60974	0.55455	

	rent_gt_50	universe_samples	used_samples	hi_mean	hi_median	\
0	0.12958	387	355	63125.28406	48120.0	
1	0.27888	542	502	41931.92593	35186.0	
2	0.15873	459	378	84942.68317	74964.0	
3	0.32961	438	358	48733.67116	37845.0	
4	0.44416	1725	1540	31834.15466	22497.0	

	hi_stdev	hi_sample_weight	hi_samples	family_mean	family_median	\
0	49042.01206	1290.96240	2024.0	67994.14790	53245.0	
1	31639.50203	838.74664	1127.0	50670.10337	43023.0	
2	56811.62186	1155.20980	2488.0	95262.51431	85395.0	
3	45100.54010	928.32193	1267.0	56401.68133	44399.0	
4	34046.50907	1548.67477	1983.0	54053.42396	50272.0	

	family_stdev	family_sample_weight	family_samples	hc_mortgage_mean	\
0	47667.30119	884.33516	1491.0	1414.80295	
1	34715.57548	375.28798	554.0	864.41390	
2	49292.67664	709.74925	1889.0	1506.06758	
3	41082.90515	490.18479	729.0	1175.28642	
4	39609.12605	244.08903	395.0	1192.58759	

	hc_mortgage_median	hc_mortgage_stdev	hc_mortgage_sample_weight	\
0	1223.0	641.22898	377.83135	
1	784.0	482.27020	316.88320	
2	1361.0	731.89394	699.41354	
3	1101.0	428.98751	261.28471	
4	1125.0	327.49674	76.61052	

	hc_mortgage_samples	hc_mean	hc_median	hc_stdev	hc_samples	\
0	867.0	570.01530	558.0	270.11299	770.0	
1	356.0	351.98293	336.0	125.40457	229.0	
2	1491.0	556.45986	532.0	184.42175	538.0	
3	437.0	288.04047	247.0	185.55887	392.0	
4	134.0	443.68855	444.0	76.12674	124.0	

	hc_sample_weight	home_equity_second_mortgage	second_mortgage	\
0	499.29293	0.01588	0.02077	
1	189.60606	0.02222	0.02222	
2	323.35354	0.00000	0.00000	
3	314.90566	0.01086	0.01086	
4	79.55556	0.05426	0.05426	

	home_equity	debt	second_mortgage_cdf	home_equity_cdf	debt_cdf	\
0	0.08919	0.52963	0.43658	0.49087	0.73341	
1	0.04274	0.60855	0.42174	0.70823	0.58120	
2	0.09512	0.73484	1.00000	0.46332	0.28704	
3	0.01086	0.52714	0.53057	0.82530	0.73727	
4	0.05426	0.51938	0.18332	0.65545	0.74967	

	hs_degree	hs_degree_male	hs_degree_female	male_age_mean	\
0	0.89288	0.85880	0.92434	42.48574	
1	0.90487	0.86947	0.94187	34.84728	
2	0.94288	0.94616	0.93952	39.38154	
3	0.91500	0.90755	0.92043	48.64749	

```
4      1.00000      1.00000      1.00000      26.07533
```

```
      male_age_median  male_age_stdev  male_age_sample_weight  male_age_samples \
0      44.00000      22.97306      696.42136      2612.0
1      32.00000      20.37452      323.90204      1349.0
2      40.83333      22.89769      888.29730      3643.0
3      48.91667      23.05968      274.98956      1141.0
4      22.41667      11.84399      1296.89877      2586.0
```

```
      female_age_mean  female_age_median  female_age_stdev \
0      44.48629      45.33333      22.51276
1      36.48391      37.58333      23.43353
2      42.15810      42.83333      23.94119
3      47.77526      50.58333      24.32015
4      24.17693      21.58333      11.10484
```

```
      female_age_sample_weight  female_age_samples  pct_own  married \
0      685.33845      2618.0  0.79046  0.57851
1      267.23367      1284.0  0.52483  0.34886
2      707.01963      3238.0  0.85331  0.64745
3      362.20193      1559.0  0.65037  0.47257
4      1854.48652      3051.0  0.13046  0.12356
```

```
      married_snp  separated  divorced  split
0      0.01882      0.01240      0.08770  Train
1      0.01426      0.01426      0.09030  Train
2      0.02830      0.01607      0.10657  Train
3      0.02021      0.02021      0.10106  Train
4      0.00000      0.00000      0.03109  Train
```

```
[13]: df_combined.tail()
```

```
[13]:      UID  BLOCKID  SUMLEVEL  COUNTYID  STATEID      state state_ab \
39025  238088      NaN      140      105      12      Florida      FL
39026  242811      NaN      140      31      17      Illinois      IL
39027  250127      NaN      140      9      25  Massachusetts      MA
39028  241096      NaN      140      27      19      Iowa      IA
39029  287763      NaN      140     453      48      Texas      TX
```

```
      city      place      type primary  zip_code  area_code \
39025  Lakeland      Crystal Springs      City  tract      33810      863
39026   Chicago      Chicago City  Village  tract      60609      773
39027  Lawrence  Methuen Town City      City  tract      1841      978
39028   Carroll      Carroll City      City  tract      51401      712
39029   Austin  Sunset Valley City      Town  tract      78745      512
```

```
      lat      lng      ALand  AWater  pop  male_pop  female_pop \
```

39025	28.226068	-82.068886	92582775.0	1166617	5611	2697	2914
39026	41.804936	-87.667304	327029.0	0	2695	1504	1191
39027	42.737778	-71.131761	5225804.0	393810	7392	3669	3723
39028	42.081366	-94.866175	11066759.0	0	5945	2732	3213
39029	30.219013	-97.774728	1990126.0	0	4117	2070	2047

	rent_mean	rent_median	rent_stdev	rent_sample_weight	rent_samples	\
39025	1458.82449	1603.0	566.90682	29.43733	99.0	
39026	700.53513	661.0	254.66700	480.86455	592.0	
39027	1069.70567	1138.0	488.13975	207.29615	506.0	
39028	696.93368	576.0	595.16228	503.83775	590.0	
39029	950.09294	864.0	333.82364	417.07457	675.0	

	rent_gt_10	rent_gt_15	rent_gt_20	rent_gt_25	rent_gt_30	rent_gt_35	\
39025	1.00000	1.00000	1.00000	0.62626	0.62626	0.35354	
39026	1.00000	0.90034	0.85911	0.63058	0.53952	0.41237	
39027	0.85375	0.83004	0.77273	0.56324	0.47431	0.33399	
39028	0.96886	0.92042	0.83045	0.69723	0.62284	0.43772	
39029	1.00000	0.97481	0.86074	0.73926	0.44593	0.38370	

	rent_gt_40	rent_gt_50	universe_samples	used_samples	hi_mean	\
39025	0.18182	0.09091	147	99	57723.48180	
39026	0.35223	0.19931	618	582	35249.76522	
39027	0.30237	0.02569	539	506	89549.15374	
39028	0.33737	0.33737	663	578	57877.26387	
39029	0.27852	0.25778	682	675	58006.33817	

	hi_median	hi_stdev	hi_sample_weight	hi_samples	family_mean	\
39025	48192.0	41301.62188	1636.68434	2496.0	70786.81912	
39026	27396.0	28889.72217	683.94534	838.0	38912.54156	
39027	75357.0	66560.76837	1339.55365	2739.0	99484.96572	
39028	41838.0	49745.93715	1605.79897	2596.0	75066.29009	
39029	44179.0	49189.98590	902.67611	1396.0	54913.24441	

	family_median	family_stdev	family_sample_weight	family_samples	\
39025	59194.0	40582.36046	945.85894	1685.0	
39026	32554.0	29796.19973	415.51917	555.0	
39027	89050.0	62721.62266	853.61856	1986.0	
39028	72135.0	47200.66016	782.93088	1568.0	
39029	42469.0	41016.08651	581.04758	877.0	

	hc_mortgage_mean	hc_mortgage_median	hc_mortgage_stdev	\
39025	1269.83033	1119.0	689.35735	
39026	1406.83478	1224.0	621.89533	
39027	1791.63902	1794.0	656.68467	
39028	1182.30365	1059.0	587.01032	
39029	1364.17379	1318.0	463.57052	

	hc_mortgage_sample_weight	hc_mortgage_samples	hc_mean	hc_median	\
39025	608.62709	1024.0	536.66053	500.0	
39026	62.54709	139.0	487.66419	465.0	
39027	548.16568	1634.0	654.78088	612.0	
39028	796.11244	1267.0	369.29903	334.0	
39029	217.49287	456.0	550.78197	555.0	

	hc_stdev	hc_samples	hc_sample_weight	home_equity_second_mortgage	\
39025	267.25752	1325.0	914.89899	0.02043	
39026	220.16444	81.0	47.09727	0.05909	
39027	256.84182	566.0	299.83838	0.02727	
39028	133.20792	666.0	556.40404	0.03570	
39029	199.13527	258.0	163.55556	0.00000	

	second_mortgage	home_equity	debt	second_mortgage_cdf	\
39025	0.03619	0.04044	0.43593	0.29592	
39026	0.05909	0.08182	0.63182	0.16199	
39027	0.02727	0.13545	0.74273	0.37297	
39028	0.03570	0.07967	0.65546	0.30010	
39029	0.00000	0.05042	0.63866	1.00000	

	home_equity_cdf	debt_cdf	hs_degree	hs_degree_male	hs_degree_female	\
39025	0.71860	0.85762	0.92097	0.95007	0.89480	
39026	0.52552	0.52957	0.54890	0.49817	0.60965	
39027	0.29411	0.26972	0.94057	0.94000	0.94105	
39028	0.53579	0.47507	0.91407	0.92428	0.90634	
39029	0.67315	0.51407	0.78685	0.80615	0.76820	

	male_age_mean	male_age_median	male_age_stdev	male_age_sample_weight	\
39025	51.03535	55.50000	22.41099	704.65208	
39026	32.94145	29.83333	20.52061	408.44261	
39027	35.85743	34.91667	22.49430	880.48254	
39028	39.18219	40.25000	24.86317	636.20201	
39029	35.56404	35.00000	21.67509	522.45931	

	male_age_samples	female_age_mean	female_age_median	female_age_stdev	\
39025	2697.0	53.51255	59.58333	23.23426	
39026	1504.0	33.14169	32.83333	20.24698	
39027	3669.0	43.53905	43.66667	23.17995	
39028	2732.0	45.63179	48.16667	24.84209	
39029	2070.0	35.99955	35.41667	20.68049	

	female_age_sample_weight	female_age_samples	pct_own	married	\
39025	699.33353	2914.0	0.93121	0.65969	
39026	306.63915	1191.0	0.33122	0.42882	
39027	900.13903	3723.0	0.84372	0.50269	

39028	693.82905	3213.0	0.83330	0.66699
39029	559.30291	2047.0	0.52587	0.51922

	married_snp	separated	divorced	split
39025	0.02135	0.02135	0.08780	Test
39026	0.07781	0.02829	0.05305	Test
39027	0.00108	0.00108	0.07294	Test
39028	0.02738	0.00000	0.04694	Test
39029	0.08066	0.02520	0.10586	Test

```
[14]: df_combined.shape
```

```
[14]: (39030, 81)
```

```
[15]: df_combined.isna().sum()
```

```
[15]: UID                0
      BLOCKID           39030
      SUMLEVEL          0
      COUNTYID          0
      STATEID           0
      ...
      married           275
      married_snp       275
      separated         275
      divorced          275
      split              0
      Length: 81, dtype: int64
```

```
[16]: # Fill rate of the variables -> (1- missing %)
      1-df_combined.isna().sum()/len(df_combined)
```

```
[16]: UID                1.000000
      BLOCKID           0.000000
      SUMLEVEL          1.000000
      COUNTYID          1.000000
      STATEID           1.000000
      ...
      married           0.992954
      married_snp       0.992954
      separated         0.992954
      divorced          0.992954
      split              1.000000
      Length: 81, dtype: float64
```

```
[17]: # BLOCKID is completly missing or Null in both train and test data. So we will
      ↪ drop BLOCKID feature.
```

```
df_combined.drop(columns=['BLOCKID'], axis=1, inplace=True)
```

```
[18]: df_combined.isna().sum()/len(df_combined)*100
```

```
[18]: UID                0.000000
      SUMLEVEL          0.000000
      COUNTYID          0.000000
      STATEID           0.000000
      state             0.000000
      ...
      married           0.704586
      married_snp       0.704586
      separated         0.704586
      divorced          0.704586
      split             0.000000
      Length: 80, dtype: float64
```

```
[19]: # Missing value greater than zero
      col_check=df_combined.isna().sum().to_frame().reset_index()
      null_col=col_check[col_check[0]>0]['index'].tolist()
      null_col
```

```
[19]: ['rent_mean',
      'rent_median',
      'rent_stdev',
      'rent_sample_weight',
      'rent_samples',
      'rent_gt_10',
      'rent_gt_15',
      'rent_gt_20',
      'rent_gt_25',
      'rent_gt_30',
      'rent_gt_35',
      'rent_gt_40',
      'rent_gt_50',
      'hi_mean',
      'hi_median',
      'hi_stdev',
      'hi_sample_weight',
      'hi_samples',
      'family_mean',
      'family_median',
      'family_stdev',
      'family_sample_weight',
      'family_samples',
      'hc_mortgage_mean',
      'hc_mortgage_median',
```

```

'hc_mortgage_stdev',
'hc_mortgage_sample_weight',
'hc_mortgage_samples',
'hc_mean',
'hc_median',
'hc_stdev',
'hc_samples',
'hc_sample_weight',
'home_equity_second_mortgage',
'second_mortgage',
'home_equity',
'debt',
'second_mortgage_cdf',
'home_equity_cdf',
'debt_cdf',
'hs_degree',
'hs_degree_male',
'hs_degree_female',
'male_age_mean',
'male_age_median',
'male_age_stdev',
'male_age_sample_weight',
'male_age_samples',
'female_age_mean',
'female_age_median',
'female_age_stdev',
'female_age_sample_weight',
'female_age_samples',
'pct_own',
'married',
'married_snp',
'separated',
'divorced']

```

```

[20]: #If the feature have less than 8 unique value then I am considering as
      ↪categorical else it will be continuous
for i in null_col:
    print(i)
    if df_combined[i].nunique()>8:      #Continuous data
        df_combined[i].fillna(df_combined[i].median(),inplace=True)      #Bcz
        ↪median is not impacted by outlier
    else:df_combined[i].fillna(df_combined[i].mode()[0],inplace=True)
    ↪#Categorical data

```

```

rent_mean
rent_median
rent_stdev
rent_sample_weight

```

rent_samples
rent_gt_10
rent_gt_15
rent_gt_20
rent_gt_25
rent_gt_30
rent_gt_35
rent_gt_40
rent_gt_50
hi_mean
hi_median
hi_stdev
hi_sample_weight
hi_samples
family_mean
family_median
family_stdev
family_sample_weight
family_samples
hc_mortgage_mean
hc_mortgage_median
hc_mortgage_stdev
hc_mortgage_sample_weight
hc_mortgage_samples
hc_mean
hc_median
hc_stdev
hc_samples
hc_sample_weight
home_equity_second_mortgage
second_mortgage
home_equity
debt
second_mortgage_cdf
home_equity_cdf
debt_cdf
hs_degree
hs_degree_male
hs_degree_female
male_age_mean
male_age_median
male_age_stdev
male_age_sample_weight
male_age_samples
female_age_mean
female_age_median
female_age_stdev
female_age_sample_weight


```
female_age_samples
pct_own
married
married_snp
separated
divorced
```

```
[21]: df_combined.isna().sum()/len(df_combined)*100
```

```
[21]: UID                0.0
      SUMLEVEL          0.0
      COUNTYID          0.0
      STATEID           0.0
      state             0.0
      ...
      married           0.0
      married_snp       0.0
      separated         0.0
      divorced          0.0
      split             0.0
      Length: 80, dtype: float64
```

```
[22]: df_combined.shape
```

```
[22]: (39030, 80)
```

```
[23]: # Drop duplicate observations
      df_combined.drop_duplicates(inplace=True)
      df_combined.shape
```

```
[23]: (38838, 80)
```

```
[24]: # As we have seen above we have 123 unique UID which are common in both train
      ↪ and test data. so duplicate UID removing them.
      df_combined.drop_duplicates(subset=['UID'], inplace=True)
      df_combined.shape
```

```
[24]: (38715, 80)
```

Exploratory Data Analysis (EDA):

4. Perform debt analysis. You may take the following steps: a. Explore the top 2,500 locations where the percentage of households with a 'second mortgage' is the highest and percent ownership is above 10 percent. Visualize using geo-map. You may keep the upper limit for the percent of households with a second mortgage to 50 percent

```
[25]: top_2500_loc=df_train[(df_train['second_mortgage']<0.50) &
                           (df_train['pct_own']>0.10) ].
      ↪sort_values(by='second_mortgage', ascending=False).head(2500)
```

```
[26]: top_2500_loc=top_2500_loc[['state','city','state_ab','place','lat','lng']]
top_2500_loc.head()
```

```
[26]:
```

	state	city	state_ab	place	lat	\
11980	Massachusetts	Worcester	MA	Worcester City	42.254262	
26018	New York	Corona	NY	Harbor Hills	40.751809	
7829	Maryland	Glen Burnie	MD	Glen Burnie	39.127273	
2077	Florida	Tampa	FL	Egypt Lake-leto	28.029063	
1701	Illinois	Chicago	IL	Lincolnwood	41.967289	


```

lng
11980 -71.800347
26018 -73.853582
7829 -76.635265
2077 -82.495395
1701 -87.652434

```

```
[27]: !pip install geopandas
import warnings
warnings.filterwarnings('ignore')
```

```

Defaulting to user installation because normal site-packages is not writeable
Requirement already satisfied: geopandas in
/home/labsuser/.local/lib/python3.7/site-packages (0.10.2)
Requirement already satisfied: pandas>=0.25.0 in /usr/local/lib/python3.7/site-
packages (from geopandas) (1.1.5)
Requirement already satisfied: pyproj>=2.2.0 in
/home/labsuser/.local/lib/python3.7/site-packages (from geopandas) (3.2.1)
Requirement already satisfied: fiona>=1.8 in
/home/labsuser/.local/lib/python3.7/site-packages (from geopandas) (1.8.22)
Requirement already satisfied: shapely>=1.6 in
/home/labsuser/.local/lib/python3.7/site-packages (from geopandas) (1.8.5.post1)
Requirement already satisfied: attrs>=17 in /usr/local/lib/python3.7/site-
packages (from fiona>=1.8->geopandas) (19.3.0)
Requirement already satisfied: cligj>=0.5 in
/home/labsuser/.local/lib/python3.7/site-packages (from fiona>=1.8->geopandas)
(0.7.2)
Requirement already satisfied: munch in
/home/labsuser/.local/lib/python3.7/site-packages (from fiona>=1.8->geopandas)
(2.5.0)
Requirement already satisfied: six>=1.7 in /usr/local/lib/python3.7/site-
packages (from fiona>=1.8->geopandas) (1.14.0)
Requirement already satisfied: setuptools in /usr/local/lib/python3.7/site-
packages (from fiona>=1.8->geopandas) (41.2.0)
Requirement already satisfied: click>=4.0 in /usr/local/lib/python3.7/site-
packages (from fiona>=1.8->geopandas) (7.1.1)
Requirement already satisfied: certifi in /usr/local/lib/python3.7/site-packages
(from fiona>=1.8->geopandas) (2019.11.28)

```

Requirement already satisfied: click-plugins>=1.0 in /home/labsuser/.local/lib/python3.7/site-packages (from fiona>=1.8->geopandas) (1.1.1)
Requirement already satisfied: numpy>=1.15.4 in /usr/local/lib/python3.7/site-packages (from pandas>=0.25.0->geopandas) (1.21.5)
Requirement already satisfied: pytz>=2017.2 in /usr/local/lib/python3.7/site-packages (from pandas>=0.25.0->geopandas) (2019.3)
Requirement already satisfied: python-dateutil>=2.7.3 in /usr/local/lib/python3.7/site-packages (from pandas>=0.25.0->geopandas) (2.8.1)
WARNING: You are using pip version 22.0.3; however, version 22.3.1 is

available.

You should consider upgrading via the '/usr/local/bin/python3 -m pip install --upgrade pip' command.

```
[28]: import geopandas as gpd
gdf = gpd.GeoDataFrame(top_2500_loc, geometry=gpd.points_from_xy(x=top_2500_loc.
    lng, y=top_2500_loc.lat))
gdf
```

```
[28]:
```

	state	city	state_ab	place	lat \
11980	Massachusetts	Worcester	MA	Worcester City	42.254262
26018	New York	Corona	NY	Harbor Hills	40.751809
7829	Maryland	Glen Burnie	MD	Glen Burnie	39.127273
2077	Florida	Tampa	FL	Egypt Lake-leto	28.029063
1701	Illinois	Chicago	IL	Lincolnwood	41.967289
...
17914	North Carolina	Raleigh	NC	Raleigh City	35.757135
5478	California	Marina Del Rey	CA	Marina Del Rey	33.983203
25642	Maryland	Baltimore	MD	Lochearn	39.353095
26671	Pennsylvania	Philadelphia	PA	Philadelphia City	40.039070
24443	California	Manteca	CA	Manteca City	37.732143

	lng	geometry
11980	-71.800347	POINT (-71.80035 42.25426)
26018	-73.853582	POINT (-73.85358 40.75181)
7829	-76.635265	POINT (-76.63526 39.12727)
2077	-82.495395	POINT (-82.49540 28.02906)
1701	-87.652434	POINT (-87.65243 41.96729)
...
17914	-78.704288	POINT (-78.70429 35.75713)
5478	-118.466139	POINT (-118.46614 33.98320)
25642	-76.733315	POINT (-76.73331 39.35310)
26671	-75.125135	POINT (-75.12514 40.03907)
24443	-121.242902	POINT (-121.24290 37.73214)

[2500 rows x 7 columns]

b. Use the following bad debt equation: $\text{Bad Debt} = P (\text{Second Mortgage} - \text{Home Equity Loan})$ Bad D

```
[29]: #Bad Debt = second_mortgage + home_equity - home_equity_second_mortgage
df_combined['bad_debt'] = df_combined['second_mortgage'] +
    df_combined['home_equity'] - df_combined['home_equity_second_mortgage']
df_combined.head()
```

```
[29]:
```

	UID	SUMLEVEL	COUNTYID	STATEID	state	state_ab	city	\
0	267822	140	53	36	New York	NY	Hamilton	
1	246444	140	141	18	Indiana	IN	South Bend	
2	245683	140	63	18	Indiana	IN	Danville	
3	279653	140	127	72	Puerto Rico	PR	San Juan	
4	247218	140	161	20	Kansas	KS	Manhattan	

	place	type	primary	zip_code	area_code	lat	lng	\
0	Hamilton	City	tract	13346	315	42.840812	-75.501524	
1	Roseland	City	tract	46616	574	41.701441	-86.266614	
2	Danville	City	tract	46122	317	39.792202	-86.515246	
3	Guaynabo	Urban	tract	927	787	18.396103	-66.104169	
4	Manhattan City	City	tract	66502	785	39.195573	-96.569366	

	ALand	AWater	pop	male_pop	female_pop	rent_mean	rent_median	\
0	202183361.0	1699120	5230	2612	2618	769.38638	784.0	
1	1560828.0	100363	2633	1349	1284	804.87924	848.0	
2	69561595.0	284193	6881	3643	3238	742.77365	703.0	
3	1105793.0	0	2700	1141	1559	803.42018	782.0	
4	2554403.0	0	5637	2586	3051	938.56493	881.0	

	rent_stdev	rent_sample_weight	rent_samples	rent_gt_10	rent_gt_15	\
0	232.63967	272.34441	362.0	0.86761	0.79155	
1	253.46747	312.58622	513.0	0.97410	0.93227	
2	323.39011	291.85520	378.0	0.95238	0.88624	
3	297.39258	259.30316	368.0	0.94693	0.87151	
4	392.44096	1005.42886	1704.0	0.99286	0.98247	

	rent_gt_20	rent_gt_25	rent_gt_30	rent_gt_35	rent_gt_40	rent_gt_50	\
0	0.59155	0.45634	0.42817	0.18592	0.15493	0.12958	
1	0.69920	0.69920	0.55179	0.41235	0.39044	0.27888	
2	0.79630	0.66667	0.39153	0.39153	0.28307	0.15873	
3	0.69832	0.61732	0.51397	0.46927	0.35754	0.32961	
4	0.91688	0.84740	0.78247	0.60974	0.55455	0.44416	

	universe_samples	used_samples	hi_mean	hi_median	hi_stdev	\
0	387	355	63125.28406	48120.0	49042.01206	
1	542	502	41931.92593	35186.0	31639.50203	

2	459	378	84942.68317	74964.0	56811.62186
3	438	358	48733.67116	37845.0	45100.54010
4	1725	1540	31834.15466	22497.0	34046.50907

	hi_sample_weight	hi_samples	family_mean	family_median	family_stdev \
0	1290.96240	2024.0	67994.14790	53245.0	47667.30119
1	838.74664	1127.0	50670.10337	43023.0	34715.57548
2	1155.20980	2488.0	95262.51431	85395.0	49292.67664
3	928.32193	1267.0	56401.68133	44399.0	41082.90515
4	1548.67477	1983.0	54053.42396	50272.0	39609.12605

	family_sample_weight	family_samples	hc_mortgage_mean	hc_mortgage_median \
0	884.33516	1491.0	1414.80295	1223.0
1	375.28798	554.0	864.41390	784.0
2	709.74925	1889.0	1506.06758	1361.0
3	490.18479	729.0	1175.28642	1101.0
4	244.08903	395.0	1192.58759	1125.0

	hc_mortgage_stdev	hc_mortgage_sample_weight	hc_mortgage_samples \
0	641.22898	377.83135	867.0
1	482.27020	316.88320	356.0
2	731.89394	699.41354	1491.0
3	428.98751	261.28471	437.0
4	327.49674	76.61052	134.0

	hc_mean	hc_median	hc_stdev	hc_samples	hc_sample_weight \
0	570.01530	558.0	270.11299	770.0	499.29293
1	351.98293	336.0	125.40457	229.0	189.60606
2	556.45986	532.0	184.42175	538.0	323.35354
3	288.04047	247.0	185.55887	392.0	314.90566
4	443.68855	444.0	76.12674	124.0	79.55556

	home_equity_second_mortgage	second_mortgage	home_equity	debt \
0	0.01588	0.02077	0.08919	0.52963
1	0.02222	0.02222	0.04274	0.60855
2	0.00000	0.00000	0.09512	0.73484
3	0.01086	0.01086	0.01086	0.52714
4	0.05426	0.05426	0.05426	0.51938

	second_mortgage_cdf	home_equity_cdf	debt_cdf	hs_degree	hs_degree_male \
0	0.43658	0.49087	0.73341	0.89288	0.85880
1	0.42174	0.70823	0.58120	0.90487	0.86947
2	1.00000	0.46332	0.28704	0.94288	0.94616
3	0.53057	0.82530	0.73727	0.91500	0.90755
4	0.18332	0.65545	0.74967	1.00000	1.00000

hs_degree_female	male_age_mean	male_age_median	male_age_stdev \
------------------	---------------	-----------------	------------------

0	0.92434	42.48574	44.00000	22.97306
1	0.94187	34.84728	32.00000	20.37452
2	0.93952	39.38154	40.83333	22.89769
3	0.92043	48.64749	48.91667	23.05968
4	1.00000	26.07533	22.41667	11.84399

	male_age_sample_weight	male_age_samples	female_age_mean	\
0	696.42136	2612.0	44.48629	
1	323.90204	1349.0	36.48391	
2	888.29730	3643.0	42.15810	
3	274.98956	1141.0	47.77526	
4	1296.89877	2586.0	24.17693	

	female_age_median	female_age_stdev	female_age_sample_weight	\
0	45.33333	22.51276	685.33845	
1	37.58333	23.43353	267.23367	
2	42.83333	23.94119	707.01963	
3	50.58333	24.32015	362.20193	
4	21.58333	11.10484	1854.48652	

	female_age_samples	pct_own	married	married_snp	separated	divorced	\
0	2618.0	0.79046	0.57851	0.01882	0.01240	0.08770	
1	1284.0	0.52483	0.34886	0.01426	0.01426	0.09030	
2	3238.0	0.85331	0.64745	0.02830	0.01607	0.10657	
3	1559.0	0.65037	0.47257	0.02021	0.02021	0.10106	
4	3051.0	0.13046	0.12356	0.00000	0.00000	0.03109	

	split	bad_debt
0	Train	0.09408
1	Train	0.04274
2	Train	0.09512
3	Train	0.01086
4	Train	0.05426


c. Create pie charts to show overall debt and bad debt

```
[30]: import matplotlib.pyplot as plt
labels = 'Debt', 'Bad_debt'
sizes = [df_combined['debt'].mean()*100, df_combined['bad_debt'].mean()*100]
colors = [ 'lightskyblue','red']
explode = (0.1, 0) # explode 1st slice

#Plot
plt.pie(sizes,explode=explode,labels=labels, colors=colors,
autopct='%1.1f%%', shadow=True, startangle=140)

plt.axis('equal')
```

```
plt.show()
```



d. Create Box and whisker plot and analyze the distribution for 2nd mortgage, home equity, good

```
[31]: df_combined['good_debt']=df_combined['debt']-df_combined['bad_debt']
df_combined.head()
```

```
[31]:
```

	UID	SUMLEVEL	COUNTYID	STATEID	state	state_ab	city	\
0	267822	140	53	36	New York	NY	Hamilton	
1	246444	140	141	18	Indiana	IN	South Bend	
2	245683	140	63	18	Indiana	IN	Danville	
3	279653	140	127	72	Puerto Rico	PR	San Juan	
4	247218	140	161	20	Kansas	KS	Manhattan	

	place	type	primary	zip_code	area_code	lat	lng	\
0	Hamilton	City	tract	13346	315	42.840812	-75.501524	
1	Roseland	City	tract	46616	574	41.701441	-86.266614	
2	Danville	City	tract	46122	317	39.792202	-86.515246	
3	Guaynabo	Urban	tract	927	787	18.396103	-66.104169	
4	Manhattan City	City	tract	66502	785	39.195573	-96.569366	

	ALand	AWater	pop	male_pop	female_pop	rent_mean	rent_median	\
0	202183361.0	1699120	5230	2612	2618	769.38638	784.0	
1	1560828.0	100363	2633	1349	1284	804.87924	848.0	
2	69561595.0	284193	6881	3643	3238	742.77365	703.0	
3	1105793.0	0	2700	1141	1559	803.42018	782.0	
4	2554403.0	0	5637	2586	3051	938.56493	881.0	

	rent_stdev	rent_sample_weight	rent_samples	rent_gt_10	rent_gt_15	\
0	232.63967	272.34441	362.0	0.86761	0.79155	
1	253.46747	312.58622	513.0	0.97410	0.93227	
2	323.39011	291.85520	378.0	0.95238	0.88624	
3	297.39258	259.30316	368.0	0.94693	0.87151	
4	392.44096	1005.42886	1704.0	0.99286	0.98247	

	rent_gt_20	rent_gt_25	rent_gt_30	rent_gt_35	rent_gt_40	rent_gt_50	\
0	0.59155	0.45634	0.42817	0.18592	0.15493	0.12958	
1	0.69920	0.69920	0.55179	0.41235	0.39044	0.27888	
2	0.79630	0.66667	0.39153	0.39153	0.28307	0.15873	
3	0.69832	0.61732	0.51397	0.46927	0.35754	0.32961	
4	0.91688	0.84740	0.78247	0.60974	0.55455	0.44416	

	universe_samples	used_samples	hi_mean	hi_median	hi_stdev	\
0		387	355	63125.28406	48120.0	49042.01206
1		542	502	41931.92593	35186.0	31639.50203
2		459	378	84942.68317	74964.0	56811.62186
3		438	358	48733.67116	37845.0	45100.54010
4		1725	1540	31834.15466	22497.0	34046.50907

	hi_sample_weight	hi_samples	family_mean	family_median	family_stdev	\
0	1290.96240	2024.0	67994.14790	53245.0	47667.30119	
1	838.74664	1127.0	50670.10337	43023.0	34715.57548	
2	1155.20980	2488.0	95262.51431	85395.0	49292.67664	
3	928.32193	1267.0	56401.68133	44399.0	41082.90515	
4	1548.67477	1983.0	54053.42396	50272.0	39609.12605	

	family_sample_weight	family_samples	hc_mortgage_mean	hc_mortgage_median	\
0	884.33516	1491.0	1414.80295	1223.0	
1	375.28798	554.0	864.41390	784.0	
2	709.74925	1889.0	1506.06758	1361.0	
3	490.18479	729.0	1175.28642	1101.0	
4	244.08903	395.0	1192.58759	1125.0	

	hc_mortgage_stdev	hc_mortgage_sample_weight	hc_mortgage_samples	\
0	641.22898	377.83135	867.0	
1	482.27020	316.88320	356.0	
2	731.89394	699.41354	1491.0	
3	428.98751	261.28471	437.0	
4	327.49674	76.61052	134.0	

	hc_mean	hc_median	hc_stdev	hc_samples	hc_sample_weight	\
0	570.01530	558.0	270.11299	770.0	499.29293	
1	351.98293	336.0	125.40457	229.0	189.60606	
2	556.45986	532.0	184.42175	538.0	323.35354	

3	288.04047	247.0	185.55887	392.0	314.90566
4	443.68855	444.0	76.12674	124.0	79.55556

	home_equity_second_mortgage	second_mortgage	home_equity	debt	\
0	0.01588	0.02077	0.08919	0.52963	
1	0.02222	0.02222	0.04274	0.60855	
2	0.00000	0.00000	0.09512	0.73484	
3	0.01086	0.01086	0.01086	0.52714	
4	0.05426	0.05426	0.05426	0.51938	

	second_mortgage_cdf	home_equity_cdf	debt_cdf	hs_degree	hs_degree_male	\
0	0.43658	0.49087	0.73341	0.89288	0.85880	
1	0.42174	0.70823	0.58120	0.90487	0.86947	
2	1.00000	0.46332	0.28704	0.94288	0.94616	
3	0.53057	0.82530	0.73727	0.91500	0.90755	
4	0.18332	0.65545	0.74967	1.00000	1.00000	

	hs_degree_female	male_age_mean	male_age_median	male_age_stdev	\
0	0.92434	42.48574	44.00000	22.97306	
1	0.94187	34.84728	32.00000	20.37452	
2	0.93952	39.38154	40.83333	22.89769	
3	0.92043	48.64749	48.91667	23.05968	
4	1.00000	26.07533	22.41667	11.84399	

	male_age_sample_weight	male_age_samples	female_age_mean	\
0	696.42136	2612.0	44.48629	
1	323.90204	1349.0	36.48391	
2	888.29730	3643.0	42.15810	
3	274.98956	1141.0	47.77526	
4	1296.89877	2586.0	24.17693	

	female_age_median	female_age_stdev	female_age_sample_weight	\
0	45.33333	22.51276	685.33845	
1	37.58333	23.43353	267.23367	
2	42.83333	23.94119	707.01963	
3	50.58333	24.32015	362.20193	
4	21.58333	11.10484	1854.48652	

	female_age_samples	pct_own	married	married_snp	separated	divorced	\
0	2618.0	0.79046	0.57851	0.01882	0.01240	0.08770	
1	1284.0	0.52483	0.34886	0.01426	0.01426	0.09030	
2	3238.0	0.85331	0.64745	0.02830	0.01607	0.10657	
3	1559.0	0.65037	0.47257	0.02021	0.02021	0.10106	
4	3051.0	0.13046	0.12356	0.00000	0.00000	0.03109	


	split	bad_debt	good_debt
0	Train	0.09408	0.43555

1	Train	0.04274	0.56581
2	Train	0.09512	0.63972
3	Train	0.01086	0.51628
4	Train	0.05426	0.46512


```
[32]: df_combined.columns
```

```
[32]: Index(['UID', 'SUMLEVEL', 'COUNTYID', 'STATEID', 'state', 'state_ab', 'city',
        'place', 'type', 'primary', 'zip_code', 'area_code', 'lat', 'lng',
        'ALand', 'AWater', 'pop', 'male_pop', 'female_pop', 'rent_mean',
        'rent_median', 'rent_stdev', 'rent_sample_weight', 'rent_samples',
        'rent_gt_10', 'rent_gt_15', 'rent_gt_20', 'rent_gt_25', 'rent_gt_30',
        'rent_gt_35', 'rent_gt_40', 'rent_gt_50', 'universe_samples',
        'used_samples', 'hi_mean', 'hi_median', 'hi_stdev', 'hi_sample_weight',
        'hi_samples', 'family_mean', 'family_median', 'family_stdev',
        'family_sample_weight', 'family_samples', 'hc_mortgage_mean',
        'hc_mortgage_median', 'hc_mortgage_stdev', 'hc_mortgage_sample_weight',
        'hc_mortgage_samples', 'hc_mean', 'hc_median', 'hc_stdev', 'hc_samples',
        'hc_sample_weight', 'home_equity_second_mortgage', 'second_mortgage',
        'home_equity', 'debt', 'second_mortgage_cdf', 'home_equity_cdf',
        'debt_cdf', 'hs_degree', 'hs_degree_male', 'hs_degree_female',
        'male_age_mean', 'male_age_median', 'male_age_stdev',
        'male_age_sample_weight', 'male_age_samples', 'female_age_mean',
        'female_age_median', 'female_age_stdev', 'female_age_sample_weight',
        'female_age_samples', 'pct_own', 'married', 'married_snp', 'separated',
        'divorced', 'split', 'bad_debt', 'good_debt'],
        dtype='object')
```


```
[33]: all_cities = df_combined[['home_equity', 'second_mortgage', 'bad_debt',
        ↪ 'good_debt']]
all_cities.plot.box(figsize=(12,8),grid=True)
plt.title('All Cities')
plt.show()
```



```
[34]: hamilton = df_combined[df_combined['city']=='Hamilton']
      hamilton = hamilton[['home_equity', 'second_mortgage', 'bad_debt', 'good_debt']]
      hamilton.plot.box(figsize=(12,8),grid=True)
      plt.title('Hamilton')
      plt.show()
```




```
[35]: Manhattan = df_combined[df_combined['city']=='Manhattan']
Manhattan = Manhattan[['home_equity','second_mortgage','bad_debt', 'good_debt']]
Manhattan.plot.box(figsize=(12,8),grid=True)
plt.title('Manhattan')
plt.show()
```



e. Create a collated income distribution chart for family income, house hold income, and remain

```
[36]: import seaborn as sns
plt.figure(figsize=(15,10))

plt.subplot(2,3,1)
sns.distplot(df_train['family_mean'])
plt.title('Family Income')
plt.subplot(2,3,2)
sns.distplot(df_train['hi_mean'])
plt.title('Household Income')
plt.subplot(2,3,3)
sns.distplot(df_train['family_mean']-df_train['hi_mean'])
plt.title('Remaining income distribution chart')
plt.show()
```



Project Task: Week 2 Exploratory Data Analysis (EDA):

1. Perform EDA and come out with insights into population density and age. You may have to derive new fields (make sure to weight averages for accurate measurements): a. Use pop and ALand variables to create a new field called population density

```
[37]: df_combined['population_density'] = df_combined['pop']/df_combined['ALand']
```

```
[38]: df_combined.head()
```

```
[38]:
```

	UID	SUMLEVEL	COUNTYID	STATEID	state	state_ab	city	\
0	267822	140	53	36	New York	NY	Hamilton	
1	246444	140	141	18	Indiana	IN	South Bend	
2	245683	140	63	18	Indiana	IN	Danville	
3	279653	140	127	72	Puerto Rico	PR	San Juan	
4	247218	140	161	20	Kansas	KS	Manhattan	

	place	type	primary	zip_code	area_code	lat	lng	\
0	Hamilton	City	tract	13346	315	42.840812	-75.501524	
1	Roseland	City	tract	46616	574	41.701441	-86.266614	
2	Danville	City	tract	46122	317	39.792202	-86.515246	
3	Guaynabo	Urban	tract	927	787	18.396103	-66.104169	
4	Manhattan City	City	tract	66502	785	39.195573	-96.569366	

	ALand	AWater	pop	male_pop	female_pop	rent_mean	rent_median	\
0	202183361.0	1699120	5230	2612	2618	769.38638	784.0	
1	1560828.0	100363	2633	1349	1284	804.87924	848.0	
2	69561595.0	284193	6881	3643	3238	742.77365	703.0	
3	1105793.0	0	2700	1141	1559	803.42018	782.0	
4	2554403.0	0	5637	2586	3051	938.56493	881.0	

	rent_stdev	rent_sample_weight	rent_samples	rent_gt_10	rent_gt_15	\
0	232.63967	272.34441	362.0	0.86761	0.79155	
1	253.46747	312.58622	513.0	0.97410	0.93227	

2	323.39011	291.85520	378.0	0.95238	0.88624
3	297.39258	259.30316	368.0	0.94693	0.87151
4	392.44096	1005.42886	1704.0	0.99286	0.98247

	rent_gt_20	rent_gt_25	rent_gt_30	rent_gt_35	rent_gt_40	rent_gt_50 \
0	0.59155	0.45634	0.42817	0.18592	0.15493	0.12958
1	0.69920	0.69920	0.55179	0.41235	0.39044	0.27888
2	0.79630	0.66667	0.39153	0.39153	0.28307	0.15873
3	0.69832	0.61732	0.51397	0.46927	0.35754	0.32961
4	0.91688	0.84740	0.78247	0.60974	0.55455	0.44416

	universe_samples	used_samples	hi_mean	hi_median	hi_stdev \
0	387	355	63125.28406	48120.0	49042.01206
1	542	502	41931.92593	35186.0	31639.50203
2	459	378	84942.68317	74964.0	56811.62186
3	438	358	48733.67116	37845.0	45100.54010
4	1725	1540	31834.15466	22497.0	34046.50907

	hi_sample_weight	hi_samples	family_mean	family_median	family_stdev \
0	1290.96240	2024.0	67994.14790	53245.0	47667.30119
1	838.74664	1127.0	50670.10337	43023.0	34715.57548
2	1155.20980	2488.0	95262.51431	85395.0	49292.67664
3	928.32193	1267.0	56401.68133	44399.0	41082.90515
4	1548.67477	1983.0	54053.42396	50272.0	39609.12605

	family_sample_weight	family_samples	hc_mortgage_mean	hc_mortgage_median \
0	884.33516	1491.0	1414.80295	1223.0
1	375.28798	554.0	864.41390	784.0
2	709.74925	1889.0	1506.06758	1361.0
3	490.18479	729.0	1175.28642	1101.0
4	244.08903	395.0	1192.58759	1125.0

	hc_mortgage_stdev	hc_mortgage_sample_weight	hc_mortgage_samples \
0	641.22898	377.83135	867.0
1	482.27020	316.88320	356.0
2	731.89394	699.41354	1491.0
3	428.98751	261.28471	437.0
4	327.49674	76.61052	134.0

	hc_mean	hc_median	hc_stdev	hc_samples	hc_sample_weight \
0	570.01530	558.0	270.11299	770.0	499.29293
1	351.98293	336.0	125.40457	229.0	189.60606
2	556.45986	532.0	184.42175	538.0	323.35354
3	288.04047	247.0	185.55887	392.0	314.90566
4	443.68855	444.0	76.12674	124.0	79.55556

home_equity_second_mortgage	second_mortgage	home_equity	debt \
-----------------------------	-----------------	-------------	--------

0	0.01588	0.02077	0.08919	0.52963
1	0.02222	0.02222	0.04274	0.60855
2	0.00000	0.00000	0.09512	0.73484
3	0.01086	0.01086	0.01086	0.52714
4	0.05426	0.05426	0.05426	0.51938

	second_mortgage_cdf	home_equity_cdf	debt_cdf	hs_degree	hs_degree_male \
0	0.43658	0.49087	0.73341	0.89288	0.85880
1	0.42174	0.70823	0.58120	0.90487	0.86947
2	1.00000	0.46332	0.28704	0.94288	0.94616
3	0.53057	0.82530	0.73727	0.91500	0.90755
4	0.18332	0.65545	0.74967	1.00000	1.00000

	hs_degree_female	male_age_mean	male_age_median	male_age_stdev \
0	0.92434	42.48574	44.00000	22.97306
1	0.94187	34.84728	32.00000	20.37452
2	0.93952	39.38154	40.83333	22.89769
3	0.92043	48.64749	48.91667	23.05968
4	1.00000	26.07533	22.41667	11.84399

	male_age_sample_weight	male_age_samples	female_age_mean \
0	696.42136	2612.0	44.48629
1	323.90204	1349.0	36.48391
2	888.29730	3643.0	42.15810
3	274.98956	1141.0	47.77526
4	1296.89877	2586.0	24.17693

	female_age_median	female_age_stdev	female_age_sample_weight \
0	45.33333	22.51276	685.33845
1	37.58333	23.43353	267.23367
2	42.83333	23.94119	707.01963
3	50.58333	24.32015	362.20193
4	21.58333	11.10484	1854.48652

	female_age_samples	pct_own	married	married_snp	separated	divorced \
0	2618.0	0.79046	0.57851	0.01882	0.01240	0.08770
1	1284.0	0.52483	0.34886	0.01426	0.01426	0.09030
2	3238.0	0.85331	0.64745	0.02830	0.01607	0.10657
3	1559.0	0.65037	0.47257	0.02021	0.02021	0.10106
4	3051.0	0.13046	0.12356	0.00000	0.00000	0.03109

	split	bad_debt	good_debt	population_density
0	Train	0.09408	0.43555	0.000026
1	Train	0.04274	0.56581	0.001687
2	Train	0.09512	0.63972	0.000099
3	Train	0.01086	0.51628	0.002442
4	Train	0.05426	0.46512	0.002207

b. Use male_age_median, female_age_median, male_pop, and female_pop to create a new field call

```
[39]: # Weighted average
# median_age=((male_age_median * male_pop)+(female_age_median*female_pop))/
#         ↪(male_pop+female_pop)
#         =((40*10)+(50*30))/40
#         =(400+1500)/40
#         =190/4
#         =47.5
df_combined['median_age']=((df_combined['male_age_median'] *
#         ↪df_combined['male_pop'])+(df_combined['female_age_median']*df_combined['female_pop']))/
#         ↪(df_combined['male_pop']+df_combined['female_pop'])
```

```
[40]: df_combined.head()
```

```
[40]:
```

	UID	SUMLEVEL	COUNTYID	STATEID	state	state_ab	city	\
0	267822	140	53	36	New York	NY	Hamilton	
1	246444	140	141	18	Indiana	IN	South Bend	
2	245683	140	63	18	Indiana	IN	Danville	
3	279653	140	127	72	Puerto Rico	PR	San Juan	
4	247218	140	161	20	Kansas	KS	Manhattan	

	place	type	primary	zip_code	area_code	lat	lng	\
0	Hamilton	City	tract	13346	315	42.840812	-75.501524	
1	Roseland	City	tract	46616	574	41.701441	-86.266614	
2	Danville	City	tract	46122	317	39.792202	-86.515246	
3	Guaynabo	Urban	tract	927	787	18.396103	-66.104169	
4	Manhattan City	City	tract	66502	785	39.195573	-96.569366	

	ALand	AWater	pop	male_pop	female_pop	rent_mean	rent_median	\
0	202183361.0	1699120	5230	2612	2618	769.38638	784.0	
1	1560828.0	100363	2633	1349	1284	804.87924	848.0	
2	69561595.0	284193	6881	3643	3238	742.77365	703.0	
3	1105793.0	0	2700	1141	1559	803.42018	782.0	
4	2554403.0	0	5637	2586	3051	938.56493	881.0	

	rent_stdev	rent_sample_weight	rent_samples	rent_gt_10	rent_gt_15	\
0	232.63967	272.34441	362.0	0.86761	0.79155	
1	253.46747	312.58622	513.0	0.97410	0.93227	
2	323.39011	291.85520	378.0	0.95238	0.88624	
3	297.39258	259.30316	368.0	0.94693	0.87151	
4	392.44096	1005.42886	1704.0	0.99286	0.98247	

	rent_gt_20	rent_gt_25	rent_gt_30	rent_gt_35	rent_gt_40	rent_gt_50	\
0	0.59155	0.45634	0.42817	0.18592	0.15493	0.12958	
1	0.69920	0.69920	0.55179	0.41235	0.39044	0.27888	
2	0.79630	0.66667	0.39153	0.39153	0.28307	0.15873	

3	0.69832	0.61732	0.51397	0.46927	0.35754	0.32961
4	0.91688	0.84740	0.78247	0.60974	0.55455	0.44416

	universe_samples	used_samples	hi_mean	hi_median	hi_stdev	\
0	387	355	63125.28406	48120.0	49042.01206	
1	542	502	41931.92593	35186.0	31639.50203	
2	459	378	84942.68317	74964.0	56811.62186	
3	438	358	48733.67116	37845.0	45100.54010	
4	1725	1540	31834.15466	22497.0	34046.50907	

	hi_sample_weight	hi_samples	family_mean	family_median	family_stdev	\
0	1290.96240	2024.0	67994.14790	53245.0	47667.30119	
1	838.74664	1127.0	50670.10337	43023.0	34715.57548	
2	1155.20980	2488.0	95262.51431	85395.0	49292.67664	
3	928.32193	1267.0	56401.68133	44399.0	41082.90515	
4	1548.67477	1983.0	54053.42396	50272.0	39609.12605	

	family_sample_weight	family_samples	hc_mortgage_mean	hc_mortgage_median	\
0	884.33516	1491.0	1414.80295	1223.0	
1	375.28798	554.0	864.41390	784.0	
2	709.74925	1889.0	1506.06758	1361.0	
3	490.18479	729.0	1175.28642	1101.0	
4	244.08903	395.0	1192.58759	1125.0	

	hc_mortgage_stdev	hc_mortgage_sample_weight	hc_mortgage_samples	\
0	641.22898	377.83135	867.0	
1	482.27020	316.88320	356.0	
2	731.89394	699.41354	1491.0	
3	428.98751	261.28471	437.0	
4	327.49674	76.61052	134.0	

	hc_mean	hc_median	hc_stdev	hc_samples	hc_sample_weight	\
0	570.01530	558.0	270.11299	770.0	499.29293	
1	351.98293	336.0	125.40457	229.0	189.60606	
2	556.45986	532.0	184.42175	538.0	323.35354	
3	288.04047	247.0	185.55887	392.0	314.90566	
4	443.68855	444.0	76.12674	124.0	79.55556	

	home_equity_second_mortgage	second_mortgage	home_equity	debt	\
0	0.01588	0.02077	0.08919	0.52963	
1	0.02222	0.02222	0.04274	0.60855	
2	0.00000	0.00000	0.09512	0.73484	
3	0.01086	0.01086	0.01086	0.52714	
4	0.05426	0.05426	0.05426	0.51938	

	second_mortgage_cdf	home_equity_cdf	debt_cdf	hs_degree	hs_degree_male	\
0	0.43658	0.49087	0.73341	0.89288	0.85880	

1	0.42174	0.70823	0.58120	0.90487	0.86947
2	1.00000	0.46332	0.28704	0.94288	0.94616
3	0.53057	0.82530	0.73727	0.91500	0.90755
4	0.18332	0.65545	0.74967	1.00000	1.00000

	hs_degree_female	male_age_mean	male_age_median	male_age_stdev	\
0	0.92434	42.48574	44.00000	22.97306	
1	0.94187	34.84728	32.00000	20.37452	
2	0.93952	39.38154	40.83333	22.89769	
3	0.92043	48.64749	48.91667	23.05968	
4	1.00000	26.07533	22.41667	11.84399	

	male_age_sample_weight	male_age_samples	female_age_mean	\
0	696.42136	2612.0	44.48629	
1	323.90204	1349.0	36.48391	
2	888.29730	3643.0	42.15810	
3	274.98956	1141.0	47.77526	
4	1296.89877	2586.0	24.17693	

	female_age_median	female_age_stdev	female_age_sample_weight	\
0	45.33333	22.51276	685.33845	
1	37.58333	23.43353	267.23367	
2	42.83333	23.94119	707.01963	
3	50.58333	24.32015	362.20193	
4	21.58333	11.10484	1854.48652	


	female_age_samples	pct_own	married	married_snp	separated	divorced	\
0	2618.0	0.79046	0.57851	0.01882	0.01240	0.08770	
1	1284.0	0.52483	0.34886	0.01426	0.01426	0.09030	
2	3238.0	0.85331	0.64745	0.02830	0.01607	0.10657	
3	1559.0	0.65037	0.47257	0.02021	0.02021	0.10106	
4	3051.0	0.13046	0.12356	0.00000	0.00000	0.03109	

	split	bad_debt	good_debt	population_density	median_age
0	Train	0.09408	0.43555	0.000026	44.667430
1	Train	0.04274	0.56581	0.001687	34.722748
2	Train	0.09512	0.63972	0.000099	41.774472
3	Train	0.01086	0.51628	0.002442	49.879012
4	Train	0.05426	0.46512	0.002207	21.965629


c. Visualize the findings using appropriate chart type

```
[41]: sns.histplot(df_combined['population_density'], bins=50)
```

```
[41]: <AxesSubplot:xlabel='population_density', ylabel='Count'>
```



```
[42]: plt.figure(figsize=(15,10))
plt.subplot(2,2,1)
sns.distplot(df_combined['median_age'])
plt.title('Median Age')
plt.subplot(2,2,2)
sns.boxplot(df_combined['median_age'])
plt.title('Population Density')
plt.show()
```



2. Create bins for population into a new variable by selecting appropriate class interval so that the number of categories don't exceed 5 for the ease of analysis.

```
[43]: df_combined['pop_bins']=pd.cut(df_combined['pop'],bins=5,labels=['very low', 'low', 'medium', 'high', 'very high'])
df_combined['pop_bins'].value_counts()
```

```
[43]: very low      38350
low           348
medium        12
high           4
very high      1
Name: pop_bins, dtype: int64
```

a. Analyze the married, separated, and divorced population for these population brackets

```
[44]: df_combined.groupby(by='pop_bins')[['married', 'separated', 'divorced']].count()
```

```
[44]:
```

	married	separated	divorced
pop_bins			
very low	38350	38350	38350
low	348	348	348
medium	12	12	12
high	4	4	4
very high	1	1	1

```
[45]: df_combined.groupby(by='pop_bins')[['married', 'separated', 'divorced']].agg(["mean", "median"])
```


```
[45]:
```

	married		separated		divorced	
pop_bins	mean	median	mean	median	mean	median
very low	0.508000	0.526210	0.019127	0.013580	0.100325	0.09510
low	0.589247	0.601815	0.014929	0.010255	0.075192	0.06934
medium	0.617048	0.605765	0.011203	0.007745	0.071870	0.06909
high	0.629132	0.675095	0.012373	0.007340	0.060563	0.05987
very high	0.734740	0.734740	0.004050	0.004050	0.030360	0.03036



b. Visualize using appropriate chart type



```
[46]: plt.figure(figsize=(12,8))
pop_bin_married=df_combined.
    ↳groupby(by='pop_bins')[['married', 'separated', 'divorced']].agg(["mean"])
pop_bin_married.plot(figsize=(12,8))
plt.legend(loc='best')
plt.show()
```


<Figure size 864x576 with 0 Axes>



```
[47]: df_combined.groupby(by='pop_bins')[['married','divorced', 'separated']].plot.  
      ↪ box(figsize=(12,8),grid='True')  
      plt.show()
```







3. Please detail your observations for rent as a percentage of income at an overall level, and for different states.

```
[48]: rent_state_mean = df_combined.groupby(by='state')['rent_mean'].agg(["mean"])
      rent_state_mean.head()
```

```
[48]:
```

state	mean
Alabama	765.872557
Alaska	1190.093590
Arizona	1084.510940
Arkansas	716.544987
California	1466.020465

```
[49]: income_state_mean=df_combined.groupby(by='state')['family_mean'].agg(["mean"])
      income_state_mean.head()
```

```
[49]:
```

state	mean
Alabama	65311.510962
Alaska	91911.137520
Arizona	73014.068487
Arkansas	64234.705963
California	87711.550734

```
[50]: rent_perc_of_income=rent_state_mean['mean']/income_state_mean['mean']*100
rent_perc_of_income.head(10)
```


```
[50]: state
Alabama          1.172646
Alaska           1.294831
Arizona          1.485345
Arkansas         1.115511
California       1.671411
Colorado         1.359697
Connecticut      1.272141
Delaware         1.311538
District of Columbia 1.357450
Florida          1.576101
Name: mean, dtype: float64
```

```
[51]: sum(df_combined['rent_mean'])/sum(df_combined['family_mean'])
```

```
[51]: 0.013351543786573208
```

4. Perform correlation analysis for all the relevant variables by creating a heatmap. Describe your findings.

```
[52]: plt.figure(figsize=(12,8))
sns.
    ↳heatmap(data=df_combined[['hc_mortgage_mean','ALand','pop','rent_mean','hi_mean','hc_mean',
                                'hs_degree','debt','home_equity']].corr(),annot=True)
plt.show()
```



rent_mean, hi_mean, hc_mean, family_mean has a good correlation with the target i.e. hc_mortgage_mean

```
[53]: train = df_combined[df_combined['split'] == 'Train']
      test = df_combined[df_combined['split'] == 'Test']
```

```
[54]: train.head()
```

```
[54]:
```

	UID	SUMLEVEL	COUNTYID	STATEID	state	state_ab	city	\
0	267822	140	53	36	New York	NY	Hamilton	
1	246444	140	141	18	Indiana	IN	South Bend	
2	245683	140	63	18	Indiana	IN	Danville	
3	279653	140	127	72	Puerto Rico	PR	San Juan	
4	247218	140	161	20	Kansas	KS	Manhattan	

	place	type	primary	zip_code	area_code	lat	lng	\
0	Hamilton	City	tract	13346	315	42.840812	-75.501524	
1	Roseland	City	tract	46616	574	41.701441	-86.266614	
2	Danville	City	tract	46122	317	39.792202	-86.515246	
3	Guaynabo	Urban	tract	927	787	18.396103	-66.104169	
4	Manhattan City	City	tract	66502	785	39.195573	-96.569366	

	ALand	AWater	pop	male_pop	female_pop	rent_mean	rent_median	\
0	202183361.0	1699120	5230	2612	2618	769.38638	784.0	
1	1560828.0	100363	2633	1349	1284	804.87924	848.0	
2	69561595.0	284193	6881	3643	3238	742.77365	703.0	
3	1105793.0	0	2700	1141	1559	803.42018	782.0	
4	2554403.0	0	5637	2586	3051	938.56493	881.0	

	rent_stdev	rent_sample_weight	rent_samples	rent_gt_10	rent_gt_15	\
0	232.63967	272.34441	362.0	0.86761	0.79155	
1	253.46747	312.58622	513.0	0.97410	0.93227	
2	323.39011	291.85520	378.0	0.95238	0.88624	
3	297.39258	259.30316	368.0	0.94693	0.87151	
4	392.44096	1005.42886	1704.0	0.99286	0.98247	

	rent_gt_20	rent_gt_25	rent_gt_30	rent_gt_35	rent_gt_40	rent_gt_50	\
0	0.59155	0.45634	0.42817	0.18592	0.15493	0.12958	
1	0.69920	0.69920	0.55179	0.41235	0.39044	0.27888	
2	0.79630	0.66667	0.39153	0.39153	0.28307	0.15873	
3	0.69832	0.61732	0.51397	0.46927	0.35754	0.32961	
4	0.91688	0.84740	0.78247	0.60974	0.55455	0.44416	

	universe_samples	used_samples	hi_mean	hi_median	hi_stdev	\
0	387	355	63125.28406	48120.0	49042.01206	
1	542	502	41931.92593	35186.0	31639.50203	
2	459	378	84942.68317	74964.0	56811.62186	
3	438	358	48733.67116	37845.0	45100.54010	
4	1725	1540	31834.15466	22497.0	34046.50907	

	hi_sample_weight	hi_samples	family_mean	family_median	family_stdev	\
0	1290.96240	2024.0	67994.14790	53245.0	47667.30119	
1	838.74664	1127.0	50670.10337	43023.0	34715.57548	
2	1155.20980	2488.0	95262.51431	85395.0	49292.67664	
3	928.32193	1267.0	56401.68133	44399.0	41082.90515	
4	1548.67477	1983.0	54053.42396	50272.0	39609.12605	

	family_sample_weight	family_samples	hc_mortgage_mean	hc_mortgage_median	\
0	884.33516	1491.0	1414.80295	1223.0	
1	375.28798	554.0	864.41390	784.0	
2	709.74925	1889.0	1506.06758	1361.0	
3	490.18479	729.0	1175.28642	1101.0	
4	244.08903	395.0	1192.58759	1125.0	

	hc_mortgage_stdev	hc_mortgage_sample_weight	hc_mortgage_samples	\
0	641.22898	377.83135	867.0	
1	482.27020	316.88320	356.0	
2	731.89394	699.41354	1491.0	

3	428.98751	261.28471	437.0
4	327.49674	76.61052	134.0

	hc_mean	hc_median	hc_stdev	hc_samples	hc_sample_weight \
0	570.01530	558.0	270.11299	770.0	499.29293
1	351.98293	336.0	125.40457	229.0	189.60606
2	556.45986	532.0	184.42175	538.0	323.35354
3	288.04047	247.0	185.55887	392.0	314.90566
4	443.68855	444.0	76.12674	124.0	79.55556

	home_equity_second_mortgage	second_mortgage	home_equity	debt \
0		0.01588	0.02077	0.08919 0.52963
1		0.02222	0.02222	0.04274 0.60855
2		0.00000	0.00000	0.09512 0.73484
3		0.01086	0.01086	0.01086 0.52714
4		0.05426	0.05426	0.05426 0.51938

	second_mortgage_cdf	home_equity_cdf	debt_cdf	hs_degree	hs_degree_male \
0	0.43658	0.49087	0.73341	0.89288	0.85880
1	0.42174	0.70823	0.58120	0.90487	0.86947
2	1.00000	0.46332	0.28704	0.94288	0.94616
3	0.53057	0.82530	0.73727	0.91500	0.90755
4	0.18332	0.65545	0.74967	1.00000	1.00000

	hs_degree_female	male_age_mean	male_age_median	male_age_stdev \
0	0.92434	42.48574	44.00000	22.97306
1	0.94187	34.84728	32.00000	20.37452
2	0.93952	39.38154	40.83333	22.89769
3	0.92043	48.64749	48.91667	23.05968
4	1.00000	26.07533	22.41667	11.84399

	male_age_sample_weight	male_age_samples	female_age_mean \
0	696.42136	2612.0	44.48629
1	323.90204	1349.0	36.48391
2	888.29730	3643.0	42.15810
3	274.98956	1141.0	47.77526
4	1296.89877	2586.0	24.17693

	female_age_median	female_age_stdev	female_age_sample_weight \
0	45.33333	22.51276	685.33845
1	37.58333	23.43353	267.23367
2	42.83333	23.94119	707.01963
3	50.58333	24.32015	362.20193
4	21.58333	11.10484	1854.48652

	female_age_samples	pct_own	married	married_snp	separated	divorced \
0	2618.0	0.79046	0.57851	0.01882	0.01240	0.08770

1	1284.0	0.52483	0.34886	0.01426	0.01426	0.09030
2	3238.0	0.85331	0.64745	0.02830	0.01607	0.10657
3	1559.0	0.65037	0.47257	0.02021	0.02021	0.10106
4	3051.0	0.13046	0.12356	0.00000	0.00000	0.03109

	split	bad_debt	good_debt	population_density	median_age	pop_bins
0	Train	0.09408	0.43555	0.000026	44.667430	very low
1	Train	0.04274	0.56581	0.001687	34.722748	very low
2	Train	0.09512	0.63972	0.000099	41.774472	very low
3	Train	0.01086	0.51628	0.002442	49.879012	very low
4	Train	0.05426	0.46512	0.002207	21.965629	very low

```
[55]: test.head()
```

```
[55]:
```

	UID	SUMLEVEL	COUNTYID	STATEID	state	state_ab	\
27321	255504	140	163	26	Michigan	MI	
27322	252676	140	1	23	Maine	ME	
27323	276314	140	15	42	Pennsylvania	PA	
27324	248614	140	231	21	Kentucky	KY	
27325	286865	140	355	48	Texas	TX	

	city	place	type	primary	zip_code	\
27321	Detroit	Dearborn Heights City	CDP	tract	48239	
27322	Auburn	Auburn City	City	tract	4210	
27323	Pine City	Millerton	Borough	tract	14871	
27324	Monticello	Monticello City	City	tract	42633	
27325	Corpus Christi	Edroy	Town	tract	78410	

	area_code	lat	lng	ALand	AWater	pop	male_pop	\
27321	313	42.346422	-83.252823	2711280.0	39555	3417	1479	
27322	207	44.100724	-70.257832	14778785.0	2705204	3796	1846	
27323	607	41.948556	-76.783808	258903666.0	863840	3944	2065	
27324	606	36.746009	-84.766870	501694825.0	2623067	2508	1427	
27325	361	27.882461	-97.678586	13796057.0	497689	6230	3274	

	female_pop	rent_mean	rent_median	rent_stdev	rent_sample_weight	\
27321	1938	858.57169	859.0	232.39082	276.07497	
27322	1950	832.68625	750.0	267.22342	183.32299	
27323	1879	816.00639	755.0	416.25699	141.39063	
27324	1081	418.68937	385.0	156.92024	88.95960	
27325	2956	1031.63763	997.0	326.76727	277.39844	

	rent_samples	rent_gt_10	rent_gt_15	rent_gt_20	rent_gt_25	\
27321	424.0	1.00000	0.95696	0.85316	0.85316	
27322	245.0	1.00000	1.00000	0.86611	0.67364	
27323	217.0	0.97573	0.93204	0.78641	0.71845	
27324	93.0	1.00000	0.93548	0.93548	0.64516	

27325	624.0	0.72276	0.66506	0.53526	0.38301
-------	-------	---------	---------	---------	---------

	rent_gt_30	rent_gt_35	rent_gt_40	rent_gt_50	universe_samples \
27321	0.85316	0.85316	0.76962	0.63544	435
27322	0.30962	0.30962	0.30962	0.27197	275
27323	0.63592	0.47573	0.43689	0.32524	245
27324	0.55914	0.46237	0.46237	0.36559	153
27325	0.18910	0.16667	0.14263	0.11058	660

	used_samples	hi_mean	hi_median	hi_stdev	hi_sample_weight \
27321	395	48899.52121	38746.0	44392.20902	798.02401
27322	239	72335.33234	61008.0	51895.81159	922.82969
27323	206	58501.15901	51648.0	45245.27248	893.07759
27324	93	38237.55059	31612.0	34527.61607	775.17947
27325	624	114456.07790	94211.0	81950.95692	836.30759

	hi_samples	family_mean	family_median	family_stdev \
27321	1180.0	53802.87122	45167.0	43756.56479
27322	1722.0	85642.22095	74759.0	49156.72870
27323	1461.0	65694.06582	57186.0	44239.31893
27324	957.0	44156.38709	34687.0	34899.74300
27325	2404.0	123527.02420	103898.0	72173.55823

	family_sample_weight	family_samples	hc_mortgage_mean \
27321	464.30972	769.0	1139.24548
27322	482.99945	1147.0	1533.25988
27323	619.73962	1084.0	1254.54462
27324	535.21987	689.0	862.65763
27325	507.42257	1738.0	1996.41425

	hc_mortgage_median	hc_mortgage_stdev	hc_mortgage_sample_weight \
27321	1109.0	336.47710	262.67011
27322	1438.0	536.61118	373.96188
27323	1089.0	596.85204	340.45884
27324	749.0	624.42157	299.56752
27325	1907.0	740.21168	319.97570

	hc_mortgage_samples	hc_mean	hc_median	hc_stdev	hc_samples \
27321	474.0	488.51323	436.0	192.75147	271.0
27322	937.0	661.31296	668.0	201.31365	510.0
27323	552.0	397.44466	356.0	189.40372	664.0
27324	337.0	200.88113	180.0	91.56490	467.0
27325	1102.0	867.57713	804.0	376.20236	642.0

	hc_sample_weight	home_equity_second_mortgage	second_mortgage \
27321	189.18182		0.06443
27322	279.69697		0.01175

27323	534.16737	0.01069	0.01316
27324	454.85404	0.00995	0.00995
27325	333.91919	0.00000	0.00000

	home_equity	debt	second_mortgage_cdf	home_equity_cdf	debt_cdf	\
27321	0.07651	0.63624	0.14111	0.55087	0.51965	
27322	0.14375	0.64755	0.52310	0.26442	0.49359	
27323	0.06497	0.45395	0.51066	0.60484	0.83848	
27324	0.01741	0.41915	0.53770	0.80931	0.87403	
27325	0.03440	0.63188	1.00000	0.74519	0.52943	

	hs_degree	hs_degree_male	hs_degree_female	male_age_mean	\
27321	0.91047	0.92010	0.90391	33.37131	
27322	0.94290	0.92832	0.95736	43.88680	
27323	0.89238	0.86003	0.92463	39.81661	
27324	0.60908	0.56584	0.65947	41.81638	
27325	0.86297	0.87969	0.84466	42.13301	

	male_age_median	male_age_stdev	male_age_sample_weight	\
27321	27.83333	22.36768	334.30978	
27322	46.08333	22.90302	427.10824	
27323	41.91667	24.29111	499.10080	
27324	43.00000	24.65325	333.57733	
27325	43.75000	22.69502	833.57435	

	male_age_samples	female_age_mean	female_age_median	female_age_stdev	\
27321	1479.0	34.78682	33.75000	21.58531	
27322	1846.0	44.23451	46.66667	22.37036	
27323	2065.0	41.62426	44.50000	22.86213	
27324	1427.0	44.81200	48.00000	21.03155	
27325	3274.0	40.66618	42.66667	21.30900	

	female_age_sample_weight	female_age_samples	pct_own	married	\
27321	416.48097	1938.0	0.70252	0.28217	
27322	532.03505	1950.0	0.85128	0.64221	
27323	453.11959	1879.0	0.81897	0.59961	
27324	263.94320	1081.0	0.84609	0.56953	
27325	709.90829	2956.0	0.79077	0.57620	

	married_snp	separated	divorced	split	bad_debt	good_debt	\
27321	0.05910	0.03813	0.14299	Test	0.07651	0.55973	
27322	0.02338	0.00000	0.13377	Test	0.14375	0.50380	
27323	0.01746	0.01358	0.10026	Test	0.06744	0.38651	
27324	0.05492	0.04694	0.12489	Test	0.01741	0.40174	
27325	0.01726	0.00588	0.16379	Test	0.03440	0.59748	

population_density	median_age	pop_bins
--------------------	------------	----------

27321	0.001260	31.189053	very low
27322	0.000257	46.382991	very low
27323	0.000015	43.147420	very low
27324	0.000005	45.155104	very low
27325	0.000452	43.235983	very low

Project Task: Week 3 Data Pre-processing:

1. The economic multivariate data has a significant number of measured variables. The goal is to find where the measured variables depend on a number of smaller unobserved common factors or latent variables.
2. Each variable is assumed to be dependent upon a linear combination of the common factors, and the coefficients are known as loadings. Each measured variable also includes a component due to independent random variability, known as “specific variance” because it is specific to one variable. Obtain the common factors and then plot the loadings. Use factor analysis to find latent variables in our dataset and gain insight into the linear relationships in the data. Following are the list of latent variables:
 - Highschool graduation rates
 - Median population age
 - Second mortgage statistics
 - Percent own
 - Bad debt expense

```
[56]: !pip install factor_analyzer
```

```
Defaulting to user installation because normal site-packages is not writeable
Requirement already satisfied: factor_analyzer in
/home/labsuser/.local/lib/python3.7/site-packages (0.4.1)
Requirement already satisfied: scipy in /usr/local/lib/python3.7/site-packages
(from factor_analyzer) (1.4.1)
Requirement already satisfied: pre-commit in
/home/labsuser/.local/lib/python3.7/site-packages (from factor_analyzer)
(2.20.0)
Requirement already satisfied: scikit-learn in /usr/local/lib/python3.7/site-
packages (from factor_analyzer) (1.0.2)
Requirement already satisfied: pandas in /usr/local/lib/python3.7/site-packages
(from factor_analyzer) (1.1.5)
Requirement already satisfied: numpy in /usr/local/lib/python3.7/site-packages
(from factor_analyzer) (1.21.5)
Requirement already satisfied: pytz>=2017.2 in /usr/local/lib/python3.7/site-
packages (from pandas->factor_analyzer) (2019.3)
Requirement already satisfied: python-dateutil>=2.7.3 in
/usr/local/lib/python3.7/site-packages (from pandas->factor_analyzer) (2.8.1)
Requirement already satisfied: pyyaml>=5.1 in /usr/local/lib/python3.7/site-
packages (from pre-commit->factor_analyzer) (5.3.1)
Requirement already satisfied: nodeenv>=0.11.1 in
/home/labsuser/.local/lib/python3.7/site-packages (from pre-
commit->factor_analyzer) (1.7.0)
```

Requirement already satisfied: identify>=1.0.0 in
/home/labsuser/.local/lib/python3.7/site-packages (from pre-
commit->factor_analyzer) (2.5.8)

Requirement already satisfied: importlib-metadata in
/usr/local/lib/python3.7/site-packages (from pre-commit->factor_analyzer)
(1.6.0)

Requirement already satisfied: virtualenv>=20.0.8 in
/home/labsuser/.local/lib/python3.7/site-packages (from pre-
commit->factor_analyzer) (20.16.6)

Requirement already satisfied: toml in /usr/local/lib/python3.7/site-packages
(from pre-commit->factor_analyzer) (0.10.0)

Requirement already satisfied: cfgv>=2.0.0 in
/home/labsuser/.local/lib/python3.7/site-packages (from pre-
commit->factor_analyzer) (3.3.1)

Requirement already satisfied: threadpoolctl>=2.0.0 in
/usr/local/lib/python3.7/site-packages (from scikit-learn->factor_analyzer)
(2.2.0)

Requirement already satisfied: joblib>=0.11 in /usr/local/lib/python3.7/site-
packages (from scikit-learn->factor_analyzer) (0.14.1)

Requirement already satisfied: setuptools in /usr/local/lib/python3.7/site-
packages (from nodeenv>=0.11.1->pre-commit->factor_analyzer) (41.2.0)

Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.7/site-
packages (from python-dateutil>=2.7.3->pandas->factor_analyzer) (1.14.0)

Requirement already satisfied: platformdirs<3,>=2.4 in
/home/labsuser/.local/lib/python3.7/site-packages (from virtualenv>=20.0.8->pre-
commit->factor_analyzer) (2.5.3)

Requirement already satisfied: distlib<1,>=0.3.6 in
/home/labsuser/.local/lib/python3.7/site-packages (from virtualenv>=20.0.8->pre-
commit->factor_analyzer) (0.3.6)

Collecting importlib-metadata
Using cached importlib_metadata-5.0.0-py3-none-any.whl (21 kB)

Collecting filelock<4,>=3.4.1
Using cached filelock-3.8.0-py3-none-any.whl (10 kB)

Requirement already satisfied: zipp>=0.5 in /usr/local/lib/python3.7/site-
packages (from importlib-metadata->pre-commit->factor_analyzer) (3.1.0)

Requirement already satisfied: typing-extensions>=3.6.4 in
/usr/local/lib/python3.7/site-packages (from importlib-metadata->pre-
commit->factor_analyzer) (4.0.1)

Installing collected packages: importlib-metadata, filelock

ERROR: pip's dependency resolver does not currently take into account all the packages that are installed. This behaviour is the source of the following dependency conflicts.

konoha 4.6.5 requires overrides<4.0.0,>=3.0.0, which is not installed.

twine 4.0.1 requires pkginfo>=1.8.1, but you have pkginfo 1.5.0.1 which is incompatible.

twine 4.0.1 requires urllib3>=1.26.0, but you have urllib3 1.25.8 which is incompatible.

flair 0.8.1 requires more-itertools~8.8.0, but you have more-itertools 8.2.0 which is incompatible.

konoha 4.6.5 requires importlib-metadata<4.0.0,>=3.7.0, but you have importlib-metadata 5.0.0 which is incompatible.

konoha 4.6.5 requires requests<3.0.0,>=2.25.1, but you have requests 2.23.0 which is incompatible.

Successfully installed filelock-3.8.0 importlib-metadata-5.0.0

WARNING: You are using pip version 22.0.3; however, version 22.3.1 is available.

You should consider upgrading via the '/usr/local/bin/python3 -m pip install --upgrade pip' command.

```
[57]: import numpy as np
      from sklearn.decomposition import FactorAnalysis
      from factor_analyzer import FactorAnalyzer
```

```
[58]: df_train.describe().T
```

```
[58]:
```

	count	mean	std	min	25%	\
UID	27321.0	257331.996303	21343.859725	220342.0	238816.000000	
BLOCKID	0.0	NaN	NaN	NaN	NaN	
SUMLEVEL	27321.0	140.000000	0.000000	140.0	140.000000	
COUNTYID	27321.0	85.646426	98.333097	1.0	29.000000	
STATEID	27321.0	28.271806	16.392846	1.0	13.000000	
...	
pct_own	27053.0	0.640434	0.226640	0.0	0.502780	
married	27130.0	0.508300	0.136860	0.0	0.425102	
married_snp	27130.0	0.047537	0.037640	0.0	0.020810	
separated	27130.0	0.019089	0.020796	0.0	0.004530	

divorced	27130.0	0.100248	0.049055	0.0	0.065800
----------	---------	----------	----------	-----	----------

	50%	75%	max
UID	257220.000000	275818.000000	294334.000000
BLOCKID	NaN	NaN	NaN
SUMLEVEL	140.000000	140.000000	140.000000
COUNTYID	63.000000	109.000000	840.000000
STATEID	28.000000	42.000000	72.000000
...
pct_own	0.690840	0.817460	1.000000
married	0.526665	0.605760	1.000000
married_snp	0.038840	0.065100	0.71429
separated	0.013460	0.027487	0.71429
divorced	0.095205	0.129000	1.000000

[74 rows x 8 columns]

```
[ ]: fa = FactorAnalyzer(n_factors=5)
fa.fit_transform(df_train.select_dtypes(exclude= ('object','category')))
fa.loadings_
```

Project Task: Week 4 Data Modeling :

1. Build a linear Regression model to predict the total monthly expenditure for home mortgages loan. Please refer 'deplotment_RE.xlsx'. Column hc_mortgage_mean is predicted variable. This is the mean monthly mortgage and owner costs of specified geographical location. Note: Exclude loans from prediction model which have NaN (Not a Number) values for hc_mortgage_mean. a. Run a model at a Nation level. If the accuracy levels and R square are not satisfactory proceed to below step. b. Run another model at State level. There are 52 states in USA. c. Keep below considerations while building a linear regression model. Data Modeling :

- Variables should have significant impact on predicting Monthly mortgage and owner costs
- Utilize all predictor variable to start with initial hypothesis
- R square of 60 percent and above should be achieved
- Ensure Multi-collinearity does not exist in dependent variables
- Test if predicted variable is normally distributed

```
[60]: train.columns
```

```
[60]: Index(['UID', 'SUMLEVEL', 'COUNTYID', 'STATEID', 'state', 'state_ab', 'city',
            'place', 'type', 'primary', 'zip_code', 'area_code', 'lat', 'lng',
            'ALand', 'AWater', 'pop', 'male_pop', 'female_pop', 'rent_mean',
            'rent_median', 'rent_stdev', 'rent_sample_weight', 'rent_samples',
            'rent_gt_10', 'rent_gt_15', 'rent_gt_20', 'rent_gt_25', 'rent_gt_30',
            'rent_gt_35', 'rent_gt_40', 'rent_gt_50', 'universe_samples',
            'used_samples', 'hi_mean', 'hi_median', 'hi_stdev', 'hi_sample_weight',
            'hi_samples', 'family_mean', 'family_median', 'family_stdev',
            'family_sample_weight', 'family_samples', 'hc_mortgage_mean',
```

```

'hc_mortgage_median', 'hc_mortgage_stdev', 'hc_mortgage_sample_weight',
'hc_mortgage_samples', 'hc_mean', 'hc_median', 'hc_stdev', 'hc_samples',
'hc_sample_weight', 'home_equity_second_mortgage', 'second_mortgage',
'home_equity', 'debt', 'second_mortgage_cdf', 'home_equity_cdf',
'debt_cdf', 'hs_degree', 'hs_degree_male', 'hs_degree_female',
'male_age_mean', 'male_age_median', 'male_age_stdev',
'male_age_sample_weight', 'male_age_samples', 'female_age_mean',
'female_age_median', 'female_age_stdev', 'female_age_sample_weight',
'female_age_samples', 'pct_own', 'married', 'married_snp', 'separated',
'divorced', 'split', 'bad_debt', 'good_debt', 'population_density',
'median_age', 'pop_bins'],
dtype='object')

```

```
[61]: train['type'].unique()
```

```
[61]: array(['City', 'Urban', 'Town', 'CDP', 'Village', 'Borough'], dtype=object)
```

```
[62]: type_dict={'type':{'City':1, 'Urban':2, 'Town':3, 'CDP':4, 'Village':5,
↪ 'Borough':6}}
train.replace(type_dict,inplace=True)
```

```
[63]: test.replace(type_dict,inplace=True)
```

```
[64]: train['type'].unique()
```

```
[64]: array([1, 2, 3, 4, 5, 6])
```

```
[65]: test['type'].unique()
```

```
[65]: array([4, 1, 6, 3, 5, 2])
```

```
[66]: feature_cols=['COUNTYID', 'STATEID', 'zip_code', 'type', 'pop',
↪ 'family_mean', 'second_mortgage', 'home_equity', 'debt', 'hs_degree',
'pct_own', 'married', 'separated', 'divorced']
```

```
[67]: X_train = train[feature_cols]
y_train = train['hc_mortgage_mean']
```

```
[68]: X_test = test[feature_cols]
y_test = test['hc_mortgage_mean']
```

```
[69]: from sklearn.preprocessing import StandardScaler
from sklearn.linear_model import LinearRegression
from sklearn.metrics import r2_score,
↪ mean_absolute_error, mean_squared_error, accuracy_score
```

```
[70]: X_train.head()
```

```
[70]: COUNTYID STATEID zip_code type pop family_mean second_mortgage \
0      53      36    13346    1  5230  67994.14790      0.02077
1      141     18    46616    1  2633  50670.10337      0.02222
2       63     18    46122    1  6881  95262.51431      0.00000
3      127     72      927    2  2700  56401.68133      0.01086
4      161     20    66502    1  5637  54053.42396      0.05426

      home_equity      debt hs_degree pct_own married separated divorced
0      0.08919  0.52963   0.89288  0.79046  0.57851   0.01240   0.08770
1      0.04274  0.60855   0.90487  0.52483  0.34886   0.01426   0.09030
2      0.09512  0.73484   0.94288  0.85331  0.64745   0.01607   0.10657
3      0.01086  0.52714   0.91500  0.65037  0.47257   0.02021   0.10106
4      0.05426  0.51938   1.00000  0.13046  0.12356   0.00000   0.03109
```

```
[71]: X_test.head()
```

```
[71]: COUNTYID STATEID zip_code type pop family_mean second_mortgage \
27321      163      26    48239    4  3417  53802.87122      0.06443
27322       1      23     4210    1  3796  85642.22095      0.01175
27323      15     42    14871    6  3944  65694.06582      0.01316
27324     231     21    42633    1  2508  44156.38709      0.00995
27325     355     48    78410    3  6230 123527.02420      0.00000

      home_equity      debt hs_degree pct_own married separated divorced
27321    0.07651  0.63624   0.91047  0.70252  0.28217   0.03813   0.14299
27322    0.14375  0.64755   0.94290  0.85128  0.64221   0.00000   0.13377
27323    0.06497  0.45395   0.89238  0.81897  0.59961   0.01358   0.10026
27324    0.01741  0.41915   0.60908  0.84609  0.56953   0.04694   0.12489
27325    0.03440  0.63188   0.86297  0.79077  0.57620   0.00588   0.16379
```

```
[72]: sc = StandardScaler()
X_train_scaled = sc.fit_transform(X_train)
X_test_scaled = sc.fit_transform(X_test)
```

a. Run a model at a Nation level. If the accuracy levels and R square are not satisfactory pro

```
[73]: lr = LinearRegression()
lr.fit(X_train_scaled, y_train)
```

```
[73]: LinearRegression()
```

```
[74]: y_pred= lr.predict(X_test_scaled)
```

R square of 60 percent and above should be achieved

```
[75]: r2_score(y_test,y_pred)
```

```
[75]: 0.7381882934134452
```

```
[76]: mean_absolute_error(y_test, y_pred)
```

```
[76]: 233.8696569414009
```

```
[77]: mean_squared_error(y_test, y_pred)
```

```
[77]: 103818.40486733473
```

```
[78]: np.sqrt(mean_squared_error(y_test, y_pred))
```

```
[78]: 322.20863561880947
```

```
[79]: r2_score(y_train, lr.predict(X_train_scaled))
```

```
[79]: 0.7343447566279551
```

```
[80]: lr.coef_
```

```
[80]: array([ -28.50842455, -21.7100607 , -22.98370175, -57.43101333,  
         -4.78426374,  558.7402445 , -0.55955638,  70.89657588,  
         12.81271881, -113.18431746, -176.51983734,   8.10645154,  
          5.24214879, -55.79637445])
```

```
[81]: X_train.columns
```

```
[81]: Index(['COUNTYID', 'STATEID', 'zip_code', 'type', 'pop', 'family_mean',  
        'second_mortgage', 'home_equity', 'debt', 'hs_degree', 'pct_own',  
        'married', 'separated', 'divorced'],  
        dtype='object')
```

b. Run another model at State level. There are 52 states in USA.

```
[82]: state = train['STATEID'].unique()  
state
```

```
[82]: array([36, 18, 72, 20,  1, 48, 45,  6,  5, 24, 17, 19, 47, 32, 22,  8, 44,  
        28, 34, 41,  4, 12, 55, 42, 37, 51, 26, 39, 40, 13, 16, 46, 27, 29,  
        53, 56,  9, 54, 21, 25, 11, 15, 30,  2, 33, 49, 50, 31, 38, 35, 23,  
        10])
```

```
[83]: for i in [11,1,29]:  
        print("State ID-",i)  
  
        X_train_nation = train[train['COUNTYID'] == i][feature_cols]  
        y_train_nation = train[train['COUNTYID'] == i]['hc_mortgage_mean']  
  
        X_test_nation = test[test['COUNTYID'] == i][feature_cols]  
        y_test_nation = test[test['COUNTYID'] == i]['hc_mortgage_mean']
```

```

X_train_scaled_nation = sc.fit_transform(X_train_nation)
X_test_scaled_nation = sc.fit_transform(X_test_nation)

lr.fit(X_train_scaled_nation,y_train_nation)
y_pred_nation = lr.predict(X_test_scaled_nation)

print("Overall R2 score of linear regression model for state,"i,":-"␣
↪,r2_score(y_test_nation,y_pred_nation))
print("Overall RMSE of linear regression model for state,"i,":-" ,np.
↪sqrt(mean_squared_error(y_test_nation,y_pred_nation)))
print("\n")

```

State ID- 11

Overall R2 score of linear regression model for state, 11 :- 0.7458953509562303

Overall RMSE of linear regression model for state, 11 :- 238.52276788095128

State ID- 1

Overall R2 score of linear regression model for state, 1 :- 0.8086161640279984

Overall RMSE of linear regression model for state, 1 :- 311.532907203562

State ID- 29

Overall R2 score of linear regression model for state, 29 :- 0.7090032526359473


Overall RMSE of linear regression model for state, 29 :- 270.06841264277546

Test if predicted variable is normally distributed

```

[84]: sns.distplot(y_pred)
      plt.show()

```

Data Reporting:

2. Create a dashboard in tableau by choosing appropriate chart types and metrics useful for the business. The dashboard must entail the following:
 - a. Box plot of distribution of average rent by type of place (village, urban, town, etc.).
 - b. Pie charts to show overall debt and bad debt.
 - c. Explore the top 2,500 locations where the percentage of households with a second mortgage is the highest and percent ownership is above 10 percent. Visualize using geo-map.
 - d. Heat map for correlation matrix.
 - e. Pie chart to show the population distribution across different types of places (village, urban, town etc.)

[]: