



AMI

OneTree™ NIC Technology Expansion Pack – Approved Vendor List

Rev. 2.0



Revision History							
Rev#	Release Date	Update					
1.0	07/01/2023	List of supported NIC Controllers					
1.1	01/15/2024	Support Mellanox MCX631102AN-ADAT					
1.2	05/21/2024	Support ConnectX-7 MCX75510AAS and remove RDE					

- -

AM This document is provided under 10 h. 1.36 AM UTICO

AMI® Support List

The components in this AVL list are validated and approved by AMI MegaRAC team. This AVL is for guiding proper component selection, and to deploy in your projects may require some adjustments. Please contact your FAE representatives for further information and help if any.

NIC Device List (OneTree)									
Cambuallan		Controller	Interf	ace	Note				
Controller Module	Form Factor	Firmware used for Validation	MCTP/I2C	MCTP/PCIe					
Mellanox CX4- 4121A	Standard PCIe	16.26.4012	Device does not support	V	Mellanox CX4-4121A, ConnectX®-4 Lx EN network interface card, 25GbE dual- port SFP28, PCIe3.0 x8, no bracket, ROHS R6				
Mellanox CX512F-ACAT	Standard PCIe	16.26.4012	dinder Dr	V	MCX512F-ACAT ConnectX-5 EN network interface card, 25GbE dual- port SFP28, PCle3.0 x16, no bracket, ROHS R6 Halogen free				
Mellanox MCX631102AN- ADAT	Standard PCIe	26.33.04.24	S PAN V	х	Mellanox ConnectX-6 Lx EN Dual Port 25Gb Ethernet Adapter Card - PCle 4.0 x8, No Crypto, No Secure Boot - Part ID: MCX631102AN- ADAT				
Intel I210-T1	Standard PCIe	1.7.03	Stiff v Stiffstat	V	Intel Ethernet Network Adapter I210-T1 AV, Security, Management				
Intel I350-T2	Standard PCIe	0.73.01	nin sent	Device does not support	Intel Ethernet Network Adapter I350-T2 802.3az (EEE), DMA Coalescing, Flexible Port Partitioning, MCTP				
Intel E810- CQDA2	Standard PCIe	7a.25.e1.84	V	V	Intel Ethernet Network Adapter E810-CQDA2 100/50/25/10Gb QSFP28, PCIe 4.0 x16, ADQ, DDP,				

					RDMA (iWARP & RoCEv2),
					Low Profile
					Intel Ethernet Network
					Adapter
Intal FO10					E810-XXVDA4
Intel E810- XXVDA4	Standard PCIe	00.00.03.02	V	V	QP 25/10Gb SFP28, PCle 4.0
XXVDA4					x16, ADQ, DDP, RDMA
					(iWARP & RoCEv2), Full
					Height compliant
Mellanox	Standard PCIe	1c.27.08.00	V	V	NVIDIA MCX75510AAS-
ConnectX-7					NEAT ConnectX-7 Adapter
MCX75510AAS-					Card 400GbE/NDR IB
NEAT					Single-Port OSFP PCle 5.0
					x16

AMI This document is provided under NDA

This do