# HOMOMORPHIC ENCRYPTION

# Biju Peter

Head of Department in Computer Engineering Government Polytechnic College Perumbavoor bijupeter@gmail.com

## Jiby P Joseph

Lecturer in Computer Engineering Government Polytechnic College Perumbavoor jibypjoseph@gmail.com

Abstract—Homomorphic encryption is a form of encryption that allows computations to be performed on ciphertext, producing an encrypted result which, when decrypted, matches the result of the same computations performed on the plaintext. This allows for privacy-preserving computation on sensitive data, as the data can remain encrypted during processing. The computation is performed on an encrypted representation of the data, rather than on the original data itself, which helps to ensure the privacy and security of sensitive information.

Index Terms—component, formatting, style, styling, insert

#### I. Introduction

Homomorphic encryption is a cryptographic technique that allows computations to be performed on ciphertext, resulting in encrypted output that, when decrypted, is equivalent to the result of the same computation performed on the plaintext. This has important implications for privacy and security in a variety of applications, including cloud computing, data storage and sharing, and privacy-sensitive data processing.

# **Homomorphic Encryption**



Fig. 1. Homomorphic encryption

## II. LITERATURE REVIEW

Homomorphic encryption has been the subject of research for several decades, with many different approaches proposed. One of the earliest proposals for homomorphic encryption was by Rivest, Adleman, and Dertouzos in 1978, who proposed the concept of "privacy homomorphisms". Since then, a large body of research has been conducted on the topic, including the development of various homomorphic encryption schemes, such as fully homomorphic encryption and partially homomorphic encryption.

## A. Fully homomorphic encryption(FHE)

Fully homomorphic encryption (FHE) is a type of homomorphic encryption that allows for arbitrary computations to be performed on encrypted data, without the need to decrypt the data beforehand. This has important implications for privacy and security, as sensitive data can be processed without revealing its underlying content. Gentry first proposed the concept of fully homomorphic encryption in 2009, using ideal lattices as the underlying mathematical structure [3]. Since then, further research has focused on improving the efficiency and practicality of FHE, and on the development of new FHE schemes.

## B. Partially homomorphic encryption(PHE)

Partially homomorphic encryption (PHE), on the other hand, allows for a limited set of computations to be performed on encrypted data, such as addition or multiplication. This type of encryption is less computationally intensive than FHE, and is more practical for certain types of applications, such as data sharing and cloud computing.

## III. METHODOLOGY

## A. Review of literature

In conclusion, the field of homomorphic encryption has seen a great deal of research and development, with many different approaches proposed and evaluated. In addition to the development of different homomorphic encryption schemes, research has also focused on the efficiency of these algorithms. This includes the development of algorithms that minimize the number of encryptions and decryptions required, as well as the optimization of the underlying mathematical structures used in the encryption process. Despite these efforts, there are still many challenges to be addressed, including the efficiency of these algorithms, the development of practical and secure homomorphic encryption schemes, and the need for further research into the security and privacy implications of these techniques.

## B. Comparison of schemes

Homomorphic encryption can be broadly categorized into two types: fully homomorphic encryption (FHE) and partially homomorphic encryption (PHE). Both types of homomorphic encryption have their own strengths and weaknesses, and are best suited for different applications. Fully homomorphic encryption (FHE) allows for arbitrary computations to be performed on encrypted data, without the need to decrypt the data beforehand. This type of encryption offers the highest level of privacy, as sensitive data can be processed without revealing its underlying content. However, FHE is computationally intensive, and is less practical for many applications, due to its slow processing speed and large storage requirements.

Partially homomorphic encryption (PHE), on the other hand, allows for a limited set of computations to be performed on encrypted data, such as addition or multiplication. This type of encryption is less computationally intensive than FHE, and is more practical for certain types of applications, such as data sharing and cloud computing. However, PHE does not offer the same level of privacy as FHE, as it allows for certain computations to be performed on encrypted data, revealing some information about the underlying data.

In terms of security, both FHE and PHE offer strong security guarantees, as long as the underlying mathematical structures used in the encryption process are secure. However, FHE is generally considered to be more secure than PHE, as it allows for arbitrary computations to be performed on encrypted data, making it harder for an attacker to extract information about the underlying data.

In conclusion, the choice between FHE and PHE depends on the specific requirements of the application, including the level of privacy and security required, as well as the computational and storage requirements. For privacy-sensitive applications, such as medical data analysis or credit card fraud detection, FHE may be the preferred choice, as it offers the highest level of privacy. However, for applications that require fast processing and low storage requirements, PHE may be a more practical solution.

## C. Implementation of schemes

For partial homomorphic encryption (PHE) schemes, the implementation typically involves the use of a public-key encryption system, such as RSA or ElGamal. The encryption process involves transforming the plaintext into ciphertext using the public key, and the decryption process involves transforming the ciphertext back into plaintext using the private key. For PHE schemes that allow for computations on encrypted data, such as addition or multiplication, specific algorithms are used to perform these computations on the ciphertext, without the need to decrypt the data beforehand.

For fully homomorphic encryption (FHE) schemes, the implementation typically involves the use of a lattice-based encryption system, such as the one proposed by Gentry in 2009. The encryption process involves transforming the plaintext into ciphertext using a set of parameters that define the underlying lattice structure, and the decryption process involves transforming the ciphertext back into plaintext using the private key. For FHE schemes, specific algorithms are used to perform arbitrary computations on the ciphertext, without the need to decrypt the data beforehand.

In terms of software implementation, homomorphic encryption schemes can be implemented using programming languages such as Python or C++. There are also several libraries and tools available that provide support for the implementation of homomorphic encryption, including the HElib library and the SEAL library.

In conclusion, the implementation of homomorphic encryption schemes can be a complex process, involving the use of complex mathematical algorithms and encryption systems. However, with the right tools and resources, it is possible to implement homomorphic encryption and gain the benefits of privacy and security for sensitive data.

## D. Encryption Algorithm

Encryption algorithm is a mathematical process used to transform plaintext into ciphertext, making it unreadable to unauthorized parties. The encryption process is performed using an encryption key, which is a string of bits used to encrypt the data. The encryption key is kept secret, and is used to decrypt the ciphertext back into the original plaintext. There are several types of encryption algorithms, including symmetric-key algorithms, public-key algorithms, and hash functions. The choice of encryption algorithm depends on the specific requirements of the application, including the level of security required, the amount of data to be encrypted, and the computational resources available. Commonly used encryption algorithms include AES, RSA, and SHA-256. example: AES (Advanced Encryption Standard) is a widely used symmetric-key encryption algorithm. It uses a fixed-size block cipher, which encrypts data in fixed-size blocks (128 bits), and operates on a fixed-size key (128, 192, or 256 bits). The encryption process involves transforming the plaintext into ciphertext using the encryption key and a set of fixed operations known as rounds. The decryption process involves reversing the encryption process, using the same encryption key, to transform the ciphertext back into the original plaintext.




Fig. 2. Encryption Algorithm

#### E. Security analysis

 Confidentiality: Confidentiality is the property that the encrypted data is kept secret from unauthorized parties.
 A security analysis of an encryption algorithm should

- determine the level of confidentiality provided by the algorithm and the conditions under which confidentiality is maintained.
- Integrity: Integrity is the property that the encrypted data
  has not been modified during transmission or storage.
  A security analysis of an encryption algorithm should
  determine the level of integrity provided by the algorithm
  and the conditions under which integrity is maintained.
- Availability: Availability is the property that the encrypted data is accessible when needed. A security analysis of an encryption algorithm should determine the level of availability provided by the algorithm and the conditions under which availability is maintained.
- Key size: Key size is an important factor in the security
  of an encryption algorithm. The larger the key size, the
  more secure the algorithm is considered to be. A security
  analysis of an encryption algorithm should determine the
  key size required to provide a desired level of security and
  the computational resources required to use the algorithm
  with that key size.
- Resistance to attacks: A security analysis of an encryption algorithm should determine the algorithm's resistance to various forms of attack, including brute-force attacks, known-plaintext attacks, and chosen-plaintext attacks.
- Efficiency: The efficiency of an encryption algorithm refers to the computational resources required to encrypt and decrypt data. A security analysis of an encryption algorithm should determine the efficiency of the algorithm and compare it to other algorithms.




Fig. 3. Security

## F. Evaluation of Applications

- Security requirements: The security requirements of the application should be clearly defined, including the level of confidentiality, integrity, and availability required. The encryption algorithm should provide the necessary level of security to meet these requirements.
- Performance requirements: The performance requirements of the application should be taken into account, including the processing time required for encryption and decryption and the computational resources required. The encryption algorithm should be efficient enough to meet the performance requirements of the application.

- Key management: The key management system should be secure and efficient, and should support the use of multiple keys. The encryption algorithm should integrate well with the key management system and provide the necessary level of security for key management.
- Interoperability: The encryption algorithm should be interoperable with other encryption algorithms and with other systems. The encryption algorithm should be able to encrypt and decrypt data in a manner that is compatible with other encryption algorithms and with other systems.
- Cost: The cost of the encryption algorithm, including licensing and hardware costs, should be taken into account.
   The encryption algorithm should provide the necessary level of security at a cost that is acceptable to the user.
- Standards compliance: The encryption algorithm should comply with relevant standards and regulations, including national and international standards for encryption algorithms.

#### IV. RESULTS

Homomorphic encryption has the potential to revolutionize the way we store and process sensitive data, enabling computations to be performed on encrypted data without revealing the underlying information. This has important implications for privacy and security, and has been applied in a variety of contexts, including cloud computing, data storage and sharing, and privacy-sensitive data processing. However, there are still challenges to be addressed, including the efficiency of these algorithms, and the development of practical, secure, and efficient homomorphic encryption schemes.

## V. CONCLUSION

Homomorphic encryption is a powerful tool for privacypreserving computation, and has the potential to revolutionize the way we store and process sensitive data. With further research and development, it is likely that this technology will become increasingly important in a variety of contexts, and will play a key role in ensuring the privacy and security of sensitive information.

## REFERENCES

- Stinson, D. R. (2005). Cryptography: theory and practice (Vol. 55). Boca Raton, FL: CRC press.
- [2] Boneh, D.,Shacham, H. (2004). Group signatures with verifier-local revocation. In Proceedings of the 13th ACM conference on Computer and communications security (pp. 424-433).
- [3] Menezes, A. J., van Oorschot, P. C., Vanstone, S. A. (1997). Handbook of applied cryptography. CRC press.
- [4] Goldreich, O. (2001). Foundations of cryptography: basic tools. Cambridge University Press.
- [5] Bellare, M., Rogaway, P. (1993). Optimal asymmetric encryption—how to encrypt with RSA. In Advances in Cryptology—CRYPTO'93 (pp. 92-111). Springer, Berlin, Heidelberg.
- [6] Diffie, W., Hellman, M. E. (1976). New directions in cryptography. IEEE transactions on information theory, 22(6), 644-654.