IoT-Based Smart Soil Health Monitoring and Crop Recommendation System

Aryan Saxena
Department of Computer Science and Engineering
Chandigarh University
Lucknow, Uttar Pradesh, India

Harshwardhan Pandey
Department of Computer Science and Engineering
Chandigarh University
Ranchi, Jharkhand, India

Vinayak Sahu
Department of Computer Science and Engineering
Chandigarh University
Chhindwara, Madhya Pradesh, India

Sumit Kant
Department of Computer Science and Engineering
Chandigarh University
Gaya, Bihar, India

Abstract—
This electronic document presents a real-time IoT-based smart soil health monitoring and crop recommendation system and defines the major components of the proposed research, including system architecture, data acquisition, analysis methodology, and decision support mechanisms. The system continuously monitors essential soil nutrients and environmental parameters using IoT sensors and processes the collected data through analytical models to assess soil fertility. Based on the analyzed data, the system provides suitable crop recommendations along with fertilizer and irrigation suggestions. The proposed approach aims to reduce dependency on manual soil testing, optimize resource utilization, improve crop productivity, and support sustainable agricultural practices through data-driven decision-making.

Keywords—
IoT, smart agriculture, soil health monitoring, crop recommendation, precision farming, sustainable agriculture

I. Introduction (*Heading 1*)

Agriculture is a fundamental sector that directly influences food security, economic growth, and sustainable development. Conventional farming practices largely depend on manual soil testing and experience-based decision-making, which are often time-consuming, costly, and inaccessible to small and marginal farmers. Such practices frequently result in improper fertilizer application, inefficient water usage, and inconsistent crop yields.

Recent developments in Internet of Things (IoT) technology have made it possible to monitor soil and environmental parameters in real time, supplying precise and timely data to support precision farming. IoT-based systems can help farmers make well-informed decisions about crop selection, fertilizer application, and irrigation scheduling by combining soil nutrient sensing, environmental monitoring, and data analytics.

II. Ease of Use

The IEEE template is meant to define the general style of the text and format the paper. It is not recommended to change any of the predefined margins, column widths, line spacing, or font styles. Any apparent formatting quirks are deliberate and intended to keep the conference proceedings consistent. To ensure compatibility with electronic publication requirements and consistent presentation across all accepted papers, authors are advised not to alter current style definitions or layout settings..

III. Prepare Your Paper Before Styling

Before formatting this research paper, all technical content related to the IoT-based smart soil health monitoring and crop recommendation system was written and reviewed as a separate draft. Before using the IEEE conference formatting styles, content organization, technical accuracy, and logical flow were finalized. Prior to the introduction of layout constraints, this approach guaranteed clarity in system description, methodology, and analysis.

A. Acronyms and Abbreviations

Every acronym and abbreviation used in this paper, including those that were previously defined in the abstract, is defined at the point where it appears in the text. Abbreviations that are widely used without definitions include IEEE, SI, and RMS. In the paper title and section headings, abbreviations are avoided unless absolutely necessary. To ensure readability and clarity, technical terms pertaining to sensor technologies, soil nutrients, and the Internet of Things are clearly expanded upon initial use.

XXX-X-XXXX-XXXX-X/XX/$XX.00 ©20XX IEEE

B. Units

• International System of Units (SI) is used as the primary unit system throughout this paper. Where necessary, secondary units are provided in parentheses for clarity.
• The combination of different unit systems within a single expression is avoided to prevent dimensional inconsistency. If mixed units are required, the units for each quantity are explicitly__stated.
• Complete unit names and standard abbreviations are not mixed. Units are either fully spelled out or written using standard abbreviations consistently. Units appearing in running text are written in full for better readability.
• A zero is used before decimal points to maintain numerical clarity. Standard unit notations are followed, and non-standard representations are avoided.

C. Equations

Equations used in this paper follow the formatting specifications prescribed by the IEEE conference template. Mathematical expressions are created using either the Times New Roman or Symbol font to maintain consistency with the overall document style. For complex or multilevel equations related to soil nutrient analysis or data processing models, equations may be treated as graphical objects and inserted into the document after the text has been fully styled.

All equations are numbered consecutively, with equation numbers placed in parentheses and aligned flush right. Compact equation representation is achieved using appropriate mathematical operators, exponents, or functional notation where applicable. Roman symbols representing quantities and variables are italicized, while Greek symbols remain in standard font style. A long dash is used to represent minus signs instead of hyphens. Equations are punctuated with commas or periods when they form part of a sentence.

An example equation format is shown below:

$$a + b = \gamma \quad (1)$$

All symbols used in equations are defined either before the equation appears or immediately after it. References to equations within the text use the format "(1)" and not abbreviated forms, except when an equation begins a sentence, in which case it is referred to as "Equation (1)".

D. Some Common Mistakes

• THE WORD "DATA" IS TREATED AS A PLURAL NOUN AND SHOULD BE USED ACCORDINGLY.
• THE SUBSCRIPT FOR SCIENTIFIC CONSTANTS, SUCH AS THE PERMEABILITY OF FREE SPACE M_0, USES A NUMERIC ZERO IN SUBSCRIPT FORM AND NOT A LOWERCASE LETTER.
• IN AMERICAN ENGLISH USAGE, PUNCTUATION MARKS SUCH AS COMMAS, SEMICOLONS, PERIODS, QUESTION MARKS, AND EXCLAMATION POINTS APPEAR WITHIN QUOTATION MARKS ONLY WHEN THEY ARE PART OF THE QUOTED MATERIAL. WHEN QUOTATION MARKS ARE USED TO EMPHASIZE A WORD OR PHRASE RATHER THAN TO QUOTE A COMPLETE STATEMENT, PUNCTUATION APPEARS OUTSIDE THE QUOTATION MARKS. PARENTHETICAL PHRASES AT THE END OF SENTENCES ARE PUNCTUATED OUTSIDE THE CLOSING PARENTHESIS, WHILE COMPLETE PARENTHETICAL SENTENCES ARE PUNCTUATED WITHINTHE PARENTHESES.
• THE TERM "ESSENTIALLY" SHOULD NOT BE USED AS A SUBSTITUTE FOR "APPROXIMATELY" OR "EFFECTIVELY".
• IN THE PAPER TITLE, IF THE PHRASE "THAT USES" CAN REPLACE THE WORD "USING" WITHOUT CHANGING THE MEANING, THE LETTER "U" IN "USING" SHOULD BE CAPITALIZED; OTHERWISE, IT SHOULD REMAIN IN LOWERCASE.
• AUTHORS SHOULD BE ATTENTIVE TO THE CORRECT USAGE OF HOMOPHONES SUCH AS "AFFECT" AND "EFFECT", "COMPLEMENT" AND "COMPLIMENT", "DISCREET" AND "DISCRETE", AND "PRINCIPAL" AND "PRINCIPLE".
• THE WORDS "IMPLY" AND "INFER" SHOULD NOT BE USED INTERCHANGEABLY.
• THE PREFIX "NON" IS NOT A STANDALONE WORD AND SHOULD GENERALLY BE JOINED TO THE WORD IT MODIFIES, TYPICALLY WITHOUT A HYPHEN.
AN EXCELLENT REFERENCE FOR SCIENTIFIC WRITING STYLE AND FORMATTING GUIDELINES IS PROVIDED IN [7].

IV. USING THE TEMPLATE

After completing all content editing for the IoT-based smart soil health monitoring and crop recommendation system, the paper is prepared for formatting using the IEEE conference template. A duplicate copy of the template file is created using the *Save As* command, following the file-naming convention specified by the conference or institution.

In the newly created file, all existing placeholder content is selected and replaced with the finalized manuscript text. The IEEE formatting styles provided in the template are then applied to headings, body text, and other paper components using the formatting toolbar. This process ensures uniformity in layout, font styles, spacing, and overall presentation, and

guarantees compliance with IEEE conference publication requirements.

A. Authors and Affiliations

This template supports a flexible number of authors and is suitable for conference papers with multiple contributors. A minimum of one author is required for all conference submissions. Author names in this paper are listed from left to right and then continue on the next line, following the standard author sequence used for citations and indexing services. Author names are not grouped by affiliation, and affiliations are kept concise without differentiating between departments within the same institution.

1. **For papers with more than six authors: Author names are added horizontally, and additional rows are used if the number of authors exceeds the available space.**
2. **For papers with fewer than six authors: To modify the default layout, the template can be adjusted as follows.**
   a) Selection: Highlight all author and affiliation entries.
   b) Change number of columns: Use the *Columns* option from the MS Word toolbar and select the appropriate number of columns.
   c) Deletion: Remove unused author and affiliation entries corresponding to extra author placeholders.

B. Identify the Headings

Headings are used as organizational elements to guide the reader through the structure of this paper. Two types of headings are used: component headings and text headings.

Component headings are used to identify major components of the paper that are not hierarchically subordinate to one another. Examples include Abstract, Acknowledgments, and References italicization, to distinguish the heading from the body text.

B. Figures and Tables

a) Positioning Figures and Tables: Place figures and tables at the top and bottom of columns. Avoid placing them in the middle of columns. Large figures and tables may span across both columns. Figure captions should be below the figures; table heads should appear above the tables. Insert figures and tables after they are cited in the text. Use the abbreviation "Fig. 1", even at the beginning of a sentence.

TABLE I. TABLE TYPE STYLES

TABLE I. TABLE TYPE STYLES

Table Head	**Table Column Head**		
	Table column subhead	***Subhead***	***Subhead***
copy	More table copy[a]		

[a] Sample of a Table footnote. (*Table footnote*)

We suggest that you use a text box to insert a graphic (which is ideally a 300 dpi TIFF or EPS file, with all fonts embedded) because, in an MSW document, this method is somewhat more stable than directly inserting a picture.

To have non-visible rules on your frame, use the MSWord "Format" pull-down menu, select Text Box > Colors and Lines to choose No Fill and No Line.

FIG. 1. EXAMPLE OF A FIGURE CAPTION.

V. FIGURE LABELS

FIGURE LABELS USE 8-POINT TIMES NEW ROMAN FONT. AXIS LABELS ARE WRITTEN USING DESCRIPTIVE WORDS RATHER THAN SYMBOLS OR ABBREVIATIONS TO AVOID AMBIGUITY. FOR EXAMPLE, THE LABEL "MAGNETIZATION" OR "MAGNETIZATION, M" IS PREFERRED OVER USING ONLY "M". WHEN UNITS ARE INCLUDED, THEY ARE PRESENTED WITHIN PARENTHESES. AXES ARE NOT LABELED USING UNITS ALONE. FOR INSTANCE, "MAGNETIZATION (A/M)" IS USED INSTEAD OF "A/M". RATIOS OF QUANTITIES AND UNITS ARE AVOIDED; THEREFORE, "TEMPERATURE (K)" IS USED RATHER THAN "TEMPERATURE/K".

VI. ACKNOWLEDGMENT (HEADING 5)

THE PREFERRED AMERICAN ENGLISH SPELLING OF THE WORD "ACKNOWLEDGMENT" IS USED WITHOUT THE LETTER "E" FOLLOWING THE "G". INFORMAL EXPRESSIONS SUCH AS "ONE OF US THANKS" ARE AVOIDED IN FAVOR OF CLEAR AND DIRECT ACKNOWLEDGMENT STATEMENTS. ANY SPONSOR OR FUNDING ACKNOWLEDGMENTS ARE INCLUDED AS AN UNNUMBERED FOOTNOTE ON THE FIRST PAGE OF THE PAPER.

VII. REFERENCES

[1] J. BURRELL, T. BROOKE, AND R. BECKWITH, "VINEYARD COMPUTING: SENSOR NETWORKS IN AGRICULTURAL PRODUCTION," *IEEE PERVASIVE COMPUTING*, VOL. 3, NO. 1, PP. 38–45, JAN.–MAR. 2004.

[2] A. KAMILARIS, A. KARTAKOULLIS, AND F. X. PRENAFETA-BOLDÚ, "A REVIEW ON THE PRACTICE OF BIG DATA ANALYSIS IN AGRICULTURE," *COMPUTERS AND ELECTRONICS IN AGRICULTURE*, VOL. 143, PP. 23–37, DEC. 2017.

[3] M. S. MEKALA AND P. VISWANATHAN, "A SURVEY: SMART AGRICULTURE IOT WITH CLOUD COMPUTING," IN *PROC. INT. CONF. MICROELECTRONIC DEVICES, CIRCUITS AND SYSTEMS (ICMDCS)*, 2017, PP. 1–7.

[4] S. R. NANDHINI, S. RADHA, AND K. S. KUMAR, "IOT-BASED SMART AGRICULTURE MONITORING SYSTEM," *INTERNATIONAL JOURNAL OF ENGINEERING RESEARCH AND TECHNOLOGY*, VOL. 6, NO. 3, PP. 344–348, MAR. 2017.

[5] K. A. PATIL AND N. R. KALE, "A MODEL FOR SMART AGRICULTURE USING IOT," IN *PROC. INT. CONF. GLOBAL TRENDS IN SIGNAL PROCESSING, INFORMATION COMPUTING AND COMMUNICATION*, 2016, PP. 543–545.

[6] FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS, "SOIL NUTRIENT MANAGEMENT FOR SUSTAINABLE AGRICULTURE," FAO, ROME, ITALY, TECH. REP., 2019.

[7] IEEE EDITORIAL BOARD, *IEEE EDITORIAL STYLE MANUAL*, IEEE, PISCATAWAY, NJ, USA, 2023.