## ONLINE TEST APPLICATION

```
<!doctype html>
<html lang="en">
  <meta charset="utf-8">
  <title>Quiz</title>
 <base href="/">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="icon" type="image/x-icon" href="./assets/images/quizlog-removebg-</pre>
preview.png">
  <link rel="preconnect" href="https://fonts.gstatic.com">
href="https://fonts.googleapis.com/css2?family=Roboto:wght@300;400;500&display
=swap" rel="stylesheet">
  <link href="https://fonts.googleapis.com/icon?family=Material+Icons"</pre>
rel="stylesheet">
</head>
<body>
  <app-root></app-root>
</body>
</html>
<app-navbar></app-navbar>
<div id="heading" class="text-center font-weight-bold">Quiz</div>
<img id = "img" src="../../assets/images/line.svg" height="200" width="100%">
<div id="name" class="py-4 mb-0 px-3 ml-2 mr-2">
    <div id="head1" class="text-center text-white"><strong>Quiz</strong>
Secure, Professional Web Based Quiz Easy to use, for business, training and
educational assessment with instantly scored tests and quizzes saving you
hours of paperwork!</div>
</div>
<div id = "con" class="container">
    <div class="bg-white rounded shadow-lg mb-5 mt-5 py-3 px-3">
        <div class="row row-cols-2 py-3">
            <div class="col">
            <img src="../../assets/images/assess.jpg" width="500"</pre>
height="300">
           </div>
            <div class="col">
            <h5 class="card-title"><strong>Take The Assessment</strong></h5>
            Spend less than 15 min answering 10 Questions
about your selected Category.
           </div>
```

```
<div class="col">
            <img src="../../assets/images/Score.jpg" width="500" height="300">
            </div>
            <div class="col">
            <h5 class="card-title"><strong>See How You Scored</strong></h5>
            You will immediately see your overall score,
which measure your current ability.
            </div>
        </div>
   </div>
</div>
<app-footer></app-footer>
<app-navbar></app-navbar>
<!DOCTYPE html>
<html>
<head></head>
<body>
    <div class="row justify-content-center">
        <div class="col-md-4 text-left bg-white rounded shadow-lg mb-5 mt-</pre>
5 py-3">
            <div><h3><strong>Contact us</strong></h3></div><br>
            <form (ngSubmit) = "onsubmit(signupform)" #signupform = "ngForm">
                <div class="form-row">
                    <div class="form-group col-12">
                        <label for="fname">Name</label>
                        <input type="text" class="form-control" id="fname"</pre>
name="Ufname" ngModel required #fname="ngModel">
                       <small *ngIf = '!fname.valid && fname.touched'</pre>
class="text-danger">Please Enter Your name</small>
                    </div>
               </div>
                <div class="form-group">
                    <label for="email">Email</label>
                    <input type="email" class="form-control" id="email"</pre>
placeholder="gadhehariharan18@gmail.com" name="Umail" ngModel required email
#email="ngModel">
                    <small *ngIf = '!email.valid && email.touched'</pre>
class="text-danger">Please Enter Valid Email
               </div>
               <div class="form-group">
```

```
<label>Your Message</label>
                    <textarea class="text-left" name="text" rows="4"
cols="47"></textarea>
                </div>
                <button type="submit" class="btn btn-primary float-right"</pre>
[disabled] = '!signupform.valid'>Submit</button>
            </form>
        </div>
    </div>
</body>
</html>
<app-footer></app-footer>
<!DOCTYPE html>
<html>
<head></head>
<body>
    <div class="row justify-content-center">
        <div class="col-md-6 text-left bg-white rounded shadow-lg mb-5 mt-5</pre>
py-3">
            <img class="rounded mx-auto d-block mb-4"</pre>
src="../../assets/images/quizlog-removebg-preview.png" width="72" height="72"
            <h1 class="h2 mb-3 font-weight-normal text-center">Create your
Quiz Account</h1><br>
            <form (ngSubmit) = "onsubmit(signupform)" #signupform = "ngForm">
                <div class="form-row">
                    <div class="form-group col-md-6">
                         <label for="fname">First Name</label>
                         <input type="text" class="form-control" id="fname"</pre>
name="Ufname" ngModel required #fname="ngModel">
                        <small *ngIf = '!fname.valid && fname.touched'</pre>
class="text-danger">Please Enter Your name</small>
                    </div>
                    <div class="form-group col-md-6">
                         <label for="lname">Last Name</label>
                        <input type="text" class="form-control" id="lname"</pre>
name="Ulname" ngModel>
                    </div>
                </div>
                <div class="form-group">
                    <label for="email">Email</label>
```

```
<input type="email" class="form-control" id="email"</pre>
placeholder="john@abc.com" name="Umail" ngModel required email
#email="ngModel">
                     <small *ngIf = '!email.valid && email.touched'</pre>
class="text-danger">Please Enter Valid Email</small>
                 </div>
                 <div class="form-group">
                     <label for="pass">Password</label>
                     <input type="password" class="form-control" id="pass"</pre>
name="Upass" ngModel required #pass="ngModel">
                     <small *ngIf = '!pass.valid && pass.touched' class="text-</pre>
danger">Please Enter Password</small>
                 <button type="submit" class="btn btn-primary float-right"</pre>
[disabled] = '!signupform.valid'>Create Account</button>
            </form>
        </div>
    </div>
</body>
</html>
<app-footer></app-footer>
<!DOCTYPE html>
<html>
<head></head>
<body>
    <div style="padding:245px">
        <h1 class="text-center">404 error</h1><br>
        <h3 class="text-center">Page Not Found</h3><br>
        <h6 class="text-center text-muted">The page your looking for doesn't
exist <br>or an other error occurred.</h6>
    </div>
</body>
</html>
<!DOCTYPE html>
<html>
<head></head>
<body>
    <br><br><br>></pr>
    <footer class="pt-3 my-md-3 pt-md-3 border-top" style="padding-left: 20px;</pre>
padding-right: 20px;">
        <div class="row">
            <div class="col-12 col-md">
                 <img src="./assets/images/quizlog-removebg-preview.png"</pre>
width="50" height="50">
```

```
<span class="text-muted"> &copy; 2021-All Rights
Reserved.</span>
            </div>
            <span><a class="text-muted" [routerLink] =</pre>
"['/contactus']">Contact us</a></span>
            <span><a class="text-muted" [routerLink] = "['/privacy']">Privacy
& Terms</a></span>
            <span>
                <a><i class="bi bi-twitter"></i></a>
                <a id ="mid"><i class="bi bi-instagram"></i></a>
                <a ><i class="bi bi-facebook"></i></a>
            </span>
        </div>
    </footer>
</body>
</html>
<!DOCTYPE html>
<html>
<head></head>
<body>
    <div class="row justify-content-center">
        <div class="col-md-4 text-left bg-white rounded shadow-lg mb-5 mt-5</pre>
py-3">
            <img class="rounded mx-auto d-block mb-4"</pre>
src="../../assets/images/quizlog-removebg-preview.png" alt="" width="72"
height="72" >
            <form (ngSubmit) = "onsubmit(signupform)" #signupform = "ngForm">
                <div class="form-group">
                     <label for="email">Email</label>
                     <input type="email" class="form-control" id="email"</pre>
placeholder="john@abc.com" name="Umail" ngModel required email
#email="ngModel">
                    <small *ngIf = '!email.valid && email.touched'</pre>
class="text-danger">Please Enter Valid Email</small>
                </div>
                <div class="form-group">
                     <label for="pass">New Password</label>
                     <input type="password" class="form-control" id="pass"</pre>
name="Upass" ngModel required #pass="ngModel">
                     <small *ngIf = '!pass.valid && pass.touched' class="text-</pre>
danger">Please Enter New Password</small>
                </div>
```

```
<button type="submit" class="btn btn-primary float-right"</pre>
[disabled] = '!signupform.valid'>Change Password</button>
            </form>
        </div>
    </div>
</body>
</html>
<app-footer></app-footer>
<app-navbar></app-navbar>
<!doctype html>
<html>
<body >
    <div class="container" >
        <div class="d-flex align-items-center p-3 my-3 text-white-50 rounded</pre>
shadow-lg">
            <img class="mr-3" src="../../assets/images/hat2.svg" alt=""</pre>
width="60" height="60">
            <div class="lh-100">
            <h6 class="mb-0 text-white lh-100">Quizes Catalog's</h6>
            </div>
        </div>
        <div class="my-5 p-3 bg-white rounded shadow-lg">
            <h6 class="border-bottom border-gray pb-2 mb-0"> Live Quizes</h6>
            <div class="media text-muted pt-3">
                 <img src="../../assets/images/pencil.svg" width="40"</pre>
height="40">
                <div class="media-body pb-3 mb-0 small lh-125 border-bottom"</pre>
border-gray">
                     <div class="d-flex justify-content-between align-items-</pre>
center w-100">
                         <strong class="text-gray-dark">GK</strong>
                         <a class="btn btn-outline-success" [routerLink] =</pre>
"['/quizhome']" role="button" (click)="sentpath('GK')" >Attempt</a>
                     </div>
                 </div>
            </div>
            <div class="media text-muted pt-3">
                 <img src="../../assets/images/pencil.svg" width="40"</pre>
height="40">
                <div class="media-body pb-3 mb-0 small lh-125 border-bottom"</pre>
border-gray">
                     <div class="d-flex justify-content-between align-items-</pre>
center w-100">
                         <strong class="text-gray-dark">Technology</strong>
```

```
<a class="btn btn-outline-success" [routerLink] =</pre>
"['/quizhome']" role="button" (click)="sentpath('Technology')">Attempt</a>
                    </div>
                </div>
            </div>
            <div class="media text-muted pt-3">
                <img src="../../assets/images/pencil.svg" width="40"</pre>
height="40">
                <div class="media-body pb-3 mb-0 small lh-125 border-bottom"</pre>
border-gray">
                    <div class="d-flex justify-content-between align-items-</pre>
center w-100">
                        <strong class="text-gray-dark">Aptitude</strong>
                        <a class="btn btn-outline-success" [routerLink] =</pre>
"['/quizhome']" role="button" (click)="sentpath('Aptitude')" >Attempt</a>
                    </div>
                </div>
            </div>
        </div>
    </div>
</body>
</html>
<app-footer></app-footer>
<app-navbar></app-navbar>
<div id = "back" class="container">
                <h1 class="display-4">Ready for<br>meaningful engagement?</h1>
                Find and Create exciting Quizzzzes.
                <a class="btn btn-lg" [routerLink] = "['/getstart']"</pre>
role="button">Get Started <i class="bi bi-arrow-right-short"></i></a>
            </div>
        <img src="../../assets/images/Effective-teamwork.png" width="820"</pre>
height="513">
        <app-footer></app-footer>
<!DOCTYPE html>
<html>
<head></head>
```

```
<body>
    <div class="d-flex flex-column flex-md-row align-items-center p-3 px-md-4</pre>
mb-3 bg-white border-bottom shadow-sm fixed-top">
        <h5 class="my-0 mr-md-auto font-weight-normal"><a [routerLink] =</pre>
"['/']"><img src="../assets/images/quizmain-removebg-preview.png"
style="height: 40px;width:90px;"></a></h5>
        <nav class="my-2 my-md-0 mr-md-3">
            <a class="p-2 text-dark" [routerLink] = "['/about']">About</a>
            <span *ngIf ='uname!=""' class = "p-2 text-dark"> |&nbsp;
{{uname}}</span>
            <a *ngIf ='uname==""' class="p-2 text-dark"
onclick="document.getElementById('id01').style.display='block'"
style="width:auto;">Sign in</a>
        </nav>
        <a *ngIf ='uname!=""' class="btn btn-sm" [routerLink] = "['/']"</pre>
(click) = 'onlogout()'><i class="bi bi-power"></i>&nbsp;SignOut</a>
        <a *ngIf ='uname==""' class="btn btn-lg" [routerLink] =
"['/create']">Create an account</a>
    </div>
    <div id="id01" class="modal">
        <form class="modal-content animate">
            <div class="imgcontainer">
                <span
onclick="document.getElementById('id01').style.display='none'" class="close"
title="Close">×</span>
            </div>
            <form class="form-signin" style="border: 1; text-align: center;"</pre>
(ngSubmit) = "onsubmit(signinform)" #signinform = "ngForm">
                <img class="mb-4" src="../../assets/images/quizlog-removebg-</pre>
preview.png" alt="" width="72" height="72">
                <h1 class="h2 mb-3 font-weight-normal">Sign in</h1>
                <label for="email" class="sr-only">Email address</label>
                <input type="email" id="email" class="form-control"</pre>
placeholder="Email address" name="Umail" required autofocus ngModel email
#email="ngModel">
                <small *ngIf = '!email.valid && email.touched' class="text-</pre>
danger float-left py-2">Please Enter Valid Email</small>
                <label for="pass" class="sr-only">Password</label>
                <input type="password" id="pass" class="form-control"</pre>
placeholder="Password" name="Upass" ngModel required #pass="ngModel">
                <div id = "chk" style="text-align: right;"><a [routerLink] =</pre>
"['/forget']">Forgot password?</a></div>
```

```
<button type = "submit" class="btn btn-lg btn-block mt-5 mb-</pre>
3" [disabled] = '!signinform.valid'>Sign in</button>
               Don't have an account? <a [routerLink] =</pre>
"['/create']">Create Account</a>
            </form>
        </form>
    </div>
    <script>
        var modal = document.getElementById('id01');
        window.onclick = function(event) {
            if (event.target == modal) {
               modal.style.display = "none";
        }
    </script>
</body>
</html>
<app-navbar></app-navbar>
<!DOCTYPE html>
<html>
<head></head>
<body>
    <div class="row justify-content-center">
        <div class="col-md-8 text-left bg-white rounded shadow-lg mb-5 mt-</pre>
5 py-3">
            <div class="text-center">
                <img class="mb-4" src="../../assets/images/quizlog-removebg-</pre>
preview.png" alt="" width="72" height="72">
            </div>
            <h1>Privacy Policy</h1>
            Last updated: March 28, 2021
            This Privacy Policy describes Our policies and procedures on
the collection, use and disclosure of Your information when You use the
Service and tells You about Your privacy rights and how the law protects
You.
            We use Your Personal data to provide and improve the Service.
By using the Service, You agree to the collection and use of information in
accordance with this Privacy Policy. This Privacy Policy has been created with
the help of the.
            <br>
            <h2>Interpretation</h2>
            The words of which the initial letter is capitalized have
meanings defined under the following conditions. The following definitions
shall have the same meaning regardless of whether they appear in singular or
in plural.
           <h2>Definitions</h2>
```

```
For the purposes of this Privacy Policy:
           <l
           <1i>>
           <strong>Account</strong> means a unique account created for You
to access our Service or parts of our Service.
           <1i>>
           <strong>Company</strong> (referred to as either &quot;the)
Company", "We", "Us" or "Our" in this
Agreement) refers to quiz.
           <1i>>
           <strong>Cookies</strong> are small files that are placed on
Your computer, mobile device or any other device by a website, containing the
details of Your browsing history on that website among its many uses.
           <1i>>
           <strong>Country</strong> refers to: Maharashtra, India
           <1i>>
           <strong>Device</strong> means any device that can access the
Service such as a computer, a cellphone or a digital tablet.
           <1i>>
           <strong>Personal Data</strong> is any information that relates
to an identified or identifiable individual.
           <1i>>
           <strong>Service</strong> refers to the Website.
           <1i>>
           <strong>Service Provider</strong> means any natural or legal
person who processes the data on behalf of the Company. It refers to third-
party companies or individuals employed by the Company to facilitate the
Service, to provide the Service on behalf of the Company, to perform services
related to the Service or to assist the Company in analyzing how the Service
is used.
           <1i>>
           <strong>Third-party Social Media Service</strong> refers to any
website or any social network website through which a User can log in or
create an account to use the Service.
           <strong>Usage Data</strong> refers to data collected
automatically, either generated by the use of the Service or from the Service
infrastructure itself (for example, the duration of a page visit).
```

```
<1i>>
           <strong>Website</strong> refers to quiz, accessible from <a
href="http://www.quizsite.com" rel="external nofollow noopener"
target="_blank">http://www.quizsite.com</a>
           <1i>>
           <strong>You</strong> means the individual accessing or using
the Service, or the company, or other legal entity on behalf of which such
individual is accessing or using the Service, as applicable.
           <h1>Collecting and Using Your Personal Data</h1>
           <h2>Types of Data Collected</h2>
           <h3>Personal Data</h3>
           While using Our Service, We may ask You to provide Us with
certain personally identifiable information that can be used to contact or
identify You. Personally identifiable information may include, but is not
limited to:
           <u1>
           <
           Email address
           <
           First name and last name
           <1i>>
           Phone number
           <1i>>
           Usage Data
           <h3>Usage Data</h3>
           Usage Data is collected automatically when using the
Service.
           Usage Data may include information such as Your Device's
Internet Protocol address (e.g. IP address), browser type, browser version,
the pages of our Service that You visit, the time and date of Your visit, the
time spent on those pages, unique device identifiers and other diagnostic
data.
           When You access the Service by or through a mobile device, We
may collect certain information automatically, including, but not limited to,
the type of mobile device You use, Your mobile device unique ID, the IP
address of Your mobile device, Your mobile operating system, the type of
mobile Internet browser You use, unique device identifiers and other
diagnostic data.
```

```
We may also collect information that Your browser sends
whenever You visit our Service or when You access the Service by or through a
mobile device.
           <h3>Tracking Technologies and Cookies</h3>
           We use Cookies and similar tracking technologies to track the
activity on Our Service and store certain information. Tracking technologies
used are beacons, tags, and scripts to collect and track information and to
improve and analyze Our Service. The technologies We use may include:
           <strong>Cookies or Browser Cookies.</strong> A cookie is a
small file placed on Your Device. You can instruct Your browser to refuse all
Cookies or to indicate when a Cookie is being sent. However, if You do not
accept Cookies, You may not be able to use some parts of our Service. Unless
you have adjusted Your browser setting so that it will refuse Cookies, our
Service may use Cookies.
           <strong>Flash Cookies.</strong> Certain features of our
Service may use local stored objects (or Flash Cookies) to collect and store
information about Your preferences or Your activity on our Service. Flash
Cookies are not managed by the same browser settings as those used for Browser
Cookies. For more information on how You can delete Flash Cookies, please read
" Where can I change the settings for disabling, or deleting local shared
objects?
           <strong>Web Beacons.</strong> Certain sections of our Service
and our emails may contain small electronic files known as web beacons (also
referred to as clear gifs, pixel tags, and single-pixel gifs) that permit the
Company, for example, to count users who have visited those pages or opened an
email and for other related website statistics (for example, recording the
popularity of a certain section and verifying system and server
integrity).
           Cookies can be " Persistent" or " Session"
Cookies. Persistent Cookies remain on Your personal computer or mobile device
when You go offline, while Session Cookies are deleted as soon as You close
Your web browser.
           We use both Session and Persistent Cookies for the purposes set
out below:
           <l
           <1i>>
           <strong>Necessary / Essential Cookies</strong>
           Type: Session Cookies
           Administered by: Us
           Purpose: These Cookies are essential to provide You with
services available through the Website and to enable You to use some of its
features. They help to authenticate users and prevent fraudulent use of user
accounts. Without these Cookies, the services that You have asked for cannot
be provided, and We only use these Cookies to provide You with those
services.
```

```
<1i>>
           <strong>Cookies Policy / Notice Acceptance Cookies</strong>
           Type: Persistent Cookies
           Administered by: Us
           >Purpose: These Cookies identify if users have accepted the use
of cookies on the Website.
           <strong>Functionality Cookies</strong>
           Type: Persistent Cookies
           Administered by: Us
           Purpose: These Cookies allow us to remember choices You make
when You use the Website, such as remembering your login details or language
preference. The purpose of these Cookies is to provide You with a more
personal experience and to avoid You having to re-enter your preferences every
time You use the Website.
           For more information about the cookies we use and your choices
regarding cookies, please visit our Cookies Policy or the Cookies section of
our Privacy Policy.
           <h2>Use of Your Personal Data</h2>
           The Company may use Personal Data for the following
purposes:
           <l
           <1i>>
           <strong>To provide and maintain our Service</strong>, including
to monitor the usage of our Service.
           <1i>>
           <strong>To manage Your Account:</strong> to manage Your
registration as a user of the Service. The Personal Data You provide can give
You access to different functionalities of the Service that are available to
You as a registered user.
           <strong>For the performance of a contract:</strong> the
development, compliance and undertaking of the purchase contract for the
products, items or services You have purchased or of any other contract with
Us through the Service.
           <1i>>
           <strong>To contact You:</strong> To contact You by email,
telephone calls, SMS, or other equivalent forms of electronic communication,
such as a mobile application's push notifications regarding updates or
informative communications related to the functionalities, products or
contracted services, including the security updates, when necessary or
reasonable for their implementation.
```

```
<1i>>
           <strong>To provide You</strong> with news, special offers and
general information about other goods, services and events which we offer that
are similar to those that you have already purchased or enquired about unless
You have opted not to receive such information.
           <strong>To manage Your requests:</strong> To attend and manage
Your requests to Us.
           <1i>>
           <strong>For business transfers:</strong> We may use Your
information to evaluate or conduct a merger, divestiture, restructuring,
reorganization, dissolution, or other sale or transfer of some or all of Our
assets, whether as a going concern or as part of bankruptcy, liquidation, or
similar proceeding, in which Personal Data held by Us about our Service users
is among the assets transferred.
           <
           <strong>For other purposes</strong>: We may use Your
information for other purposes, such as data analysis, identifying usage
trends, determining the effectiveness of our promotional campaigns and to
evaluate and improve our Service, products, services, marketing and your
experience.
           We may share Your personal information in the following
situations:
           <strong>With Service Providers:</strong> We may share Your
personal information with Service Providers to monitor and analyze the use of
our Service, to contact You.
           <strong>For business transfers:</strong> We may share or
transfer Your personal information in connection with, or during negotiations
of, any merger, sale of Company assets, financing, or acquisition of all or a
portion of Our business to another company.
           <strong>With Affiliates:</strong> We may share Your
information with Our affiliates, in which case we will require those
affiliates to honor this Privacy Policy. Affiliates include Our parent company
and any other subsidiaries, joint venture partners or other companies that We
control or that are under common control with Us.
           <strong>With business partners:</strong> We may share Your
information with Our business partners to offer You certain products, services
or promotions.
           <strong>With other users:</strong> when You share personal
information or otherwise interact in the public areas with other users, such
information may be viewed by all users and may be publicly distributed
```

outside. If You interact with other users or register through a Third-Party Social Media Service, Your contacts on the Third-Party Social Media Service may see Your name, profile, pictures and description of Your activity. Similarly, other users will be able to view descriptions of Your activity, communicate with You and view Your profile.

<strong>With Your consent</strong>: We may disclose Your
personal information for any other purpose with Your consent.

<h2>Retention of Your Personal Data</h2>

<h2>Transfer of Your Personal Data</h2>

Your consent to this Privacy Policy followed by Your submission of such information represents Your agreement to that transfer.

The Company will take all steps reasonably necessary to ensure that Your data is treated securely and in accordance with this Privacy Policy and no transfer of Your Personal Data will take place to an organization or a country unless there are adequate controls in place including the security of Your data and other personal information.

<h2>Disclosure of Your Personal Data</h2>

<h3>Business Transactions</h3>

<h3>Law enforcement</h3>

<h3>Other legal requirements</h3>

The Company may disclose Your Personal Data in the good faith belief that such action is necessary to:

```
<l
           Comply with a legal obligation
           Protect and defend the rights or property of the Company
           Prevent or investigate possible wrongdoing in connection with
the Service
           Protect the personal safety of Users of the Service or the
public
           Protect against legal liability
           <h2>Security of Your Personal Data</h2>
           The security of Your Personal Data is important to Us, but
remember that no method of transmission over the Internet, or method of
electronic storage is 100% secure. While We strive to use commercially
acceptable means to protect Your Personal Data, We cannot guarantee its
absolute security.
           <h1>Children's Privacy</h1>
           Our Service does not address anyone under the age of 13. We do
not knowingly collect personally identifiable information from anyone under
the age of 13. If You are a parent or guardian and You are aware that Your
child has provided Us with Personal Data, please contact Us. If We become
aware that We have collected Personal Data from anyone under the age of 13
without verification of parental consent, We take steps to remove that
information from Our servers.
           If We need to rely on consent as a legal basis for processing
Your information and Your country requires consent from a parent, We may
require Your parent's consent before We collect and use that information.
           <h1>Links to Other Websites</h1>
           Our Service may contain links to other websites that are not
operated by Us. If You click on a third party link, You will be directed to
that third party's site. We strongly advise You to review the Privacy Policy
of every site You visit.
           We have no control over and assume no responsibility for the
content, privacy policies or practices of any third party sites or
services.
           <h1>Changes to this Privacy Policy</h1>
           We may update Our Privacy Policy from time to time. We will
notify You of any changes by posting the new Privacy Policy on this page.
           We will let You know via email and/or a prominent notice on Our
Service, prior to the change becoming effective and update the "Last
updated" date at the top of this Privacy Policy.
           You are advised to review this Privacy Policy periodically for
any changes. Changes to this Privacy Policy are effective when they are posted
on this page.
           <h1>Contact Us</h1>
           If you have any questions about this Privacy Policy, You can
contact us:
           Sy email: contact us@quiz.com
```

```
</div>
   </div>
</body>
</html>
<app-footer></app-footer>
<!DOCTYPE html>
<html>
<head></head>
<body>
   <div class="sidenav">
       <div *ngIf ='uname!=""'>
          <div style =
"padding:10px;"><strong>Name:&nbsp;</strong>{{uname}}</div>
       </div>
       <div style = "padding:10px;"><strong>Questions:-</strong></div>
       <div>
          <a id = "navbtn1" class="btn" role="button" (click)
="btncontent(0)">1</a>
                 <a id = "navbtn2" class="btn" role="button" (click)
="btncontent(1)">2</a>
                 <a id = "navbtn3" class="btn" role="button" (click)
="btncontent(2)">3</a>
                 <a id = "navbtn4" class="btn"
                                                role="button" (click)
="btncontent(3)">4</a>
                 <a id = "navbtn5" class="btn"
                                                role="button" (click)
="btncontent(4)">5</a>
              role="button" (click)
                 <a id = "navbtn6" class="btn"
="btncontent(5)">6</a>
                 <a id = "navbtn7" class="btn"
                                                role="button" (click)
="btncontent(6)">7</a>
                 <a id = "navbtn8" class="btn"
                                                role="button" (click)
="btncontent(7)">8</a>
                 <a id = "navbtn9" class="btn"
                                                role="button" (click)
="btncontent(8)">9</a>
                 <a id = "navbtn10" class="btn" role="button" (click)
="btncontent(9)">10</a>
```

```
</div>
        <div class="text-center">
            <a class="btn btn-danger text-center" role="button" (click) =</pre>
'homecnf()"><i class="bi bi-house-fill"></i> Back to Home</a>
        </div>
    </div>
    <div id="track">
        <span style="padding-right: 40px;">Answered:&nbsp;<i id = "vis"</pre>
class="bi bi-square-fill"></i> </span>
        <span style="padding-right: 40px;padding-left: 40px;">Not
Answered: <i id = "nvis" class="bi bi-square-fill"></i> </span>
        <span style="padding-right: 40px;padding-left: 40px;">Review:&nbsp;<i</pre>
id = "rev" class="bi bi-square-fill"></i> </span>
        <span style="padding-right: 40px; padding-left: 40px; ">Time
Left: <span id="time">{{min}} Min {{timeLeft}} sec</span> </span>
    </div>
    <div class="main">
        <div id="Heading" class="media text-muted pt-3">
            <div class="media-body pb-2 mb-0 small lh-125 border-bottom"</pre>
border-gray">
                <div class="d-flex justify-content-between align-items-center</pre>
w-100">
                    <h6 id="qno"><strong class="text-dark"></strong></h6>
                </div>
            </div>
        </div>
        <div class="my-3 p-3 bg-white rounded shadow-lg">
            <div class="row">
                <div class="col">
                    <div class="media text-muted pt-3">
                        <div class="media-body pb-3 mb-0 small lh-125 border-</pre>
bottom border-gray">
                            <div id = "quest" class="d-flex justify-content-</pre>
between align-items-center w-100"></div>
                        </div>
                    </div>
                </div>
            </div>
            <div class="w-100"></div>
            <div class="media text-muted pt-3">
                <div class="media-body pb-3 mb-0 small lh-125 border-bottom"</pre>
border-gray">
```

```
<div class="d-flex justify-content-between align-items-</pre>
center w-100">
                         <div class="custom-control custom-radio">
                              <input type="radio" id="op1" name="op"</pre>
class="custom-control-input" >
                              <label class="custom-control-label" for="op1"><h6</pre>
id= "option1"><strong class="text-gray-dark"></strong></h6></label>
                         </div>
                     </div>
                 </div>
            </div>
             <div class="media text-muted pt-3">
                 <div class="media-body pb-3 mb-0 small lh-125 border-bottom"</pre>
border-gray">
                     <div class="d-flex justify-content-between align-items-</pre>
center w-100">
                         <div class="custom-control custom-radio">
                              <input type="radio" id="op2" name="op"</pre>
class="custom-control-input" >
                              <label class="custom-control-label" for="op2"><h6</pre>
id= "option2"><strong class="text-gray-dark"></strong></h6></label>
                         </div>
                     </div>
                 </div>
            </div>
             <div class="media text-muted pt-3">
                 <div class="media-body pb-3 mb-0 small lh-125 border-bottom"</pre>
border-gray">
                     <div class="d-flex justify-content-between align-items-</pre>
center w-100">
                         <div class="custom-control custom-radio">
                              <input type="radio" id="op3" name="op"</pre>
class="custom-control-input">
                             <label class="custom-control-label" for="op3"><h6</pre>
id= "option3"><strong class="text-gray-dark"></strong></h6></label>
                         </div>
                     </div>
                 </div>
            </div>
             <div class="media text-muted pt-3">
                 <div class="media-body pb-3 mb-0 small lh-125 border-bottom"</pre>
border-gray">
                     <div class="d-flex justify-content-between align-items-</pre>
center w-100">
```

```
<div class="custom-control custom-radio">
                              <input type="radio" id="op4" name="op"</pre>
class="custom-control-input" >
                             <label class="custom-control-label" for="op4"><h6</pre>
id= "option4"><strong class="text-gray-dark"></strong></h6></label>
                         </div>
                     </div>
                 </div>
            </div>
        </div>
        <div class="text-center">
            <span style="padding-right: 40px;"><button type="button"</pre>
class="btn" id = "review" (click)="review()"><i class="bi bi-eye-fill"></i>
Marked for Review</button></span>
            <span style="padding-right: 40px;"><button type="button"</pre>
class="btn" id= "prev" (click)="prev()"><i class="bi bi-arrow-bar-left"></i>
Previous</button></span>
            <span style="padding-right: 40px;"><button type="button"</pre>
class="btn" id= "next" (click)="next()">Next <i class="bi bi-arrow-bar-</pre>
right"></i></button></span>
            <span style="padding-right: 40px;"><button type="button"</pre>
class="btn btn-info" id= "savenext" (click)="savenext()"> Save & Next <i</pre>
class="bi bi-arrow-bar-right"></i></button></span>
            <span *ngIf="i==9"><a id= "submitquiz" class="btn btn-success"</pre>
role="button" (click)="submitquiz()">Submit Quiz</a></span>
        </div>
    </div>
</body>
</html>
<!DOCTYPE html>
<html>
<head>
</head>
<body >
    <div class="sidenav"></div>
    <div class="main">
        <div id="Heading" class="media text-muted pt-3">
            <div class="media-body pb-3 mb-0 small lh-125 border-bottom"</pre>
border-gray">
                <div class="d-flex justify-content-between align-items-center</pre>
w-100">
```

```
<strong class="text-dark"> &nbsp;Quiz Instruction</strong>
                </div>
            </div>
        </div>
        <div class="row">
           <div class="col">
                <div class="inst">
                    <br>This quiz consists of 10 multiple-choice questions.
Keep the following in mind:<br><br>
                    <strong>Multiple Attempts -</strong> You will have
<em>unlimited attempts for this quiz.
                    <strong>Timing -</strong> You will need to complete
each of your attempts in one sitting, as you are allotted 15 minutes to
complete each attempt.
                    <strong>Answers -</strong> You may review your answer-
choices and compare them to the correct answers after your final
submission.
                    To start, click the <strong>"Start Quiz"</strong> button.
When finished, click the <strong>"Submit Quiz"</strong> button.
                </div>
            </div>
        </div>
        <div class="my-3 p-3 bg-white rounded shadow-lg">
            <div class="row">
                <div id ="Heading" class="col">
                    <div class="media text-muted pt-3">
                       <div class="media-body pb-3 mb-0 small lh-125 border-</pre>
bottom border-gray">
                            <div class="d-flex justify-content-between align-</pre>
items-center w-100">
                                <strong class="text-dark">Quiz
Information</strong>
                            </div>
                       </div>
                    </div>
                </div>
                <div class="w-100"></div>
                <div class="col">
                    <div class="media text-muted pt-3">
                        <div class="media-body pb-3 mb-0 small lh-125 border-</pre>
bottom border-gray">
```

```
<div class="d-flex justify-content-between align-</pre>
items-center w-100">
                                 <h6><strong class="text-gray-dark">Quiz
Section: {{qname}}</strong></h6>
                             </div>
                         </div>
                     </div>
                </div>
                <div class="col">
                     <div class="media text-muted pt-3">
                         <div class="media-body pb-3 mb-0 small lh-125 border-</pre>
bottom border-gray">
                             <div class="d-flex justify-content-between align-</pre>
items-center w-100">
                                 <h6><strong class="text-gray-dark">Total
Duration: 15 Minutes</strong></h6>
                         </div>
                     </div>
                </div>
                <div class="w-100"></div>
                <div class="col">
                     <div class="media text-muted pt-3">
                         <div class="media-body pb-3 mb-0 small lh-125 border-</pre>
bottom border-gray">
                             <div class="d-flex justify-content-between align-</pre>
items-center w-100">
                                 <h6><strong class="text-gray-dark">Total
Screen Question: 10</strong></h6>
                             </div>
                         </div>
                     </div>
                </div>
                <div class="col">
                     <div class="media text-muted pt-3">
                         <div class="media-body pb-3 mb-0 small lh-125 border-</pre>
bottom border-gray">
                             <div class="d-flex justify-content-between align-</pre>
items-center w-100">
                                 <h6><strong class="text-gray-dark">Points: 100
</strong></h6>
                             </div>
                         </div>
                    </div>
```

```
</div>
         </div>
      </div>
      <div class="text-center">
         <span><a class="btn btn-danger" role="button" (click) =</pre>
"homecnf()"><i class="bi bi-house-fill"></i> Back to Home</a></span>
         <span><a class="btn btn-success" [routerLink] = "['/quizdisplay']"</pre>
role="button"><i class="bi bi-hourglass-top"></i> Start Quiz</a></span>
      </div>
   </div>
</body>
</html>
<app-navbar></app-navbar>
<div class="jumbotron">
   <h1 class="display-4"><strong>Score Card</strong></h1>
   <hr class="my-4">
   See your score card on clicking below button.
   <a class="btn btn-success" data-toggle="collapse" href="#collapseExample"</pre>
role="button" aria-expanded="false" aria-controls="collapseExample">
      Review & Result
   </a>
<div class="collapse" id="collapseExample">
   <div class="card card-body">
      <div style="background-color: #85C1E9 ;padding:10px;"><h3>Your
Score: {{point}}/100</h3></div>
      <thead>
            #
                Questions
                Correct Answer
                Your Answer
            </thead>
         {{item.gid}}
                {{item.qtext}}
                {{item.ans}}
                !item.col}">{{item.uans}}
```

```
  </div>
</div>
<app-footer></app-footer>
```