

Internship Report

External guide Name : Mallikarjun Kumbar

Designation : director

Mail : info@takeitsmart.in

Phone number : 8792697647

ABOUT COMPANY

TAKE IT SMART (OPC) PVT.LTD is an Indian based engineering and Software Company headquartered in Bangalore, Karnataka, India. It is both product and service oriented software company. All offices employ an experienced team of professionals, with an outstanding track record of handling complex web & Apps development projects.

2.1 HISTORY

The company was legally registered in the year 2021, but it made its humble beginning in the year 2018 with a team of Two members.

2.2 COMPANY STRATEGY

- **Purpose:** To be a leader in the software Industry by providing enhanced services, relationship and profitability.
- **Mission:** To build long term relationships with our customers and clients and provide exceptional customer services by pursuing business through innovation and advanced technology
- **Vision:** To provide quality services that exceeds the expectations of our esteemed customers.
- **Core values:**
 - To incorporate good business practices in order to achieve customer satisfaction and treating the customers with respect and faith.
 - To grow through creativity, invention and innovation.
 - To integrate honesty, integrity and business ethics into all aspects of the business functioning.

Goals:

- To improve, grow and become more efficient in the field electronics engineering and software development and develop a strong base of key clients.
- To understand customer requirements and fulfill them.

- Increase the assets and investments of the organization to support the development of services and expansion of the organization.
- To increase the productivity and improve the customer service satisfaction.
- To do Innovations in Software field and provide quality services to deliver a range of products.

2.3 COMPANY SERVICES

TAKE IT SMART (OPC) PVT.LTD have its own services such as,

- Embedded Applications development
- Web design and development
- IT Service
- Android app Development
- Web Bases Software Solutions
- Web Based ERP
- Web Based Ads Mobile Based Services: Mobile Web Apps a. Android Apps b. Windows Apps c. IOS Apps d. Cross Plate forms Apps
- Native Apps
- Hybrid apps Get trained for industry requirements while you pursuing degree The Different verticals that we operate in are: ← Internship & Software Training

2.4 DOMAINS

TAKE IT SMART (OPC) PVT.LTD have working with several domains like-

- IT
- Digital marketing

2.5 DEPARTMENTS

- **Marketing:** These are the main section of the market departments:
- **Sales department** is responsible for the sales and distribution of the products to the different regions.
- **Promotion department** decides on the type of promotion method for the products, arranges advertisements and the advertising media used.
- **Distribution department** distributes the products across the industries.
- **Embedded System and Internet of Things (IOT) department.**
- **Machine learning and web development department.**

Business Address: Take It Smart (OPC) Pvt.Ltd

14,SGN Arcade, 1st Floor, 2nd stage, 1st Main Rd,

RPC Layout, Hoshalli Extension, Stage 1,

Vijayanagar, Bengaluru, Karnataka 560040

Mobile: +91-8050104212

Email: info@takeitsmart.in

Website: www.takeitsmart.in

ABSTRACT

This project is a web based shopping system for an existing shop. The project objective is to deliver the online shopping application into android platform.

This project is an attempt to provide the advantages of online shopping to customers of a real shop. It helps buying the products in the shop anywhere through internet. Thus the customer will get the service of online shopping and home delivery from his favorite shop. This system can be implemented to any shop in the locality or to multinational branded shops having retail outlet chains.

If shops are providing an online portal where their customers can enjoy easy shopping from anywhere, the shops won't be losing any more customers to the trending online shops such as flipcart or ebay. Since the application is available in the Smartphone it is easily accessible and always available.

. . . i

LIST OF FIGURES

1.1 ADMIN MODULE	5
1.2 MANAGE Sub Admin	6
1.3 MANAGE PRODUCTS	8
1.4 MANAGE USERS	9
1.5 MANAGE ORDERS	10

1.5 MODERATOR MODULE 11

1.7 USER MODULE 12

E-R DIAGRAMS & DFD

3.5 LOGIN 30

3.6 USER DETAILS 30

3.7 PRODUCT DETAILS 31

3.8 PRODUCT ORDERS 31

3.9 COMPLETE DIAGRAM 32

ii

1. LOGIN DFD 35

2. REGISTRATION DFD 36

3. ADMIN DFD 37

4. MODERATOR DFD 38

LIST OF TABLES

1. LOGIN TABLE 28
2. USER DETAILS 28
3. PRODUCT DETAILS 29
4. PRODUCT ORDERS 29

TABLE OF CONTENTS

ABSTRACT i

LIST OF FIGURE ii

LIST OF TABLES iv

ACKNOWLEDGEMENT v

1. INTRODUCTION PAGE

- 1. PROJECT OBJECTIVES 1
- 2. PROJECT OVER VIEW 2
- 3. PROJECT SCOPE 2
- 4. STUDY OF SYSTEMS 3
- 1. MODULES 3
- 1. ADMIN 3
- 2. MODERATOR 11
- 3. USER 12

2. SYSTEM ANALYSIS 15

- 1. EXISTING SYSTEM 15
- 2. PROPOSED SYSTEM 16
- 3. SYSTEM REQUIREMENT SPECIFICATION 16
- 1. GENERAL DESCRIPTION 16
- 2. SYSTEM OBJECTIVES 17
- 3. SYSTEM REQUIREMENTS 17
- 1. NON FUNCTIONAL REQUIREMENT 18
- 2. FUNCTIONAL REQUIREMENT 19

3. SYSTEM DESIGN 23

- 1. INPUT AND OUTPUT DESIGN 24
- 1. INPUT DESIGN 24

2. OUTPUT DESIGN	24
2. <u>DATABASE</u>	<u>25</u>
3. <u>SYSTEM TOOLS</u>	<u>25</u>
1. FRONT END	26
2. BACK END	27
4. <u>TABLES</u>	<u>28</u>
5. <u>E-R DIAGRAMS</u>	<u>30</u>
6. DATA FLOW DIAGRAMS (DFD)	32
7. <u>SCREEN SHOTS</u>	<u>39</u>
8. <u>SAMPLE CODE</u>	<u>47</u>
4. CONCLUSION	67
<u>REFERENCES</u>	<u>69</u>

CHAPTER 1

INTRODUCTION

This project is a web based shopping system for an existing shop.

The project objective is to deliver the online shopping application into android platform.

Online shopping is the process whereby consumers directly buy goods or services from a seller in real-time, without an intermediary service, over the Internet. It is a form of electronic commerce. This project is an attempt to provide the advantages of online shopping to customers of a real shop. It helps buying the products in the shop anywhere through internet by using an android device. Thus the customer will get the service of online shopping and home delivery from his favorite shop

1. PROJECT OBJECTIVE:

The objective of the project is to make an application in Web platform to purchase items in an existing shop. In order to build such an application complete web support need to be provided. A complete and efficient web application which can provide the online shopping experience is the basic objective of the project. The web application can be implemented in the form of an android application with web view.

1. PROJECT OVER VIEW:

The central concept of the application is to allow the customer to shop virtually using the Internet and allow customers to buy the items and articles of their desire from the store. The information pertaining to the products are stores on an RDBMS at the server side (store).

The Server process the customers and the items are shipped to the address submitted by them. The application was designed into two modules first is for the customers who wish to buy the articles. Second is for the storekeepers who maintains and updates the information pertaining to the articles and those of the customers. The end user of this product is a departmental store where the application is hosted on the web and the administrator maintains the database. The application which is deployed at the customer database, the details of the items are brought forward from the database for the customer view based on the selection through the menu and the database of all the products are updated at the end of each transaction. Data entry into the application can be done through various screens designed for various levels of users. Once the authorized personnel feed the relevant data into the system, several reports could be generated as per the security.

2. PROJECT SCOPE:

This system can be implemented to any shop in the locality or to multinational branded shops having retail outlet chains. The system recommends a facility to accept the orders 24*7 and a home delivery system which can make customers happy.

If shops are providing an online portal where their customers can enjoy easy shopping from anywhere, the shops won't be losing any more

customers to the trending online shops such as flipcart or ebay. Since the application is available in the Smartphone it is easily accessible and always available.

3. STUDY OF THE SYSTEM

1. MODULES:

The system after careful analysis has been identified to be presented with the following modules and roles.

The modules involved are:

- Administrator
- Users

1. ADMINISTRATOR:

The administrator is the super user of this application. Only admin have access into this admin page. Admin may be the owner of the shop. The administrator has all the information about all the users and about all products.

This module is divided into different sub-modules.

1. Manage Products
2. Manage Category
3. Manage Users
4. Manage Orders




Fig 1.1: Admin module

MANAGE MODERATOR




Fig 1.2: Manage Moderator

- Add Moderator

Only admin is having the privilege to add a moderator. A moderator can be considered as a staff who manages the orders or owner of a group of products.

- Block moderator

Admin can restrict a moderator from managing the orders by blocking them. Admin can unblock a blocked user if needed.

- Remove Moderator

Admin has privilege to delete a moderator who was added.

- Search moderator:

All existing moderators can be viewed by the administrator as a list. If there is number of moderators and admin need to find one of them, the admin can search for a moderator by name.




Fig 1.3: Manage Products

- Add Products

The shopping cart project contains different kind of products. The products can be classified into different categories by name. Admin can add new products into the existing system with all its details including an image.

- Delete Products

Administrator can delete the products based on the stock of that particular product.

- Search products

Admin will have a list view of all the existing products. He can also search for a particular product by name.

MANAGE USER




Fig 1.4: Manage User

- View Users

The admin will have a list view of all the users registered in the system. Admin can view all the details of each user in the list except password.

- Add Users

Admin has privileges to add a user directly by providing the details.

- Delete &Block Users

Administrator has a right to delete or block a user. The default status of a new user registered is set as blocked. The admin must accept the new user by unblocking him.

MANAGE ORDERS



Fig 1.5: Manage Orders

- View Order

Administrator can view the Orders which is generated by the users. He can verify the details of the purchase.

- Delete order

Admin can delete order from the orders list when the product is taken for delivery.

1. MODERATORS




Fig 1.6: Moderator Module

A moderator is considered as a staff who can manage orders for the time being. As a future update moderator may give facility to add and manage his own products . Moderators can reduce the work load of admin. Now moderator has all the privilege an admin having except managing other

moderators. He can add products and users. He can also check the orders and edit his profile.

- Manage products
- Manage users
- Manage orders

2.USERS




Fig 1.7: User Module

- Registration

A new user will have to register in the system by providing essential details in order to view the products in the system. The admin must accept a new user by unblocking him.

- Login

A user must login with his user name and password to the system after registration.

- View Products

User can view the list of products based on their names after successful login. A detailed description of a particular product with product name, products details, product image, price can be viewed by users.

- Search Product

Users can search for a particular product in the list by name.

- Add to cart:

The user can add the desired product into his cart by clicking add to cart option on the product.

He can view his cart by clicking on the cart button. All products added by cart can be viewed in the cart. User can remove an item from the cart by clicking remove.

- Submit Cart:

After confirming the items in the cart the user can submit the cart by providing a delivery address. On successful submitting the cart will become empty.

- History

In the history the user will have a view of pending orders.

- Edit Profile

The user can view and edit the profile.

SYSTEM ANALYSIS

System analysis is the process of gathering and interpreting facts, diagnosing problems and using the information to recommend improvements on the system. System analysis is a problem solving activity that requires intensive communication between the system users and system developers.

System analysis or study is an important phase of any system development process. The system is viewed as a whole, the inputs are identified and the system is subjected to close study to identify the problem areas. The solutions are given as a proposal. The proposal is reviewed on user request and suitable changes are made. This loop ends as soon as the user is satisfied with the proposal.

1. EXISTING SYSTEM

The current system for shopping is to visit the shop manually and from the available product choose the item customer want and buying the item by payment of the price of the item .

1. It is less user-friendly.
2. User must go to shop and select products.
3. It is difficult to identify the required product.
4. Description of the product limited.
5. It is a time consuming process
6. Not in reach of distant users.

1. PROPOSED SYSTEM

In the proposed system customer need not go to the shop for buying the products. He can order the product he wish to buy through the application in his Smartphone. The shop owner will be admin of the

system. Shop owner can appoint moderators who will help owner in managing the customers and product orders. The system also recommends a home delivery system for the purchased products.

2. SYSTEM REQUIREMENT SPECIFICATION

1. GENERAL DESCRIPTION

Product Description:

The system consists of two parts .A web application which can provide the online shopping service and an android application for the customer to

access the web service from his Smartphone. Web application should be able to help the customer for selecting his item and to help the owner in managing the orders from the customers.

Problem Statement:

As online shopping became a trend nowadays the regular shops are losing their customers to online brands. Customers have effortless shopping experience and saving time through shopping online. For competing with those online brands , If shops are providing an online portal where their customers can shop through internet and get the products at their doors it will increase the number of customers.

1. SYSTEM OBJECTIVES

- To provide an android application for online shopping of products in an existing shop.
- To provide a online shopping web site for the same shop.

2. SYSTEM REQUIREMENTS

1. NON FUNCTIONAL REQUIREMENTS

i. EFFICIENCY REQUIREMENT

When an online shopping cart android application implemented customer can purchase product in an efficient manner.

ii. RELIABILITY REQUIREMENT

The system should provide a reliable environment to both customers and owner. All orders should be reaching at the admin without any errors.

iii. USABILITY REQUIREMENT

The android application is designed for user friendly environment and ease of use.

iv. IMPLEMENTATION REQUIREMENT

Implementation of the system using css and html in front end with jsp as back end and it will be used for database connectivity. And the database part is developed by mysql. Responsive web designing is used for making the website compatible for any type of screen.

v. DELIVERY REQUIREMENT

The whole system is expected to be delivered in four months of time with

a weekly evaluation by the project guide.

1. FUNCTIONAL REQUIREMENTS

USER

- USER

LOGIN

Description

of feature

This feature used by the user to login into system. A user must login with his user name and password to the system after registration. If they are invalid, the user not allowed to enter the system.

Functional requirement

- Username and password will be provided after user registration is confirmed.
- Password should be hidden from others while typing it in the field

- REGISTER NEW

USER Description of

feature

A new user will have to register in the system by providing essential details in order to view the products in the system. The admin must accept a new user by unblocking him.

Functional requirement

- System must be able to verify and validate information.
- The system must encrypt the password of the customer to provide security.
- PURCHASING AN ITEM

Description of feature

The user can add the desired product into his cart by clicking add to cart option on the product. He can view his cart by clicking on the cart button. All products added by cart can be viewed in the cart. User can remove

an item from the cart by clicking remove. After confirming the items in the cart the user can submit the cart by providing a delivery address. On successful submitting the cart will become empty.

Functional requirement

- System must ensure that, only a registered customer can purchase items.

ADMIN

- MANAGE

USER

Description of

feature

The administrator can add user, delete user, view user and block user.

- MANAGE

MODERATOR

Description of feature

The administrator can add moderator, delete moderator, block moderator and search for a moderator.

- MANAGE

PRODUCTS

Description of feature

The administrator can add product, delete product and view product.

- MANAGE

ORDERS

Description of

feature

The administrator can view orders and delete

orders. Functional requirements

-The system must identify the login of the admin.

-Admin account should be secured so that only owner of the shop can access that account

MODERATOR

Description of features

A moderator is considered as a staff who can manage orders for the time being. As a future update moderator may give facility to add and manage his own products. Moderators can reduce the work load of admin. Now moderator has all the privilege of an admin having except managing other moderators. He can manage users and manage products. He can also check the orders and edit his profile.

Functional requirement

-The system must identify the login of a moderator.

CHAPTER 3

SYSTEM DESIGN

System design is the solution for the creation of a new system. This phase focuses on the detailed implementation of the feasible system. It emphasis on translating design. Specifications to performance specification. System design has two phases of development

- Logical design
- Physical design

During logical design phase the analyst describes inputs (sources), output s(destinations), databases (data sores) and procedures (data

flows) all in a format that meets the user requirements. The analyst also specifies the needs of the user at a level that virtually determines the information flow in and out of the system and the data resources. Here the logical design is done through data flow diagrams and database design. The physical design is followed by physical design or coding. Physical design produces the working system by defining the design specifications, which specify

exactly what the candidate system must do. The programmers write the necessary programs that accept input from the user, perform

necessary processing on accepted data and produce the required report on a hard copy or display it on the screen.

1. INPUT AND OUTPUT DESIGN

1. INPUT DESIGN:

Input design is the link that ties the information system into the world of its

users. The input design involves determining the inputs, validating the data, minimizing the data entry and provides a multi-user facility. Inaccurate inputs are the most common cause of errors in data processing. Errors entered by the data entry operators can be controlled by input design. The user-originated inputs are converted to a computer based format in the input design. Input data are collected and organized into groups of similar data. Once identified, the appropriate input media are selected for processing. All the input data are validated and if any data violates any conditions, the user is warned by a message. If the data satisfies all the conditions, it is transferred to the appropriate tables in the database. In this project the student details are to be entered at the time of registration. A page is designed for this purpose which is user friendly and easy to use. The design is done such that users get appropriate messages when exceptions occur.

1. OUTPUT DESIGN:

Computer output is the most important and direct source of information to the user. Output design is a very important phase since the output needs to be in an efficient manner. Efficient and intelligible output design improves the system relationship with the user and helps in decision making. Allowing the user to view the sample screen is important

because the user is the ultimate judge of the quality of output. The output module of this system is the selected notifications.

1. DATABASE

DATABASE DESIGN:

Databases are the storehouses of data used in the software systems. The data is stored in tables inside the database. Several tables are created for the manipulation of the data for the system. Two essential settings for a database are

the field that is unique for all the record occurrences.

□ Primary Key

-the field used to set relation between tables. □ Foreign Key

Normalization is a technique to avoid redundancy in the tables.

2. SYSTEM TOOLS

The various system tools that have been used in developing both the front end and the back end of the project are being discussed in this chapter.

3.3.1.FRONT END:

, HTML, CSS, PYTHON are utilized to implement the frontend.

PYTHON

It's stable, flexible, and gives developers access to a variety of tools that make their jobs easier. Machine Learning projects rely on complex algorithms, leaving very little room for error. Python's simplicity, related to its easily readable code, gives programmers confidence in the projects they work on.

HTML (Hyper Text Markup Language)

HTML is a syntax used to format a text document on the web.

CSS (Cascading Style Sheets)

CSS is a style sheet language used for describing the look and formatting of a document written in a markup language.

3.3.2 BACK END

The back end is implemented using MySQL which is used to design the databases.

MySQL

MySQL is the world's second most widely used open-source relational database management system (RDBMS). The SQL phrase stands for Structured Query Language.

An application software called Navicat was used to design the tables in MySQL.

3. TABLES

- LOGIN

login					
Field Name	Field Type	Default	AllowNull	PriKey	Extra
uid	int(11) FIRST		NO	YES	auto_increment
uname	varchar(50) AFTER `uid`		NO	NO	
upass	varchar(50) AFTER `uname`		NO	NO	
utype	varchar(20) AFTER `upass`		NO	NO	
enabled	varchar(10) AFTER `utype`		NO	NO	

Fig 3.1: Login Table

- USER DETAILS

userdetails					
Field Name	Field Type	Default	AllowNull	PriKey	Extra
uid	int(11) FIRST		NO	YES	
uloginname	varchar(50) AFTER `uid`		NO	NO	
uemailid	varchar(100) AFTER `uloginname`		NO	NO	
umobno	varchar(30) AFTER `uemailid`		NO	NO	

Fig 3.2: User Details Table

- PRODUCT DETAILS

product_details					
Field Name	Field Type	Default	AllowNull	PriKey	Extra
id	int(11) FIRST		NO	YES	auto_increment
name	varchar(100) AFTER `id`		NO	NO	
description	varchar(500) AFTER `name`		YES	NO	
price	varchar(50) AFTER `description`		YES	NO	
photo	varchar(100) AFTER `price`		YES	NO	

Fig 3.3: Product Details Table

- PRODUCT ORDERS

product_orders					
Field Name	Field Type	Default	AllowNull	PriKey	Extra
id	int(11) FIRST		NO	YES	auto_increment
product_id	int(11) AFTER `id`		NO	NO	
user_id	int(11) AFTER `product_id`		NO	NO	
deliver_address	varchar(500) AFTER `user_id`		YES	NO	

Fig 3.4: Product Orders table

4. E-R DIAGRAMS

- LOGIN




Fig 3.5: Login

- USER DETAILS




Fig 3.6: User Details

- PRODUCT DETAILS




Fig 3.7: Product Details

- PRODUCT ORDERS




Fig 3.8: Product Orders

- COMPLETE DIAGRAM




Fig 3.9: Complete Diagram

5. DATA FLOW DIAGRAM

A Data Flow Diagram (DFD) is a structured analysis and design tool that can be used for flowcharting. A DFD is a network that describes the flow of data and the processes that change or transform the data throughout a system. This network is constructed by using a set of symbols that do not imply any physical implementation. It has the purpose of clarifying system

requirements and identifying major transformations. So it is the starting point of the design phase that functionally decomposes the requirements specifications down to the lowest level of detail. DFD can be considered to an abstraction of the logic of an information-oriented or a process-oriented system flow-chart. For these reasons DFD's are often referred to as logical data flow diagrams.

EXTERNAL ENTITY

An external entity is a source or destination of a data flow. Only those entities which originate or receive data are represented on a data flow diagram. The symbol used is a rectangular box.

PROCESS

A process shows a transformation or manipulation of data flow within the system. The symbol used is an oval shape.

DATAFLOW

The data flow shows the flow of information from a source to its destination. Data flow is represented by a line, with arrowheads showing the direction of flow. Information always flows to or from a process and may be written, verbal or electronic. Each data flow may be referenced by the processes or data stores at its head and tail, or by a description of its contents.

DATA STORE

A data store is a holding place for information within the system: It is represented by an open ended narrow rectangle. Data stores may be long-term files such as sales ledgers, or may be short-term accumulations: for example batches of documents that are waiting to be processed. Each data store should be given a reference followed by an arbitrary number.

- LOGIN DFD




Fig 3.10: Login DFD

- REGISTRATION DFD




Fig 3.11: Registration DFD

- ADMIN DFD




Fig 3.12: Admin DFD

- MODERATOR DFD




Fig 3.13: Moderator DFD

6.CODING

First phase of implementation is coding. Coding can be done in two ways. One by automatic program code and other by programmer's manually written code. A code generator is a suite of programs that matches the input to an appropriate code template and from these produces modules of code.

The code is made simple in such a way that another programmer can easily understand and work on that in future. The crucial phase in the system development life cycle is the successful implementation of the new system design. The process of converting as new or revised system into an operational one is known as system implementation.

This includes all those activities that take place to convert from an old system to a new system. The system can be implemented only after a through testing is done and if it is found to work according to the specifications. The most crucial stage in achieving a new successful system and giving confident on the new system for the users is that it will work effectively and efficiently. It involves careful planning, investigation of the current system and its constraints on implementation, design of methods to achieve the change over.

SOURCE CODE

```
<!DOCTYPE html>
{% load static %}
<html lang="en" dir="ltr">

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
  <title>Online Shopping</title>

  <title>Online Shopping</title>
  <style media="screen">
    .footer{
      position: fixed;
    }
  </style>
</head>

<body style="background-color: black;">
  {%if request.user.is_authenticated%}
    {% include "ecom/customer_navbar.html" %}
  {%else%}
    {% include "ecom/navbar.html" %}
  {%endif%}
  <br><br><br>
```

```

<h3 style="text-align:center; color: white;">This site is run and owned by Myrel
Evangelista, and our physical address is: Duterte Street 5, Brgy.Silanganan,
Dumanggas, Iloilo City, Philippines.</h3>
<br><br><br><br><br><br><br><br><br><br><br><br><br><br><br>
    {% include "ecom/footer.html" %}
</body>
</html>

```

```

{% extends 'ecom/admin_base.html' %}
{% load static %}
{% block content %}
<br>
{%include 'ecom/admin_dashboard_cards.html'%}
<br><br><br><br><br>

<hr><hr>
<div class="container" >

    <div class="panel panel-primary" >
        <div class="panel-heading" style="text-align:center;">
            <h6 class="panel-title">Recent Orders</h6>
        </div>
        <table class="table table-hover" id="dev-table">
            <thead>
                <tr>
                    <th>Customer Name</th>
                    <th>Customer Mobile</th>
                    <th>Shipment Address</th>
                    <th>Product Name</th>
                    <th>Product Picture</th>
                    <th>Status</th>

                </tr>
            </thead>
            {% for product,customer,order in data %}
            <tr>
                {% for c in customer %}
                <td> {{c.get_name}}</td>
                <td>{{c.mobile}}</td>
                <td>{{order.address}}</td>

                {% endfor %}
                {% for p in product %}
                <td> {{p.name}}</td>
                <td> </td>

                {% if order.status == 'Pending'%}
                <td> <span class="label label-info">{{order.status}}</span></td>
                {% elif order.status == 'Delivered' %}
                <td> <span class="label label-success">{{order.status}}</span></td>
                {% elif order.status == 'Out for Delivery' %}
                <td> <span class="label label-warning">{{order.status}}</span></td>
                {%else%}
                <td> <span class="label label-primary">{{order.status}}</span></td>
                {%endif%}
                {% endfor %}
            </tr>
            {% endfor %}

```

</table>

```
</div>
```

</div>

```
{% endblock content %}
```

```
{% extends 'ecom/admin_base.html' %}
```

```
{% load static %}
```

```
{% block content %}
```

<head>

```
<link href="//netdna.bootstrapcdn.com/bootstrap/3.0.0/css/bootstrap.min.css"
rel="stylesheet" id="bootstrap-css">
```

```
<script  
src="//netdna.bootstrapcdn.com/bootstrap/3.0.0/js/bootstrap.min.js"></script>  
<script src="//code.jquery.com/jquery-1.11.1.min.js"></script>
```

```
<style media="screen">
  a:link {
    text-decoration: none;
  }
```

```
h6 {
  text-align: center;
}
```

```
.row {
  margin: 100px;
}
```

</style>

</head>

```
<div class="container">
```

```
<div class="panel panel-primary">
```

```
<div class="panel-heading">
```

Total Orders</h6>

</div>

```
<table class="table table-hover" id="dev-table">
```

|

```
<th>Customer Name</th>
```

```

        <th>Customer Mobile</th>
        <th>Shipment Address</th>
        <th>Product Name</th>
        <th>Product Picture</th>
        <th>Status</th>
        <th>Update Status</th>
        <th>Delete</th>
    </tr>
</thead>
<!-- p for product, c for customer-->
{% for product,customer,order in data %}
<tr>
    {% for c in customer %}
    <td> {{c.get_name}}</td>
    <td>{{c.mobile}}</td>
    <td>{{order.address}}</td>

    {% endfor %}
    {% for p in product %}
    <td> {{p.name}}</td>
    <td> </td>
    <td>{{order.status}}</td>
    <td><a class="btn btn-primary btn-xs" href="{% url 'update-order'
order.id %}"><span class="glyphicon glyphicon-edit"></span></a></td>
    <td><a class="btn btn-danger btn-xs" href="{% url 'delete-order' order.id
%}"><span class="glyphicon glyphicon-trash"></span></a></td>

    {% endfor %}

    </tr>
    {% endfor %}
</table>
</div>
</div>
{% endblock content %}

```

```

{% extends 'ecom/homebase.html' %}
{% load static %}
{% block content %}

```

```
<head>
  <link href="//netdna.bootstrapcdn.com/bootstrap/3.0.0/css/bootstrap.min.css"
rel="stylesheet" id="bootstrap-css">
  <script
src="//netdna.bootstrapcdn.com/bootstrap/3.0.0/js/bootstrap.min.js"></script>
  <script src="//code.jquery.com/jquery-1.11.1.min.js"></script>
<style media="screen">
  .button {
    display: inline-block;
    border-radius: 4px;
    background-color: #f4511e;
    border: none;
    color: #FFFFFF;
    text-align: center;
    font-size: 28px;
    padding: 20px;
    width: 200px;
    transition: all 0.5s;
    cursor: pointer;
    margin: 5px;
  }

.button span {
  cursor: pointer;
  display: inline-block;
  position: relative;
  transition: 0.5s;
}

.button span:after {
  content: '\00bb';
  position: absolute;
  opacity: 0;
  top: 0;
  right: -20px;
  transition: 0.5s;
}

.button:hover span {
  padding-right: 25px;
}

.button:hover span:after {
  opacity: 1;
  right: 0;
}
```



```

}

.button2 {
  background-color: white;
  color: black;
  border: 2px solid #008CBA;
}

.button2:hover {
  background-color: #008CBA;
  color: white;
}

</style>

</head>
<br><br><br><br>

<div class="container">
  <div class="panel panel-primary">
    <div class="panel-heading" style="background-color: #ff6600;">
      <h6 style="text-align:center;" class="panel-title">My Cart</h6>
    </div>
    <table class="table table-hover" id="dev-table">
      <thead>
        <tr>
          <th>Name</th>
          <th>Image</th>
          <th>Price</th>
          <th>Description</th>
          <th>Remove From Cart</th>
        </tr>
      </thead>
      {% for p in products %}
      {% if p %}

        <tr>
          <td> {{p.name}}</td>
          <td> </td>
          <td>{{p.price}}</td>
          <td>{{p.description}}</td>

```

```

        <td><a class="btn btn-danger btn-xs" href="{% url 'remove-from-cart' p.id
        %}"><span class="glyphicon glyphicon-trash"></span></a></td>

    </tr>
    {%else%}
    <br><br><br>
    <h1>no products</h1>
    {% endif %}
    {% endfor %}
</table>
</div>
</div>
<br><br><br>
<div style="text-align: center;">
    <button class="button button2">Total {{total}}</button>
    <a href="/customer-address"><button class="button" ><span>Purchase
</span></button></a>
</div>

<br><br><br><br><br>
{% endblock content %}

```

```

{% extends 'ecom/customer_base.html' %}
{% load static %}
{% block content %}

```

```

    <style media="screen">
        body,
html {
    height: 100%;
}

.d-flex {
    display: -webkit-box;
    display: -ms-flexbox;
    display: flex;
}

.align-center {
    -webkit-box-align: center;
    -ms-flex-align: center;

```

```
    align-items: center;
}

.flex-centerY-centerX {
    justify-content: center;
    -webkit-box-pack: center;
    -ms-flex-pack: center;
    justify-content: center;
    -webkit-box-align: center;
    -ms-flex-align: center;
    align-items: center;
}

body {
    background-color: #8c9eff;
}

.page-wrapper {
    height: 100%;
    display: table;
}

.page-wrapper .page-inner {
    display: table-cell;
    vertical-align: middle;
}

.el-wrapper {
    width: 360px;
    padding: 15px;
    margin: 15px auto;
    background-color: #fff;
}

@media (max-width: 991px) {
    .el-wrapper {
        width: 345px;
    }
}

@media (max-width: 767px) {
    .el-wrapper {
        width: 290px;
        margin: 30px auto;
    }
}
```

```
}

.el-wrapper:hover .h-bg {
  left: 0px;
}

.el-wrapper:hover .price {
  left: 20px;
  -webkit-transform: translateY(-50%);
  -ms-transform: translateY(-50%);
  -o-transform: translateY(-50%);
  transform: translateY(-50%);
  color: #818181;
}

.el-wrapper:hover .add-to-cart {
  left: 50%;
}

.el-wrapper:hover .img {
  webkit-filter: blur(7px);
  -o-filter: blur(7px);
  -ms-filter: blur(7px);
  filter: blur(7px);
  filter: progid:DXImageTransform.Microsoft.Blur(pixelradius='7',
shadowopacity='0.0');
  opacity: 0.4;
}

.el-wrapper:hover .info-inner {
  bottom: 155px;
}

.el-wrapper:hover .a-size {
  -webkit-transition-delay: 300ms;
  -o-transition-delay: 300ms;
  transition-delay: 300ms;
  bottom: 50px;
  opacity: 1;
}

.el-wrapper .box-down {
  width: 100%;
  height: 60px;
  position: relative;
```

```

    overflow: hidden;
    background-color: #ff6600;
}

.el-wrapper .box-up {
    width: 100%;
    height: 300px;
    position: relative;
    overflow: hidden;
    text-align: center;
}

.el-wrapper .img {
    padding: 20px 0;
    -webkit-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
    -moz-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
    -o-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
    transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
    /* ease-out */
    -webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
    -moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
    -o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
    transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
    /* ease-out */
}

.h-bg {
    -webkit-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
    -moz-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
    -o-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
    transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
    /* ease-out */
    -webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
    -moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
    -o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
    transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
    /* ease-out */
    width: 660px;
    height: 100%;
    background-color: #3f96cd;
    position: absolute;
    left: -659px;
}

.h-bg .h-bg-inner {

```

```
width: 50%;
height: 100%;
background-color: #464646;
}

.info-inner {
  -webkit-transition: all 400ms cubic-bezier(0, 0, 0.18, 1);
  -moz-transition: all 400ms cubic-bezier(0, 0, 0.18, 1);
  -o-transition: all 400ms cubic-bezier(0, 0, 0.18, 1);
  transition: all 400ms cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  -webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  position: absolute;
  width: 100%;
  bottom: 25px;
}

.info-inner .p-name,
.info-inner .p-company {
  display: block;
}

.info-inner .p-name {
  font-family: 'PT Sans', sans-serif;
  font-size: 18px;
  color: #252525;
}

.info-inner .p-company {
  font-family: 'Lato', sans-serif;
  font-size: 12px;
  text-transform: uppercase;
  color: #FFE11B;
}

.a-size {
  -webkit-transition: all 300ms cubic-bezier(0, 0, 0.18, 1);
  -moz-transition: all 300ms cubic-bezier(0, 0, 0.18, 1);
  -o-transition: all 300ms cubic-bezier(0, 0, 0.18, 1);
  transition: all 300ms cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
}
```

```
-webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
-moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
-o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
/* ease-out */
position: absolute;
width: 100%;
bottom: -20px;
font-family: 'PT Sans', sans-serif;
color: #828282;
opacity: 0;
}

.a-size .size {
  color: #252525;
}

.cart {
  display: block;
  position: absolute;
  width: 100%;
  height: 100%;
  top: 0;
  left: 0;
  font-family: 'Lato', sans-serif;
  font-weight: 700;
}

.cart .price {
  -webkit-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  -moz-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  -o-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  -webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  -webkit-transition-delay: 100ms;
  -o-transition-delay: 100ms;
  transition-delay: 100ms;
  display: block;
  position: absolute;
  top: 50%;
```

```

left: 50%;
-webkit-transform: translate(-50%, -50%);
-ms-transform: translate(-50%, -50%);
-o-transform: translate(-50%, -50%);
transform: translate(-50%, -50%);
font-size: 16px;
color: #252525;
}

.cart .add-to-cart {
  -webkit-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  -moz-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  -o-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  -webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  -webkit-transition-delay: 100ms;
  -o-transition-delay: 100ms;
  transition-delay: 100ms;
  display: block;
  position: absolute;
  top: 50%;
  left: 110%;
  -webkit-transform: translate(-50%, -50%);
  -ms-transform: translate(-50%, -50%);
  -o-transform: translate(-50%, -50%);
  transform: translate(-50%, -50%);
}

.cart .add-to-cart .txt {
  font-size: 12px;
  color: #ff6600;
  letter-spacing: 0.045em;
  text-transform: uppercase;
  white-space: nowrap;
}

* {
  box-sizing: border-box;
}

/* Create three equal columns that floats next to each other */

```



```

.column {
  float: left;
  width: 33.33%;
  padding: 10px;
  height: 300px; /* Should be removed. Only for demonstration */
}

/* Clear floats after the columns */
.row:after {
  content: "";
  display: table;
  clear: both;
}

/* Responsive layout - makes the three columns stack on top of each other instead
of next to each other */
@media screen and (max-width: 600px) {
  .column {
    width: 100%;
  }
}
</style>

```

```

{%if products%}
<h3 style="text-align:center; color:yellow;">{{word}}</h3>
<br>
<!-- products data
start!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!! -->
<div class="row">

  {% for p in products %}
  <!-- card1 -->
  <div class="column">
    <div class="container page-wrapper" style="width: 450px;">
      <div class="page-inner">
        <div class="row">
          <div class="el-wrapper">
            <div class="box-up">
              
              <div class="img-info">
                <div class="info-inner">

```

```

        <span style="background-color:#08050a; color:yellow;"
class="p-company">{{p.name}}</span>

        </div>
        <div class="a-size">{{p.description}}</div>
    </div>
</div>

<div class="box-down">
    <div class="h-bg">
        <div class="h-bg-inner"></div>
    </div>

    <a class="cart" href="{% url 'add-to-cart' p.id %}">
        <span class="price">P{{p.price}}</span>
        <span class="add-to-cart">
            <span class="txt">Add in cart</span>
        </span>
    </a>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- card1 end -->
{% if forloop.counter|divisibleby:"3" %}
    </div>
    <div class="row">
        <br><br><br><br><br>
{% endif %}

    {% endfor %}
</div>
<!-- products data enddddddddddddddddddddddddddddddddddddddddddddddd
-->

{%else%}
<h3 style="text-align:center; color:yellow;">No Search Found</h3>
{%endif%}

<script>
    {%if messages %}

```

```

    {%for message in messages%}
    alert('{{message}}');
    {%endfor%}
    {%endif%}
</script>
<br><br><br>
<br><br><br><br><br><br><br><br><br><br>
{% endblock content %}

```

```

{% extends 'ecom/customer_base.html' %}
{% load static %}
{% block content %}

```

```

    <style media="screen">
        body,
html {
    height: 100%;
}

.d-flex {
    display: -webkit-box;
    display: -ms-flexbox;
    display: flex;
}

.align-center {
    -webkit-box-align: center;
    -ms-flex-align: center;
    align-items: center;
}

.flex-centerY-centerX {
    justify-content: center;
    -webkit-box-pack: center;
    -ms-flex-pack: center;
    justify-content: center;
    -webkit-box-align: center;
    -ms-flex-align: center;
    align-items: center;
}

body {
    background-color:#8c9eff;
}

.page-wrapper {
    height: 100%;
    display: table;
}

.page-wrapper .page-inner {
    display: table-cell;
    vertical-align: middle;
}

.el-wrapper {

```

```
width: 360px;
padding: 15px;
margin: 15px auto;
background-color: #fff;
}

@media (max-width: 991px) {
  .el-wrapper {
    width: 345px;
  }
}

@media (max-width: 767px) {
  .el-wrapper {
    width: 290px;
    margin: 30px auto;
  }
}

.el-wrapper:hover .h-bg {
  left: 0px;
}

.el-wrapper:hover .price {
  left: 20px;
  -webkit-transform: translateY(-50%);
  -ms-transform: translateY(-50%);
  -o-transform: translateY(-50%);
  transform: translateY(-50%);
  color: #818181;
}

.el-wrapper:hover .add-to-cart {
  left: 50%;
}

.el-wrapper:hover .img {
  webkit-filter: blur(7px);
  -o-filter: blur(7px);
  -ms-filter: blur(7px);
  filter: blur(7px);
  filter: progid:DXImageTransform.Microsoft.Blur(pixelradius='7', shadowopacity='0.0');
  opacity: 0.4;
}

.el-wrapper:hover .info-inner {
  bottom: 155px;
}

.el-wrapper:hover .a-size {
  -webkit-transition-delay: 300ms;
  -o-transition-delay: 300ms;
  transition-delay: 300ms;
  bottom: 50px;
  opacity: 1;
}

.el-wrapper .box-down {
  width: 100%;
  height: 60px;
  position: relative;
  overflow: hidden;
  background-color: #ff6600;
```

```

}

.el-wrapper .box-up {
  width: 100%;
  height: 300px;
  position: relative;
  overflow: hidden;
  text-align: center;
}

.el-wrapper .img {
  padding: 20px 0;
  -webkit-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
  -moz-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
  -o-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
  transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  -webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
}

.h-bg {
  -webkit-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
  -moz-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
  -o-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
  transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  -webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  width: 660px;
  height: 100%;
  background-color: #3f96cd;
  position: absolute;
  left: -659px;
}

.h-bg .h-bg-inner {
  width: 50%;
  height: 100%;
  background-color: #464646;
}

.info-inner {
  -webkit-transition: all 400ms cubic-bezier(0, 0, 0.18, 1);
  -moz-transition: all 400ms cubic-bezier(0, 0, 0.18, 1);
  -o-transition: all 400ms cubic-bezier(0, 0, 0.18, 1);
  transition: all 400ms cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  -webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  position: absolute;
  width: 100%;
  bottom: 25px;
}

```

```

.info-inner .p-name,
.info-inner .p-company {
  display: block;
}

.info-inner .p-name {
  font-family: 'PT Sans', sans-serif;
  font-size: 18px;
  color: #252525;
}

.info-inner .p-company {
  font-family: 'Lato', sans-serif;
  font-size: 12px;
  text-transform: uppercase;
  color: #FFE11B;
}

.a-size {
  -webkit-transition: all 300ms cubic-bezier(0, 0, 0.18, 1);
  -moz-transition: all 300ms cubic-bezier(0, 0, 0.18, 1);
  -o-transition: all 300ms cubic-bezier(0, 0, 0.18, 1);
  transition: all 300ms cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  -webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  position: absolute;
  width: 100%;
  bottom: -20px;
  font-family: 'PT Sans', sans-serif;
  color: #828282;
  opacity: 0;
}

.a-size .size {
  color: #252525;
}

.cart {
  display: block;
  position: absolute;
  width: 100%;
  height: 100%;
  top: 0;
  left: 0;
  font-family: 'Lato', sans-serif;
  font-weight: 700;
}

.cart .price {
  -webkit-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  -moz-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  -o-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  -webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
}

```

```

/* ease-out */
-webkit-transition-delay: 100ms;
-o-transition-delay: 100ms;
transition-delay: 100ms;
display: block;
position: absolute;
top: 50%;
left: 50%;
-webkit-transform: translate(-50%, -50%);
-ms-transform: translate(-50%, -50%);
-o-transform: translate(-50%, -50%);
transform: translate(-50%, -50%);
font-size: 16px;
color: #252525;
}

.cart .add-to-cart {
-webkit-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
-moz-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
-o-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
/* ease-out */
-webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
-moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
-o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
/* ease-out */
-webkit-transition-delay: 100ms;
-o-transition-delay: 100ms;
transition-delay: 100ms;
display: block;
position: absolute;
top: 50%;
left: 110%;
-webkit-transform: translate(-50%, -50%);
-ms-transform: translate(-50%, -50%);
-o-transform: translate(-50%, -50%);
transform: translate(-50%, -50%);
}

.cart .add-to-cart .txt {
font-size: 12px;
color: #ff6600;
letter-spacing: 0.045em;
text-transform: uppercase;
white-space: nowrap;
}

* {
box-sizing: border-box;
}

/* Create three equal columns that floats next to each other */
.column {
float: left;
width: 33.33%;
padding: 10px;
height: 300px; /* Should be removed. Only for demonstration */
}

/* Clear floats after the columns */
.row:after {
content: "";
display: table;

```

```

clear: both;
}

/* Responsive layout - makes the three columns stack on top of each other instead of next to each other */
@media screen and (max-width: 600px) {
  .column {
    width: 100%;
  }
}
</style>

{%if products%}
<h3 style="text-align:center; color:yellow;">{{word}}</h3>
<br>
<!-- products data start----->
<div class="row">

  {% for p in products %}
  <!-- card1 -->
  <div class="column">
    <div class="container page-wrapper" style="width: 450px;">
      <div class="page-inner">
        <div class="row">
          <div class="el-wrapper">
            <div class="box-up">
              
              <div class="img-info">
                <div class="info-inner">
                  <span style="background-color:#08050a; color:yellow;" class="p-company">{{p.name}}</span>

                </div>
                <div class="a-size">{{p.description}}</div>
              </div>
            </div>

            <div class="box-down">
              <div class="h-bg">
                <div class="h-bg-inner"></div>
              </div>

              <a class="cart" href="{% url 'add-to-cart' p.id %}">
                <span class="price">P{{p.price}}</span>
                <span class="add-to-cart">
                  <span class="txt">Add in cart</span>
                </span>
              </a>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
  <!-- card1 end -->
  {% if forloop.counter|divisibleby:"3" %}
  </div>
  <div class="row">
    <br><br><br><br><br>
  {% endif %}

```



```

    {% endfor %}
</div>
<!-- products data enddddddddddddddddddddddddddddddddddddddddddddddddddd -->

{%else%}
<h3 style="text-align:center; color:yellow;">No Search Found</h3>
{%endif%}

<script>
    {%if messages %}
    {%for message in messages%}
    alert('{{message}}');
    {%endfor%}
    {%endif%}
</script>
<br><br><br>
<br><br><br><br><br><br><br><br><br>
{% endblock content %}

```

```

<!DOCTYPE html>
<html lang="en" dir="ltr">
{% load static %}

<head>
    <meta charset="utf-8">
    <style>
        @page {
            size: A4;
            margin: 1cm;

            @frame footer {
                -pdf-frame-content: footerContent;
                bottom: 0cm;
                margin-left: 9cm;
                margin-right: 9cm;
                height: 1cm;
            }
        }

        .invoice-box {
            max-width: 800px;
            margin: auto;
            padding: 30px;
            border: 1px solid #eee;
            box-shadow: 0 0 10px rgba(0, 0, 0, .15);
            font-size: 16px;
            line-height: 24px;
            font-family: 'Helvetica Neue', 'Helvetica', Helvetica, Arial, sans-serif;
            color: #555;
        }

        .invoice-box table {
            width: 100%;
            line-height: inherit;
            text-align: left;
        }

        .invoice-box table td {
            padding: 5px;

```

```

        vertical-align: top;
    }

.invoice-box table tr td:nth-child(2) {
    text-align: right;
}

.invoice-box table tr.top table td {
    padding-bottom: 20px;
}

.invoice-box table tr.top table td.title {
    font-size: 45px;
    line-height: 45px;
    color: #333;
}

.invoice-box table tr.information table td {
    padding-bottom: 40px;
}

.invoice-box table tr.heading td {
    background: #eee;
    border-bottom: 1px solid #ddd;
    font-weight: bold;
}

.invoice-box table tr.details td {
    padding-bottom: 20px;
}

.invoice-box table tr.item td {
    border-bottom: 1px solid #eee;
}

.invoice-box table tr.item.last td {
    border-bottom: none;
}

.invoice-box table tr.total td:nth-child(2) {
    border-top: 2px solid #eee;
    font-weight: bold;
}

@media only screen and (max-width: 600px) {
    .invoice-box table tr.top table td {
        width: 100%;
        display: block;
        text-align: center;
    }

    .invoice-box table tr.information table td {
        width: 100%;
        display: block;
        text-align: center;
    }
}

/** RTL **/
.rtl {
    direction: rtl;
    font-family: Tahoma, 'Helvetica Neue', 'Helvetica', Helvetica, Arial, sans-serif;
}

```

```

.rtl table {
  text-align: right;
}

.rtl table tr td:nth-child(2) {
  text-align: left;
}
</style>
</head>

<body>

<br><br><br>
<div class="invoice-box">
  <table cellpadding="0" cellspacing="0">
    <tr class="top">
      <td colspan="2">
        <table>
          <tr>
            <td class="title">
              <h5>Ecommerce</h5>
            </td>

            <td>

              Order Date: {{orderDate}}<br>

            </td>
          </tr>
        </table>
      </td>
    </tr>

    <tr class="information">
      <td colspan="2">
        <table>
          <tr>
            <td>
              Customer Name : <br>{{customerName}}<br><br>
              Customer Email :<br> {{customerEmail}}

            </td>

            <td>
              Customer Mobile :<br>
              {{customerMobile}}<br><br>
              Shipment Address :<br> {{shipmentAddress}}

            </td>
          </tr>
        </table>
      </td>
    </tr>

    <tr class="information">
      <td colspan="2">
        <table>
          <tr>
            <td>
              Product Image :<br>

```

```

        <br><br>
        Product Price : <br>
        {{productPrice}}
    </td>
    <td>
        Product Name: <br> {{productName}}<br><br>
        Product Description: <br> {{productDescription}}
    </td>
</tr>
</table>
</td>
</tr>

<tr class="information">
    <td colspan="2">
        <table>
            <tr>
                <td>
                    Order Status :<br><br>
                    {{orderStatus}}
                </td>
            </tr>
        </table>
    </td>
</tr>

</table>
</div>
</body>
</html>

```

```

{% extends 'ecom/homebase.html' %}
{% load static %}
{% block content %}

    <style media="screen">
        body,
    html {
        height: 100%;
    }

    .d-flex {
        display: -webkit-box;
        display: -ms-flexbox;
        display: flex;
    }

    .align-center {
        -webkit-box-align: center;
        -ms-flex-align: center;
        align-items: center;
    }

```

```
.flex-centerY-centerX {
  justify-content: center;
  -webkit-box-pack: center;
  -ms-flex-pack: center;
  justify-content: center;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
}

body {
  background-color: #000000;
}

.page-wrapper {
  height: 100%;
  display: table;
}

.page-wrapper .page-inner {
  display: table-cell;
  vertical-align: middle;
}

.el-wrapper {
  width: 360px;
  padding: 15px;
  margin: 15px auto;
  background-color: #fff;
}

@media (max-width: 991px) {
  .el-wrapper {
    width: 345px;
  }
}

@media (max-width: 767px) {
  .el-wrapper {
    width: 290px;
    margin: 30px auto;
  }
}

.el-wrapper:hover .h-bg {
  left: 0px;
}

.el-wrapper:hover .price {
  left: 20px;
  -webkit-transform: translateY(-50%);
  -ms-transform: translateY(-50%);
  -o-transform: translateY(-50%);
  transform: translateY(-50%);
  color: #818181;
}

.el-wrapper:hover .add-to-cart {
  left: 50%;
}

.el-wrapper:hover .img {
  -webkit-filter: blur(7px);
}
```

```

-o-filter: blur(7px);
-ms-filter: blur(7px);
filter: blur(7px);
filter: progid:DXImageTransform.Microsoft.Blur(pixelradius='7', shadowopacity='0.0');
opacity: 0.4;
}

.el-wrapper:hover .info-inner {
  bottom: 155px;
}

.el-wrapper:hover .a-size {
  -webkit-transition-delay: 300ms;
  -o-transition-delay: 300ms;
  transition-delay: 300ms;
  bottom: 50px;
  opacity: 1;
}

.el-wrapper .box-down {
  width: 100%;
  height: 60px;
  position: relative;
  overflow: hidden;
  background-color: #ff6600;
}

.el-wrapper .box-up {
  width: 100%;
  height: 300px;
  position: relative;
  overflow: hidden;
  text-align: center;
}

.el-wrapper .img {
  padding: 20px 0;
  -webkit-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
  -moz-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
  -o-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
  transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  -webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
}

.h-bg {
  -webkit-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
  -moz-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
  -o-transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
  transition: all 800ms cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  -webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  width: 660px;
  height: 100%;
  background-color: #3f96cd;
}

```

```

position: absolute;
left: -659px;
}

.h-bg .h-bg-inner {
width: 50%;
height: 100%;
background-color: #464646;
}

.info-inner {
-webkit-transition: all 400ms cubic-bezier(0, 0, 0.18, 1);
-moz-transition: all 400ms cubic-bezier(0, 0, 0.18, 1);
-o-transition: all 400ms cubic-bezier(0, 0, 0.18, 1);
transition: all 400ms cubic-bezier(0, 0, 0.18, 1);
/* ease-out */
-webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
-moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
-o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
/* ease-out */
position: absolute;
width: 100%;
bottom: 25px;
}

.info-inner .p-name,
.info-inner .p-company {
display: block;
}

.info-inner .p-name {
font-family: 'PT Sans', sans-serif;
font-size: 18px;
color: #252525;
}

.info-inner .p-company {
font-family: 'Lato', sans-serif;
font-size: 15px;
text-transform: uppercase;
color: #FFE11B;
}

.a-size {
-webkit-transition: all 300ms cubic-bezier(0, 0, 0.18, 1);
-moz-transition: all 300ms cubic-bezier(0, 0, 0.18, 1);
-o-transition: all 300ms cubic-bezier(0, 0, 0.18, 1);
transition: all 300ms cubic-bezier(0, 0, 0.18, 1);
/* ease-out */
-webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
-moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
-o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
/* ease-out */
position: absolute;
width: 100%;
bottom: -20px;
font-family: 'PT Sans', sans-serif;
color: #828282;
opacity: 0;
}

```

```
.a-size .size {
  color: #252525;
}

.cart {
  display: block;
  position: absolute;
  width: 100%;
  height: 100%;
  top: 0;
  left: 0;
  font-family: 'Lato', sans-serif;
  font-weight: 700;
}

.cart .price {
  -webkit-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  -moz-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  -o-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  -webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  -webkit-transition-delay: 100ms;
  -o-transition-delay: 100ms;
  transition-delay: 100ms;
  display: block;
  position: absolute;
  top: 50%;
  left: 50%;
  -webkit-transform: translate(-50%, -50%);
  -ms-transform: translate(-50%, -50%);
  -o-transform: translate(-50%, -50%);
  transform: translate(-50%, -50%);
  font-size: 16px;
  color: #252525;
}

.cart .add-to-cart {
  -webkit-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  -moz-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  -o-transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  transition: all 600ms cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  -webkit-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -moz-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  -o-transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  transition-timing-function: cubic-bezier(0, 0, 0.18, 1);
  /* ease-out */
  -webkit-transition-delay: 100ms;
  -o-transition-delay: 100ms;
  transition-delay: 100ms;
  display: block;
  position: absolute;
  top: 50%;
  left: 110%;
  -webkit-transform: translate(-50%, -50%);
  -ms-transform: translate(-50%, -50%);
  -o-transform: translate(-50%, -50%);
  transform: translate(-50%, -50%);
}
```



```

}

.cart .add-to-cart .txt {
  font-size: 12px;
  color: #ff6600;
  letter-spacing: 0.045em;
  text-transform: uppercase;
  white-space: nowrap;
}
* {
  box-sizing: border-box;
}

/* Create three equal columns that floats next to each other */
.column {
  float: left;
  width: 33.33%;
  padding: 10px;
  height: 300px; /* Should be removed. Only for demonstration */
}

/* Clear floats after the columns */
.row:after {
  content: "";
  display: table;
  clear: both;
}

/* Responsive layout - makes the three columns stack on top of each other instead of next to each other */
@media screen and (max-width: 600px) {
  .column {
    width: 100%;
  }
}
</style>

{%if products%}
<h3 style="text-align:center; color:yellow;">{{word}}</h3>
<br>
<!-- products data start----->
<div class="row">

  {% for p in products %}
  <!-- card1 -->
  <div class="column">
    <div class="container page-wrapper" style="width: 450px;">
      <div class="page-inner">
        <div class="row">
          <div class="el-wrapper">
            <div class="box-up">
              
            <div class="img-info">
              <div class="info-inner">
                <span style="background-color:#08050a; color:yellow;"class="p-company">{{p.name}}</span>

              </div>
              <div class="a-size">{{p.description}}</div>
            </div>
          </div>
        </div>
        <div class="box-down">
          <div class="h-bg">

```

```

        <div class="h-bg-inner"></div>
    </div>

    <a class="cart" href="{% url 'add-to-cart' p.id %}">
        <span class="price">₱ {{p.price}}</span>
        <span class="add-to-cart">
            <span class="txt">Add in cart</span>
        </span>
    </a>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- card1 end -->
{% if forloop.counter|divisibleby:"3" %}
    </div>

    <div class="row">

        <br><br><br><br><br>
    {% endif %}
    {% endfor %}
</div>
<!-- products data enddddddddddddddddddddddddddddddddddddddddddddddddddddddd -->
{%else%}
<h3 style="text-align:center; color:yellow;">No Search Found</h3>
{%endif%}

<script>
    {%if messages %}
    {%for message in messages%}
    alert('{{message}}');
    {%endfor%}
    {%endif%}
</script>
<br><br><br>
<br><br><br><br><br><br><br><br><br><br><br><br><br><br>
{% endblock content %}

```

```

{% extends 'ecom/customer_base.html' %}
{% load static %}

{% block content %}
<head>

</head>
<style media="screen">

.panel-title {display: inline;font-weight: bold;}
.checkbox.pull-right { margin: 0; }
.pl-zero { padding-left: 0px; }
</style>
<br><br>
<marquee scrolldelay="50">ITS FAKE PAYMENT PAGE. WE DONOT STORE YOUR DATA</marquee>
<marquee scrolldelay="50">ITS JUST FOR DEMO</marquee>
<br><br>
<div class="container" style="text-align:center; padding-left:300px;">
    <div class="row">
        <div class="col-xs-12 col-md-4" style="height:500px; width:600px;">

```

```

<div class="panel panel-default">
  <div class="panel-heading">
    <h3 class="panel-title">
      Payment Details
    </h3>
    <div class="checkbox pull-right">
      <label>
        <input type="checkbox" />
        Remember
      </label>
    </div>
  </div>
  <div class="panel-body">
    <form role="form" method="post">
      <div class="form-group">
        <label for="cardNumber">
          CARD NUMBER</label>
        <div class="input-group">
          <input type="text" class="form-control" id="cardNumber" placeholder="Valid Card
Number"
          required autofocus />
          <span class="input-group-addon"><span class="glyphicon glyphicon-lock"></span></span>
        </div>
      </div>
      <div class="row">
        <div class="col-xs-7 col-md-7">
          <div class="form-group">
            <label for="expityMonth">
              EXPIRY DATE</label>
            <div class="col-xs-6 col-lg-6 pl-zero">
              <input type="text" class="form-control" id="expityMonth" placeholder="MM"
required />
            </div>
            <div class="col-xs-6 col-lg-6 pl-zero">
              <input type="text" class="form-control" id="expityYear" placeholder="YY"
required /></div>
          </div>
        </div>
        <div class="col-xs-5 col-md-5 pull-right">
          <div class="form-group">
            <label for="cvCode">
              CV CODE</label>
            <input type="password" class="form-control" id="cvCode" placeholder="CV" required
/>
          </div>
        </div>
      </div>
    </form>
  </div>
</div>
<div class="nav nav-pills nav-stacked">
  <li class="active"><a href="#" style="background-color: #ff6600;"><span class="badge pull-
right">{{total}}</span> Final Payment</a>
</li>
</ul>
<br/>
<a href="/payment-success" class="btn btn-primary btn-lg btn-block" role="button">Pay</a>
</div>
</div>

{% endblock content %}

```

[illegible]

```

        <label for="cvCode">
            CV CODE</label>
        <input type="password" class="form-control" id="cvCode" placeholder="CV" required
    />


    </div>
</div>
</div>
</form>
</div>
</div>
<div>
    <ul class="nav nav-pills nav-stacked">
        <li class="active"><a href="#" style="background-color: #ff6600;"><span class="badge pull-
right">{{total}}</span> Final Payment</a>
        </li>
    </ul>
    <br/>
    <a href="/payment-success" class="btn btn-primary btn-lg btn-block" role="button">Pay</a>
</div>
</div>
</div>


{% endblock content %}

```


SCREEN SHOTS

- Home PAGE





CUSTOMER LOGIN



USER LOGIN FORM

Username

Password

LOGIN

SIGNUP



- REGISTRATION

(19) WhatsApp x Post Attendee - Zoom x E-Commerce Project x +

127.0.0.1:8000/signup


E-Commerce Shopping Home About Contact User Login Admin Login

REGISTER FORM

First Name	Last Name
Enter First Name	Enter Last Name
User Name	Password
manasak	
Email	Contact
Enter Email	Enter Contact Detail
City	Date of Birth
Enter City	dd-mm-yyyy 
Full Address	Image
Enter Address Detail	Choose File No file chosen
SUBMIT	

Windows taskbar: 12:12 PM 30-10-2022

- PRODUCTS



GROCERIES



Sugar Bag Rs.231

Madhur sugar bag pack of 5kg

[Add to Cart](#)



**Surf Excel Powder
Rs.177**

Removes Tough Stains,1.5kg

[Add to Cart](#)



Onion Rs.35

Vegetables, fresh,1kg

[Add to Cart](#)



Santoor Soap Rs.128


Sandal and Turmeric Soap, pack of 4

[Add to Cart](#)

HOME APPLIANCES



- ADMIN HOME



ADMIN LOGIN FORM

Username

Password



ADMIN PRODUCT

(21) WhatsApp x Post Attendee - Zoom x Insurance Management System x E-Commerce Project x +

127.0.0.1:8000/admin_view_product

Show 10 entries Search:

Product Name	Image	Category	Price	Description	Action
Apple iPhone 12 Mini		Mobiles	67999	Black color 64GB storage 6GB RAM	Delete
Apple iPhone 7		Mobiles	23969	Black Color 32GB Ram	Delete
Apple New iPhone 12Mini		Mobiles	82900	Fancy White color 256GB Storage 8GB RAM	Delete
Ben Martin jeans		Men's Fashion Wears	800	Blue,cotton,casual,relaxed jeans,dry in shade	Delete
Black Shirt		Men's Fashion Wears	600	Awasa Black Shirt for men(stylish,slim fit)	Delete
Bosch 7kg Front Load Washing Machine		Home Appliances	30000	Bosch 7kg 5star inverter fully automatic Front Loading Washing Machine(grey,hygenic steam)	Delete
Butterfly Grinder		Home	3489	Butterfly Smart Wet Grinder,2L(White)with Coconut Scrapper	Delete

12:44 PM 30-10-2022

• ADMIN ORDER

(21) WhatsApp x Post Attendee - Zoom x Insurance Management System x E-Commerce Project x +

127.0.0.1:8000/admin_viewBooking

E-Commerce Shopping Home User Booking Review Logout

VIEW BOOKINGS

Show 10 entries Search:

Sr. No	Booking ID	Booking Date	Customer name	Email Id	Quantity	Total	Status	View Product	Cancel Booking
1	Bhavana23	Jan. 21, 2021	bhavana	bhavana@gmail.com	1	435	delivered	Detail	Cancel
2	bhavana.110	Jan. 23, 2021	bhavana	bhavana@gmail.com	1	1975	pending	Detail	Cancel
3	bhavana.114	Jan. 23, 2021	bhavana	bhavana@gmail.com	1	5000	pending	Detail	Cancel
4	Sunilkumar123.120	Oct. 29, 2022	Sunilkumar123	inforcsblr@gmail.com	1	177	pending	Detail	Cancel

Showing 1 to 4 of 4 entries Previous 1 Next

12:46 PM 30-10-2022

- USER HOME

The screenshot displays a web browser window with multiple tabs open, including WhatsApp, Zoom, and an E-commerce Project. The website's address bar shows the IP address 127.0.0.1:8000. The main content area features a grid of clothing items for sale. Each item is represented by a product image, a title, a price, a brief description, and an 'Add to Cart' button. The items include a Floral Crop Top set, a Pink frock, a Wish karo frock, a Combo Tshirts set, and a section for Men's Fashion Wears featuring Men's 3/4th barmuda, a US Polo Red Shirt, and a Men's Tuexdo Suit. The browser's taskbar at the bottom shows various application icons and the system clock indicating 12:49 PM on 30-10-2022.

Floral Crop Top set
Rs.1500
AR Fashion floral crop top set for girls(orange and white)
[Add to Cart](#)

Pink frock Rs.561
Neel's one piece for kids(pink color)
[Add to Cart](#)

Wish karo frock Rs.648
Baby girl frock dress for girls
[Add to Cart](#)

Combo Tshirts Rs.1000
Combo of 5tshirts for both boys and girls
[Add to Cart](#)


MEN'S FASHION WEARS

Men's 3/4th barmuda
Rs.499

US Polo Red Shirt
Rs.599

Men's Tuexdo Suit
Rs.3277

- USER CART



CHAPTER 4

CONCLUSION

The project entitled **Online shopping system** was completed successfully.

The system has been developed with much care and free of errors and at the same time it is efficient and less time consuming. The purpose of this project was to develop a web application and an android application for purchasing items from a shop.

This project helped us in gaining valuable information and practical knowledge on several topics like designing web pages using html & css, usage of responsive templates, designing of android applications, and management of database using mysql . The entire system is secured. Also the project helped us understanding about the development phases of a project and software development life cycle. We learned how to test different features of a project.

This project has given us great satisfaction in having designed an application which can be implemented to any nearby shops or branded shops selling various kinds of products by simple modifications.

There is a scope for further development in our project to a great extend. A number of features can be added to this system in future like providing

moderator more control over products so that each moderator can maintain their own products. Another feature we wished to implement was providing classes for customers so that different offers can be given to each class. System may keep track of history of purchases of each customer and provide suggestions based on their history. These features could have implemented unless the time did not limited us.

REFERENCES

JavaScript Enlightenment,Cody Lindley-First Edition, based on
JavaScript 1.5, ECMA-262, Edition

Mc GrawHill's , Java : The complete reference 7thEdition, Herbert
Schildit

Complete CSS Guide ,Maxine Sherrin and John Allsopp-O'Reilly Media;
September 2012

<http://www.w3schools.com/html/default.asp>,
<http://www.w3schools.com/css/default.asp>,
<http://www.w3schools.com/js/default.asp>