



Screenshots:



```

@Given("User sends a GET request to get user details and validate the repsonse")
public void user_sends_a_get_request_to_get_user_details_and_validate_the_repsonse() {
    // Write code here that turns the phrase above into concrete actions
    throw new io.cucumber.java.PendingException();
}

@Given("User sends a Delete request to delete user details and validate the repsonse")
public void user_sends_a_delete_request_to_delete_user_details_and_validate_the_repsonse() {
    // Write code here that turns the phrase above into concrete actions
    throw new io.cucumber.java.PendingException();
}

```

I

Share your Cucumber Report with your team at <https://reports.cucumber.io>
 Activate publishing with one of the following:

src/test/resources/cucumber.properties:	cucumber.publish.enabled=true
src/test/resources/junit-platform.properties:	cucumber.publish.enabled=true
Environment variable:	CUCUMBER_PUBLISH_ENABLED=true
JUnit:	@CucumberOptions(publish = true)

More information at <https://cucumber.io/docs/cucumber/environment-variables/>

Disable this message with one of the following:

src/test/resources/cucumber.properties:	cucumber.publish.quiet=true
src/test/resources/junit-platform.properties:	cucumber.publish.quiet=true

Source folder:

Package:

☐ Enclosing type:

Name:

Modifiers: ☒ public ☐ package ☐ private ☐ protected
☐ abstract ☒ final ☐ static

Superclass:

Interfaces:

Which method stubs would you like to create?



☐ public static void main(String[] args)

☐ Constructors from superclass

☐ Inherited abstract methods

Do you want to add comments? (Configure templates and default value [here](#))

☐ Generate comments



```

1  {
2    "id": 0,
3    "category": {
4      "id": 0,
5      "name": "string"
6    },
7    "name": "doggie",
8    "photoUrls": [
9      "string"
10   ],
11   "tags": [
12     {
13       "id": 0,
14       "name": "string"
15     }
16   ],
17   "status": "available"
18 }

```

```

3=import static io.restassured.RestAssured.given;
4
5 import java.io.File;
6
7 import io.cucumber.java.en.Given;
8 import io.restassured.http.ContentType;
9
10 public class LessonEndDemo {
11
12
13*  @Given("User sends a POST request to create a user and validate the repsonse")
14  public void user_sends_a_post_request_to_create_a_user_and_validate_the_repsonse() {
15
16      File file = new File("resources/lessonenddata.json");
17      given().baseUrl("https://reqres.in")
18          .basePath("/api/users")
19          .contentType(ContentType.JSON)
20          .body(file)
21          .when().post()
22          .then().statusCode(201).log().all();
23
24
25  }
26
27*  @Given("User sends a GET request to get user details and validate the repsonse")
28  public void user_sends_a_get_request_to_get_user_details_and_validate_the_repsonse() {
29
30      given().baseUrl("https://reqres.in")
31          .basePath("/api/users/2")
32          .when().get()

```

```

18     .basePath("/api/users")
19     .contentType(ContentType.JSON)
20     .body(file)
21     .when().post()
22     .then().statusCode(201).log().all();
23
24
25 }
26
27* @Given("User sends a GET request to get user details and validate the repsonse")
28 public void user_sends_a_get_request_to_get_user_details_and_validate_the_repsonse() {
29
30     given().baseUrl("https://reqres.in")
31         .basePath("/api/users/2")
32         .when().get()
33         .then().log().all();
34
35 }
36
37* @Given("User sends a Delete request to delete user details and validate the repsonse")
38 public void user_sends_a_delete_request_to_delete_user_details_and_validate_the_repsonse() {
39
40     given().baseUrl("https://reqres.in")
41         .basePath("/api/users/2")
42         .when().get()
43         .then().log().all();
44
45 }
46

```

```

    "support": {
        "url": "https://reqres.in/#support-heading",
        "text": "To keep ReqRes free, contributions towards server costs are appreciated!"
    }
}
Given User sends a Delete request to delete user details and validate the repsonse # steps.LessonEndDemc

1 Scenarios (1 passed)
3 Steps (3 passed)
0m5.447s

```

Server: cloudflare
CF-RAY: 856400110f244a2f-SIN

```
{  
  "name": "morpheus",  
  "job": "leader",  
  "id": "6",  
  "createdAt": "2024-02-16T07:15:35.470Z"  
}
```

```
    Given User sends a POST request to create a user and validate the repsonse      # steps.LessonEndD  
HTTP/1.1 200 OK  
Date: Fri, 16 Feb 2024 07:15:36 GMT  
Content-Type: application/json; charset=utf-8  
Transfer-Encoding: chunked  
Connection: keep-alive  
Report-To: {"group":"heroku-nel","max_age":3600,"endpoints":[{"url":"https://nel.heroku.com/reports?ts=  
Reporting-Endpoints: heroku-nel=https://nel.heroku.com/reports?ts=1707899142&sid=c4c9725f-1ab0-44d8-820  
Nel: {"report_to":"heroku-nel","max_age":3600,"success_fraction":0.005,"failure_fraction":0.05,"respons  
X-Powered-By: Express  
Access-Control-Allow-Origin: *  
Etag: W/"118-pbdwwFo9SKNhD3Lx5iHJyngpq00"  
Via: 1.1 vegur  
Cache-Control: max-age=14400  
CF-Cache-Status: HIT  
Age: 62  
Vary: Accept-Encoding  
Server: cloudflare  
CF-RAY: 856400170ale4a77-SIN  
Content-Encoding: gzip
```