

## ONLINE COURSE RESERVATION SYSTEM

## **USECASE DAIGRAM:**



:

## **CLASS DAIGRAM:**



GENERATE CODE:

```
1
 2
     #ifndef UNIVERSITY ADMIN H
 3
   #define UNIVERSITY_ADMIN_H
 4
 5
    #include <string>
    #include vector
 7
 8
9
10 🖵 /**
   * class university_admin
11
12
13
14
15
    class university_admin
16 🖵 {
17
    public:
18
19
       // Constructors/Destructors
20
21
22
23 🛱
24
       * Empty Constructor
25
26
       university_admin ();
27
28 🗐
       * Empty Destructor
29
30
31
       virtual ~university_admin ();
32
33
       // Static Public attributes
34
       //
35
      // Public attributes
36
```

```
14
15
     class course_management_system
16 🖵 {
17 public:
18
19
       // Constructors/Destructors
20
21
22
23
       * Empty Constructor
24
25
26
       course_management_system ();
27
28 🗐
29
        * Empty Destructor
30
       virtual ~course_management_system ();
31
32
33
       // Static Public attributes
34
35
36
       // Public attributes
37
38
39
40
       // Public attribute accessor methods
41
42
43
44
       // Public attribute accessor methods
45
46
47
```

```
1
 2 #ifndef STUDENT_H
3 #define STUDENT_H
 4
 5 #include <string>
 6 #include vector
 7
 8
 9
13 L
14
15
    class student
16 🖵 {
    public:
17
18
     // Constructors/Destructors
19
     //
20
21
22
23 🛱
      * Empty Constructor
*/
24
25
26
      student ();
27
28 🛱
      * Empty Destructor
29
30
31
      virtual ~student ();
32
33
      // Static Public attributes
34
      //
35
36
     // Public attributes
```