REWEAR TAILOR BLUEPRINT: TANK TOP

Size: Child Chest 56 cm (~3–4 Years) • Estimated Sewing Time: 66 mins (typical default) • Design Score: 80/100

Pattern geometry by FreeSewing 4.10.2 (MIT licence) — Engineered for Remnant Upcycling

MEASUREMENTS TO BE VERIFIED BY A TAILOR — Verify physical fabric stretch and grain orientation before final cutting

FABRIC YARDAGE & REMNANT REQUIREMENTS

Plain Fabric Yardage Needed: 0.45 meters (solid knit fabric, 110 cm bolt width) **Standard Seam Allowance:** 1.0 cm (0.4 in) throughout

1. GARMENT MEASUREMENT TABLE (FINISHED SPECIFICATIONS)

MEASUREMENT NAME	METRIC (cm)	IMPERIAL (in)	VERIFICATION STATUS
Finished Chest Circumference	56.0 cm	22 in	*typical estimate, to be verified by a tailor*
Finished Center Back Length	35.3 cm	13.9 in	*typical estimate, to be verified by a tailor*
Armhole Opening Curve Length	31.7 cm	12.5 in	*typical estimate, to be verified by a tailor*
Neckline Opening Circumference	34.7 cm	13.7 in	*typical estimate, to be verified by a tailor*
Binding Finished Width	2.0 cm	0.8 in	*typical estimate, to be verified by a tailor*
Lower Hem Allowance Depth	2.0 cm	0.8 in	*typical estimate, to be verified by a tailor*

2. MATERIALS & NOTIONS CHECKLIST (typical defaults, to be verified by a tailor)


Cotton jersey or knit fabric	40x80 cm for plain body	typical default, to be verified by a tailor
Cotton scrap strips for binding	Approx 6x100 cm total strip area	typical default, to be verified by a tailor
Stretch sewing thread	1 spool	typical default, to be verified by a tailor

3. PRODUCT ASSEMBLY STEPS (IN TAILOR ORDER)

1. **Stitch Shoulder Seams**
   Align front and back bodice panels right sides together at the shoulders. Stitch shoulder seams with 1.0 cm (0...
2. **Neckline & Armhole Binding**
   Fold scrap binding strips in half lengthwise wrong sides facing and press flat. Align neckline binding to neck...
3. **Stitch Side Seams**
   Align front and back bodices right sides together along side seams, matching underarm binding edges and bottom...
4. **Hem Bottom Edge**
   Turn up lower body hem allowance by 2.0 cm (0.8 in) toward the inside. Steam press the fold line. Stitch hem u...

PRINT SCALE VERIFICATION INSTRUCTIONS:

1. Open this PDF in Adobe Acrobat or browser print dialog.
2. Set Page Scaling to "100%" or "Actual Size" (NEVER "Fit to Page" or "Shrink").
3. Measure the test square with a ruler: must measure exactly 10.0 cm / 3.94 in.
4. Tile pattern pages along dashed alignment lines and tape securely together.



FRONT BODICE

CUT 1 ON FOLD FROM PLAIN SOLID KNIT FABRIC

Fabric Source: Solid Plain Knit Fabric (Continuous yardage, 0 scraps)

Cut Dimensions: 31.8 × 37.8 cm (12.5 × 14.9 in)

Finished Size: 29.8 × 35.3 cm (11.7 × 13.9 in)

Seam allowance: 1.0 cm (0.4 in) included

FOLD LINE — PLACE ON FABRIC FOLD

GRAINLINE / WARP

10 cm × 10 cm TEST SQUARE

(4 in × 4 in Scale Check)

Measure with physical ruler after printing.

MUST MEASURE EXACTLY 10.0 cm (3.94 in)

FOLD LINE — PLACE ON FOLD

Tank

n with Tile 1

FRONT BODICE

CUT 1 ON FOLD FROM PLAIN SOLID KNIT FABRIC

Fabric Source: Solid Plain Knit Fabric (Continuous yardage, 0 scraps)

Cut Dimensions: 31.8 × 37.8 cm (12.5 × 14.9 in)

Finished Size: 29.8 × 35.3 cm (11.7 × 13.9 in)

Seam allowance: 1.0 cm (0.4 in) included

GRAINLINE / WARP



Tank Top • BACK BODICE (Tile 1/2)

15 mm Overlap Margin — Align with Tile 2

BACK BODICE

CUT 1 ON FOLD FROM PLAIN SOLID KNIT FABRIC

Fabric Source: Solid Plain Knit Fabric (Continuous yardage, 0 scraps)

Cut Dimensions: 31.8 × 37.8 cm (12.5 × 14.9 in)

Finished Size: 29.8 × 35.3 cm (11.7 × 13.9 in)

Seam allowance: 1.0 cm (0.4 in) included

FOLD LINE — PLACE ON FABRIC FOLD


GRAINLINE / WARP

10 cm × 10 cm TEST SQUARE

(4 in × 4 in Scale Check)

Measure with physical ruler after printing.

MUST MEASURE EXACTLY 10.0 cm (3.94 in)


FOLD LINE — PLACE ON FOLD
Tank
n with Tile 1
BACK BODICE
CUT 1 ON FOLD FROM PLAIN SOLID KNIT FABRIC
Fabric Source: Solid Plain Knit Fabric (Continuous yardage, 0 scraps)
Cut Dimensions: 31.8 × 37.8 cm (12.5 × 14.9 in)
Finished Size: 29.8 × 35.3 cm (11.7 × 13.9 in)
Seam allowance: 1.0 cm (0.4 in) included
AINLINE / WARP
10 cm × 10 cm TEST SQUARE
(4 in × 4 in Scale Check)
Measure with physical ruler after printing.
MUST MEASURE EXACTLY 10.0 cm (3.94 in)

ARMHOLE BINDING


CUT 2 (MIRRORED PAIR) FROM FABRIC SCRAPS


Fabric Source: Remnant Fabric Scraps (Trim strips)

Cut Dimensions: 6 × 31.7 cm (2.4 × 12.5 in)

Finished Size: 6 × 31.7 cm (2.4 × 12.5 in)

Seam allowance: 1.0 cm (0.4 in) included





NECKLINE BINDING

CUT 1 FROM FABRIC SCRAPS

Fabric Source: Remnant Fabric Scraps (Trim strip)
Cut Dimensions: 6 × 34.7 cm (2.4 × 13.7 in)
Finished Size: 6 × 34.7 cm (2.4 × 13.7 in)
Seam allowance: 1.0 cm (0.4 in) included

